

0.72 Aa. 0 B





HAND-LIST

OF

GENERA AND SPECIES

OF

BIRDS,

DISTINGUISHING THOSE CONTAINED

IN THE

BRITISH MUSEUM.

BY

G. R. GRAY, F.R.S. ETC.,
ASSISTANT KEEPER OF THE ZOOLOGICAL COLLECTIONS.

PART I.

ACCIPITRES, FISSIROSTRES, TENUIROSTRES, AND DENTIROSTRES.



LONDON:

PRINTED BY ORDER OF THE TRUSTEES. 1869. PRINTED BY TAYLOR AND FRANCIS, RED LION COURT, FLEET STREET.



2 - 2. 2.

PREFACE.

The object of this Hand-List is to give a complete List of all the Genera with their subdivisions; and also a comprehensive List of the species of Birds under the respective divisions to which they are supposed to belong.

The specific name in Antique (or thick) type exemplifies those species that are contained in the British Museum; whilst the Roman (or thin) type exhibits those species that are at present desiderata to the Collection.

The second or remaining part of the Hand-List is far advanced towards completion.

JOHN EDWARD GRAY.

May 10, 1869.



TABLE OF GENERA AND SUBGENERA.

AC	CIPITRES.		23. 24.	LeucopternisButeogallus	8
1.	GYPAËTIDÆ.		25.	Spizigeranus	9
			26. 27.	Urubitinga	9
	1. Gypaëtinæ.	e	28.	ArchibuteoButaquila	10
1.	Gypaëtus	1		· .	
				3. Aquilinæ.	
2.	VULTURIDÆ.		29. 30.	Aquila Uroaëtus	10 11
	l. Vulturinæ.		31.	Heteropus	11
2.		1	32.	Pteroaëtus	11
3.		2	33.	Pseudaëtus	11
4.		2	34.	Hieraaëtus	12
5.		2	35.	Spizaëtus	12
٠.			36.	Pternura	12
	2. Sarcoramphinæ.		37.	Spizastur	12
6.		3	38.	Lophaëtus	13
7.	Cathartes	3	39.	—?	13
8.	Cutting in the contract of the	3	40.	Limnaëtus	13
9.	??	3	41.	Circaëtus Harpyhaliœtus	14 14
	2 Manufaumina		43.		14
	3. Neophroninæ.		44.	Pandion	15
10.	2.copin on minimum	4	45.	Polioaëtus	15
11.	Necrosyrtes	4	46.	Poliornis	15
	4. Gypohieracinæ.		47.	Pernopsis	16
			48.	Thrasaëtus	16
12.	Gypohierax	4	49.		16
		Į	50.		16
3	FALCONIDÆ.	ĺ	51.	Thallasoaëtus	16
	1 Delerhaning		52.	Cuncuma	17
	l. Polyborinæ.		53. 54.	Geranoaëtus	17
13.		4	55.		17 18
14.	15th period	5	33.	Hanastur	10
15. 16.		5		4. Falconinæ.	
17.		5			
18.		6	56.	Falco Hierofalco	18
10.	1 013 001 43 111		57.		18
	2. Buteoninæ.		58.		19
19.	Buteo	6	59.		20
20.	Gypoietinia	7	60.		20
21.	Craxirex	7	61.		21
22.		8	62.		21
	•				

		Page			Pag
63.	Chicquera	Page 22	4. S	ERPENTARIIDÆ.	
64.	Polihierax	22		a	
65.	Icracidca	22	1.	Serpentariinæ.	
66.	Harpe	22	117.	Serpentarius	38
67.	Tinnunculus	22		1	
68.	Erythropus	23			
69.	Tichornis	23	ACCI	PITRES Nocturni.	
70.	Pœcilornis	23			
71.	Ierax	24	5 5	TRIGIDÆ.	
72.	Harpagus	24	J. 2	1101012121	
73.	Spiziapteryx	24	1.	Surninæ.	
, 0.	Spiniapiery a minimum		118.		39
5.	Milvinæ.		119.	Surnia	39
74.	Baza	25	120.		39
75.	Aviceda	25	121.	Athene	39
76.	Pernis	25	122.	Tanioglaux	40
77.	Henicopernis	26		Tænioptynx	
78.	Machaelamphus	26	123.	Smithiglaux	40
79.	Machaerhamphus	26	124.	Microglaux	40
	Milvus	26	125.	Hierocoglaux	40
80.	Hydroictinia	27	126.	Spiloglaux	41
81.	Lophoictiuia	27	127.	Cephaloptynx	41
82.	Nauclerus		128,	Rabdoglaux	41
83.	Chelictinia	27	129.	Sceloglaux	41
84.	Rostrhamus	27	130.	Ninox	41
85.	Cymindis	27	131.	Glaucidium	42
86.	Regerhinus	27	132.	Microptynx	42
87.	Elanus	28	133.	Micrathene	43
88.	Gampsonyx	28	134.	Spectyto	43
89.	Ictinia	28		Del colonia	
90.	Nertus	29	2.	Buboninæ.	
0	A 1 14: 1		135.	Bubo	43
6.	Accipitrinæ.		136.	Huhua	44
91.	Astur	29	137.	Urrua	44
92.	Leucospiza	29	138.	Nyctaetus	44
93.	Lophospiza	30	139.	Nisuella	44
94.	Asturina	30	140.	Ascalaphia	44
95.	Buteola	30	141.	Pseudoptynx	45
96.	Rupornis	30	142.	Ketupa	45
97.	Geranospiza	30	143.	Scotopelia	45
98.	Micrastur	31	144.	Scops	45
99.	?	31	145.	Lempijius	46
100.	Herpetotheres	31	146.	Pisorhina	46
101.	Accipiter	31	147.	Acnemis	46
102.	Cooperastur	32	148.	Ptilopsis	46
103.	Hieraspiza	33	149.	Megascops	46
104.	Urospiza	34	150.	Gymnasia	47
105.	<u></u> ?	34	151.	Lophostrix	47
106.	Micronisus	35			
107.	Tachyspiza	35	3.	Syrniinæ.	
108.	Sclerospiza	35	152.	Syrnium	48
109.	Kaupifalco	36	153.	Ptynx	48
110.	Melierax	36	154.	Bulaca	49
			155.	Myrtha	49
7.	Circinæ.		156.	Ciccaba	49
111.	Circus	36	157.	Macabra	49
112.		36	158.	Gisella	50
113.	Spilocircus	37	159.	Pulsatrix	50
114.	Strigiceps	37	160.	Otus	50
115.	Glaucopteryx	37	161.		50
	Spizacircus	38		Nyctalops	51
116.	Polyboroides	00	162.	Rhinostrix	01

		Page			Page
163.	Pscudoscops	51	203.	Tachornis	
164.	Brachyotus	51	204.	Panyptila	
165.	Phasmaptynx	51	205.	Dendrochelidon	
166.	Nyctala	51	206.	Collocalia	65
4.	Striginæ.		2.	Chæturinæ.	
167.	Strix	52	207.	Chætura	66
168.	Glyphidiura	52	208.	Hirundapus	
169.	Glaux	53	209.	—-?	
170.	Dactylostrix	53	210.	 ?	
171.	Megastrix	53	211.	Pallenia	
172.	Phodilus	53	212.	Hemiprocne	
			213.	Acanthylops	
I. PA	ASSERES Fissirostre	2	214.	Nephocates	
	· ·	3.	2.7	**************************************	
1. C	APRIMULGIDÆ.		3. F	HRUNDINIDÆ.	
	Podarginæ.			Hirundininæ.	
173.	Podargus	53	215.	Hirundo	
174.	Batrachostomus	54	216.	Cecropis	69
175.	Otothrix	55	217.	Lillia	
176.	Ægotheles	55	218.	Hypurolepsis	
9	Steatornithinæ.		219.	Hylochelidon	
			220.	Lagenoplastes	
177.	Steatornis	55	221.	Uromitus	
3.	Nyctibiinæ.		222.	Psalidoprocne	
178.		55	223. 224.	Hemicecrops	
170.	Nyctibius	55	225.	Phedina Petrochelidon	
4.	Caprimulginæ.		226.	Tachycineta	
179.	Caprimulgus	56	227.	?	
180.	Capripeda	58	228.	Callichelidon	
181.	Hydropsalis	58	229.	Pygochelidon	
182.	Macropsalis	58	230.	Atticora	
183.	Diplopsalis	58	231.	Neochelidon	
184.	Tetroura	58	232.	Notiochelidon	
185.	Antrostomus	58	233.	Pristoptera	. 73
186.	Nyctiphrynus	59	234.	Cheramœca	
187.	Stenopsis	59	235.	Cotile	
188.	Siphonorhis	60	236.	Stelgidopteryx	
189.	Elcothreptus	60	237.	Ptyonoprogne	
190.	Nyctidromus	60	238.	Chelidon	
191. 192.	Scortornis	60 60	239.	Delichon	
193.	Macrodipteryx	61	240. 241.	Physoprogra	
100.	Cosmetornis	01	242.	Phæoprogne Tapera	
	Podagerinæ.	٥.		1	
194. 195.	Podager	61 61	4.0	CORACIADÆ.	
195. 196.	Lurocalis	61			
197.	Nyctiprogne	62	1.	Coracianæ,	
198.	Rhamphaoratus	62	243.	Coracias	75
199.	Eurostopodus	62	244.	——?	
200.	Lyncornis	62	245.	Coraciura	
	,		246.	Eurystomus	
2. C	YPSELIDÆ.		247.	Cornopio	76
1.	Cypselinæ.		2.	Leptosominæ.	
201.	Cypselus	63	248.	Leptosomus	77
202.	Cypsiurus	64	249.	Brachypteracias	
	-			**	

250. 251.	Atelornis	77 77	286. 287.	Nothriscus	Page 86 86
			288. 289.	Chaunornis Nyctalus	86 86
5. E	URYLAIMIDÆ.		290.	Monasa	87
1.	Eurylaiminæ.		291.	Malacoptila	87
252.	Eurylaimus	77	292. 293.	Nonnula Chclidoptera	88 88
253.	Scrilophus	78 78	255,	Свенцориега	00
254. 255.	Psarisomus Corydon	78	10.	ALCEDINIDÆ.	
256.	Cymbirhynchus	78	1.	Daceloninæ.	
9	Calyptomeninæ.		294.	Dacelo	89
257.	Calyptomena	78	295.	Choucaleyon	89
237.	car, promens		296.	Cittura	- 89 - 89
6. T	ODIDÆ.		297. 298.	Melidora	89
1	Todinæ.		299.	Tanysiptera	90
258,	Todus	79	300.	Haleyon	90
200.	Todds		301. 302.	Chelicutia Entomobia	91 91
7. I	IOMOTIDÆ.		303.	Calialcyon	91
1	Momotinæ.		304.	Hylcaon	92
		79	305. 306.	Pelargopsis	$\frac{92}{92}$
259. 260.	Momotus	80	307.	Cyanaleyon Sauropatis	92
261.	Crybelus	80	308.	Todiramphus	93
261 ^a .	Urospatha		309.	Caridagrus	93 93
262.	Baryphthengus	80 80	310. 311.	Astacophilus	93
263. 264.	Prionirhynchus	80	312.	Lacedo .:	94
265.	Hylomanes	81	313.	Caridonax	94
			314.	Syma	94 94
8. 1	ROGONIDÆ.		315. 316.	Ceyx	95
1.	Trogoninæ.		316ª.	Ceycopsis	App.
266.	Trogon	81	2.	Alcedininæ.	
267. 268.	Aganus	81 82	317.	Alcedo	95
269.	Trogonurus	83	318.	Corythornis	96
270.	Pothinus	83	319.	Ispidina	96
271.	Temnotrogon	83	320. 321.	Alcyone	$\frac{96}{97}$
272. 273.	Priotelus	83 83	322.	Megaceryle	97
274.	Harpactes	83	323.	Ichthynomus	97
275.	Pyrotrogon	84	324.	Streptoceryle	97
276.	Duvaucelius	84 84	325. 326.	Chloroceryle Amazonis	97 98
277. 278.	Oreskios	84	320.	Amazoms	20
279	Pharomacrus	81	11.	MEROPIDÆ.	
280.	Tanypeplus	85	1.	Nyctiornithinæ.	
28 1 . 282.	Cosmurus	85 85	327.	Nyctiornis	98
404.	Leptuas	00	328.	Bucia	98
9. 1	BUCCONIDÆ.		329.	Meropiscus	98
1,			330. 331.	Meropogon Bombylonax	98 98
283.	Bucco	85			20
284.	Tamatia	85		Meropinæ.	
285.	Cyphos	86	332.	Merops	99

		Page	1		Page
333.	Melittophas	99	373.	Carmelita	
334.		99	374.		
	Blepharomerops			Panæola	
335.	Aërops	99	375.	Hedydipna	
3 36.	Phlothrus	99	376.	Mangusia	109
337.	Melittotheres	100	377.	Angladiana	
338.					
	Tethraërops		378.	Cosmeteira	109
339.	Melittias	100			
3 1 0.	Cosmaërops	100	2.	Promeropinæ.	
341.	Sphecophobus		200		100
			379.	Promerops	
342.	Dierocereus	100	380.	Æthopyga	109 -
343.	Melittophagus	101	381.	Anthobaphes	110
344.	Coccolarynx	101	382.	Chalcostetha	
		-01			
		Ì	383.	Hermotimia	
12.	GALBULIDÆ.		384.	Chalcoparia	111
				1	
1.	Galbulinæ.		3.	Arachnotherinæ.	
		101			
345.	Galbula		385.	Arachnothera	111
346.	Caucalias	102 -	386.	Arachnoraphis	111
347.	Urogalba		387.	——? ·	
348.					
	Brachygalba		388.	Arachnechthra	
349.	Jacamaraleyon	102 -	389.	Cyrtostomus	112
350.	Galbaleyrhynchus	102	390.	Leptocoma	
335.	Incompany	100	391.	Anthreptes	110
	Jaeamerops				
351ª.	? Galbuloides(note)	103	392.	?	113
		1	4.	Drepaninæ.	
2 PL	ASSERES Tenuirostr	AG	393.	Duanania	110
N. 1. 2.	10801101101 CHUMICOL	03.		Drepanis	
1 71	TOTTO TO		394.	Vestiaria	113
1. 0	PUPIDÆ.		395.	Himatione	113
	TT		396.	Hemignathus	
1.	Upupinæ.		397.	Moho.	
352.	Upupa	103			
		100	398.	Psittirostra	114
9	Tamicanina		399.	Loxops	114
÷.	Irrisorinæ.		400.	Dicæum	
353.	Irrisor	103	401.		
354.	Lamprolophos			Phenacistes	110
			402.	Microchelidon	115
355.	Cyanepops Scoptelus	104	403.	?	115
356.	Scoptelus	104	404.	Pachyglossa	
357.	Rhinopomastus				
007.	zemnopomaseas	101	405.	Piprisoma	
3.	Frimachina		406.	Pholidornis	116
U.	Epimachinæ.		407.	Prionochilus	116
358.	Ptilornis	104	408.	Anaimos	
359.	Craspedophora				
			409.	Melanocharis	110
360.	Epimachus				
361.	Seleucides	105	3. C	ŒREBIDÆ.	
362.	_ Semioptera	105			
363.	Falculia	105	1.	Cœrebinæ.	
0 7	Dogger on the		410.	Cœreba	
Z. F	ROMEROPIDÆ.		411.	Daenis	117
			412.	Polidaenis	117
1.	Nectarininæ.		413.	Eudacnis	117
364.	Nectarinia	100			
			414.	Ateleodacnis	
365.	Cinnyris	106	415.	Hemidacnis	118
366.	Chalcomitra	107	416.	Chlorophanes	
367.	Chromatophora		417.		
				Diglossa	118
368.	Anthodiata		418.	Tephrodiglossa	118
369.	Adelinus	108	419.	Pyrrhodiglossa	119
370.	Cyanomitra		420.	Cyanodiglossa	110
371.				3 (-1 d: 1	110
	Leucochloridia		421.	Melanodiglossa	
372.	Aidemonia	108	422.	Diglossopis	

100	Conirostrum	110			Page
423.			477.	Cyanomyia	
424.	Spodiornis			Cyanoniyia	199
425.	Oreomanes		478.	Opisthoprora	100
426.	Certhiola	120	479.	Aithurus	134
427.	Glossiptila		480.	Topaza	134
427.	Crossipina	120	481.	Florisuga	
			482.		
4. T	ROCHILIDÆ.			Mierochera	
		1	483.	Delattria	
1.	Phæthornithinæ.		484.	Calothorax	135
		101	485.	Thaumastura	135
428.	Phaëthornis		486.	Dorieha	
429.	Guyornis	121			
430.	Orthornis		487.	Manilia	
431.	Pygmornis	100	488.	Stellula	135
	T vgmorms	100	489.	Rhodopis	135
432.	Momus	122	490.	Myrtis	
433.	Eremita	122			
434.	Grypus	123 -	491.	Lafresnaya	
435.	Eutoxeres	193	492.	Ionolaima	136
435.	Entroxeres	120	493.	Trochilus	136
0	Delement of the co		494.	Archilochus	136
2.			495.	Docimastes	
436,	Oreotrochilus	123			
437.	Polytmus		496.	Eugenes	
237.		19.1	497.	Eugenia	137
	Campylopterus		498.	Heliodoxa	137
438.	Androdon		499.	Leadbeatera	
439.	Platystylopterus	124			
440.	Sæpiopterus		500.	 ?	
441.	Loxopterus	194	501.	Corinnes	137
	T)	101	502.	Heliomaster	-138
442.	Pampa		503.	Oreopyra	138
443.	Aphantochroa	120	504.	Helianthea	
444.	Pĥæochroa	125		Transfer	190
445.	Eupetomena	125	505.	Hypochrysia	
446.	Lampornis	195	506.	Diphlogæna	. 138
	Lamporns	1.05	507.	Pterophanes	. 138
447.	Hypophania		508.	Bonrcieria	
4 48.	Margarochrysis	126		 ?	
449.	Cha'ybura	126	509.		
450.	Floresia		510.	Lampropygia	
451.	Glaucis		511.	Conradinia	. 139
	Criaticis	100	512.	Cœligena	. 139
452.	Threnetes	120	513.	 ?	
453.	Sternoclyta	127			
454.	Colibri	127	514.	Heliangelus	
455.	Praxilla		515.	Heliotrypha	
	Telesiella		516.	Doryfera	. 140
456.			517.	Clytolæma	. 140
457.	Schistes		518.	Phaiolaima	
458.	Leucochloris				
459.	Polytmus	128	519.	Lamprolaima	
460.	Elvira	198	520.	Aglæactis	
	Smaragdites	190	521.	Boissonneana	. 141
461.	Smaraganes	100	522.	Ramphimieron	. 141
46 2.	Leucippus		522.	Eupogonus	
463.	?	129			
464.	Urochroa	129	E24.	Lampropogon	
465.	Cyanochloris	199	525.	Oxypogon	. 141
	E-1	120	526.	Oreonympha	. 142
466.	Eulampis	100	527.	Urosticte	
467.	Sericotes		528.	Adælomyia	
468.	Thalurania	130			
469.	?	131	529.	Phlogophilus	142
470.	Saucerottia		530.	Anthocephala	. 142
			531.	Urolampra	. 142
471.	Emilia		532.	Abeillia	149
472.	Amazilis	131		Diotima	
473.	Hemistilbon	132	533.		
474.	Erythronota		534.	Metallura	
475.	Eupherusa	133	535.	Saphos	
	Charganas	199	536.	Cynanthns	143
476.	Chrysures	100	1		

		Page			Page
537.	Lesbia		593.	Entomophila	
538.	Psalidoprymma		594.	Conopophila	
539.	Discosura		595.	Certhionyx	
540.	Steganurus		596.	Gliciphila	
541.	Uralia		597.	Stigmatops	
542.	. Loddigesia	144	598.	Acanthorhynchus	
543.			330.	realitioning nonition	100
	Selasphorus		2.	Meliphaginæ.	
544.	Calypte				
545.	Atthis		599.	Meliphaga	
546.	Acestrura		600.	Ptilotis	156
547.	Chatocercus		601.	Stomioptera	157
548.	Heliactin		602.	Lichenostomus	157
549.	Gouldia		603.	Foulehaio	157
550.	Popelairia	146	604.	Phylidonyris	157
551.	Tryphana	146	605.	Meliornis	
552.	Calliphlox		606.	Prosthemadera	
553.	Philodice		607.	Anthornis	
554.	Smaragdochrysis	146	608.	Anthochæra	
555.	Lophornis	146	609.		
556.	Paphosia	146		Anellobia	
557.	Telamon	146	610.	Chætoptila	
558.			611.	Leptornis	
	Delemistria		612.	Xanthotis	
559.	Polemistria		613.	_ Acanthagenys	
560.	Sephanoides		614.	Pogonornis	159
561.	Chrysolampis		615.	Philemon	159
562.	Orthorhynchus		616.	Tropidorhynchus	160
563.	Cephallepis		617.	Entomiza	160
564.	Hylocharis	148	618,	Manorina	160
565.	Eucephala	148	619.	Myzantha	160
566.	Panychlora	148		•	
E67.	—— ?	149	3.	Melithreptinæ.	
568.	Prasites	149	620.	Melithreptus	161
569.	Chlorolampis		621.		
570.	—— ?		622.	Piectoramphus	
571.	Chlorostilbon		623.	Zosterops	
572.	Mellisuga			Malacirops	104
573.	Sp radinus		624.	Cyclopterops	
574.	Patagona		625.	Spirops	164
575.	Damophila	150	626.	Orosterops	164
576.	Juliamyia	150	627.	Tephras	
			628.	Helaia	164
577.	Basilinna				
578.	Avocettula		6. A	NABATIDÆ.	
579.	Augastes				
580.	Lamprurus		1.	Furnariinæ.	
581.	Cyanophaia		629.	Furnarius	101
582.	Circe		630.		
583.	Phæoptila			Cinclodes	
584.	Kla's	152	631.	Upucerthia	100
585.	Phemonoë	152	632.	Ochetorhynchus	
586.	Erioenemis	152 -	633.	Lochmias	
587.	Threptria	152 -	634.	Enicornis	
588.	Engyete	152	635.	Linnornis	
589.	Derbyomyia		636.	Gcositta	
590.	Heliothrix	153	637.	Geobamon	167
			638.	Geobates	167
	THE PRIVATE TO		9	Sclerurinæ.	
5. IV	IELIPHAGIDÆ.				
1	Margamalina		639.	Sclerurus	167
	Myzomelinæ.		13	Cremallarin	
591.	Myzomela	153	ა.	Synallaxinæ.	
592.	Cissom das		640.	Synallaxis	168
				1.0	

	rage		Page
641.	Anabates 169	7. CERTHUDÆ.	- 4-6
642.	Sylviorthorhynchus 169	1 Conthiin m	
643.	Leptasthemura 170	l. Certhiinæ.	
644.	Bathmicercus 170	696. Certhia	. 183
646.	Oxyurus 170	697. Caulodromus	. 183
646.	Cranioleuca 170	698. Salpornis	. 184
647.	Phleocryptes 170		
648.	Asthenes	2. Tichodrominæ.	
649.	Melanoparcia 171	699. Tichodroma	. 184
650.	Certhiaxis	700. Climacteris	
651.	Coryphistera 171	701. Rhabdornis	
652.	Anumbius	,	
653.	Anumonts 171 Anabacerthia 171	8. MENURIDÆ.	
654.	Malacurus	l. Menurinæ,	
655.	Phylidor 172	702. Menura	185
656.	Automolus		
657.	Eusphenura 173	2. Orthonycinæ.	
658.	Dendroma 173	703. Orthonyx	185
659.	Thripophaga 173	704. Mohoua.	
660.	Pseudoc laptes 173	702. Monoda	100
661.	Homorus 174	O DEED ODEOCITED TO	
662.	Thripadectes 174	9. PTEROPTOCHIDÆ.	
663.	Ancistrops 174	l. Ptercptochinæ.	
664.	Pseudoseisura 174	_	100
665.	Xenops 174	705. Hylactes	
666.	Sphenops 174	706. Pteroptochos	. 186
667.	Anabasitta 174	707. Acropternis	
668.	Anabatoides 175	708. Liosceles	
669,	Heliobletus 175	709. Triptorhinus	
		710. Agathopus	
4.	Oxyrhamphinæ.	711. Scytalopus	
4. 670.		712. Meruxalis	187
670.	Oxyrhamphus 175		187
670. 5.		712. Meruxalis 713. Rhinocrypta	187
670.	Oxyrhamphus 175	712. Meruxalis	187
670. 5. 671. 672.	Oxyrhamphus 175 Dendrocolaptinæ. Dendrocolaptes 175 Xiphocolaptes 176	712. Meruxalis	187
670. 5. 671. 672. 673.	Oxyrhamphus 175 Dendrocolaptinæ. 175 Niphocolaptes 176 Dendrexetastes 176	712. Meruxalis 713. Rhinoeryrta 710. TROGLODYTIDÆ.	. 187 . 187
670. 5. 671. 672. 673. 674.	Oxyrhamphus 175 Dendrocolaptinæ. Dendrocolaptes 175 Xiphocolaptes 176	712. Meruxalis 713. Rhinoeryrta 10. TROGLODYTIDÆ. 1. Troglodytinæ. 714. Tesia	187 187
670. 5. 671. 672. 673.	Oxyrhamphus 175 Dendrocolaptinæ. 175 Niphocolaptes 176 Dendrexetastes 176	712. Meruxalis 713. Rhinocrypta 10. TROGLODYTIDÆ. 1. Troglodytinæ. 714. Tesia 715. Anura	187 187 188 188
670. 5. 671. 672. 673. 674.	Oxyrhamphus 175 Dendrocolaptinæ. Dendrocolaptes 175 Xiphocolaptes 176 Dendrexetastes 176 Nasica 176	712. Meruxalis 713. Rhinocrypta 10. TROGLODYTIDÆ. 1. Troglodytinæ. 714. Tesia 715. Anura 716. Troglodytes	187 187 188 188 188
670. 5. 671. 672. 673. 674. 675.	Oxyrhamphus 175 Dendrocolaptinæ. Dendrocolaptes 175 Xiphocolaptes 176 Dendrexetastes 176 Nasica 176 Dendroplex 177 Dendrornis 177	712. Meruxalis 713. Rhinoerypta 10. TROGLODYTIDÆ. 1. Troglodytinæ. 714. Tesia 715. Anura 716. Troglodytes 717. Thriothorus	187 187 188 188 188 189
5. 671. 672. 673. 674. 675. 676.	Oxyrhamphus 175 Dendrocolaptinæ. 175 Dendrocolaptes 176 Xiphocolaptes 176 Dendrexetastes 176 Nasica 176 Dendroplex 177 Dendronis 177 Xiphorhynchus 178	712. Meruxalis 713. Rhinoeryrta 10. TROGLODYTIDÆ. 1. Troglodytinæ. 714. Tesia	187 188 188 188 189 189
5. 671. 672. 673. 674. 675. 676.	Oxyrhamphus 175 Dendrocolaptinæ. 175 Dendrocolaptes. 176 Xiphocolaptes 176 Dendrexetastes 176 Nasica 176 Dendroplex 177 Dendroplex 177 Ziphorhynchus 178 Drymornis 178	712. Meruxalis 713. Rhinocrypta 10. TROGLODYTIDÆ. 1. Troglodytinæ. 714. Tesia 715. Anura 716. Troglodytes 717. Thriothorus 718. Pheugopedius 719. Thryophilus	187 188 188 188 189 189
5. 671. 672. 673. 674. 675. 676. 677. 678.	Oxyrhamplaus 175 Dendrocolaptinæ. 175 Dendrocolaptes 176 Xiphocolaptes 176 Dendrexetastes 176 Nasica 176 Dendroplex 177 Dendrornis 177 Xiphorhynclus 178 Drymornis 178 Picolaptes 178	712. Meruxalis 713. Rhinoeryrta 10. TROGLODYTIDÆ. 1. Troglodytinæ. 714. Tesia	187 188 188 188 189 190
670. 5. 671. 672. 673. 674. 675. 676. 677. 678. 679.	Oxyrhamphus 175 Dendrocolaptinæ. 175 Dendrocolaptes 176 Xiphocolaptes 176 Dendrexetastes 176 Nasica 176 Dendroplex 177 Dendroplex 177 Xiphorhynchus 178 Drymornis 178 Drymornis 178 Picolaptes 178 Lepidocolaptes 179	712. Meruxalis 713. Rhinoeryrta 10. TROGLODYTIDÆ. 1. Troglodytinæ. 714. Tesia 715. Anura 716. Troglodytes 717. Thriothorus 718. Pheugopedius 719. Thryophilus 720. Thryomanes 721. Cistothorus	187 188 188 188 189 190
5. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680.	Oxyrhamplaus 175 Dendrocolaptinæ. 175 Dendrocolaptes 176 Xiphocolaptes 176 Dendrexetastes 176 Nasica 176 Dendroplex 177 Dendrornis 177 Xiphorhynclus 178 Drymornis 178 Picolaptes 178	712. Meruxalis 713. Rhinoerypta 10. TROGLODYTIDÆ. 1. Troglodytinæ. 714. Tesia 715. Anura 716. Troglodytes 717. Thriothorus 718. Pheugopedius 719. Thryophilus 720. Thryomanes 721. Cistothorus 722. Telmatodytes	187 188 188 188 189 190 190
5. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681.	Oxyrhamphus 175 Dendrocolaptinæ. 175 Dendrocolaptes. 176 Xiphocolaptes 176 Dendrexetastes 176 Nasica 176 Dendroplex 177 Ziphorhynchus 178 Drymornis 178 Picolaptes 178 Lepidocolaptes 179 Dacryophorus 179	712. Meruxalis 713. Rhinoerypta 10. TROGLODYTIDÆ. 1. Troglodytinæ. 714. Tesia 715. Anura 716. Troglodytes 717. Thriothorus 718. Pheugopedius 719. Thryophilus 720. Thryophilus 721. Cistothorus 722. Telmatodytes 723. Hylemothrous	187 188 188 188 189 190 190 190
5. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682.	Oxyrhamphus 175 Dendrocolaptinæ. 175 Dendrocolaptes 176 Niphocolaptes 176 Dendrexetastes 176 Nasica 176 Dendroplex 177 Zephornis 177 Xiphorhynchus 178 Drymornis 178 Picolaptes 178 Lepidocolaptes 179 Dacryophorus 179 Dendrocincla 179 Dendromanes 180	712. Meruxalis 713. Rhinoeryrta 10. TROGLODYTIDÆ. 1. Troglodytinæ. 714. Tesia 715. Anura 716. Troglodytes 717. Thriothorus 718. Pheugopedius 719. Thryophilus 720. Thryomanes 721. Cistothorus 722. Telmatodytes 723. Hylemothrous 724. Donacobius	188 188 188 189 190 190 190 191
670. 5. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682.	Oxyrhamphus 175 Dendrocolaptinæ. 175 Dendrocolaptes 176 Xiphocolaptes 176 Dendrexetastes 176 Dendroplex 177 Dendroplex 177 Xiphorhynchus 178 Drymornis 178 Picolaptes 178 Lepidocolaptes 179 Dacryophorus 179 Dendrocinela 179 Dendrocinela 180 Sittasonus 180	712. Meruxalis 713. Rhinoeryrta 10. TROGLODYTIDÆ. 1. Troglodytinæ. 714. Tesia 715. Anura 716. Troglodytes 717. Thriothorus 718. Pheugopedius 719. Thryophilus 720. Thryomanes 721. Cistothorus 722. Telmatodytes 723. Hylemothrous 724. Donacobius	188 188 188 189 190 190 190 191
5. 671. 672. 673. 674. 675. 676. 677. 680. 681. 683. 684. 685.	Oxyrhamphus 175 Dendrocolaptinæ. 175 Dendrocolaptes 176 Xiphocolaptes 176 Dendrexetastes 176 Dendroplex 177 Dendroplex 177 Ziphorhynclus 178 Drymornis 178 Picolaptes 178 Lepidocolaptes 179 Daeryophorus 179 Dendrocincla 179 Dendromanes 180 Sittasonus 180 Margarornis 180	712. Meruxalis 713. Rhinoerypta 10. TROGLODYTIDÆ. 1. Troglodytinæ. 714. Tesia 715. Anura 716. Troglodytes 717. Thriothorus 718. Pheugopedius 719. Thryophilus 720. Thryophilus 721. Cistothorus 722. Telmatodytes 723. Hylemothrous 724. Donacobius 725. Heleodytes 726. Campylorhynchus	187 187 188 188 189 190 190 190 191 191 191 192 192
5. 671. 672. 673. 674. 675. 676. 677. 678. 680. 681. 682. 683. 684. 685. 686.	Oxyrhamphus 175 Dendrocolaptinæ. 175 Dendrocolaptes 176 Niphocolaptes 176 Dendrexetastes 176 Nasica 176 Dendroplex 177 Dendroplex 177 Xiphorhynchus 178 Drymornis 178 Pricolaptes 178 Lepidocolaptes 179 Dacryophorus 179 Dendrocincla 179 Dendromanes 180 Sittasonus 180 Margarornis 180 Siptornis 180	712. Meruxalis 713. Rhinoerypta 10. TROGLODYTIDÆ. 1. Troglodytinæ. 714. Tesia 715. Anura 716. Troglodytes 717. Thriothorus 718. Pheugopedius 719. Thryophilus 720. Thryophilus 721. Cistothorus 722. Telmatodytes 723. Hylemothrous 724. Donacobius 725. Heleodytes 726. Campylorhynchus	187 187 188 188 189 190 190 190 191 191 191 192 192
670. 5. 671. 672. 673. 674. 675. 676. 667. 680. 682. 683. 684. 685. 686.	Oxyrhamphus 175 Dendrocolaptinæ. 175 Dendrocolaptes 176 Niphocolaptes 176 Dendrexetastes 176 Nasica 176 Dendroplex 177 Dendrornis 177 Xiphorhynchus 178 Drymornis 178 Picolaptes 179 Dacryophorus 179 Dendrocincla 179 Dendrocincla 179 Dendromanes 180 Sittasomus 180 Siptornis 180 Glyphorhynchus 181	712. Meruxalis 713. Rhinoerypta 10. TROGLODYTIDÆ. 1. Troglodytinæ. 714. Tesia 715. Anura 716. Troglodytes 717. Thriothorus 718. Pheugopedius 719. Thryophilus 720. Thryophilus 721. Cistothorus 722. Telmatodytes 723. Hylemothrous 724. Donacobius 725. Heleodytes 726. Campylorhynchus	188 188 188 189 190 190 191 191 191 192 192 193
670. 5. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686.	Oxyrhamphus 175 D∋ndrocolaptinæ. 175 Dendrocolaptes 176 Niphocolaptes 176 Dendrexetastes 176 Nasica 176 Dendroplex 177 Zendroplex 177 Xiphorhynchus 178 Drymornis 178 Picolaptes 178 Lepidocolaptes 179 Dacryophorus 179 Dendrochela 179 Dendrochela 180 Sittasomus 180 Margarornis 180 Glyphorhynchus 181 Pygarrhichus 181	712. Meruxalis 713. Rhinoerypta 10. TROGLODYTIDÆ. 1. Troglodytinæ. 714. Tesia 715. Anura 716. Troglodytes 717. Thriothorus 718. Pheugopedius 719. Thryophilus 720. Thryophilus 721. Cistothorus 722. Telmatodytes 723. Hylemothrous 724. Donacobius 725. Ileleodytes 726. Campylorhynchus 727. Cyphorhinus 727. Cyphorhinus 728. Microcercu.us 729. Henicorhina	187 188 188 188 189 190 190 190 191 191 192 192 193 193 193
670. 5. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686.	Oxyrhamphus 175 Dendrocolaptinæ. 175 Dendrocolaptes 176 Niphocolaptes 176 Dendrexetastes 176 Nasica 176 Dendroplex 177 Dendrornis 177 Xiphorhynchus 178 Drymornis 178 Picolaptes 179 Dacryophorus 179 Dendrocincla 179 Dendrocincla 179 Dendromanes 180 Sittasomus 180 Siptornis 180 Glyphorhynchus 181	712. Meruxalis 713. Rhinoerypta 10. TROGLODYTIDÆ. 1. Troglodytinæ. 714. Tesia 715. Anura 716. Troglodytes 717. Thriothorus 718. Pheugopedius 719. Thryophilus 720. Thryophilus 721. Cistothorus 721. Cistothorus 722. Telmatodytes 723. Hylemothrous 724. Donacobius 725. Heleodytes 726. Campylorhynchus 727. Cyphorhinus 727. Cyphorhinus 723. Microcereu.us	187 188 188 188 189 190 190 190 191 191 192 192 193 193 193
670. 5. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686.	Oxyrhamphus 175 D∋ndrocolaptinæ. 175 Dendrocolaptes 176 Niphocolaptes 176 Dendrexetastes 176 Nasica 176 Dendroplex 177 Zendroplex 177 Xiphorhynchus 178 Drymornis 178 Picolaptes 178 Lepidocolaptes 179 Dacryophorus 179 Dendrochela 179 Dendrochela 180 Sittasomus 180 Margarornis 180 Glyphorhynchus 181 Pygarrhichus 181	712. Meruxalis 713. Rhinoerypta 10. TROGLODYTIDÆ. 1. Troglodytinæ. 714. Tesia 715. Anura 716. Troglodytes 717. Thriothorus 718. Pheugopedius 719. Thryophilus 720. Thryomanes 721. Cistothorus 722. Telmatodytes 723. Hylemothrous 724. Donacobius 725. Heleodytes 726. Campylorhynchus 727. Cyphorbinus 728. Microcereut us 729. Henicorhina 730. Salpinetes 731. Catharpes	187 188 188 188 189 190 190 190 191 191 192 193 193 193 194 194
670. 5. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 683. 684. 685.	Oxyrhamphus 175 Dendrocolaptinæ. 175 Dendrocolaptes 176 Xiphocolaptes 176 Dendrevetastes 176 Nasica 176 Dendroplex 177 Dendroplex 177 Xiphorhynchus 178 Drymornis 178 Picolaptes 178 Lepidocolaptes 179 Dacryophorus 179 Dendrocinela 179 Dendrocinela 179 Margaroriis 180 Sittasomus 180 Siptornis 180 Glyphorlynchus 181 Pygarrhichus 181 Sittinæ Sitta	712. Meruxalis 713. Rhinoerypta 10. TROGLODYTIDÆ. 1. Troglodytinæ. 714. Tesia 715. Anura 716. Troglodytes 717. Thriothorus 718. Pheugopedius 719. Thryophilus 720. Thryophilus 721. Cistothorus 722. Telmatodytes 723. Hylemothrous 724. Donacobius 725. Ileleodytes 726. Campylorhynchus 727. Cyphorhinus 727. Cyphorhinus 728. Microceren.us 729. Henicorhina 730. Salpinetes 731. Catharpes 732. Odontorhynchus	187 188 188 188 189 190 190 191 191 191 192 193 193 194 194 194 194 194 194 194 194 194 194
670. 5. 671. 672. 673. 675. 676. 676. 677. 678. 680. 681. 682. 683. 684. 685. 686.	Oxyrhamphus 175 Dendrocolaptinæ. 175 Dendrocolaptes 176 Niphocolaptes 176 Dendrexetastes 176 Dendroplex 177 Dendroplex 177 Xiphorhynchus 178 Drymornis 178 Picolaptes 179 Dacryophorus 179 Dendrocincla 179 Dendrocincla 179 Dendrocincla 180 Sittasomus 180 Siptornis 180 Glyphorhynchus 181 Pygarrhichus 181 Sittinæ.	712. Meruxalis 713. Rhinoerypta 10. TROGLODYTIDÆ. 1. Troglodytinæ. 714. Tesia 715. Anura 716. Troglodytes 717. Thriothorus 719. Pheugopedius 719. Thryophilus 720. Thryophilus 721. Cistothorus 722. Telmatodytes 723. Hylemothrous 724. Donacobius 725. Heleodytes 726. Campylorhynchus 727. Cyphorhinus 729. Henicorhina 730. Salpinetes 731. Catharpes	187 188 188 188 189 190 190 191 191 191 192 193 193 194 194 194 194 194 194 194 194 194 194
670. 5. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686.	Oxyrhamphus 175 D∋ndrocolaptinæ. 175 Dendrocolaptes 176 Niphocolaptes 176 Dendrexetastes 176 Nasica 176 Dendroplex 177 Dendroplex 177 Xiphorhynchus 178 Drymornis 178 Picolaptes 179 Dacryophorus 179 Dendrocincla 179 Dendrocincla 179 Dendromanes 180 Sittasomus 180 Margarornis 180 Glyphorhynchus 181 Pygarrhichus 181 Sittinæ 181 Sittinæ 181 Callisitta 182 Dendrophila 182	712. Meruxalis 713. Rhinoerypta 10. TROGLODYTIDÆ. 1. Troglodytinæ. 714. Tesia 715. Anura 716. Troglodytes 717. Thriothorus 718. Pheugopedius 719. Thryophilus 720. Thryomanes 721. Cistothorus 722. Telmatodytes 723. Hylemothrous 724. Donacobius 725. Heleodytes 726. Campylorhynchus 727. Cyphorhinus 728. Microcercu us 729. Henicorhina 730. Salpinetes 731. Catharpes 732. Odontorhynchus 733. Cinnicerthia	187 188 188 188 189 190 190 191 191 191 192 193 193 194 194 194 194 194 194 194 194 194 194
670. 5. 671. 672. 673. 674. 675. 676. 677. 678. 679. 681. 682. 683. 684. 685. 686. 687. 689. 6901.	Oxyrhamphus 175 Dendrocolaptinæ. 175 Dendrocolaptes 176 Niphocolaptes 176 Dendrexetastes 176 Nasica 176 Dendroplex 177 Ziphorhynelius 178 Drymornis 178 Pricolaptes 178 Lepidocolaptes 179 Dacryophorus 179 Dendrocincla 179 Dendromanes 180 Sittasonus 180 Margarornis 180 Glyphorhynchus 181 Pygarrhichus 181 Sittinæ 181 Callisitta 182	712. Meruxalis 713. Rhinoerypta 10. TROGLODYTIDÆ. 1. Troglodytinæ. 714. Tesia 715. Anura 716. Troglodytes 717. Thriothorus 718. Pheugopedius 719. Thryophilus 720. Thryophilus 721. Cistothorus 722. Telmatodytes 723. Hylemothrous 724. Donacobius 725. Ileleodytes 726. Campylorhynchus 727. Cyphorhinus 727. Cyphorhinus 728. Microceren.us 729. Henicorhina 730. Salpinetes 731. Catharpes 732. Odontorhynchus	187 188 188 188 189 190 190 191 191 191 192 193 193 194 194 194 194 194 194 194 194 194 194
670. 5. 671. 672. 673. 673. 675. 676. 677. 678. 679. 680. 681. 682. 688. 689. 690. 690.	Oxyrhamphus 175 Dendrocolaptinæ. 175 Dendrocolaptes 176 Xiphocolaptes 176 Dendrevetastes 176 Dendroplex 177 Dendroplex 177 Ziphorhynchus 178 Drymornis 178 Picolaptes 178 Lepidocolaptes 179 Dendropinca 179 Dendromancs 180 Sittasomus 180 Siptornis 180 Glyphorhynchus 181 Pygarrhichus 181 Sitta 181 Callistta 182 Dendrophila 182 Ilypherpes 182	712. Meruxalis 713. Rhinoerypta 10. TROGLODYTIDÆ. 1. Troglodytinæ. 714. Tesia 715. Anura 716. Troglodytes 717. Thriothorus 718. Pheugopedius 719. Thryophilus 720. Thryophilus 721. Cistothorus 722. Telmatodytes 723. Hylemothrous 724. Donacobius 725. Heleodytes 726. Campylorhynchus 727. Cyphorhinus 727. Cyphorhinus 728. Microcercu.us 729. Henicorhina 730. Salpinetes 731. Catharpes 732. Odontorhynchus 733. Cinnicerthia	187 188 188 189 190 190 191 191 191 192 193 193 194 194 194
670. 5. 671. 672. 673. 674. 675. 676. 677. 678. 680. 681. 683. 684. 685. 686. 687. 689. 690. 691.	Oxyrhamphus 175 Dendrocolaptinæ. 175 Dendrocolaptes 176 Niphocolaptes 176 Dendrexetastes 176 Dendroplex 177 Dendroplex 177 Xiphorhynchus 178 Drymornis 178 Pricolaptes 178 Lepidocolaptes 179 Dacryophorus 179 Dendrocincla 179 Dendromanes 180 Sittasonus 180 Margarornis 180 Glyphorhynchus 181 Pygarrhichus 181 Sittinæ 181 Sitta 181 Callisitta 182 Dendrophila 182 Hypherpes 182 Sitella 182	712. Meruxalis 713. Rhinoerypta 10. TROGLODYTIDÆ. 1. Troglodytinæ. 714. Tesia 715. Anura 716. Troglodytes 717. Thriothorus 718. Pheugopedius 719. Thryophilus 720. Thryophilus 721. Cistothorus 722. Telmatodytes 723. Hylemothrous 724. Donacobius 725. Heleodytes 726. Campylorhynchus 727. Cyphorhinus 727. Cyphorhinus 728. Microcercu.us 729. Henicorhina 730. Salpinetes 731. Catharpes 732. Odontorhynchus 733. Cinnicerthia	187 188 188 188 189 190 190 190 191 191 192 193 193 194 194 194

		Page.			Page
			788.	Iduna	209
3. P/	ASSERES Dentirostr	es.	789.	Lusciniola	-210
0	20022020	00.	790.	Potamodus	210
1 7	USCINIDÆ.		791.	Locustella	210
1. 1	OSCINIDÆ.		792.	Tribura	
,	Mr. leaving as		793.		
1.	Malurinæ.			Ædon	
736.	Orthotomus	195	794.	Thamnobia	
737.	Prinia		795.	Pentholæa	211
			796.	?	211
738.	Franklinia		797.	Thamnola a	
739.	Horeites		798.	Paroptera	
740.	Drymoipus	196	799.		
741.	Suya	197	199.	Parinia	212
742.	Drymoica				
743.	Čisticola		9	Sylvianæ.	
744.	Graminicola		0.	•	
			800.	Sylvia	212
745.	Hemipteryx	201		Thamnodus	212
746.	Burnesia	201	801.	Melizophilus	919
747.	Catriscus	201	802.	Alemans	919
748.	Melocichla	201		Alsœcus	
749.	Euprinodes		803.	Erythroleuca	213
750.	Stiphrornis		804.	Sterparola	213
751.	TI-1:	201	805.	Sibilatrix	213
	Hylia		806.	Monachus	
752.	Bæoscelis		807.	Adophoneus	213
753.	Apalis		808.	Philacantha	
754.	Eroessa	202	1809.		
755.	B:eocerca	202		Epilais	214
756.	Ellisia		810.	Chloropeta	214
757.	Eremoniela		811.	Asilus	
758.			812.	Phyllopseuste	215
	Drycdromas		813.	Acanthopneuste	
759.	Camaroptera		814.	Reguloides	216
760.	Sylvietta		815.	Tickellia	
761.	Calamanthus	203	816.	Abrornis	
762,	Hylacola	204			
763.	Chthonicola		817.	Neornis	
761.	Malurus		818.	Horornis	
765.	Stipiturus		819.	Cryptolopha	218
766.			820.	Pindalus	218
	Amytis		821.	Regulus	218
767.	Atrichia		822.	Sericornis	
769.	Sphenura		823.	Acanthiza	210
769.	Pycnoptilus	205	824.	Geobasileus	
770.	Chatornis	205			
771.	. Cincloramphus		825.	Gerygone	
772.	Megalurus		826.	. Pyrrholæmus	220
773.	Sphenœacus				
774.			4.	Lusciniinæ.	
	Poodytes	200			222
775.			827.	Luscinia	
776.	Laticilla	206	828.	Ruticilla	
	Calama Andina		829.	Chaimarrornis	221
2.	Calamodytinæ.		830.	Adelura	222
777.	Calam dyta	206	831.	Larvivora	999
778.	Arundinax		832.	Callene	900
779.			833.	Notodela	222
	Calamoherpe				
780.	Eparactes		834.	Nemura	
781.	Psamathia		835.	Tarsiger	-7-7-7
782.	Dumeticola		836.	Pogonocichla	223
783.	Pseudo!uscinia	208	837.	Hodgsonitis	223
784.	Cettia	209	838.	Erythacus	223
785.	Bradyptetus		839.	Cyanecula	993
786.	Phlexis		840.	Cyanecula	201
787.			841.	Grandala	224
101.	Calamodus	209	941.	Grandala	4-1

		Page			Page
5.	Saxicolinæ.	2080	3. C	HAMÆADÆ.	
842.	Saxicola	991			
	Campicola	0.05	1.	Chamæanæ.	
843.	Campicola	226	891.	Chamwa	238
844.	Cercomela	000	001.	Chamica	200
845.	Dromokea	220			
846.	Agricola	227	4. B	INIOTILTIDÆ.	
847.	Myrmecocichla	224			
848.	Oreicola	227	Ι.	Mniotiltinæ.	
849.	Rhodophila	227	892.	Mniotilta	238
850.	Pratincola	227	893.	Compsothlypis	238
851.	Petroica	228	894.	Protonotaria	
852.	Erythrodryas	228	895.	Helmintophaga	239
853.	Melanodryas	229	896.	Helmitheros	239
854.	Amaurodryas	229	897.	Periosorlossus	239
855.	Percilodryas	229	898.	Perissoglossus Dendroica	930
858.	Mylomolra	229	899.	Thaumasioptera(note)	
867.	Miro	229	033.	Thaumasiopiera(note)	211
858.	Drymodes	229	2.	Trichadinæ.	
859.	Sialia	229			0.10
860.	Origma	230	1900.	Oporornis	
0			901.	Trichas	242
6.	Accentorinæ.		9	Setophaginæ.	
861.	Accenter	230			
862.	Spermolegus	230	902.	Setophaga	242
863.	Tharrhaleus	230	903.	Myioborus	243
			904.	Cardellina	243
2. F	ARIDÆ.		905.	Ergaticus	243
			906.	Wilsonia	244
1.	Parinæ.		907.	Euthlypis	
864.	Parus	231	908.	Basileuterus	
865.	Pœcile	232	909.	Idiotes	245
866.	Cyanistes	232	910.	Myiothlypis	245
867.	Machlolophus	233		* **	
868.	Lophophanes	233	- 7	MOTIA CIT I ID 75	
869.	Baeolophus	233	5. 1	MOTACILLID.E.	
870.	Melaniparus	233	1	Motacillinæ.	
871.	Melanochlora	234			0.15
872.	Psaltria		911.	Motacilla	
873.	Psaltriparus		912.	Budytes	
874.	Auriparus	234	913.	Calobates	
875.	Orites	234	914.	Limonidromus	
876.	Suthora	235	915.	Grallina	
877.	Chlenasieus	. 235	916.	Enicurus	
	0 11				
8'/8	Certhinarus	235	917.	Ephthianura	5.48
878. 879	Certhiparus	235		Ephthianura	248
879.	Sphenostoma	. 235 . 235		Ephthianura	
879. 880.	Sphenostoma Xerophila	. 235 . 235 . 235		Ephthianura	
879. 880. 881.	Sphenostoma Xerophila Parisoma	. 235 . 235 . 235 . 235	913.	Ephthianura	
879. 880.	Sphenostoma Xerophila	. 235 . 235 . 235 . 235	913.	Ephthianura	
879. 880. 881. 882.	Sphenostoma Xerophila Parisoma	. 235 . 235 . 235 . 235	913. 3.	Ephthianura	240
879. 880. 881. 882.	Sphenostoma Xerophila Parisoma Ægithalopsis Ægithalinæ.	. 235 . 235 . 235 . 235 . 236	918. 3. 919.	Ephthianura Enicocichlinæ. Enicocichla Anthinæ. Anthinæ.	240 240
879. 880. 881. 882. 2.	Sphenostoma Xerophila Parisoma Ægithalopsis Ægithalinæ. Ægithalus	. 235 . 235 . 235 . 235 . 236	913. 919. 919. 920.	Ephthianura Enicocichlinæ. Enicocichla Anthinæ. Anthus Pedicorys	240 240 250
879. 880. 881. 882. 2. 883. 884.	Sphenostoma Xerophila Parisoma Ægithalopsis Ægithalinæ. Ægithalus Anthoscopus	. 235 . 235 . 235 . 235 . 236 . 236	918. 3. 919. 920. 921.	Ephthianura Enicocichlinæ. Enicocichla Anthinæ. Anthinæ. Pediocorys Notiocorys	240 240 250 250
879. 880. 881. 882. 2. 883. 884. 885.	Sphenostoma Xerophila Parisoma Ægithalopsis Ægithalinæ. Ægithalus Anthoscopus Ægithaliscus	. 235 . 235 . 235 . 235 . 236 . 236 . 236	918. 3. 919. 920. 921. 922.	Ephthianura Enicocichlinæ. Enicocichla Anthinæ. Anthus Pediocorys Noticcorys Nece rys	249 249 250 250 250
879. 880. 881. 882. 2. 883. 884. 885. 886.	Sphenostoma Xerophila Parisoma Ægithalopsis Ægithalinæ. Ægithalise. Ægithalus. Anthoscopus Ægithaliscus. Cephalopyrus	. 235 . 235 . 235 . 235 . 236 . 236 . 236 . 236	918. 3. 919. 920. 921. 922. 923.	Ephthianura Enicocichlinæ. Enicocichla Anthinæ. Anthus Pedicorys Noticorys Nece rys Agrodroma	240 240 250 250 250 250
879. 880. 881. 882. 2. 883. 884. 886. 886.	Sphenostoma Xerophila Parisoma Ægithalopsis Ægithalinæ. Ægithalius Anthoscopus Ægithalicus. Cephalopyrus Panurus	. 235 . 235 . 235 . 235 . 236 . 236 . 236 . 236 . 236	2. 918. 3. 919. 920. 921. 922. 923. 924.	Ephthianura Enicocichlinæ. Enicocichla Anthinæ. Anthus Pedicorys Noticorys Nece rys Agrodroma Cinædium	240 250 250 250 250 250
879. 880. 881. 882. 2. 883. 884. 885. 886. 887. 888.	Sphenostoma Xerophila Parisoma Ægithalopsis Ægithalinæ. Ægithalus Anthoscopus Ægithatiscus Cephalopyrus Panurus Sylviparus	. 235 . 235 . 235 . 235 . 236 . 236 . 236 . 236 . 236 . 236	2. 918. 3. 919. 920. 921. 922. 923. 924. 925.	Ephthianura Enicocichlinæ. Enicocichla Anthinæ. Anthus Pedicocrys Noticocrys Nece rys Agrodroma Cinædium Pipastes	240 250 250 250 250 251 251
879. 880. 881. 882. 2. 883. 884. 886. 886.	Sphenostoma Xerophila Parisoma Ægithalopsis Ægithalinæ. Ægithalius Anthoscopus Ægithalicus. Cephalopyrus Panurus	. 235 . 235 . 235 . 235 . 236 . 236 . 236 . 236 . 236 . 236	2. 913. 3. 919. 920. 921. 923. 924. 925. 926.	Ephthianura Enicocichlinæ. Enicocichla Anthinæ. Anthus Pedicorys Noticorys Neoe rys Agrodroma Cinædium Pipastes Spipola	249 249 250 250 250 251 251 251
879. 880. 881. 882. 2 883. 884. 885. 886. 887. 888.	Sphenostoma Xerophila Parisoma Ægithalopsis Ægithalinæ. Ægithalus Anthoscopus Ægithatiscus. Cephalopyrus Pauurus Sylviparus Acauthiparus	. 235 . 235 . 235 . 235 . 236 . 236 . 236 . 236 . 236 . 236	2. 918. 3. 919. 920. 921. 922. 923. 924. 925. 926. 927.	Ephthianura Enicocichlinæ. Enicocichla Anthinæ. Anthus Pediocorys Notiocorys Neoc rys Agrodroma Cinædium Pipastes Spipola Corydal a	249 250 250 250 251 251 251 251
879. 880. 881. 882. 2. 883. 884. 885. 886. 887. 888.	Sphenostoma Xerophila Parisoma Ægithalopsis Ægithalinæ. Ægithalus Anthoscopus Ægithatiscus Cephalopyrus Panurus Sylviparus	. 235 . 235 . 235 . 235 . 236 . 236 . 236 . 236 . 236 . 237 . 237	2. 913. 3. 919. 920. 921. 923. 924. 925. 926.	Ephthianura Enicocichlinæ. Enicocichla Anthinæ. Anthus Pedicorys Noticorys Neoe rys Agrodroma Cinædium Pipastes Spipola	240 240 250 250 250 251 251 251 251 252

6. '	TURDIDÆ.	1			Page
	. Turdinæ.	e		Mesitinæ.	
930.	Turdus 25	3	981.	Mesites	267
931.	Psophocichla 25				
932.	Arceuthornis		9. P	YCNONOTIDÆ.	
933.	Hylocichla 25		1	Dramanatin -	
934.	Oreocincla 25	1		Pycnonotinæ.	
935. 936.	Anthocinela 25		982. 983.	Microscelis	
937.	Merula		984.	Microtarsus Trachycomus	268 268
938.	Thoracocinela 25	6	985.	Pycnonotus	208
939.	Cichloides	6	986.	Rubigula	269
940.	Cichloides	7	987.	Rubigula	269
941.	Hesperocichia	8	988.	Kelaartia	269
942.	Rhodinocichla 25	8	989.	Crocopsis	269
943.	Semimerula 25	S	990.	Ixos	269
944.	25	8	991. 992.	Alcurus	270
945. 946.	Mylocichla	8	993.	Hemixus	270
947.	Melanoptila	9	994.	Euptilosus	270
948.	Malacoeichla	5	995.	Otocompsa	971
949.	Margarops 25		996.	Spizixos	271
950.	Cichlherminia 259	0	997.	Spizixos	271
951.	Nesocichla 259		998.	Brachypodius	271
952.	Geocichla 259		999.	Apalopteron	271
953.	Chametylas 260		9	Phyllornithinæ.	
954. 955.	Monticola 266 —-? 260	3			
956.	Petrophila		1000.	Phyllastrephus	272
957.	Zoothera 263		1001. 1002.	Hypsipetes	272
958.	Andromedon 26		1003.	Tylas	272
959.	Cichlopasser 263	1	1004.	Sibia	273
960.	Mimus 26		1005.	Malacias	273
961. 962.	Scotiomimus		1006.	Criniger	273
963.	Oroscoptes	2	1007.	Ixonotus	274
964.	Spodesilaura 26:		1008.	Bæopogon	274
965.	Mimocichla 265	3	1010.	Pyrrhurus Trichites	270
966.	Mimokitta 263	3	1011.	Hypotrichas	275
967.	Harporhynchus 265	3	1012.	Xenocichla	275
968.	Methriopterus 263	3	1013.	Bernieria	275
969. 970.	Cinclocerthia	3	1014.	Macrosphenus	275
971.	Ramphocinclus		1015.	Trichophoropsis	275
972.	Arrenga 26-	1	1016. 1017.	Iole	275
973.	Chætops 264		1017.	Setornis	270
974.	Bessonornis 264		1019.	Yuhina	270
975.	Copsychus 265		1020.	Ixulus	
976.	Cercotrichas 266		1021,	Myzornis	276
977.	Gervaisia 260	5	1022.	Phyllornis	276
7. I	HYDROBATIDÆ.		_	Crateropodinæ.	
1.	Hydrobatinæ.			Pomatorhinus	277
978.	Hydrobata 260	3	1024.	Pomatostomus	278
	·		1025.	Merulanthus	278
8, E	UPETIDÆ.		1026.	Orthorhinus	278
1.	Eupetinæ.		1027.	Pterorhinus	278
979.	Eupetes 267			Xiphorhamphus	278
980.	Ajax 267		1030.	Malacocircus. Argya	279
	201	1	2000.	21.5) a	210

		Page			Page
1031.	Chatarrhæa	979	1076.	?	291
	T 1'	0-0	1077.	Broderipus	901
1032.	Layardia	210		Broderipus	200
1033.	Acanthoptila	280	1078.	Baruffius	292
1034.	Cinclosoma	980	1079.	?	292
	C Incrosonna	200		Xanthonotus	
1035.	Crateropus	250	1080.		
1036.	1schyropodus	281	1031.	Mimeta	293
	Ilypergerus	981	1082.	Xanthomelus	993
1037.	Trypergerus	201	1002.	Additionicido	200
1038.	Cichladusa	281 +			
1039.		981	2.	Ftilenorhynchinæ.	
	T	200			000
1040.	Janthocinela	292	1083.		293
1041.	Thamnocataphus	282 - 1	1084	Ptilonorhynchus	293
	Campanhenahua	939	3005	Ailuroedus	90.1
1042.	Gampsorhynchus	202	1085.	Anuroedus	mJ'I
1043.	Trochalopteron	282	1086.	Chalmydera	294
1044.	Pteroeyclus	282			
	Tierocyclus	202			
1045.	Leucodio tron	285	12	PITTIDÆ.	
1046.	Actinodura	283	15.	1111101111	
1047.	Pellorneum	933		man and a second	
	remorneum	200	1.	Pittinæ.	
1048.	Turnagra	284	1007	TO: 44	00.1
1049.	Grammatoptila	284	1084.	Pitta	294
1010.	D 1 . 1	001	1088.	Melanopitia	295
1050.	Psophodes	20±	1089.		906
				11) drorms	200
	arantinin m		1090.		
10. 1	DICRURIDÆ.		1091.	Euciehla	996
				T '1' '11	200
1.	Dicrurinæ.		1092.	Iridipitta	290
			1093.	Erythropitta	296
1051.	Dierurus	284		Philepitta	
1052.	?		1034.	r miepitta	-01
	3.5	000			
1053.	Musicus	280	7.4	FORMICARIIDÆ.	
1054.	Edolius	286	12.	FURNICARIIDAE.	
	Dissemurus	986			
1055.	Dissemurus	200	I.	Formicariinæ.	
1056.	Dicranostreptus	287			
1057.		287	1095.	Grallaria	297
1037.					
1000	01.4.	007	1096	Codonistris	116
1058.	Chibia	287	1096.		
	Chibia	287	1097.	Grallaricula	298
1059.	Chibia	287		Grallaricula	298
1059. 1060.	Chibia Chaptia Melænornis	287 287 287	1097. 1098.	Grallaricula	298 298
1059.	Chibia	287 287 287 288	1097. 1098. 1099.	Grallaricula Hypsibemon Pittasoma	298 298 298
1059. 1060. 1061.	Chibia	287 287 287 288	1097. 1098. 1099. 1100.	Grallaricula Hypsibemon Pittasoma Chamæza	298 298 298 298
1059. 1060. 1061. 1062.	Chibia Chaptia Melænornis Melanopepla Bradornis	287 287 287 288 288	1097. 1098. 1099.	Grallaricula Hypsibemon Pittasoma Chamæza	298 298 298 298
1059. 1060. 1061.	Chibia	287 287 287 288 288	1097. 1098. 1099. 1100. 1101.	Grallaricula Hypsibemon Pittasoma Chamæza Formicarius	298 298 298 298 299
1059. 1060. 1061. 1062. 1063.	Chibia Chaptia Melanornis Melanopepla Bradornis Sigclus	287 287 287 288 288	1097. 1098. 1099. 1100. 1101. 1102.	Grallaricula Hypsibemon Pittasoma Chamæza Formicarius Phlegopsis	298 298 298 298 299 299
1059. 1060. 1061. 1062. 1063.	Chibia Chaptia Melænornis Melanopepla Bradornis	287 287 287 288 288	1097. 1098. 1099. 1100. 1101. 1102. 1103.	Grallaricula Hypsibemon Pittasoma Chamæza Formicarius Phlegopsis Rhop-terpe	298 298 298 298 299 299 299
1059. 1060. 1061. 1062. 1063.	Chibia Chaptia Melanornis Melanopepla Bradornis Sigclus Ireninæ.	287 287 287 288 288 288	1097. 1098. 1099. 1100. 1101. 1102.	Grallaricula Hypsibemon Pittasoma Chamæza Formicarius Phlegopsis Rhop-terpe	298 298 298 298 299 299 299
1059. 1060. 1061. 1062. 1063.	Chibia Chaptia Melanornis Melanopepla Bradornis Sigclus Ireninæ.	287 287 287 288 288 288	1097. 1098. 1099. 1100. 1101. 1102. 1103. 1104.	Grallaricula Hypsibemon Pittasoma Chameza Formicarius Phlegopsis. Rhopeterpe Myrmelastes	298 298 298 298 299 299 299
1059. 1060. 1061. 1062. 1063.	Chibia Chaptia Melanornis Melanopepla Bradornis Sigclus	287 287 287 288 288 288	1097. 1098. 1099. 1100. 1101. 1102. 1103. 1104. 1105.	Grallaricula Hypsibemon Pittasoma Chameza Formicarius Phlegopsis. Rhopeterpe Myrmelastes Gymnocichla.	298 298 298 298 299 299 299 299
1059. 1060. 1061. 1062. 1063. 2. 1064.	Chibia Chaptia	287 287 287 288 288 288	1097. 1098. 1099. 1100. 1101. 1102. 1103. 1104.	Grallaricula Hypsibemon Pittasoma Chameza Formicarius Phlegopsis. Rhopeterpe Myrmelastes Gymnocichla.	298 298 298 298 299 299 299 299
1059. 1060. 1061. 1062. 1063. 2. 1064.	Chibia Chaptia Melanornis Melanopepla Bradornis Sigclus Ireninæ.	287 287 287 288 288 288	1097. 1098. 1099. 1100. 1101. 1102. 1103. 1104. 1105.	Grallaricula Hypsibemon Pittasoma Chamæza Formicarius Phlegopsis. Rhop-terpe Myrmelastes Gymnocichla Heterocnemis	298 298 298 299 299 299 299 300
1059. 1060. 1061. 1062. 1063. 2. 1064.	Chibia Chaptia	287 287 287 288 288 288	1097. 1098. 1099. 1100. 1101. 1102. 1103. 1104. 1105. 1106.	Grallaricula Hypsibemon Pittasoma Chameza Formicarius Phlegopsis Rhopeterpe Myrmelastes Gymnocichla Heteroenemis Hypoenemis	298 298 298 298 299 299 299 300 300
1059. 1060. 1061. 1062. 1063. 2. 1064.	Chibia Chaptia Melanornis Melanopepla Bradornis Sigdus Ireninæ. Irena ARTAMIDÆ,	287 287 287 288 288 288	1097. 1098. 1099. 1100. 1101. 1102. 1103. 1104. 1105. 1106. 1107.	Grallaricula Hypsibemon Pittasoma Chamæa Formicarius Phlegopsis. Rhopeterpe Myrmelastes Gymnocichla Heterocnemis Hypocnemis Myrmoborus	298 298 298 298 299 299 299 299 300 300
1059. 1060. 1061. 1062. 1063. 2. 1064.	Chibia Chaptia Melanorpia Melanopepla Bradornis Sigelus Ireninæ. Irena ARTAMIDÆ. Avtaminæ.	287 287 287 287 288 288 288 288 288	1097. 1098. 1099. 1100. 1101. 1102. 1103. 1104. 1105. 1106.	Grallaricula Hypsibemon Pittasoma Chamæa Formicarius Phlegopsis. Rhopeterpe Myrmelastes Gymnocichla Heterocnemis Hypocnemis Myrmoborus	298 298 298 298 299 299 299 299 300 300 300
1059. 1060. 1061. 1062. 1063. 2. 1064.	Chibia Chaptia Melanopepla Bradornis Sigelus Ireninæ. Irena ARTAMIDÆ. Artaminæ. Artamus	287 287 287 287 288 288 288 288 288	1097. 1098. 1099. 1100. 1101. 1102. 1103. 1104. 1105. 1106. 1107. 1108.	Grallaricula Hypsibemon Pittasoma Chamæza Formicarius Phlegopsis. Rhopeterpe Myrmelastes Gymnocichla Heterocnemis Hypocnemis Myrmoborus Myrmeožua	298 298 298 298 299 299 299 299 300 300 300 301
1059. 1060. 1061. 1062. 1063. 2. 1064. 11.	Chibia Chaptia Melanopepla Bradornis Sigelus Ireninæ. Irena ARTAMIDÆ. Artaminæ. Artamus	287 287 287 287 288 288 288 288 288	1097. 1098. 1099. 1100. 1101. 1102. 1103. 1104. 1105. 1106. 1107. 1108.	Grallaricula Hypsibemon Pittasoma Chamæza Formicarius Phlegopsis Rhopeterpe Myrmelastes Gymnocichla Heterocnemis Hypocnemis Myrmoborus Myrmeciza Corythopis	298 298 298 298 299 299 299 299 300 300 301 301
1059. 1060. 1061. 1062. 1063. 2. 1064. 11. 1.	Chibia Chaptia Melanopepla Bradornis Sigelus Ireninæ. Irena ARTAMIDÆ. Artaminæ. Artamus 2	287 287 287 288 288 288 288 288	1097. 1098. 1099. 1100. 1101. 1102. 1103. 1104. 1105. 1107. 1108. 1109. 1110.	Grallaricula Hypsibemon Pittasoma Chamæza Formicarius Phlegopsis. Rhop-terpe Myrmelastes Gymnocichla Heterocnemis Hypocnemis Myrmoborus Myrmeoiza Corythopis Pithys	298 298 298 298 299 299 299 300 300 300 301 301
1059. 1060. 1061. 1062. 1063. 2. 1064. 11.	Chibia Chaptia Melanopepla Bradornis Sigelus Ireninæ. Irena ARTAMIDÆ. Artaminæ. Artamus 2	287 287 287 288 288 288 288 288	1097. 1098. 1099. 1100. 1101. 1102. 1103. 1104. 1105. 1106. 1107. 1108.	Grallaricula Hypsibemon Pittasoma Chamæza Formicarius Phlegopsis. Rhopeterpe Myrmelastes Gymnocichla Heterocnemis Hypocnemis Myrmoborus Myrmeoiza Corythopis Pithys	298 298 298 298 299 299 299 300 300 300 301 301
1059. 1060. 1061. 1062. 1063. 2. 1064. 11. 1. 1065. 1066. 1067.	Chibia Chaptia Melanopepla Bradornis Sigelus Ireninæ. Irena ARTAMIDÆ. Artaminæ. Artamus 2	287 287 287 288 288 288 288 288	1097. 1098. 1099. 1100. 1101. 1102. 1103. 1104. 1105. 1107. 1108. 1109. 1110.	Grallaricula Hypsibemon Pittasoma Chamaza Formicarius Phlegopsis. Rhopeterpe Myrmelastes Gymnocichla Heterocnemis Hypocnemis Myrmeoiza Conythopis Pithys Gymnopithys	298 298 298 299 299 299 299 300 300 301 301 302
1059. 1060. 1061. 1062. 1063. 2. 1064. 11. 1. 1065. 1066. 1067. 1068.	Chibia Chaptia Melanopepla Bradornis Sigelus Ireninæ. Irena ARTAMIDÆ. Avtaminæ. Artamus — ? — ?	287 287 287 288 288 288 288 288	1097. 1098. 1099. 1100. 1101. 1102. 1103. 1104. 1105. 1107. 1108. 1109. 1110.	Grallaricula Hypsibemon Pittasoma Chamæza Formicarius Phlegopsis. Rhopeterpe Myrmelastes Gymnocichla Heteroenemis Hypoenemis Myrmeoiza Corythopis Pithys Gymnopithys	298 298 298 299 299 299 299 300 300 301 301 302
1059. 1060. 1061. 1062. 1063. 2. 1064. 11. 1065. 1066. 1067. 1068.	Chibia Chaptia Melanopepla Bradornis Sigelus Ireninæ. Irena ARTAMIDÆ. Artaminæ. Artamus	287 287 287 288 288 288 288 288 288 290 290 290 290	1097. 1098. 1099. 1100. 1101. 1102. 1103. 1104. 1105. 1107. 1108. 1109. 1110. 1111. 1112. 1113.	Grallaricula Hypsibemon Pittasoma Chamæza Formicarius Phlegopsis. Rhopeterpe Myrmelastes Gymnocichla Heterocnemis Hypocnemis Myrmeobrus Myrmeciza Corythopis Pithys Gymnopithys Conopophaga	298 298 298 299 299 299 299 300 300 301 301 302
1059. 1060. 1061. 1062. 1063. 2. 1064. 11. 1. 1065. 1066. 1067. 1068. 1069. 1070.	Chibia Chaptia	287 287 287 288 288 288 288 288 288 290 290 290 290 290	1097. 1098. 1099. 1100. 1101. 1102. 1103. 1104. 1105. 1107. 1108. 1109. 1110. 1111. 1112. 1113.	Grallaricula Hypsibemon Pittasoma Chamaza Formicarius Phlegopsis. Rhopeterpe Myrmelastes Gymnocichla Heterocnemis Hypocnemis Myrmeoiza Conythopis Pithys Gymnopithys	298 298 298 299 299 299 299 300 300 301 301 302
1059. 1060. 1061. 1062. 1063. 2. 1064. 11. 1. 1065. 1066. 1067. 1068. 1069. 1070.	Chibia Chaptia Melanopepla Bradornis Sigelus Ireninæ. Irena ARTAMIDÆ. Avtaminæ. Artamus?? Cyanolanius Anais Oriolia	287 287 287 288 288 288 288 288 289 290 290 290 290 290 290 290 290	1097. 1098. 1099. 1100. 1101. 1102. 1103. 1104. 1105. 1107. 1108. 1109. 1110. 1111. 1112. 1113.	Grallaricula Hypsibemon Pittasoma Chamæza Formicarius Phlegopsis. Rhopeterpe Myrmelastes Gymnocichla Heteroenemis Hypoenemis Myrmedorus Myrmedorus Syrmedorus Myrmedorus Fithys Gymnopithys Gymnopithys Conopophaga Formicivorinæ.	298 298 298 298 299 299 299 299 300 300 301 301 302 302
1059. 1060. 1061. 1062. 1063. 2. 1064. 11. 1. 1065. 1066. 1067. 1068. 1070. 1071.	Chibia Chaptia Melanopepla Bradornis Sigelus Ireninæ. Irena ARTAMIDÆ. Avtaminæ. Artamus?? Cyanolanius Anais Oriolia	287 287 287 288 288 288 288 288 289 290 290 290 290 290 290 290 290	1097, 1098, 1099, 1100, 1101, 1102, 1103, 1105, 1107, 1109, 1110, 1111, 1112, 1113,	Grallaricula Hypsibemon Pittasoma Chamæza Formicarius Phlegopsis. Rhop-terpe Myrmelastes Gymnocichla Heterocnemis Hypocnemis Myrmoborus Myrmeoiza Corythopis Pithys Gymnopithys Conopophaga Formicivorinæ. Formicivoria	298 298 298 298 299 299 299 299 300 300 301 301 302 302
1059. 1060. 1061. 1062. 1063. 2. 1064. 11. 1. 1065. 1066. 1067. 1068. 1069. 1070.	Chibia Chaptia Melanopepla Bradornis Sigelus Ireninæ. Irena ARTAMIDÆ. Avtaminæ. Artamus?? Cyanolanius Anais Oriolia Pseudochelidon	287 287 287 288 288 288 288 288 289 290 290 290 290 290 290 290 290	1097. 1098. 1099. 1100. 1101. 1102. 1103. 1104. 1105. 1107. 1108. 1109. 1110. 1111. 1112. 1113.	Grallaricula Hypsibemon Pittasoma Chamæza Formicarius Phlegopsis. Rhop-terpe Myrmelastes Gymnocichla Heterocnemis Hypocnemis Myrmoborus Myrmeoiza Corythopis Pithys Gymnopithys Conopophaga Formicivorinæ. Formicivoria	298 298 298 298 299 299 299 299 300 300 301 301 302 302
1059. 1060. 1061. 1062. 1063. 2. 1064. 11. 1. 1065. 1066. 1067. 1068. 1070. 1071.	Chibia Chaptia Melanopepla Bradornis Sigelus Ireninæ. Irena ARTAMIDÆ. Avtaminæ. Artamus?? Cyanolanius Anais Oriolia Pseudochelidon	287 287 287 288 288 288 288 288 289 290 290 290 290 290 290 290 290	1097, 1098, 1099, 1100, 1101, 1102, 1103, 1104, 1107, 1108, 1109, 1110, 1111, 1111, 1111, 1111, 1111, 1111, 1111, 1111,	Grallaricula Hypsibemon Pittasoma Chamaza Formicarius Phlegopsis. Rhopeterpe Myrmelastes Gymnocichla Heterocnemis Hypocnemis Myrmeborus Myrmebiza Corythopis Pithys Gymnopithys Conopophaga Formicivorinæ, Formicivora	298 298 298 298 298 299 299 299 300 300 300 301 301 302 302 303 303 303 303 303 303 303 303
1059. 1060. 1061. 1062. 1063. 2. 1064. 11. 1. 1065. 1066. 1067. 1068. 1069. 1070.	Chibia Chaptia Melanopepla Bradornis Sigelus Ireninæ. Irena ARTAMIDÆ. Avtaminæ. Artamus?? Cyanolanius Anais Oriolia Pseudochelidon	287 287 287 288 288 288 288 288 289 290 290 290 290 290 290 290 290	1097, 1098, 1099, 1100, 1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1110, 1111, 1112, 1113, 1114, 1115, 1116,	Grallaricula Hypsibemon Pittasoma Chamæza Formicarius Phlegopsis. Rhopeterpe Myrmelastes Gymnocichla Heteroenemis Hypoenemis Myrmeobrus Myrmeobrus Orithopis Pithys Gymnopithys Conopophaga Formicivorinæ. Formicivora Ellipura Mierorhopias	298 298 298 298 299 299 299 300 300 300 301 301 302 302 303 303 303 303 303 303
1059, 1060, 1061, 1062, 1063, 2, 1064, 11, 1065, 1066, 1067, 1068, 1070, 1071, 1072, 1073,	Chibia Chaptia Melanopepla Bradornis Sigelus Ireninæ. Irena ARTAMIDÆ. Avtaminæ. Artamus?? Cyanolanius Anais Oriolia Pseudochelidon Analcipus	287 287 287 288 288 288 288 288 289 290 290 290 290 290 290 290 290	1097. 1098. 1099. 1100. 1101. 1102. 1103. 1104. 1105. 1107. 1108. 1110. 1111. 1112. 1113.	Grallaricula Hypsibemon Pittasoma Chamæza Formicarius Phlegopsis. Rhop-terpe Myrmelastes Gymnocichla Heterocnemis Hypocnemis Myrmeoiza Corythopis Pithys Gymnopithys Conopophaga Formicivorinæ. Formicivoria Ellipura Mierorhopias Terenura	298 298 298 298 299 299 299 299 299 300 300 300 301 301 302 302 302 303 303 303 304 304 304 304 304 304 304
1059, 1060, 1061, 1062, 1063, 2, 1064, 11, 1065, 1066, 1067, 1068, 1070, 1071, 1072, 1073,	Chibia Chaptia Melanopepla Bradornis Sigelus Ireninæ. Irena ARTAMIDÆ. Avtaminæ. Artamus?? Cyanolanius Anais Oriolia Pseudochelidon	287 287 287 288 288 288 288 288 289 290 290 290 290 290 290 290 290	1097. 1098. 1099. 1100. 1101. 1102. 1103. 1104. 1105. 1107. 1108. 1110. 1111. 1112. 1113.	Grallaricula Hypsibemon Pittasoma Chamæza Formicarius Phlegopsis. Rhop-terpe Myrmelastes Gymnocichla Heterocnemis Hypocnemis Myrmeoiza Corythopis Pithys Gymnopithys Conopophaga Formicivorinæ. Formicivoria Ellipura Mierorhopias Terenura	298 298 298 298 299 299 299 299 299 300 300 300 301 301 302 302 302 303 303 303 304 304 304 304 304 304 304
1059, 1060, 1061, 1062, 1063, 2, 1064, 11, 1065, 1066, 1067, 1068, 1070, 1071, 1072, 1073,	Chibia Chaptia Melanopepla Bradornis Sigelus Ireninæ. Irena ARTAMIDÆ. Avtaminæ. Artamus — ? — ? Cyanolanius Anais Oriolia Pseudochelidon Analcipus	287 287 287 288 288 288 288 288 289 290 290 290 290 290 290 290 290	1097. 1098. 1099. 1100. 1101. 1102. 1103. 1104. 1105. 1106. 1107. 1110. 1111. 1112. 1113.	Grallaricula Hypsibemon Pittasoma Chamaza Formicarius Phlegopsis. Rhopeterpe Myrmelastes Gymnocichla Heterocnemis Hypocnemis Myrmeborus Myrmeborus Gymnopithys Conpophaga Formicivorinæ, Formicivoria Hipura Microrhopias Forenura Forlenura	298 298 298 298 299 299 299 299 300 300 301 301 302 302 302 303 303 304 304 304 304 305 306 306 307 307 307 307 307 307 307 307 307 307
1059, 1060, 1061, 1062, 1063, 2, 1064, 11, 1065, 1066, 1067, 1068, 1070, 1071, 1072, 1073,	Chibia Chaptia Melanopepla Bradornis Sigelus Ireninæ. Irena ARTAMIDÆ. Avtaminæ. Artamus??	287 287 287 288 288 288 288 288 289 290 290 290 290 290 290 290 290	1097, 1098, 1099, 1100, 1101, 1105, 1106, 1107, 1108, 1109, 1111, 1112, 1113, 2, 1114, 1115, 1116, 1117, 1118, 1119, 111	Grallaricula Hypsibemon Pittasoma Chamæza Formicarius Phlegopsis. Rhopeterpe Myrmelastes Gymnocichla Heterocnemis Hypocnemis Myrmeborus Myrmeborus Myrmeborus Fithys Gymnopithys Conopophaga Formicivora Ellipura Mierorhopias Terentura Psilorhamplus Cercomacra	298 298 298 298 299 299 299 299 300 300 300 301 301 301 302 302 303 304 304 304 304 304 304
1059, 1060, 1061, 1062, 1063, 2, 1064, 11, 1065, 1066, 1067, 1070, 1071, 1072, 1073, 12,	Chibia Chaptia Melanopepla Bradornis Sigelus Ireninæ. Irena ARTAMIDÆ. Avtaminæ. Artamus	287 287 287 288 288 288 288 288 288 289 290 290 290 290 290 290 290 290 290 29	1097. 1098. 1099. 1100. 1101. 1102. 1103. 1104. 1105. 1106. 1107. 1110. 1111. 1112. 1113.	Grallaricula Hypsibemon Pittasoma Chamæza Formicarius Phlegopsis. Rhopeterpe Myrmelastes Gymnocichla Heterocnemis Hypocnemis Myrmeoiza Corythopis Pithys Gymnopithys Conopophaga Formicivorinæ Filipura Mierorhopias Terentura Psilorhamplus Cercomaera Pyriglena	298 298 298 298 299 299 299 299 299 300 300 300 300 301 301 301 301 303 303
1059, 1060, 1061, 1062, 1063, 2, 1064, 11, 1065, 1066, 1067, 1070, 1071, 1072, 1073, 12,	Chibia Chaptia Melanopepla Bradornis Sigelus Ireninæ. Irena ARTAMIDÆ. Avtaminæ. Artamus	287 287 287 288 288 288 288 288 288 289 290 290 290 290 290 290 290 290 290 29	1097. 1098. 1099. 1100. 1101. 1102. 1103. 1104. 1105. 1107. 1108. 1110. 1111. 1112. 1113. 21114. 1115. 1116. 1117. 1118. 1119. 1119. 11118. 1119.	Grallaricula Hypsibemon Pittasoma Chamæza Formicarius Phlegopsis. Rhopeterpe Myrmelastes Gymnocichla Heterocnemis Hypocnemis Myrmeoiza Corythopis Pithys Gymnopithys Conopophaga Formicivorinæ Filipura Mierorhopias Terentura Psilorhamplus Cercomaera Pyriglena	298 298 298 298 299 299 299 299 299 300 300 300 300 301 301 301 301 303 303
1059, 1060, 1061, 1061, 1062, 1063, 2, 1064, 11, 1065, 1066, 1067, 1078, 1073, 12, 1074, 1	Chibia Chaptia Melanopepla Bradornis Sigelus Ireninæ. Irena ARTAMIDÆ. Avtaminæ. Artamus??	287 287 287 288 288 288 288 288 288 290 290 290 290 290 290 290 290 290 290	1097, 1098, 1099, 1100, 1101, 1105, 1106, 1107, 1108, 1109, 1111, 1112, 1113, 2, 1114, 1115, 1116, 1117, 1118, 1119, 111	Grallaricula Hypsibemon Pittasoma Chamaza Formicarius Phlegopsis. Rhopeterpe Myrmelastes Gymnocichla Heterocnemis Hypocnemis Myrmoborus Myrmeborus Gymnopithys Conpophaga Formicivorinæ, Formicivorinæ, Formicivora Ellipura Microrhopias Terenura Psilorhamphus Cerconacra Pyriglena Perenostola	298 298 298 298 299 299 299 300 300 300 301 301 302 303 303 303 304 304 304 305 304 304 305 304 306 306 306 306 307 307 307 307 307 307 307 307 307 307

	Pi	age			Page
1123.	Myrmotherula 3	306	1175.	Turdinus	319
1124.	Rhopias 3		1176.	Trichixos	
1125.	Myrmophila 3		1177.	Alethe	319
1126.	Ramphocanus 3	307	1178.	Illadopsis	
					010
3.	Thamnophilinæ.		10 7	WIIGGIGA DID TO	
1127.	Thamnophilus 3	307	16. 1	MUSCICAPIDÆ.	
1128.	Batara		1 .	Mussicanina	
1129.	Nisius			Muscicapinæ.	
1130.			1179.	Peltops	
	Hypaedaleus 3		1180.	Monarcha	
1131.	Taraba 3	800	1181.	Symposiachrus	
1132.	 ?3	เกล	1182.	Arses	320
1133.	Erionotus 3		1183.	Ophryzone	
1134.	Hylolophus 3		1184.	Pomarea	321
1135.	Rhopocharis 3		1185.	Metabolus	321
1136.	Pygoptila 3		1186.	Museicapa	321
1137.	Cymbilaimus 3	11	1187.	Hedymela	
1138.	Dysithamnus 3		1188.	Muscicapula	
1139.	Thamnomanes 3	11	1189.	Alseonax	
1140.	Thamnistes 3	11	1190.	Erythrosterna	
1141.	Neoctantes 3	11	1191.	Newtonia	
1142.	Biatas 3	11	1192.	Zanthopygia	
			1193.	Hemipus	
15 2	EGITHINIDÆ.		1194.	Pycnosphys	
10. 2	LIGITITITIE.		1195.	Hyliota	
1.	Leothrichinæ.		1196.	Erythrocercus	
	Brachypteryx 3	19	1197.	Micrœca	202
1144.	Drymochares 3	12	1198.	Artomyias	
1145.	Kelaartia		1199.	Hemichelidon	
	Microcercus		1200.	Smithornis	
1146.			1200.		
1147.	Leiothrix		1201.	Megabias Cassinia	
1148.			1203.	Bias	
1149.	Siva 3		1204.		
1150.	Minla 3		1204.	Cochoa	
1151.	?			Xenogenys	
1152.	Muscitrea 3		1206.	Niltava	
1153.	Pteruthius 3		1207.	Bainopus	
1154.	? 3		1208.	Cyornis	
1155.	Cutia 3	14	1209.	Ochromela	320
1156.	Leioptila 3	114	1210.	Cyanoptila	326
1157.	Lioptilus 3	114	1211.	Eumyias	
0	Waithining		1212.	Stoporala	
	Ægithininæ.		1213.	Siphia	
1158.	Timalia 3		1214.	Anthipes	
1159.	Timalides 3		1215.	Nitidula	
1160.	Dumetia 3		1216.	Digenea	328
1161.	Scheenicola 3		9 '	Myiagrinæ.	
1162.	Stachyris 3				
1163.	Erpornis 3		1217.	Seisura	327
1164.	Pyetoris 3		1218.	Piezorhynchus	327
1165.	Mixornis 3		1219.	Myiagra	327
1166.	Ægithina 3		1220.	?	
1167.	Malacopteron 3		1221.	Elminia	
1168.	Kenopia 3	17	1222.	Muscitodus	
1169.	Alcippe 3	17	1223.	Machaerirhynchus	
1170.	Macronus 3	17	1224.	Platysteira	329
1171.	Cacopitta 3	318	1225.	Batis	
1172.	Trichastoma 3	18	1226.	Dyaphorophyia	
1173.	Napothera 3	318	1227.	Myiophila	330
1174.	Drymocataphus 3	318	1228.	Lanioturdus	330

Page	Page
1229. Stenostira 330	1281. Museipipra345
	245
	1282. Copurus
1231. Leucocirca 331	1283. Machetornis 340
1232. Museylva 332	1284. Muscisaxicola 340
	1285. Lessonia 347
1234. Chelidorynx 332	1286. Museigralla 347
1235?	1287. Philotherus 347
	2207. I intotactus
	0. 701 - 41
1237. Xeocephalus 334	3. Platyrhynchinæ.
1238. Philentoma 334	1288. Platyrhynchus 347
1239. Trochocereus 334	
	1289. Todirostrum 347
1240. Todopsis	1290. Oneostoma 348
	1291. ——?
3. Campephaginæ.	
	1292. Museylva 349
1241. Pericrocotus 334	1293. Orcheilus 349
1242. Campephaga 335	1294. Colopterus 349
	1295. —? 349
1244. Lobotos 336	1296. Museiphaga 349
1245. Grauculus 336	1297. Phylloscartes 350
1246. Gazzola 337	1298. Euscarthmus 350
1247. Artamides 337	1299. ——? 350
1248. Ptiladera 337	1300. Culicivora 350
1249. Pteropodocys 337	1301. Habrura 350
	1001. Habitata
1250. Edolisoma 337	1302. Pogonotriceus 350
1251. Volvocivora 338	1303. Leptotriccus 350
1252. ?	1304. Stigmatura 350
1253. Lalage 338	1205 Companhage 251
	1305. Serpophaga
1254. Pseudolalage 339	1306. Anairetes 351
1255. Symmorphus 339	1307. Cyanotis
1256. Oxynotus 339	
	4 Elaininæ.
1257. Ceblepyris 340	4. Elaininæ.
	1308. Elainia
1257. Ceblepyris 340	1308. Elainia
1257. Ceblepyris 340	1308. Elainia
1257. Ceblepyris 340 1258. Cyanograucalus 340	1308. Elainia 351 1309. Myiozeta 358 1310. Legatus 358
1257. Ceblepyris 340 1258. Cyanograucalus 340 17. TYRANNIDÆ	1308. Elainia 351 1309. Myiozeta 356 1310. Legatus 356 1311. Sublegatus 356
1257. Ceblepyris 340 1258. Cyanograucalus 340 17. TYRANNIDÆ 1. Attilinæ	1308. Elainia 351 1309. Myiozeta 355 1310. Legatus 356 1311. Sublegatus 355 1312. Empidagra 355
1257. Ceblepyris 340 1258. Cyanograucalus 340 17. TYRANNIDÆ 1. Attilinæ	1308. Elainia 351 1309. Myiozeta 355 1310. Legatus 356 1311. Sublegatus 355 1312. Empidagra 355
1257. Ceblepyris 340 1258. Cyanograucalus 340 17. TYRANNIDÆ. 1. Attilinæ. 1259. Attila 340	1308. Elainia 351 1309. Myiozeta 355 1310. Legatus 355 1311. Sublegatus 355 1312. Empidagra 355 1313. Myiocapta 354
1257. Ceblepyris 340 1258. Cyanograucalus 340 17. TYRANNIDÆ 1. Attilinæ	1308. Elainia 351 1309. Myiozeta 35 1310. Legatus 35 1311. Sublegatus 35 1312. Empidagra 35 1313. Myiocapta 354 1314. Rhynchocyclus 354
1257. Ceblepyris 340 1258. Cyanograucalus 340 17. TYRANNIDÆ. 1. Attilinæ. 1259. Attila 340 1260. Casiernis 341	1308. Elainia 351 1309. Myiozeta 355 1310. Legatus 355 1311. Sublegatus 355 1312. Empidagra 355 1313. Myiocapta 354 1314. Rhynchocyclus 354 1315. Ramphotrigon 354
1257. Ceblepyris 340 1258. Cyanograucalus 340 17. TYRANNIDÆ. 1. Attilinæ. 1259. Attila 340	1308. Elainia 351 1309. Myiozeta 355 1310. Legatus 355 1311. Sublegatus 355 1312. Empidagra 355 1313. Myiocapta 354 1314. Rhynchocyclus 354 1315. Ramphotrigon 354 1316. Myiacleptes 354
1257. Ceblepyris 340 1258. Cyanograucalus 340 17. TYRANNIDÆ. 1. Attilinæ. 1259. Attila 340 1260. Casiernis 341 2. Tæniopterinæ.	1308. Elainia 351 1309. Myiozeta 35 1310. Legatus 35 1311. Sublegatus 35 1312. Empidagra 35 1313. Myiocapta 354 1314. Rhynchocyclus 354 1315. Ramphotrigon 354 1316. Myiacleptes 354 1317. Mionectes 354
1257. Ceblepyris 340 1258. Cyanograucalus 340 17. TYRANNIDÆ. 1. Attilinæ. 1259. Attila 340 1260. Casiernis 341 2. Tæniopterinæ. 1261. Agriornis 341	1308. Elainia 351 1309. Myiozeta 35 1310. Legatus 35 1311. Sublegatus 35 1312. Empidagra 35 1313. Myiocapta 354 1314. Rhynchocyclus 354 1315. Ramphotrigon 354 1316. Myiacleptes 354 1317. Mionectes 354
1257. Ceblepyris 340 1258. Cyanograucalus 340 17. TYRANNIDÆ. 1. Attilinæ. 340 1259. Attila 341 1260. Casiernis 341 2. Tæniopterinæ. 1261. Agriornis 341 1262. Myiotherctes 341	1308. Elainia 351 1309. Myiozeta 355 1310. Legatus 355 1311. Sublegatus 355 1312. Empidagra 355 1313. Myiocapta 354 1314. Rhynchocyclus 354 1315. Ramphotrigon 354 1316. Myiacleptes 354 1317. Mionectes 354 1318. Pipromorpha 355
1257. Ceblepyris 340 1258. Cyanograucalus 340 17. TYRANNIDÆ. 1. Attilinæ. 1259. Attila 340 1260. Casiernis 341 2. Tæniopterinæ. 1261. Agriornis 341 1262. Myiotherctes 341 1263. Tænioptera 342	1308. Elainia 351 1309. Myiozeta 355 1310. Legatus 355 1311. Sublegatus 355 1312. Empidagra 354 1313. Myiocapta 354 1314. Rhynchocyclus 354 1315. Ramphotrigon 354 1316. Myiacleptes 354 1317. Mionectes 354 1318. Pipromorpha 355 1319. Leptopogon 355
1257. Ceblepyris 340 1258. Cyanograucalus 340 17. TYRANNIDÆ. 1. Attilinæ. 1259. Attila 340 1260. Casiernis 341 2. Tæniopterinæ. 1261. Agriornis 341 1262. Myiotheretes 341 1263. Tænioptera 342 1264. Hemipenthica 342	1308. Elainia 351 1309. Myiozeta 355 1310. Legatus 355 1311. Sublegatus 355 1312. Empidagra 35 1313. Myiocapta 354 1314. Rhynchocyclus 354 1315. Ramphotrigon 354 1316. Myiacleptes 354 1317. Mionectes 354 1318. Pipromorpha 355 1319. Leptopogon 355 1320. Capsiempis 355
1257. Ceblepyris 340 1258. Cyanograucalus 340 17. TYRANNIDÆ. 1. Attilinæ. 1259. Attila 340 1260. Casiernis 341 2. Tæniopterinæ. 1261. Agriornis 341 1262. Myiotherctes 341 1263. Tænioptera 342	1308. Elainia 351 1309. Myiozeta 355 1310. Legatus 355 1311. Sublegatus 355 1312. Empidagra 35 1313. Myiocapta 354 1314. Rlynchocyclus 354 1315. Ramphotrigon 354 1316. Myiacleptes 354 1317. Mionectes 354 1318. Pipromorpha 355 1319. Leptopogon 355 1320. Capsiempis 355 1321. Phyllomyias 355
1257. Ceblepyris 340 1258. Cyanograucalus 340 17. TYRANNIDÆ. 1. Attilinæ. 340 1259. Attila 340 1260. Casiernis 341 2. Tæniopterinæ. 1261. Agriornis 341 1262. Myiotherctes 341 1263. Tænioptera 342 1264. Hemipenthica 342 1265. Pyrope 342	1308. Elainia 351 1309. Myiozeta 355 1310. Legatus 355 1311. Sublegatus 355 1312. Empidagra 35 1313. Myiocapta 354 1314. Rlynchocyclus 354 1315. Ramphotrigon 354 1316. Myiacleptes 354 1317. Mionectes 354 1318. Pipromorpha 355 1319. Leptopogon 355 1320. Capsiempis 355 1321. Phyllomyias 355
1257. Ceblepyris 340 1258. Cyanograucalus 340 17. TYRANNIDÆ. 1. Attilinæ. 1259. Attila 340 1260. Casiernis 341 2. Tæniopterinæ. 1261. Agriornis 341 1262. Myiotherctes 341 1263. Tænioptera 342 1264. Hemipenthica 342 1265. Pyrope 342 1266. Ochthöca 342	1308. Elainia 351 1309. Myiozeta 355 1310. Legatus 355 1311. Sublegatus 355 1312. Empidagra 354 1313. Myiocapta 354 1314. Rhynchocyclus 354 1315. Ramphotrigon 354 1316. Myiacleptes 354 1317. Mionectes 354 1318. Pipromorpha 355 1319. Leptopogon 355 1320. Capsiempis 355 1321. Phyllomyias 355 1322. Ornithion 355
1257. Ceblepyris 340 1258. Cyanograucalus 340 17. TYRANNIDÆ. 1. Attilinæ. 1259. Attila 340 1260. Casiernis 341 2. Tæniopterinæ. 1261. Agriornis 341 1262. Myiotheretes 341 1263. Tænioptera 342 1264. Hemipenthica 342 1265. Pyrope 342 1266. Ochthočca 342 1267. Ochthodieta 343	1308. Elainia 351 1309. Myiozeta 35 1310. Legatus 35 1311. Sublegatus 35 1312. Empidagra 35 1313. Myiocapta 354 1314. Rhynchocyclus 354 1315. Ramphotrigon 354 1316. Myiacleptes 354 1317. Mionectes 354 1318. Pipromorpha 35 1319. Leptopogon 35 1320. Capsiempis 35 1321. Phyllomyias 35 1322. Ornithion 35 1323. Myiophanistes 35
1257. Ceblepyris 340 1258. Cyanograucalus 340 17. TYRANNIDÆ. 1. Attilinæ. 1259. Attila 340 1260. Casiernis 341 2. Tæniopterinæ. 1261. Agriornis 341 1262. Myiotherctes 341 1263. Tænioptera 342 1264. Hemipenthica 342 1265. Pyrope 342 1266. Ochthočea 342 1267. Ochthodiata 343 1268. Mecocerculus 343	1308. Elainia 351 1309. Myiozeta 355 1310. Legatus 355 1311. Sublegatus 355 1312. Empidagra 35 1313. Myiocapta 354 1314. Rhynchocyclus 354 1315. Ramphotrigon 354 1316. Myiacleptes 354 1317. Mionectes 354 1318. Pipromorpha 355 1320. Capsiempis 355 1321. Phyllomyias 355 1322. Ornithion 355 1323. Myiophanistes 356 1324. Camptostoma 356 1324. Camptostoma 356
1257. Ceblepyris 340 1258. Cyanograucalus 340 17. TYRANNIDÆ. 1. Attilinæ. 1259. Attila 340 1260. Casiernis 341 2. Tæniopterinæ. 1261. Agriornis 341 1262. Myiotheretes 341 1263. Tænioptera 342 1264. Hemipenthica 342 1265. Pyrope 342 1266. Ochthočca 342 1267. Ochthodieta 343	1308. Elainia 351 1309. Myiozeta 355 1310. Legatus 355 1311. Sublegatus 355 1312. Empidagra 354 1313. Myiocapta 354 1314. Rhynchocyclus 354 1315. Ramphotrigon 354 1316. Myiacleptes 354 1317. Mionectes 354 1318. Pipromorpha 355 1320. Capsiempis 355 1321. Phyllomyias 355 1322. Ornithion 355 1323. Myiophanistes 356 1324. Camptostoma 356 1325. Tyrannulus 356
1257. Ceblepyris 340 1258. Cyanograucalus 340 17. TYRANNIDÆ. 1. Attilinæ. 1259. Attila 340 1260. Casiernis 341 2. Tæniopterinæ. 1261. Agriornis 341 1262. Myiotherctes 341 1263. Tænioptera 342 1264. Hemipenthica 342 1265. Pyrope 342 1266. Ochthočea 342 1267. Ochthodieta 343 1268. Mecocerculus 343 1269. Sayornis 343	1308. Elainia 351 1309. Myiozeta 355 1310. Legatus 355 1311. Sublegatus 355 1312. Empidagra 354 1313. Myiocapta 354 1314. Rhynchocyclus 354 1315. Ramphotrigon 354 1316. Myiacleptes 354 1317. Mionectes 354 1318. Pipromorpha 355 1320. Capsiempis 355 1321. Phyllomyias 355 1322. Ornithion 355 1323. Myiophanistes 356 1324. Camptostoma 356 1325. Tyrannulus 356
1257. Ceblepyris 340 1258. Cyanograucalus 340 17. TYRANNIDÆ. 1. Attilinæ. 1259. Attila 340 1260. Casiernis 341 2. Tæniopterinæ. 1261. Agriornis 341 1262. Myiotheretes 341 1263. Tænioptera 342 1264. Hemipenthica 342 1265. Pyrope 342 1266. Ochthodiata 343 1268. Mecocerculus 343 1269. Sayornis 343 1270. Aulanax 343	1308. Elainia 351 1309. Myiozeta 35 1310. Legatus 35 1311. Sublegatus 35 1312. Empidagra 35 1313. Myiocapta 354 1314. Rhynchocyclus 354 1315. Ramphotrigon 354 1316. Myiacleptes 354 1317. Mionectes 354 1318. Pipromorpha 35 1319. Leptopogon 35 1320. Capsiempis 35 1321. Phyllomyias 35 1322. Ornithion 35 1323. Myiophanistes 35 1324. Camptostoma 35 1325. Tyrannilus 356 1326. Tyranniscus 356
1257. Ceblepyris 340 1258. Cyanograucalus 340 17. TYRANNIDÆ. 1. Attilinæ. 1259. Attila 340 1260. Casiernis 341 2. Tæniopterinæ. 1261. Agriornis 341 1262. Myiotherctes 341 1263. Tænioptera 342 1264. Hemipenthica 342 1265. Pyrope 342 1266. Ochthočea 342 1266. Ochthočea 342 1267. Ochthodietta 343 1268. Mecocerculus 343 1269. Sayornis 343 1270. Aulanax 343 1271. Fluvicola 343	1308. Elainia 351 1309. Myiozeta 355 1310. Legatus 355 1311. Sublegatus 355 1312. Empidagra 354 1313. Myiocapta 354 1314. Rhynchocyclus 354 1315. Ramphotrigon 354 1316. Myiacleptes 394 1317. Mionectes 394 1318. Pipromorpha 355 1320. Capsiempis 355 1321. Phyllomyias 355 1322. Ornithion 355 1323. Myiophanistes 356 1324. Camptostoma 356 1325. Tyrannulus 356 1326. Tyrannicus 356 1327. Pitangus 356
1257. Ceblepyris 340 1258. Cyanograucalus 340 17. TYRANNIDÆ. 1. Attilinæ. 1259. Attila 340 1260. Casiernis 341 2. Tæniopterinæ. 1261. Agriornis 341 1262. Myiotheretes 341 1263. Tænioptera 342 1264. Hemipenthica 342 1265. Pyrope 342 1266. Ochthočea 342 1267. Ochthodiata 343 1268. Mecocerculus 343 1269. Sayornis 343 1270. Aulanax 343 1271. Fluvicola 343	1308. Elainia 351 1309. Myiozeta 355 1310. Legatus 355 1311. Sublegatus 355 1312. Empidagra 35 1313. Myiocapta 354 1314. Rhynchocyclus 354 1315. Ramphotrigon 354 1316. Myiacleptes 354 1317. Mionectes 354 1318. Pipromorpha 355 1320. Capsiempis 355 1321. Phyllomyias 355 1322. Ornithion 355 1323. Myiophanistes 356 1325. Tyrannulus 356 1326. Tyranniscus 356 1327. Pitangus 356 1328. Sirystes 357
1257. Ceblepyris 340 1258. Cyanograucalus 340 17. TYRANNIDÆ. 1. Attilinæ. 1259. Attila 340 1260. Casiernis 341 2. Tæniopterinæ. 1261. Agriornis 341 1262. Myiotheretes 341 1263. Tænioptera 342 1264. Hemipenthica 342 1265. Pyrope 342 1266. Ochthočea 342 1267. Ochthodieta 343 1268. Mecocerculus 343 1269. Sayornis 343 1270. Aulanax 343 1271. Fluvicola 343 1272. Suiriri 344 1273. Kuipolegus 344	1308. Elainia 351 1309. Myiozeta 35 1310. Legatus 35 1311. Sublegatus 35 1312. Empidagra 35 1313. Myiocapta 354 1314. Rhynchocyclus 354 1315. Ramphotrigon 354 1316. Myiacleptes 354 1317. Mionectes 354 1318. Pipromorpha 35 1319. Leptopogon 35 1320. Capsiempis 35 1321. Phyllomyias 35 1322. Ornithion 35 1323. Myiophanistes 35 1324. Camptostoma 35 1325. Tyrannulus 35 1326. Tyranniscus 35 1327. Pitangus 35 1328. Sirystes 357 1329. Myiodynastes 367
1257. Ceblepyris 340 1258. Cyanograucalus 340 17. TYRANNIDÆ. 1. Attilinæ. 1259. Attila 340 1260. Casiernis 341 2. Tæniopterinæ. 1261. Agriornis 341 1262. Myiotheretes 341 1263. Tænioptera 342 1264. Hemipenthica 342 1265. Pyrope 342 1266. Ochthočea 342 1267. Ochthodieta 343 1268. Mecocerculus 343 1269. Sayornis 343 1270. Aulanax 343 1271. Fluvicola 343 1272. Suiriri 344 1273. Kuipolegus 344	1308. Elainia 351 1309. Myiozeta 355 1310. Legatus 355 1311. Sublegatus 355 1312. Empidagra 35 1313. Myiocapta 354 1314. Rhynchocyclus 354 1315. Ramphotrigon 354 1316. Myiacleptes 354 1317. Mionectes 354 1318. Pipromorpha 355 1320. Capsiempis 355 1321. Phyllomyias 355 1322. Ornithion 355 1323. Myiophanistes 356 1324. Camptostoma 356 1325. Tyrannulus 356 1326. Tyranniscus 356 1327. Pitangus 356 1328. Sirystes 357 1329. Myiodynastes 357 1330. Hypermitres 357
1257. Ceblepyris 340 1258. Cyanograucalus 340 17. TYRANNIDÆ. 1. Attilinæ. 1259. Attila 340 1260. Casiernis 341 2. Tæniopterinæ. 1261. Agriornis 341 1262. Myiotheretes 341 1263. Tænioptera 342 1264. Hemipenthica 342 1265. Pyrope 342 1266. Ochthoëca 342 1266. Ochthoëca 342 1268. Mecocerculus 343 1268. Mecocerculus 343 1268. Mecocerculus 343 1270. Aulanax 343 1271. Fluvicola 343 1271. Fluvicola 343 1272. Suiriri 344 1273. Kuipolegus 344 1274. Ada 344	1308. Elainia 351 1309. Myiozeta 355 1310. Legatus 355 1311. Sublegatus 355 1312. Empidagra 35 1313. Myiocapta 354 1314. Rhynchocyclus 354 1315. Ramphotrigon 354 1316. Myiacleptes 354 1317. Mionectes 354 1318. Pipromorpha 355 1320. Capsiempis 355 1321. Phyllomyias 355 1322. Ornithion 355 1323. Myiophanistes 356 1324. Camptostoma 356 1325. Tyrannulus 356 1326. Tyranniscus 356 1327. Pitangus 356 1328. Sirystes 357 1329. Myiodynastes 357 1330. Hypermitres 357
1257. Ceblepyris 340 1258. Cyanograucalus 340 17. TYRANNIDÆ. 1. Attilinæ. 1.259. Attila 340 1260. Casiernis 341 2. Tæniopterinæ. 1261. Agriornis 341 1262. Myiotheretes 341 1263. Tænioptera 342 1264. Hemipenthica 342 1265. Pyrope 342 1266. Ochthodieta 343 1268. Mecocerculus 343 1269. Sayornis 343 1270. Aulanax 343 1271. Fluvicola 343 1271. Fluvicola 343 1272. Suiriri 344 1273. Kuipolegus 344 1274. Ada 344 1275. Sericoptila 344	1308. Elainia 351 1309. Myiozeta 35 1310. Legatus 35 1311. Sublegatus 35 1312. Empidagra 35 1313. Myiocapta 354 1314. Rhynchocyclus 354 1315. Ramphotrigon 354 1316. Myiacleptes 354 1317. Mionectes 354 1318. Pipromorpha 35 1319. Leptopogon 35 1320. Capsiempis 35 1321. Phyllomyias 35 1322. Ornithion 35 1323. Myiophanistes 35 1324. Camptostoma 35 1325. Tyrannulus 35 1326. Tyranniscus 35 1327. Pitangus 35 1328. Sirystes 357 1329. Myiodynastes 367
1257. Ceblepyris 340 1258. Cyanograucalus 340 17. TYRANNIDÆ. 1. Attilinæ. 1259. Attila 340 1260. Casiernis 341 2. Tæniopterinæ. 1261. Agriornis 341 1262. Myiotheretes 341 1263. Tænioptera 342 1264. Hemipenthica 342 1265. Pyrope 342 1266. Ochthodiata 343 1268. Mecocerculus 343 1269. Sayornis 343 1270. Aulanax 343 1271. Fluvicola 343 1272. Suiriri 344 1273. Kuipolegus 344 1274. Ada 344 1275. Serioptila 344 1275. Serioptila 344 1276. Aruudinicola 344	1308. Elainia 351 1309. Myiozeta 35 1310. Legatus 35 1311. Sublegatus 35 1312. Empidagra 35 1313. Myiocapta 354 1314. Rhynchocyclus 354 1315. Ramphotrigon 354 1316. Myiaeleptes 354 1317. Mionectes 354 1318. Pipromorpha 35 1319. Leptopogon 35 1320. Capsiempis 35 1321. Phyllomyias 35 1322. Ornithion 35 1323. Myiophanistes 356 1324. Camptostoma 35 1325. Tyrannulus 356 1326. Tyranniscus 356 1327. Pitangus 356 1328. Sirystes 357 1329. Myiodynastes 357 1330. Hypermitres 358
1257. Ceblepyris 340 1258. Cyanograucalus 340 17. TYRANNIDÆ. 1. Attilinæ. 1259. Attila 340 1260. Casiernis 341 2. Tæniopterinæ. 1261. Agriornis 341 1262. Myiotheretes 341 1263. Tænioptera 342 1264. Hemipenthica 342 1265. Pyrope 342 1266. Ochthoëca 342 1266. Ochthoëca 343 1268. Mecocerculus 343 1268. Mecocerculus 343 1269. Sayornis 343 1270. Aulanax 343 1271. Fluvicola 343 1271. Fluvicola 343 1272. Suiriri 344 1273. Kuipolegus 344 1274. Ada 344 1275. Sericoptila 344 1275. Sericoptila 344 1276. Aruudinicola 344 1277. Alectrurus 344	1308. Elainia 351 1309. Myiozeta 352 1310. Legatus 353 1311. Sublegatus 355 1312. Empidagra 354 1313. Myiocapta 354 1314. Rhynchocyclus 354 1315. Ramphotrigon 354 1316. Myiacleptes 354 1317. Mionectes 354 1318. Pipromorpha 355 1320. Capsiempis 355 1321. Phyllomyias 355 1322. Ornithion 355 1323. Myiophanistes 356 1324. Camptostoma 356 1325. Tyranniscus 356 1326. Tyranniscus 356 1327. Pitangus 350 1328. Sirystes 357 1329. Myiodynastes 357 1330. Hypermitres 357 1331. Kaupornis 358
1257. Ceblepyris 340 1258. Cyanograucalus 340 17. TYRANNIDÆ. 1. Attilinæ. 1259. Attila 340 1260. Casiernis 341 2. Tæniopterinæ. 1261. Agriornis 341 1262. Myiotherctes 341 1263. Tænioptera 342 1264. Hemipenthica 342 1265. Pyrope 342 1266. Ochthočea 342 1266. Ochthočea 342 1267. Ochthodiæta 343 1270. Aulanax 343 1271. Fluvicola 343 1271. Fluvicola 343 1272. Suiriri 344 1273. Kuipolegus 344 1274. Ada 344 1275. Sericoptila 344 1276. Aruadinicola 344 1276. Aruadinicola 344 1277. Alectrurus 345 1278. Yetapa 345	1308. Elainia 351 1309. Myiozeta 355 1310. Legatus 355 1311. Sublegatus 355 1312. Empidagra 35 1313. Myiocapta 354 1314. Rhynchocyclus 354 1315. Ramphotrigon 354 1316. Myiacleptes 354 1317. Mionectes 354 1318. Pipromorpha 355 1319. Leptopogon 355 1320. Capsiempis 355 1321. Phyllomyias 355 1322. Ornithion 355 1323. Myiophanistes 356 1324. Camptostoma 356 1325. Tyrannulus 356 1326. Tyranniscus 356 1327. Pitangus 356 1328. Sirystes 357 1330. Hypermitres 357 1331. Kaupornis 358 5. Tyranninæ 1332. Megarhynchus 358
1257. Ceblepyris 340 1258. Cyanograucalus 340 17. TYRANNIDÆ. 1. Attilinæ. 1259. Attila 340 1260. Casiernis 341 2. Tæniopterinæ. 1261. Agriornis 341 1262. Myiotheretes 341 1263. Tænioptera 342 1264. Hemipenthica 342 1265. Pyrope 342 1266. Ochthoëca 342 1266. Ochthoëca 343 1268. Mecocerculus 343 1268. Mecocerculus 343 1269. Sayornis 343 1270. Aulanax 343 1271. Fluvicola 343 1271. Fluvicola 343 1272. Suiriri 344 1273. Kuipolegus 344 1274. Ada 344 1275. Sericoptila 344 1275. Sericoptila 344 1276. Aruudinicola 344 1277. Alectrurus 344	1308. Elainia 351 1309. Myiozeta 355 1310. Legatus 355 1311. Sublegatus 355 1312. Empidagra 35 1313. Myiocapta 354 1314. Rhynchocyclus 354 1315. Ramphotrigon 354 1316. Myiacleptes 354 1317. Mionectes 354 1318. Pipromorpha 355 1319. Leptopogon 355 1320. Capsiempis 355 1321. Phyllomyias 355 1322. Ornithion 355 1323. Myiophanistes 356 1324. Camptostoma 356 1325. Tyrannulus 356 1326. Tyranniscus 356 1327. Pitangus 356 1328. Sirystes 357 1330. Hypermitres 357 1331. Kaupornis 358 5. Tyranninæ 1332. Megarhynchus 358
1257. Ceblepyris 340 1258. Cyanograucalus 340 17. TYRANNIDÆ. 1. Attilinæ. 1259. Attila 340 1260. Casiernis 341 2. Tæniopterinæ. 1261. Agriornis 341 1262. Myiotherctes 341 1263. Tænioptera 342 1264. Hemipenthica 342 1265. Pyrope 342 1266. Ochthočea 342 1266. Ochthočea 342 1267. Ochthodiæta 343 1270. Aulanax 343 1271. Fluvicola 343 1271. Fluvicola 343 1272. Suiriri 344 1273. Kuipolegus 344 1274. Ada 344 1275. Sericoptila 344 1276. Aruadinicola 344 1276. Aruadinicola 344 1277. Alectrurus 345 1278. Yetapa 345	1308. Elainia 351 1309. Myiozeta 355 1310. Legatus 355 1311. Sublegatus 355 1312. Empidagra 35 1313. Myiocapta 354 1314. Rhynchocyclus 354 1315. Ramphotrigon 354 1316. Myiacleptes 354 1317. Mionectes 354 1318. Pipromorpha 355 1319. Leptopogon 355 1320. Capsiempis 355 1321. Phyllomyias 355 1322. Ornithion 355 1323. Myiophanistes 356 1324. Camptostoma 356 1325. Tyrannulus 356 1326. Tyranniscus 356 1327. Pitangus 356 1328. Sirystes 357 1330. Hypermitres 357 1331. Kaupornis 358 5. Tyranninæ 1332. Megarhynchus 358

	P'	age			rage	
1335.	Myiobius 3		1383	Ampelion	371	
				TT.1:	270	
1336.	Planchesia 3		1384.	Heliochera		
1337.	Cephalanius 3	359	1385.	Tijuca	372	
1338.	Capnixus 3	350		·		
1339.			3.	Lipanginæ.		
	Cariornis 3					
1340.	Myiophobus	360 l	1386.	Lipangus	372	
1341.	Empidochanes		1387.	Laniocera	279	
1342.	Pyrocephalus 3	360	1388.	Lathria		
1343.	Mitrephorus 3	361	1389.	Laniisoma	373	
1344.			1390.			
	Empidonax			Heteropelma	3/3	
1345.	Contopus 5	361	1391.	? Schiffornis	373	
1346.	Syrichtha 3		1392.	Neopelma	373	
1347.						
	Myionax		1393.	Heterocercus	014	
1348.	Onychopterus 3	362				
1349.	Myiarchus 3		4.	Gymnoderinæ.		
				*		
1350.	Blacieus 3	563	1394.	Querula	374	
1351.	Empidias 3	363 - 1	1395.	Hæmatoderus		
1352.	Empidonomus 3					
	m 12mphdonomus	000	1396.	Pyroderus	374	
1353.	Tyrannus 3	364	1397.	Gymnoderus	374	
1354.	Dioctes 3	364				
1355.	Laphyetes 3		1000	Gymnocephalus	0/1	
			1399.	Cephalopterus	375	
1356.	Satellus 3	364		Casmarhynchus		
1357.	Melittarchus 3	365 l	1401.			
1358.			1301.	Arapunga	3/3	
1330.	Milvulus 3	900				
			5. Piprinæ.			
18. AMPELIDÆ.			1400	D'	075	
10. 1	INITELLIDÆ.	1		Pipra		
		1	1403.	Cercophæna	376	
1. 4	Ampelinæ.		1404.	Chiroxiphia		
1050	4 11			o	070	
1359.	Ampelis 3	§65 }	1405.	?	376	
		1	1406.	Cirrhipipra	376	
2.	Ptilogonydinæ.		1407.	Metopia		
1360.	Ptilogonys 3	366	1408.	Masius	376	
1361.	Phainopepla 8		1409.	Machæropterus	376	
1362.	Minincloster 9	ee	1410.	Lepidothrix		
	Myiadestes 3	000				
1363.	Sericolius 3	366	1411.	Xenopipo		
1364.	Turdampelis 3	367	1412.	Dixiphia	377	
1365.			1413.	Ceratopipra		
1303.	Platycichla 3	101				
			1414.	Corapipo		
19. 0	COTINGIDÆ.	- 1	1415.	Dasyncetopa	378	
10.	OTINGIDIE.	ł	1416.			
1 1	70:4	i		Manacus		
1.	Tityrinæ.		1417.	Chloropipo	378	
1366.	Tityra 3	67	1418.	Hemipipo	378	
			1419.			
1367.	Erator 3			Piprites	310	
1368.	Hadrostomus 3	$68 \pm$	1420.	Neopipo	378	
1369.	Platypsaris 3		1421.	Metopothrix		
			1422.	Ilicura	270	
1370.	Pachyramphus 3	508		Incura	3/9	
1371.	Platyrhynchus 3	369	1423.	Iodopleura	379	
1372.	Platyrhynchus	co	1424.	Calyptura	379	
				cary poura	010	
1373.	Callopsaris 3	69	е.	Danni a alim		
	-			Rupicolinæ.		
2. (Cotinginæ.		1425	Phonicircus	370	
	_	- 1				
1374.	Phibalura 3	70	1440.	Rupicola	219	
1375.	Cotinga					
			7.]	Phytotominæ.		
1376.	Xipholena 3				200	
1377.	Carpodectes 3	71	1427.	Phytotoma	380	
1378.						
	Orbignesius 3		20.	UDBONID 70		
1379.	Porphyrolæma 3		20.	VIREONIDÆ.		
1380.	Pipreola 3					
1381.			1. 1	Vireoninæ.		
	Euchlornis 3				0	
1382.	Pyrrhorhynchus 3	11	1428.	Vireo	380	

		Page			Page
1429.		381	2.	Laniinæ.	- t.B.
1430.					200
1431.			1462.	Collyrio	901
1432.			1463.		991
1433.			1464.		901
1434.			1465.		391
	Hylophilus	382	1466.	 ?	392
1436.		383	1467.	Hypocolius	392
	Cyclarhis	383	1468.	Corvinella	302
1437		381	1469.	_ Urolestes	392
1430	. Laices	904	1470.	Enneoctonus	393
9	Icteriinæ.			Lanius	393
		004	1472.		393
1439.	Icteria	904	1473.	Cephalophoneus	394
1440.		994			
1441.	Teretistris	994	9	Malaconotinæ.	
Q	Dulinæ.				00.4
		005	1474.	Tephrodornis	394
1442.	Dulus	385	1475.		394
			1476.	Tephrolanius	394
21.	LANIIDÆ.		1477.	Tephrolanius	394
			1478.	Fraseria	994
1.	Pachycephalinæ.		1479.	Hypodes	394
1443.	Colluricinela	385	1480.	Cuphopterus	395
1444.		385	1481.	Nilaus	395
1445.		386	1482.	Prionops	395
1446	Cracticus	386	1483.	Sigmodus	395
1447.		386	1484.	Eurocephalus	395
	Oreoica		1485.	Chaunonotus	395
1449	Falcunculus	387	1486.	Vanga	396
1450	Pardalotus	387	1487.		396
1451.		387	1488.	Laniarius	396
1452.			1489.		
	Pachycephala		1490.	Malaconotus	
1454.		389	1491.		397
1455.			1492.	Rhynchastatus	397
1456.			1493.	Tchagra	398
1457.	Calicalicus		1494.	Telophorus	398
1458.	Hylocharis	389	1495.	Chlorophoneus	398
	Eopsaltria	389	1496.	Pomatorhynchus	398
1460.	Chasiempis	390	1497.	Psalter	399
1461.	Phæornis				
1401.	I HECOTHIS	500			

AVES.

Order I. ACCIPITRES, L.

Suborder I. ACCIPITRES DIURNI, V.

FAM. I. GYPAËTIDÆ, G. R. Gr. 1842.

Subfam. I. Gypaëtinæ, Bp. 1831.

Falconinæ, p., Boie, 1826.

1. GYPAËTUS, Storr. 1784.

Gyptus, Dum. 1806. Phene, Sav. 1809. "Gypaëtos, Ray," G. R. Gr. 1840.

Sw. C. of B.f. 184; G. of B.i. p. 2, pl. 1. f. 1; Reich. S. A. t. 98. f.
 barbatus, L.; P. C. 431; Naum. Vög. t. 4, 5; Gould, B. E. pl. 4.
 S. Europe.

grandis, Storr.; barbarus, Gm.; ossifragus, Sav. leucocephalus et melanocephalus, Meyer. occidentalis, Schl. altaicus, Gebl. hemachalanus, Hutt.

2. nudipes, Brehm; Rüpp. S. U. t. 1. meridionalis, Keys. & Bl.; barbatus, p., G.R. Gr. barbatus, var. meridionalis, Brehm. Pyrenees, Sard. Siberia. Himalayas.

Abyssinia.
Natal.

FAM. II. VULTURIDÆ, Vig. 1825.

Falconidæ, p., 1831, et Gypohieracidæ, 1859, Bp. Cathartidæ, 1842, et Sarcoramphidæ, 1848, G. R. Gr.

Subfam. I. **Vulturinæ**, *Bp*. 1838. Gypinæ, *Bl*. 1849.

2. VULTUR, Mahr. 1752, nec L. 1748, sed p. 1756.

Ægypius, Sav. 1809. Vultur b. Ægypius, Nitzsch, 1840. Polypteryx, Hodgs. 1844.

Sw. C. of B. f. 91; G. of B. i. p. 5, pl. 3. f. 2; Reich, S. A. t. 99. f.

II

a. VULTUR.

3. monachus, L.; P. E. 425; Naum. Vög. t. 1; Gould, B. E. pl. 2. S. Europe. cinereus, Gm.; niger, Gm.; arrianus, Tem. N. Africa.

fuscus, Brehm. cupido, Hodgs. Himalayas, C. India.

b. Lophogyps, Pp. 1854. 3.

4. chincou, Daud.; P. C. 13; Lev. O. A. t. 12. occipitalis, Burch.; galericulatus, Tem. eulophus, Ehr.

S. Africa. Abyssinia.

4. OTOGYPS, G. R. Gr. 1841.

Hemigyps, Hodgs. 1844. Vultur, G. R. Gr. 1840. Sw. C. of B. f. 21; G. of B. i. p. 6, pl. 3, f. 3; Reich, S. A. t. 99. f.

5. auricularis, Daud.; Lev. O. A. t. 9. tracheliotus, Forst.; ægypius, Rüpp. S. Africa, Eur. N. Africa.

6. ? nubicus, H. Smith, Griff. An. Kingd. i. pl. p. 64. ægypius, Tem. P. C. 407; auricularis, p., G. R. Gr. imperialis, Tem. P. C. 426.

7. calvus, Scop.; P. C. 2; Gr. I. Ind. Z. pl. 15. 2. pondicerianus, Gm.

India, Burmah.

5. GYPS, Sav. 1809.

Vultur, Briss. 1760. Gypolis, Agass. Vultur a. Gyps, Nitzsch, 1840. G. of B. i. p. 6. pl. 3. f. 1; Reich, S. A. t. 100. f.

8. fulvus, Gm.; P. E. 426; Naum. Vög. t. 2.338; Gould, B. E. pl. 1. S. & S.W. Eur. percnopterus et vulgaris, Daud. albicollis, Linderm.; fulvus, occidentalis et orientalis, Schl.;

fulvus, β , Blas. indicus, Tem. P. C. 26. fulvus indieus, Schl.

India, Burmah.

9. ? Kolbii, Daud.; Lev. O. A. t. 10. fulvus Kolbei, Schl.

S. Africa.

10. indicus, Scop.; G. R. Gr. & M. G. B. pl. 3 (juv.). tenuirostris et tenuiceps, Hodgs. bengalensis, p., *Ep*.

India, Nepal. Malayana.

India.

11. bengalensis, Lath.; P. C. 26; Gr. I. Ind. Z. pl. 15; Gould, B. As. pl.

changou, Daud.; leuconotus, Gr. 12. Rüppellii, Natt.; Rüpp. Atl. t. 32.

vulgaris, Bp.; magnificus, Müll. marmoratus, Brehm; Kolbi, Cretzs. fulvus, γ, Blas.; Kolbii, juv., Rüpp. fulvus Rüppellii, Schl.; Rueppellii, Pelz. S. & N.E. Africa. White Nile.

13. ? africanus, Salvad, moschatus, Würt.; bengalensis, p., Pelz. N. Africa. Sennaar.

Subfam. II. Sarcoramphinæ, G. R. Gr. 1844.

Vulturinæ, p., Bp. 1838. Cathartinæ, Lafr. 1839. Gryphinæ, Reich, 1850.

6. SARCORAMPHUS, Dum. 1806.

Vultur, L. 1758-66. Sarcorhamphus, Agass. Cathartes, Nitzsch, 1840. G. of B. i. p. 3, pl. 1. f. 4; Reich, S. A. t. 100. f.

a. Sarcorhamphus.

gryphus, L.; P. C. 133, 408, 494; Voy. Bonite, t. 2.
 n.W. America, cuntur, Dum.; condor, Less. magellanicus, Shaw.

7. b. Cathartes, Illig. 1811.

Sarcoramphus, p., Dum.; Gypagus, V. 1816. Sarcoramphus, Cuv. 1817, et I. Geoffr. 1854. Gyparchus, Glog. 1842. Cathartes, p., Nitzsch, 1840. Sw. C. of B, f. 181.

papa, L.; P. E. 428; Lev. O. A. t. 13; Spix, A. B. t. 1.
 sacra, Bartr.?
 S. & C. America.
 Florida?

S. CATHARISTA, V. 1816.

Vultur, V. 1807. Coragyps, I. Geoffr. 1854. Cathartes, p., Nitzsch, 1840.
Sw. C. of B. f. 182; G. of B. i. p. 4, pl. 1. f. 3; Reich. S. A. t. 90. f.

a. Catharista.

16. atrata, Bartr.; Wils. A. O. pl. 75. 2. aura, p., L.; fœtens, Illig.; iota, Ord. urubu, V. O. A. S. t. 2. urbis incola, Ricord; urbicola et Ricordi, Des Murs. aura, Spkx, A. B. t. 2; jota et brasiliensis, Bp. atra brasiliensis, Schl. S. of N. America. Costa Rica. W. Indies. Haiti, St. Domingo. Brazil, N. of S. Am. Chili.

9. b. —?

Cathartes, G. R. Gr. 1840, et p. Illig. 1811. Cathartes, p., Nitzsch, 1840.

californiana, Shaw, Nat. Misc. pl. 301; P. C. 31; G. R. Gr. & M. G. B. pl. 2.
 columbianus, Ord; vulturinus, Tem.

 aura, L.; Wils. A. O. pl. 75. 1; V. O. A. S. t. 2 bis. septentrionalis, Max.; iota, Mol.

 Burroviana, Cass.; Elliot, B. N. A. pl. urubitinga, p., ?, Pelz.

 urubitinga, Natt. & Pelz.; P. E. 187? ruficollis, Spix? aura, Max. N. Amer., Calif. N. Mex., W. Ind., Falk I.? Chili? Mex., L. Calif.

Brazil, Guiana.

B 2

Subfam. III. Neophroninæ, G. R. Gr. 1848.

Cathartinæ, p., G. R. Gr. 1841. Neophrinæ, Cass. 1849. Percnopterinæ, Reich. 1850.

10. NEOPHRON, Sav. 1809.

Falco, L. 1748, nec 1735. Percnopterus, Rafinq. 1815. Percnoptères, Cuv. 1817. Gypaëtos, Bechst. Sw. C. of B. f. 183; G. of B. i. p. 3, pl. l. f. 2; Reich, S. A. t. 99, f.

a. Neophron.

21. percnopterus, L.; P. E. 427, 429; Naum, Vög. t. 3; Gould, B. E. pl. 3.

Europe, Africa.

Madeira, Dalmatia.

fulvus, Bodd.; leucocephalus et fuscus, Gm.; meleagris, Pall.; albicans, Meisn. ' ægyptiacus, Steph.; albus, Daud.

India.

22. ginginianus, Daud.; Lath. H. B. pl. 5. perenopterus, p., auct.

b. Necrosyrtes, Glog. 1842.

Cathartes, Boie, 1826, nec Illig. 1811. Caprornis, Kaup, 1849.

23. pileatus, Burch.; P. C. 222.

S. & N. Africa.

monachus, Tem.; carunculatus, Smith (1829). niger, Less.

Subfam. IV. Gypohieracinæ, G. R. Gr. 1844.

Racaminæ, G. R. Gr. 1840.

12. GYPOHIERAX, Rüpp. 1835.

Racama, Gr. 1840. Recama, Selys-Long. 1862. Vultur b.
 Ægypius, p., Nitzseh, 1840.
 G. of B. i. p. 7, pl 3. f. ; Reich. S. A. t. 100. f.

24. angolensis, Gm.; Shaw, Lev. Mus. pl. p. 153; Jard. § S. I. O. pl. 13; G. R. Gr. § M. G. B. pl. 4. Africa. hypoleucus, Benn.

FAM. III. FALCONIDÆ, Leach, Vig. 1825.

Subfam. I. Polyborinæ, Lafr. 1839.

Aquilinæ, p., Vig. 1825. Falconinæ, p., Bp. 1838. Cymindinæ, p., Sw. 1837.

1:3. IBYCTER, V. 1816.

Ibieter, Karip, 1845. Gymnops, p., Spix, 1824.
Sw. C. of B. f. 181, 182, 186 a; G. of B. i. p. 9; Reich. S. A. t. 98. f.

a. IBYCTER.

 americanus, Bodd, P. E. 417; Gal. des Ois. t. 6. aquilinus, Gm.; nudicollis, Dand. S. America. Brazil. for mosus, $\mathcal J$, Lath. ; lencogaster, V. for mosus, Pelz.

formosus, Q, Lath.; nudicollis, Q, Daud.

Cayenne?, Brazil.

26. gymnocephalus, Lafr.

Bolivia.

b. Daptrius, V. 1816.

Gymnops, Spix, 1824. Polyborus, Nitzsch, 1840. Sw. C. of B. 186, b; G. of B. pl. 9. f. 1; Reich. S. A. t. 98. f.

27. ater, V.; P. C. 37, 342; Gal. des Ois. t. 5. aterrimus, Tem.

South America.

28. fasciatus, Spix, A. B. t. 4.

Brazil.

15. MILVAGO, Spix, 1824.

Parasifalco, Less. 1837? Polyborus, p., Nitzsch, 1840. Sw. C. of B. f. 103; G. of B. i. p. 9, pl. 5. f. 3; Reich, S. A. t. 98. f.

a. Milvago.

- chimachima, V.; Spix, A. B. t. 5, 4; Jard. & S. I. O. pl. 2. Brazil. degener, Illig.; ochrocephalus et strigilatus, Spix.
- 30. chimango, V.; N. A. N. C. 1834, t. 6; G. R. Gr. & M. G. B. pl. 5. Brazil, Chili. pezoporns, Meyen; hyperstictns, Gould.

16. b. Senex, Gr. 1839.

Ætotriorchis, Kaup, 1844. Helotriorchis, Reich. 1850. Reich. S. A. t. 98. f.

31. leucurus, Forst.; P. C. 29, 192, 224; Jard. § S. I. O. pl. 5. S. of S. America. australis, Gm.; novæ-zealandiæ, Tem. ambustus, Gm.; antarcticus, Less. planeus, Q. Forst.

17. c. Phalcobænus, Lafr. 1837.

Phalcobaenns, Kaup, 1844. Falcobænus, Less. 1839. Reich. S. A. t. 98. f.

32. megalopterus, Meyen, N. A. N. C. 1834, t. 8. Chili, Bolivia. montanus, Lafr.; D'Orb. Voy. A. M. t. 2. crassirostris, Pelz. Reise Novara, t. 1?

albogularis, Gould, Voy. Beagle, pl. 1.
 S. Patagonia.
 megalopterus, p., Schl.

carimculatus, Des Murs, Ibis, 1861, pl. 1.
 megalopterus, p., Sclat.

18. POLYBORUS, V. 1816.

Caracara, Cuv. 1817.

Auduboni, Cass.?

Sw. C. of B. f. 187; G. of B. i. p. 10, pl. 5. f. 2; Reich. S. A. t. 98, f.

35. tharus, Mol.; Spix, A. B. t. 3; Sw. Zool. Ill. n. s. pl. 2.
brasiliensis, Gm.; vulgaris, V.
planeus, Mill. Cimcl. Ph. pl. 17; cheriway, Jacq.

Str. of Magellan.

Brazil.

Florida, Texas, Mexico.

Subfam. II. Buteoninæ, Sw. 1837.

Buteonina, *Vig.* 1825. Falconinæ, p., *Bp.* 1831. Thrasaëtinæ, p., *Bl.* 1849.

19. BUTEO, Cuv. 1799-1800.

Buses, Cuv. 1797–1798. Buteo, b, Nitzsch, 1840.
Sw. C. of B. f. 109; G. of B. i. p. 11, pl. 5, f. 2; Reich. S. A. t. 95, f.

a. Buteo.

 vulgaris, Bechst.; P. E. 419; Naum. Vög. t. 32, 33; Gould, B. E. pl. 14.

Europe.

buteo, L.; cinereus, Gm.; mutans et fasciatus, V. communis, Cuv.; pojana, Savi; eximius, Brehm. rufiventris, Jerd. Ill. Ind. Orn. pl. 27.

India, Nepal, Sikkim. Japan, China.

37. japonicus, Schl. F. J. t. 6. vulgaris japonicus, Schl.

Nepal.

pygmæus, Jerd.; japonicus, p., Bl.

 desertorum, Daud.; Lev. O. A. t. 17. cirtensis, Lev.; capensis, p., Schl. vulpinus, Licht.; anceps, Brchm. tachardus, Brcc, B. of Eur. pl. p. 97. N.E. Africa.

40. capensis, Schl.

38. plumipes, Hodgs.

S. & W. Africa.

Martini, *Bp.*; tachardus, p., *Hartl.* vulgaris, β, *Blas.*; minor, *Heugl.* vulgaris, var. capensis, *Pelz.*

 brachypterus, Pelz. Ibis, 1862, pl. 8.
 Delalandi, Des Murs; tachardus, Hartl. desertorum, p., Grandid. Madagascar.

42. **ferox**, *Gm. Nov. C. Petr.* xv. t. 10; *Bree*, *B. of Eur.* pl. p. 93. Europe. atracanus, *Gm.*; hypoleucus, *Pall.* leucurus, *Naum*.

rufinus, Rüpp. Atl. t. 29. longipes, Würt.

cancseens, Hodgs.; longipes, Jerd. rufinus. Bl.; "pectoralis, V.," Strickl.

N. Africa. N. & C. India.

Bolivia.

N. Africa. 43. augur, Rüpp. F. A. t. 16, 17. hydrophilus, Rüpp. auguralis, Salvad.? (& immat., Newt.). E. Africa. S. Africa. 44. jackal, Daud.; Lev. O. A. t. 16. b. Gypoictinia, Kaup, 1847. Gypsoictinia, G. R. Gr. 1849. Milvus, p., Kaup, 1851. Gypsictinia, Reich. 1850. Reich. S. A. t. 93. f. . 45. melanosternon, Gould, B. A. i. pl. 20. N. S. Wales, S. & W. Australia. c. Craxirex, Gould, 1838. 21. Accipiter, V. 1807. Pecilopternis, Kaup, 1847. Pæcilopternis, Bp. 1849. Sw. C. of B. f. 110, b. 46. borealis, Gm.; Wils. A. O. pl. 52. 1, 2; V. O. A. S. t. 6 bis. 14; E. of N. America. Lemb. B. of Cuba, t. 1. aquilinus, Bartr.; fulvus et americanus, ferrugineicaudus ct ruficaudus, V. Cuba, Jamaica. Leverianus et jamaicensis, Gm. ventralis, Gould. Harlani, Aud.? Galapagos I. 47. galapagoensis, Gould, Voy. Beagle, pl. 2. unicinctus, p., Baird. N.W. America. 48. calurus, Cass.; Baird, B. N. A. pl. 14. New Mexico. borealis, p., Bryant. N.W. America. 49. montanus, Nutt.: Aud. B. A. i. pl. 6. buteo, Aud.; borealis, p. ?, Baird. Swainsoni, p., Bp. 50. Swainsoni, Bp.; Faun, B. A. pl. 27; Baird, B.N.A. pl. 12, 13. N. & N.W. Amer. vulgaris, Rich, & Sw.; montanus, p., Coues. 51. fuliginosus, Sclat. Trans. Z. S. iv. pl. 62; Baird, B. N. A. New Mexico. pl. 15. oxypterus, p., Baird. 52. elegans, Cass.; Baird, B. N. A. pl. 2, 3. N.W. America, Mexico, Calif. 53. lineatus, Gm.; Wils. A. O. pl. 35. 1, & 53. 3. E.& N.W. Amer. hyemalis, Wils.; buteoides, Nutt. Scotland (?). fuscus, V. O. A. S. t. 5. E. of N. America. 54. pennsylvanicus, Wils. A. O. pl. 54. 1. latissimus, Ord; platypterus, V. Wilsonii, Bp. 55. unicinctus, Tem.; And. B. A. i. pl. 5; Tsch. F. P. t. 1. S. of U. States, Mexico, Veragua. Argentine Rep., Harrisii, Aud.; tæniurus, Tsch.

palliata, Pelz.

pæcilonotus, p., Bp.

71. Ghiesbreghtii, Dubus, E. O. t. 1.

8 HAND-LIST OF BIRDS. 56. Cooperi, Cass.; Baird, B. N. A. pl. 16. California. borealis, p. ?, Bryant. 57. Bairdii, Hoy; Cass. B. of Calif. pl. 41. N. & N. W. Amer. Swainsoni, p., Bryant. New Mexico. 58. oxypterus, Cass.; Baird, B. N. A. pl. 15. 2. Swainsoni, p., Bryant. 59. insignatus, Cass. Ill. B. of Calif. pl. 31. California. Swainsoni, p., Bryant. 22. d. Tachytriorchis, Kaup, 1844. Sw. C. of B. f. 110, a; Reich, S. A. t. 95, f. 60. pterocles, Tem. P. C. 56, 139. Brazil. albicaudatus et leucurus, V. tricolor, Lafr.; albicauda, Less. erythronotus, King. Falkland I. tricolor, juv., Lafr. Bolivia. braccata, Meyen, N. A. N. C. 1838, t. 8. Chili. leucurus, Lafr. 62. polysomus, Quoy & G. Voy. Uranie, t. 14; U. S. Expl. Exp. Falkland I. pl. 3. 1. unicolor, D' Orb.; varius, Gould. 63. albonotatus, G. R. Gr. Mexico. erythronotus, p., Bp.; abbreviatus, Licht. 64. leucops, G. R. Gr. Galapagos I. infuscatus, Kaup. 65. zonocercus, Sclat. Trans. Z. S. 1859, pl. 59; Elliot, B. N. A. Gnatemala, Tripl. nidad, Arizona. e. Leucopternis, Kaup, 1847. 23. Dædalion, Vig. 1824, ncc Sav. Pseudastur, Bl. 1848. 66. melanops, Lath.; P. C. 105. Brazil. Kuhlii, Bp.; Sclat. & S. Exot. Orn. pl. 38. Kaupi, Bp.; superciliaris, Pelz. 68. albicollis, Lath.; P. C. 9. picatus, Shaw; pœcilonotus, Cuv. Mexico. melanotus, V. 69. scotopterus, Max.; P. C. 437. Bogota. lacernulatus, Tem. Brazil. 70. polionotus, G. R. Gr.; Sclat. & S. Exot. Orn. pl. 49.

Mexico.

72. princeps, Sclat. Pr. Z S. 1865, pl. 24.

Costa Rica.

73. semiplumbeus, Lawr.; Sclat. & S. Exot. Orn. pl. .

Panama.

f. Buteogallus, Less. 1831.

Ichthyoborus, Kaup, 1845.

Busarellus, Lafr.? Butco b, p., Nitzsch, 1840.

Reich, S. A. t. 95, f. .

74. æquinoctialis, Gm.; Lev. O. A. t. 21. buson, Daud.; cathartoides, Less.

Cayenne.

Brazil.

75. nigricollis, Lath.; Lev. O. A. t. 20; Spix, A. B. t. 1d.

busarellus, Daud.; melanobronchus, Shaw. leucocephalus, V.; milvoides, Spix.

æquinoctialis, p., Kaup.

25. q. Spizigeranus, Kaup, 1844.

Spizogeranus, Agass. Hypomorphnus, Cab. 1844. IIypomorphinus!, G. R. Gr. 1845.

76. meridionalis, Lath.; P. C. 25.

rutilans, Licht.; rufulus, V.

buson, Spix.

Brazil.

26. h. Urubitinga, Less. 1837.

Morphnus a, Nitzsch, 1840. Harpyia, p., Sw.

77. urubitinga, Gm.; P. C. 55; Spix, A. B. t. 1c.

zonurus, Shaw; pieta, Spix. longipes, Illig.; fulvus, V. brasiliensis, Strickl.

hemileucura, Licht.?

Brazil, Cayenne. W. Indies.

Monte Video.

78. anthracinus, Lieht. mexicanus, Dubus; solitaria, Bp.

unicinctus, p., G. R. Gr.

79. schistaceus, Sundev.; Trans. Z. S. iv. pl. 58. ardesiacus, Licht.

Carthagena. Mexico, Peru. Vera Paz, Guatemala. Brazil, Cayenne.

Peru, Bolivia.

80. Gundlachii, Cab.

anthracina, p.?, Sclat.

brasiliensis, p., Poey; urubitinga, p., Lemb.

Cuba.

27. ARCHIBUTEO, Brehm, 1828.

Buteo, Cuv. 1817. Triorchis, Kaup, 1829, nec Leach, 1816. Butaëtes, Less. 1831. Buteo a, Nitzsch, 1840.

G. of B. i. p. 12, pl. 5. f. 1; Reich. S. A. t. 95. f.

a. Archibuteo.

81. lagopus, Gm.; Naum. Vog. t. 34; Gould, B. E. pl. 15.

plumipes, Daud.; Lev. O. A. t. 18. pennatus, Cuv.; Lessoni, Smith.

Europe.

S. Africa.

82. **St. Johannis**, Gm.; Wils. A. O. pl. 53. 1, 2, et 33. 1. spadiceus et novæ terræ, Gm. lagopus et niger, Wils.; ater, V.

E. of N. Amer.

83. ferrugineus, Licht.; G. R. Gr. & M. G. B. pl. 6. regalis, G. R. Gr.; californieus, Hutch. St. Johannis, p., Bp.

Mexico. W. of N. Amer.

28.

b. BUTAQUILA.

Hemisetus et Hemisetos, Hodgs. 1844.

 asiaticus, Lath.
 aquilinus et leucocephalus, Hodgs.; strophiatus!, G. R. Gr. nec Hodgs. Thibet.

 hemilasius, Tem. & Schl. F. J. t. 7. strophiatus, p. ?, Bp.

Japan.

86. hemiptilopus, *Bl. Calc. Journ. N. H.* 1847, pl. 3. 1. griseogenys, *Bl.*?; cryptogenys, *Hodgs*.

Mongolian Reg.

Subfam. III. Aquilinæ, Sw. 1837.

Aquilina, Vig. 1825. Falconinæ, p., Bp. 1831. Buteoninæ, p., et Accipitrinæ, p., Sw. 1837. Circaëtinæ, Thrasaëtinæ, et Haliaëtinæ, Bl. 1849.

29. AQUILA, Barr. 1745.

Falco, L. 1735-44 et 58. Falco, 1st div. Illig. 1811. Aquilla, 1839, et Aëtos, 1840, Nitzsch. Aëtus, Agass.
G. of B. i. p. 13, pl 7. f. 1; Reich. S. A. t. 97. f.

a. AQUILA.

87. chrysaëtos, L.; P. E. 410, 409; Naum. Vög. t. 8, 9, t. 339; Gould, B. E. i. pl. 6.

fulvus, L.; nobilis, Pall.; regia, Less. daphænia, Hodgs. canadensis, L.; Wils. A. O. pl. 55. 1. niger et americanus, Gm.; fulvus, Wils. melanaetus, L.; melanonotus, Lath. fuscicapilla, Brehm?

Barthelemyi, Janb. R. et M. de Z. 1852, t. 22?

N. & E. Europe. C. Asia.

1ndia. N. America.

88. imperialis, Bechst.; Naum. Vög. t. 6, 7, t. 340; P. C. 151, 152; Gould, B. E. i. pl. 5.

heliaca, Sav.; mogilnik, Strickl. chrysætos, Leisl. bifasciata, Gr. I. Ind. Z. pl. 17. nipalensis, Hodgs.; chrysaëtus, Jerd. riparia, Würt. S. Europe.
N. Africa.
W. and N. Asia.
India.
Himalayas.

89. nævioides, Cuv.; P. C. 455; Ibis, 1865, pl. 5.

Africa.

rapax, Tem.; senegallus, Cuv. albicans, Rüpp, F. A. t. 13. choka, Smith; belisarius, Lev. variegata, raptor, lestris et Adalberti, Brehm.

fulvescens, Gr. I. Ind. Z. pl. 16, 27, 29.
 fusca et punctata, Gr.
 vindhiana, Frankl.; nævioides, p., Bl.

India.

91. clanga, Pall.; Naum. Vög. t. 342. 1, 2, & 346. planga, V.; mogilnik, S. G. Gm. nævia, p., Naum.; fuscoater, Wodz.? finsca, bifasciata et nævia, Brehm. longipes, Horns, et Schill.? nævioides, p., Schl.; orientalis, Cab.?

C. S.E. Europe.

92. nævia, Gm.; Naum. Vög. t. 11; Hist. de l'Egypte, t. 1. 2; Gould, B. E. i. pl. 8. melanaetos, Sav.; bifasciata, Hornsch. fuscus, V.

N. C. Europe. N. Africa. W. Asia. India.

93. Desmursii, Verr.; Trans. Z. S. iv. pl. 77.

Trop. Africa, Bissao. India.

94. hastata, Less.
punctatus, Jerd.; unicolor, Bl.

vittata, Hodgs.

30.

b. Uroaëtus, 1844,

et Uraëtus, 1845, Kaup.

 audax, Lath.; P. C. 32; Gould, B. A. i. pl. 1. fucosus, Cuv.; albirostris, V. cuneicaudatus, Brehm. Australia.

31.

e. Heteropus, 1842,

et Neopus, 1844, Hodgs. Onychaaëtus, 1844, et Onychaëtus, 1845, Kaup.
Ictinaëtus, Jerd. 1844. Onichoaëtus, Bp. 1849.
Reich, S. A. t. 97, f.

96. malayensis, Reinw. P. C. 117; Schl. Valkv. t. 3. 1, 2; Pr. Z. S. 1868, pl. 34. pernigra, Hodgs.; ovivorus, Jerd. malayana, Less.

Sunda Islands. India, Mergui. Celebes, Sula.

 Gurneyi, G. R. Gr. Pr. Z. S. 1860, pl. 169; Schl. Valkv. t. 9. 1, 2. Moluccas, Waigiou, Aru, Gilolo, Morty, Batchian I.

32. d. Pteroaëtus, Kaup, 1844.

Pteraëtus, *Reich*. 1850. *Reich*. S. A. t. 97. f.

98. vulturina, Daud.; Lev. O. A. t. 6; Less. Cent. Zool. t. 38; Lefebvr. Voy. Abyss. t. 1 (5).

Africa.

Verreauxii, Less.; niger, James, leucoprymna, Licht.; cafer, Tem.

33. e. Pseudaëtus, Hodgs. 1844.

Tolmaëtus, 1845, et Eutolmaëtus, 1848, Bl. Aquilastur, Brehm, 1860. Aquila, p., Nitzsch, 1840. 99. Bonellii, Tem. P. C. 288; Naum. Vög. t. 341; Mem. Ac. Sc. Turin, 37. t. 1; Gould, B. E. pl. 7.

ducalis, Licht.; intermedia, Bon. fasciata, V.; niveus, Jerd. grandis, nipalensis et rubriventris, Hodgs. S. Europe.

W. Africa. India.

34. f. Hieraaëtus, 1844,

Hieraëtus, 1845, et Ieraëtus, 1851, Kaup. Aquila, Keys. & Bl. 1840.

Hieraëtus, Bp. 1849. Hieracaëtus, Agass. Aquila, p., Nitzsch. Reich. S. A. t. 97. f.

S. Europe.

100. pennata, Cuv.; P. C.33; Naum. Vög. t. 343; Gould, B. E. pl. 9.

minuta, Brehm. dubius et Lessonii, Smith. longicaudata, Heugl.

Wahlbergii, Sundev.; Brehmii, Müll. strophiata, Hodgs.; milvoides, Jerd.

Africa.

India.

101. morphnoïdes, Gould, B. A. i. pl. 2. pennatus, p., Sehl.

Australia New S. Wales.

35. SPIZAËTUS, V. 1816.

Falco, L. 1766 nec 1735. Falco, 3 div. Gm. 1788. Plumipeda, Flem. 1822. Harpyia, Spix, 1824, nee Cuv. Aquila, Boie, 1826. Spizaëtus, Kaup, 1851. Spizaëtos, Hartl. 1853. Harpyia, p., Sw. G. of B. i. p. 14, pl. 7. f. 2.

a. Spizaëtus.

102. ornatus, Daud.; Lev. O. A. t. 26; V. Gal. des Ois. t. 21. Brazil, Cayenne. Mauduytii, Daud.; superbus. Isth. of Panama. coronatus et fastuosa, Shaw.

36.

b. Pternura, Kaup, 1845.

Pterura!, G. R. Gr. 1848. Morphnus b, Nitzsch, 1840.

urutaurana, Drap.; tyrannus, Tayl. braccata, Spix, A. B. t. 3.

103. tyrannus, Max.; P. C. 73. braccatus, Des Murs, I. O. t. 67. ornatus, p., Schl.

Surinam.

Brazil.

104. Isidori, Des Murs, I. O. t. 1.

Bogota.

32.

c. Spizastur, Less. 1837.

Spiziastur, Kaup, 1851.

105. melanoleucus, V.; P. C. 79; Gal. des Ois. t. 14.

Cayenne.

atricapillus, Cuv.; atriceps, Kaup. unelanops, Less,

38. Lophaëtus, 1847. et Morphnus, 1845, (nec Cuv.) Kaup. Harpyia, p, Sw.

106. occipitalis, Daud.; Lev. O. A. t. 2. senegalensis, Daud.

S. Africa. Madagascar.

39.

e. -- ?

Spizaëtus, p., Kaup. Aquila, Boie, 1826.

107. bellicosus, Daud.; Lev. O. A. t. 1; Smith, I. S. A. Z. pl. 42. Africa. armiger, Shaw; bellicola!, G. R. Gr.

108. coronatus, L.; Edw. B. pl. 224; Smith, I. S. A. Z. pl. 40, 41. albescens, Daud.

109. spilogaster, Dubus. zonurus, Müll.; leucostigma, Heugl. Ayresii, Gurn.; Bonelli, p., Brehm.

Abyssinia. Natal.

40. f. Limnaëtus, Vig. 1831.

Nisaëtus, Hodgs. 1836. Spizaëtus, Sw. 1837. Nisaëtos, Agass. Reich. S. A. t. 94. f.

110. caligatus, Raffl.; Horsf. Zool. Res. pl. ; P. C. 134, 127; Java, Sumatra, Schl. Valkv. t. 6. 1, 2, 3, t. 8. 1, 2, 3.

Malay P., Burmah. Borneo.

limnaëtus, Horsf.; unicolor et niveus, Tem.; Horsfieldii, Viq. cirrhatus, p., Kaup.

111. cirrhatus, Gm.; Jerd. I. Ind. Orn. pl. 1. limnaëtus, Vig.; niveus, Jerd. pallidus, Hodgs.; ceylonensis, Gm. strennus, Jerd.; caligatus, p., Gurn. cristatellus. Tem. P. C. 282 Lathami, Tick.?; cirrhatus, Jerd.

caligatus, var. A, Horsf.; cirrhatus, p., Schl.

India, Ceylon.

112. nipalensis, Hodgs.

pulcher, Hodgs.; cirrhatus, p., Schl. orientalis, Schl. F. J. t. 3.

Himalayas. Cevlon. Japan, Formosa.

113. albiniger, Bl.; Gould, B. As, pl. borneonensis, G. R. Gr.; nanus, Wall. Ibis, 1868, pl. 1 (juv.). Borneo. lanceolatus, p., Bp.; cirrhatus, p., Schl.

Malac., Tenasse.

114. lanceolatus, Tem.; Schl. Valkv. t. 7. 1, 2, 3. fasciolatus, Tem.; cirrhatus, p., Schl.

Celebes, Sula, Borneo.

115. Kienerii, De Sparre, Mag. de Zool. 1835, t. 35. albigularis, Tick. cristatellus, Jard. & S. Ill. Orn. pl. 66.

Hima., C. Ind. Java, Borneo. Aberdeen (?).

116. philippensis, Gurn. Kieneri, p., Schl.

Philippine I. Andaman I.

117. andamanensis, Tytl.

W. Africa.

118. africanus, Cass.

41. CIRCAËTUS, V. 1816.

Circaëtos, Keys. & Bl. 1840.

Circaeatus, Vig.

G. of B. i. p. 16, pl. 7. f. 7; Reich, S. A. t. 96. f. .

a. Circaëtus.

119. gallicus, Gm.; P. E. 413; Naum, Vög. t. 15; Gould, B. E. i. pl. 24, 1.

brachydactyla, Meyer; leucopsis, Bechst. orientalis, Brehm; longipes, Ill. leucamphomma, Borkh. fasciatus, Heugl.

C. S. Europe.
Africa.
Indian archip.
Timor, Flores.

120. thoracicus, Cuv. pectoralis, Smith.

Africa.

121. ? cinereus, V. Gal. des Ois. t. 12. funereus, Rüpp.; circaëtus, Tem. pectoralis, p., Selat.; thoracicus, p., Hartl. W. Africa. Sennaar, Abyss.

122. fasciolatus, G. R. Gr.; Ibis, 1862, pl. 3. thoracicus, p., Hartl.

Natal.

123. zonurus, Wirt.; Ibis, 1850, pl. 7. cinereus, Barr.; melanotis, Verr. cinerascens. Müll.

White Nile. Bissao.

124. Beaudouini, Verr. & Desm.; Ibis, 1862, pl. 7.

Sennaar.

42. b. Harpyhalicetus, Lafr. 1842.

Harpyhaliaëtus, G. R. Gr. 1845. Urubitornis, Verr. 1856.

125. coronatus, V.; P. C. 234. Azaræ, Kaup; unifasciatus, G. R. Gr. Sellowii, Max. (Var.) solitarius, Tsch. F. P. t. 2. anthracina, p.?, Schl. Brazil. Parag., La Plata.

Peru.

4.3. c. Spilornis, G. R. Gr. 1840. Hæmatornis, Vig. 1831, nec Sw. 1824. Ophaëtus, Jerd. 1844. Hypaëtus, Geoffr.?

Reieh. S. A. t. 96. f. .

126. bacha, Daud.; Lev. O. A. t. 15; Schl. Valkv. t. 22. bido, Horsf. spilogaster, Bl.; Elgini, Tytl. Java, Borneo. Ceylon. Andamans.

127. cheela, Daud.; Gould, C. B. pl. 1. undulatus, Vig.; bacha, Frankl. nipalensis, Hodgs. albidus, Tem. P. C. 19; melanotis, Jerd. Hoya et orientalis, Swinh. Ind., Borneo (?).

Nepal.

Assam, Burmah.
Isl. of Formosa.

128. holospilus, Vig.; G. R. Gr. & M. G. B. pl. 7.

Philippine Isl., S. China. 129. rufipectus, Gould, B. As. pl.; Schl. Valkv. t. 23. 1, 2, 3. Celebes. bacha celebensis, Schl.

130. sulaënsis, Schl. Valkv. t. 23. 4, 5, 6.

Sula.

44. PANDION, Sav. 1809.

Triorchis, Leach, 1816.
Balbusardus, Flem. 1828.

G. of B. i. p. 16, pl. 7. f. 5; Reich. S. A. t. 96. f. .

a. Pandion.

131. haliaëtus, L.; P.E.414; Naum. Vög. t.16; Gould, B.E. pl.12. N. C. Europe. fluviatilis, Sav.; balbusardus, Dum. ichthyaëtus, Kaup; albicollis, Brehm. indicus, Hodgs. India.

132. ?carolinensis, Gm.; Wils. A. O. pl. 37. 1; V. O. A. S. t. 4. N. America. cayanensis et arundinaceus, Gm. Antilles. haliaëtus, Wils., piscatrix et americanus, V. haliaëtus, p.

133. leucocephalus, Gould, B. A. i. pl. 6; Schl. Valkv. t. 3. 3. Australia, Molluccas, Ceram.
Gouldii, Kaup; fluviatilis, var., Less. haliaëtus, p., et haliaëtus minor, Schl.?

N. Guinea, Myss. N. Caledonia, Tonga Isl.

45. b. Polioaëtus, Kaup, 1847.

Ichthyiaëtus, *Lafr.* 1839, nec Kaup, 1829. Pontoaëtus, *G. R. Gr.* 1845, nec Kaup. Ichthyaëtus, *Kaup*, 1844. *G. of B.* i. p. 17, pl. 7. f. 9.

134. ichthyaëtus, Horsf. Zool. Res. pl. 5; Schl. Valkv. t. 5. 1, 2. Java, Bor., Bur. plumbeus et bucarius, Hodgs. India. lineatus et bicolor, Gr. Horsfieldii. Jerd.

135. humilis, Tem. Verhandl. t. 6; Sehl. Valkv. t. 5. 3. nanus, Bl.

Sunda Isl., Malacca, Celebes. Sandwich I.

136. solitarius, Peale, U. S. Expl. Exp. pl. 4.

46. POLIORNIS, Kaup, 1844.

Butastur, 1844, et Bupernis, 184 ?, Hodgs. Valeria, Boie. G. of B.i. p. 29, pl. 10. f. 2; Reich. S. A. t. 96, f.

a. Poliornis.

137. teesa, Frankl.; Gr. I. Ind. Z. ii. pl. 30. Hyder, Sykes.

138. barbatus, Eyton. pygmæus, Bl.; trivirgatus, p.?, Moore. India.
Assam, Burmah,
Malayana.
Malacca.
Tenasserim.

139. poliogenys, Tem. P. C. 325; Schl. Valkv. t. 21. 2, 3. pyrrhogenys!, Schl.; indicus, Gm.?

140. liventer, Tem. P. C. 438; Schl. Valkv. t. 21. 1. pallidus, Less. Japan, China. Philip. I., Morty, Sanghir. Indian archip.

Timor, Celebes.

42.

b. Pernopsis, Dubus, 1850.

141. rufipennis, Strickl. Pr. Z. S. 1850, pl. 22. erythropterus, Dubus; pyrrhopterus, Sundev.; Mülleri, Heugl. N. Africa.

45. THRASAËTUS, G. R. Gr. 1837.

Falco, 2 div. Gm. 1788. Falco, Lath. 1790.
 Harpia, V. 1816. Harpyia, Cuv. 1817, nec Ochsenh. 1810. Nothrophontes, Glog. 1842.

Sw. C. of B. f. 185; G. of B. i. p. 15, pl. 7, f. 3; Reich. S. A. t. 96, f.

142. harpyia, L.; P. C. 14.

destructor, Tem.; imperialis, calquin et regalis, Shaw; Jacquini et cristata?, Gm.; caracca, Gm.
ferox, Less.; maxima, V.

British Guiana.

49. MORPHNUS, Cuv. 1817.

Morphinus, Flem. 1822.

143. guianensis, Daud.; Less. Tr. d'Orn. t. 11, 2.

Sonnini, Shaw; variegatus, V. cristatus, Less.

British Guiana.

50. HALIÆËTUS, Sav. 1809.

Aquila, V. 1807, nec Mahr. 1752.
Haliaeatus, 1824 et Haliaeetus, 1825, Vig.
Haliaetus, Keys. & Bl. 1840.
Haliaetus, Thomp. 1838.
Haliaetus, G. R. Gr. 1845. Aquila b, Nitzsch, 1840.
G. of B. i. p. 17, pl. 7. f. 8; Reich. S. A. t. 96, f.

a. Haliæetus.

144. albicilla, L.; P. E. 112, 415; Naum. Vög. t. 12; Gould, B. E. pl. 10.

albicauda, ossifragus et melanaetos, Gm.; nisus, Sav. grænlandicus, Brehm.

grœnlandicus, Brehm. Greenland. Steinbergii, Holb. funereus, A. Brehm. Egypt.

145. leucocephalus, L.; P. E. 411; Naum. Vög. t. 344, 345; Wils. A. O. pl. 36, 55, 2.

Wils, A. O. pl. 36, 55, 2.

Albicilla, Pall.; pygargus, Daud.

ossifragus, Wils. Washingtoni, Aud. B. A. i. pl. 13. Washingtoniana, Aud.

S. of N. Amer.

Europe,

b. Thallasoaëtus, 1844,

Thallasaëtus, 1845, Thallassaëtus, 1847, et Thallosaëtus, 1851, Kaup. Thalassiaëtus, Reich. 1850. Reich, S. A. t. 96. f.

146. pelagicus, Pall.; Kittl.; Kupf. der Vog. t. 2. 1; Elliot, B. N. A. pl. ; Sehl. F. J. t. 4. leucopterus. Tem. P. C. 489. imperator, Kittl.

Russian Amer. Japan.

52. c. Cuncuma, Hodgs. 1837.

Pontoaëtus, 1844, et Pontaëtus, 1845, Kaup. Blagrus, Bl. 1849. Aquila, p., Nitzsch, 1840.

147. leucoryphus, Pall.
deserticola, Eversm.; leucoryphos, Gm.

S. & E. Europe.

N. India.

148. **Macei**, Cuv.; P. C. 8, 222; Gr. I. Ind. Z. pl. 19. fulviventris, V.; unicolor, Gr.

albipes et lanceolatus, Hodgs. albicilla, Raffl.; sinensis, Gm.? leucoryphus, p., Pelz.

149. leucogaster, Gm.; P. C. 49; Sehl. Valkv. t. 4. 1, 2. dimidiatus, Raffl.; cultriunguis, Hodgs.

sphenurus, Gould, B. A. i. pl. 3. maritimus, Gm.; oceanica, Less.

Sumatra, India,
Bur., Malaya.
Australia.
Java, New Irel.,
N. Guin., Aru.

150. vocifer, Daud.; Lev. O. A. t. 4; Des Murs, I. O. t. 8. vocifera, Dum.; clamans, Brehm?
151. vociferoides, Des Murs, I. O. t. 7; Poll. & V. D. F. de

Africa.

vocifer, var. orientalis, Schl. vociferator, Schl. & Poll.

Madag. t. 15.

Madagascar.

53. d. Geranoaëtus, 1844,

et Heteroäëtus, 1845, Kaup. Heteroëtus, Reich. 1850. Geranaëtus, Agass.
Reich. S. A. t. 96. f.

152. melanoleucus, V.; P. C. 302. aguia, Tem.; fuscescens, V.

S. America. E. Patagonia, Chili,

54. HELOTARSUS, Smith, 1830.

Terathopius, Less. 1830. Teratopius, Bl. 1849. G. of B. i. p. 18, pl. 7, f. 11; Reich. S. A. t. 98, f.

153. ecaudatus, Shaw; Lev. O. A. t. 7, 8; Lefev. Voy. Abyss. t. 2. Africa. typus, Smith; brevicaudatus, Natt. brachyurus, L. Brehm. 154. leuconotus, Würt. ecaudatus, p.?

Africa.

HALIASTUR, Selby, 1840.

Haliceëtus, Sw. 1837. Dentiger, Hodgs. 1844. Ictinoaëtus, Kaup, 1844. Ictinaëtus, Agass. nec Jerd. Milvaquila, Burm. 1850.

Sw. C. of B. f. 99, 196; G. of B. i. p. 18, pl. 7. f. 10; Reich. S. A. t. 96. f.

155. indus, Bodd.; P. E. 416.

ponticerianus, Gm.; rotundicauda, Hodgs. garuda, Less.

intermedius, Gurn.; Schl. Valkv. t. 4. 4.

156. leucosternus, Gould, B. A. i. pl. 4; Shaw, Nat. Misc. pl. 389; V. Gal. des Ois. t. 10.

girrenera, V.; ponticerianus, Shaw. leucosternon, Kaup; indus, p., Schl. leucosternus, var., G. R. Gr.; Schl. Valkv. t. 4. 3.

157. sphenurus, V. Gal, des Ois, t. 15; Gould, B. A. i. pl. 5. canorus, Vig. & Horsf.

India.

Philippine Isl., Malacca. Java, Sumatra,

Flores, Bor. New S. Wales. New Guinea.

Arn, New Caledo. Moluc., Celebes.

Australia. N. Caledonia.

Subfam. IV. Falconinæ, Sw. 1837. Falconina et Accipitrina, p., Vig. 1825.

56. FALCO, Mahr. 1752, nec L, 1735.

Hierofalco, Cuv. 1817. Falco, 4 div., Gm. 1788.

Ierafalco, Kaup, 1851. Rynchodon, Nitzsch, 1840.

a. HIEROFALCO.

158. candicans, Gm.; Naum. Vög. t. 390. 1. grænlandicus, Daud.; arcticus, Holb. fuscus, Fab.; gyrfalco grænlandicus, Schl. islandicus, Aud.; sacer, Cass.

Greenland. N. Asia. N. America.

159. islandicus, Brün.; Schl. Tr. de Fauc. t. 2; Naum. Vog. t. 390. 2.

islandus, Fab. gyrfalco islandicus, Schl. candicans, var. B, Blas.

Iceland,

N. of N. Amer.

160. gyrfalco, L.; Schl. Tr. de Fauc. t. 3.4; Naum. Vög. t. 391. Norway, Sweden.

gyrfalco norwegicus, Schl. candicans, var. y, Blas. 161. subniger, G. R. Gr. & M. G. B. i. pl. 8.

S. Australia.

162. hypoleucus, Gould, B. A. i. pl. 7. subniger, p.?, Bl.

S. & W. Austral.

57. b. Falco, auct. Rhynchodon, p., Nitzsch, 1840.

Euhierax, Webb & Berth. 1844.
Sw. C. of B, f. 95 b, 190; G. of B, i. p. 19, pl. 8. f. 1; Reich. S, A, t. 94. f.

163. peregrinus, L.; P. E. 430, 421, 469; Naum. Vög. t. 24, 25; Gould, B. E. pl. 21. communis. L.

Europe. China, Formosa, Japan.

164. calidus, Lath. micrurus, Hodgs. peregrinus, p., Schl. Valkv. t. 1.

India. Java, Sumatra.

165. orientalis, Gm.; Edw. B. pl. 3; Wils. A. O. pl. 76.

Japan, Vancouver's I., Siberia, Kurile Islands, N. America.

peregrinus, Wils.; anatum, Bp. peregrinus, var. β, Blas. communis, p., Poey?; peregrinus, p., Lemb.?

Cuba.

166, nigriceps, Cass.; Baird, B, of N, A, pl, xi,

S. & W. of North America, Chili, ? S. of Magellan. Australia.

167. melanogenys, Gould, B. A. i. pl. 8. macropus, Sw.; peregrinus, var. γ, Blas.

168. minor, Ep.; Lev. O. A. t. 28? frontalis, Daud.?; galericulatus, Shaw?

peregrinus, var. capensis, Sundev. peregrinus, Smith. communis minor, Schl. peregrinus, var. ϵ , Blas.

S. Africa.

169. peregrinator, Sundev.; Jerd. I. Ind. O. pl. 12. 28. sultaneus, Hodgs.; shahcen, Jerd. communis indicus, Gm. peregrinus, var. δ, Blas.; herbicola, Tick.

India.

Between Ceylon and Sumatra, W. Asia.

ruber, Schl.
170. ? radama, Verr.

communis, var. Schl. & Poll. minor, Sclat. ?; communis, p., Grandid. Madagascar.

58. c. Gennaia, Kaup, 1847.

Hierofalco, Boie, 1826. Rynchodon, p., Nitzsch, 1840.

171. lanarius, L.; Naum, Vög. t. 23; Schl. Tr. Fauc. t. 6. Feldeggii, Schl. lanarius, p., Bp.

Sweden, Dalmat. Greece.

172. cervicalis, Licht.; P. C. 324.

tanypterus, a, Blas.

biarmicus, Tem.; peregrinoides, Smith. tanypterus, &, Blas. lanarius capensis, Schl. S. Africa. Abyssinia. 173. babylonicus, Sclat. & Irby, Ibis, 1861, t. 7. Oude, Babylon. peregrinator, Horsf. Greece, Persia. lanarius græcus, p., Sehl. Nepal. peregrinodes, Frisch; venerata, Würt.

174. barbarus, L.; Ibis, 1859, t. 6; P. C. 479. N. Africa, Nubia, puniceus, Lev.; peregrinoides, Tem. tanypterus, β. Blas. Holland. lanarius, p., Pelz.

S.E. Europe. 175. tanypterus, Licht.; Sehl. Abhand. t. 12, 13. lanarius nubicus, Schl. Nubia.

1 --- 9 59. 176. saker, Sehl. Tr. de Fauc. t. 5; Naum. Vög. t. 23. 1, 2. E.& S.E. Europe. lanarius, Pall.; sacer, Schl. Egypt. cherrug, Gr.; milvipes, Hodgs. Nepal.

177. jugger, Gr. I. Ind. Z. pl. 26; Gould, B. As. pl. . India. lugger, Jerd.; thermophilus, Hodgs, Scinde, Punjab.

178. polyagrus, Cass.; Ill. B. of Calif. pl. 16. W. of N. Amer. mexicanus, p., Pclz. ct p.? Sehl. Oregon, Califor.

179. ? mexicanus, Licht. Mexico.

60. HYPOTRIORCHIS, Boie, 1826.

Falco, Boie, 1822. Dendrofalco, G. R. Gr. 1840. Rhynchodon, p., Nitzsch. G. of B. i. p. 20, pl. 8, f. 2.

a. Hypotriorchis.

180. subbuteo, L.; P. E. 432; Naum, Vög. t. 26; Gould, B. E. pl. 22. Europe, Grecce. barletta, Daud. N. Asia, India, Himalayas. 181. lunulatus, Lath.; Gould, B. A. i. pl. 10; Schl. Valkv. Australia, Tas-

t. 2. 4, 5, 6. mania. frontatus, Gould. Amboina, Ceram, Flores.

longipennis, Sw. subbuteo frontatus, Schl.

182. severus, Horsf.; P. C. 128; Schl. Valkv. t. 2. 2, 3. Java, Malay peninsula. Celebes, Philip-pine Islands. Nepal, Salwatty. Aldrovandi, Tem.; guttatus, G. R. Gr. rufipedoides, Hodgs.

183. Cuvieri, Smith; Tijdsehr. Dierk. i. t. 5. S. & N. Africa. Bosschii, Schl. Gold Coast.

184. rufigularis, Daud.; Don. Nat. Rep. pl. 45. thoracicus, Tem.; cucullatus, Sw. auranticulus, Bp.? S. America.

Mexico, Texas,
Panama, Trin.

185. aurantius, Gm.; P. C. 348. dieroleucus, Tem. aurantius, ♀, Kaup; rufigularis, p., G. R. Gr. Brazil.

186. religiosus, Tem. severus, var. nigra, Bp.

Ceram.

61. b. Dissodectes, Selat. 1864. Rhynchodon, p., Nitzseh.

187. Dickinsonii, Selat. Ibis, 1864, pl. 8. zoniventris, p., G. R. Gr.

Shirê River, S.E. Africa.

188. ardesiacus, V.; P. C. 330; Lev. O. A. t. 29? concolor, Tem.; tibialis, Daud.? ardesiacus, Bp. W. Africa.

189. concolor, Tem. (non Pl.); Poll. & V. D. Faun. de Madag. t. 12. 1.

Africa, Spain.

arcadicus, *Bp.*; eyanostolus *et gracilis?*, *Brehm*; eleonora *et horus, Heugl.*; schistaceus, *Ehr.* ardesiacus, p., *Hartl.*

Madagascar.

190. eleonora, Gené, Mem. Ac. Taur. 1840, t. 1. 2. arcadicus, Lind.; dichrous, Erhard. plumbeus, Brehm. concolor, p., Ver. & Murs.

S. Europe. Sardinia, Greece. Africa.

191. zoniventris, Peters.

E. Africa.

62. e. Æsalon, Kaup, 1829.

Astur, Boie, 1826, nec Lacép. Hypotriorchis, p., Boie, 1828. Lithofalco, Blas.; Rhynchodon, p., Nitzsch.

192. æsalon, L.; P. E. 447, 468; Naum. Vög. t. 27; Gould, B. E. pl. 24.

N. Eur., Persia. China. N.W. India.

lithofaleo, Gm.; smirillus, Sav. regulus, Pall.; sibericus, Shaw. eesius, Meyer.

193. columbarius, L.; V. O. A. S. t. 11; Wils. A. O. pl. 15.3. N. America. intermixtus, Daud.; temerarius, Nult. Auduboni, Blackw.; œsalon, Q, Sw. M. of S. America.

194. femoralis, Tem. P. C. 121, 343; Baird, B. of N. A. pl. 1. S. America. cyanescens, V.; thoracicus, Lieht. Mexico. elegans, Sw.; hæmorrhoidalis, Hahn. aurantius, Heerm.

E. Patagonia.

63. d. Chicquera, Bp. 1854.
Turamtia, Bl. 1863.

195. chicquera, Daud.; Gould, C. B. pl. 2. typus, Ep.

India.

196. ruficollis, Sw.; Lev. O. A. t. 30; B. of W. Afr. pl. 2. chicqueroides, Smith? chicquera, p., Schl.; ruficapillus, Würt. macrodactylus, Sw.

W. Africa.
Abyssinia.

64. e. Polihierax.

Poliohiërax, 1847, et Poliojërax, 1851, Kaup. 197. semitorquatus, Smith, I. S. A. Z. pl. 1.

S. Africa.

198. ? castanonotus, Heugl. Ibis, 1861, pl. 12. semitorquatus, p., Heugl. Orn. N.E. Afr. t. 1. Abyssinia.

65. IERACIDEA, Gould, 1837.

Hieracidea, Strickl. 1841. Jeracidea, Kaup, 1844. G. of B. i. p. 20, pl. 8. f. 4; Reich. S. A. t. 94. f.

a. IERACIDEA.

199. berigora, Vig.; Gould, B. A. i. pl. 11. berigora, a. orientalis, Sehl.

New S. Wales, Tasmania, S. Australia. S. & W. Austra.

200. occidentalis, Gould, B. A. i. pl. 12. berigora, b. occidentalis, Schl.

b. Harpe, Bp. 1855.

201. novæ zealandiæ, Gm.; Voy. Pôle Sud, t. 1. 1.
harpe, Forst.; australis, Homb. & J.
brunneus, p., Pelz.

New Zealand, Auckland Isl.

202. brunneus, Gould. ferox, Peale.

New Zealand.

67. TINNUNCULUS, V. 1807.

Falco, Sav. 1809. Cerchneis, Boic, 1826.
Ægypius, Kaup, 1829, nec Sav. 1809.
Falcula, Hodgs. 1837. Rhynchodon, p., Nitzsch.
G. of B. i. p. 21, pl. 8. f. 3; Reich. S. A. t. 94. f.

a. Tinnunculus.

203. alaudarius, Gm.; P.E. 401. 411; Naum. Vög.t. 30; Gould, B. E. pl. 26.

tinnunculus, L.; brunneus, Bechst. fasciatus, Retz. rufescens, Sw.; rupicolæformis, Wi

Europe.
Palestine, Pers.

rufescens, Sw.; rupicolæformis, Würt. rufipes, Brehm.

Africa.

Great Britain?

interstinctus, M'Clell, India. japonicus, Schl. F. J. t. 1. Japan, N. China. 204. rupicolus, Daud.; Lev. O. A. t. 35. S. Africa. capensis, Shaw, 205. rupicoloides, Smith, I. S. A. Z. pl. 87. S. Africa. 206. punctatus, Cuv.; P. C. 45; Poll. & V. D. F. de Madaq. t. 11.3. Maurit., Madag. 207. Newtoni, Gurn. Ibis, 1863, pl. 2; Poll. & V. D. F. de Madag. t. 11. 1, 2. Madagascar. punctatus, Pelz.; gracilis, Newt. punctatus, p., Schl. 208. moluccensis, Schl. Valkv. t. 1.3, 4, 5; Voy. Pôle Sud, t. 1.2. Moluc., Ceram. saturatus, Bl.? Timor, Celebes, Java, Flores, Borneo. 209. cenchroides, Vig.; Gould, B. A. i. pl. 13. Australia. immaculatus, Brehm. 210. alopex, Heugl. Ibis, 1861, pl. 4. N.E. Africa. 211. gracilis, Less.; Des Murs, I, O, t, 25; Poll, & V, D, F, de Madag. t. 11, 4, 5, Sevchel., Madag. punctatus, p., Schl. 212. atratus, Bl. Burmah. 68. b. ERYTHROPUS, Brehm, 1828. Pannychistes, 1829, ct Pannychestes, 1847, Kaup. Panychistes, Bp. 1849. Rhynchodon, p., Nitzsch. 213. vespertinus, L.; P. E. 431; Naum. Vög. t. 28; Gould, B. E. pl. 23. S.E. & S. Eur. rufipes, Besche; erythrurus, Rafing. 214, amurensis, Radde; Ibis, 1868, pl. 2. Amur, Nepal. vespertinus, p., G. R. Gr. S.E. Afr., Natal. vespertinus, var. amurensis, Radde. River Shiré. 69. c. Tichornis, Kaup, 1844. Rhynchodon, p., Nitzsch. 215. Cenchris, Naum. Vög. t. 29; Gould, B. E. pl. 27. S. & S.E. Europe. tinnuncularius, V. India, N. Africa.

70. d. Pecilornis, Kaup, 1844.

Paecilornis, Bp. 1849.

tinnunculoides, Tem.

Naumannii, Fleisch. xanthonyx, Natt.

216. sparverius, L.; P. E. 444, 465; Wils. A. O. pl. 16. 1, 32. 2. N. Amer., Mex. gracilis et isabellinus, Sw. Brazil, British Guiana.

217. cinnamominus, Sw. sparverius, p., Schl.

S. America. Chili, Patagonia.

218. dominicensis, Gm.; Fras. Z. T. pl. ; Voy. Cuba, t. 1. Cuba. sparverioides, Vig.; sparverius, Lemb. mercurialis et plumbiceps, Würt. ferruginens, Sauss.; sparverius, p., Schl.

71. IERAX, Vig. 1824, nec Leach, 1816.

Hierax, Cuv. 1829; Ierax et Zerax, Kaup, 1851. Rhynchodon,
 p., Nitzsch.
 G. of B. i. p. 21, pl. 8, f. 6; Reich. S. A. t. 94, f.

219. cærulescens, L.; Edw. B. pl. 108; P. C. 97; Horsf. Zool. Res. pl. .; Schl. Valkv. t. 2. 1; V. Gal. des Ois. t. 18. fringillarius, Drap. malaccensis, Strickl.; melanoleucus, Moore.

Java, Sumatra, Borneo. Malacca.

220. eutolmos, Hodgs. bengalensis, Bl. cærulescens bengalensis, Schl.

Nepal, Sikkim. Assam, Arracan.

221. erythrogenys, Vig.; Fras. Z. T. pl. . bengalensis, p., El.; sericens, p., Pelz.

Philippine Isl.

222. sericeus, Kittl, Mem. Ac. Peters. 1835, t. 1. Gironnieri, Eyd. Voy. Bonite, t. 1. erythrogenys, ♀, Kaup.

N. China.

223. melanoleucus, Bl. bengalensis, p., Bp.

Assam.

72. HARPAGUS, Vig. 1824.

Bidens, Spix, 1824. Diodon, Less. 1831, ncc L. 1766. Diplodon, Nitzsch, 1840.

Sw. C. of B. f. 191; G. of B. i. p. 22, pl. 8. f. 5; Reich. S. A. t. 94. f.

a. Harpagus.

224. bidentatus, Lath.; P. C. 38; Spix, A. B. t. 6, 7. rnfiventris et albiventris, Spix; brasiliensis, Less.

Brazil.

225. diodon, Tem. P. C. 198; Spix, A. B. t. 8. femoralis et cinerascens, Spix; brasiliensis, p., Less.

73. b. Spiziapteryx, *Kaup*, 1851.

Hemiierax, Burm. 1861.

226. circumcinetus, *Kaup*, *Ibis*, 1862, pl. 2. punctipennis, *Burm*.

Chili.

Subfam. V. Milvinæ, Bp. 1838.

Milvina, Buteonina, p. Aquilina, p., et Accipitrina, p., Vig. 1825. Cymindina, p., Buteonina, p., et Accipitrina, p., Sw. 1837. Falconina, p., 1831, et Buteonina, p., 1838, Ep. Pernina, Elanina et Haliactina, p., El. 1840.

74. BAZA, Hodgs. 1836.

Lophotes, Less. 1831, ncc Giorna, 1803.

Lepidogenys, Gr. 1839. Hyptiopus, Hodgs. 1841. Lophastur, Bl. 1842

Sw. C. of B. f. 192; G. of B. i. p. 23, pl. 9. f. 6; Reich. S. A. t. 95. f. .

a. Baza.

227. lophotes, Cuv.; P. C. 10.

cristatus, V.; indicus, Less.; Lathami, Gr.

syama, Hodgs.

228. Reinwardtii, Müll, Verhandl, t, 5, 2; Schl, Valkv, t, 27. 1, 2, 3.

229. rufa, Schl. Verhandl, t. 5, 1; id. Valkv, t. 27, 4, t. 28, 1, 2, 3. Reinwardtii, p., Schl,

230. magnirostris, G. R. Gr.; Schl. Valkv. t. 28. 4, 5. crassirostris, Kaup; Reinwardtii, p., Schl.

231. subcristata, Gould, B. A. i. pl. 25. Reinwardtii, p., Bl.

232, sumatrensis, Lafr. Jerdoni. Bl.

233. stenozona, G. R. Gr. Reinwardti, p., Wall. N. Australia.

Java, Sumatra. Bornco.

India.

Celeb., Amboina. Bouru, Ceram,

Timor.

Philippine Isl. Sula, N. Celebes.

New S. Wales.

Gilolo.

Batchian.

N. Guinea, Aru. Salwatti.

S. Afr., P. Natal.

75. b. AVICEDA, Sw. 1837.

Avicida!, G. R. Gr. 1841. Ichthierax, Bp. 1849. Hyptiopus, p., Sundev. Sw. C. of B. f. 193; G. of B. i. p. 23, pl. 9. f. 2.

234. Verreauxii, Lafr. caffer, Sundev .; buteoides, Verr. piscator, Gm.?; cuculoides, p., Schl.

235. cuculoides, Sw. B. of W. Afr. i. pl. 1.

W. Africa.

236. madagascariensis, Smith; Poll. & V. D. F. de Madag. t. 16. Madagascar. Verreauxii, p., Hartl. cuculoides, juv., Bp.

76. PERNIS, Cuv. 1817.

Buteo, Boie, 1826?. Pernes (Pternis) et Pterochalinus, Glog. 1842.

G. of B. i. p. 24, pl. 9. f. 3; Reich. S. A. t. 95, f. .

a. PERNIS.

237. apivorus, L.; P. E. 420; Naum. Vög. t. 35, 36; Gould, B. E. pl. 16. poliorhynchus, Bechst.; variabilis, Koch.

Europe.

dubius, Sparrm.; incertus, Lath. lacertarius, Pall.; communis, Cuv.

238. tachardus, Daud.; Lev. O. A. t. 19. madagascariensis, Smith. capensis, p., Tem. & Schl.; apivorus, p., Hartl. S. Africa. Madagascar.

239, cristatus, Cuv.; P. C. 44; Schl. Valkv. t. 25, 26; Schl. Verhandl. t. 7.

Java, Sumatra.

ptilorhynchus, Tem.; maculosa, Less. Elliottii, James; bharatensis, Hodgs. torquata et ruficollis, Less.; Des Murs, I. O. t. 13, 14. var. celebensis, Schl. Valkv. t. 24. 3.

India. Celebes.

240. brachypterus, Bl. Mergui.

b. Henicopernis, G. R. Gr. 1859. 77.

Dædalion (nec Sav.) et Dædalia?, Bp. 1854.

241. longicauda, Less. & Garn. Voy. Coqu. t. 10.

N. Guin., Waigi., Aru, Mysol, Ké, Ceram.

28. MACHAERHAMPHUS, Westerm, 1851.

Macheiramphus, Schl. Machaerhamphus, Bl. Macherhamphus, Hartl. 1853. Strigonyx, Gurn. 1867.

242. alcinus, Westerm. Bidjr. Dierk. t. Anderssoni, Gurn. Trans. Z. S. 1867, pl. 29. (Malaeca?) Damaraland, S. Africa.

29. MILVUS, Cuv. 1799-1800.

Milans, Cuv. 1797-98. Milvus, a, Nitzsch, 1840. G. of B. i. 24, pl. 9. f. 8; Reich. S. A. t. 93. f. .

a. Milvus.

243. regalis, Bp.; P. E. 422; Naum. Vög. t. 31. 1; Gould, B. E.

Europe.

milvus, L.; austriacus, Gm. ictinus, Sav.; castaneus et russicus, Daud.; jaicensis, Lepcch.; vulgaris, Flem. ruber, Brehm.

244. govinda, Sykes; Gr. I. Ind. Z. pl. 18; Gould, B. As. pl. . India. cheela, Jerd.; lineatus, Gr.; indicus, Hodgs.

ater, Bl. melanotis, Tem. & Schl. F. J. t. 5.

Japan, China, Formosa.

b. Hydroictinia, Kaup, 1844.

Milvus, p., Nitzsch, 1840, et Kaup, 1851.

Reich, S. A. t. 93. f. .

245, migrans, Bodd.; P. E. 472; Naum. Vög. t. 31. 2; Gould, B. E. pl. 29.

Europe.

ater, Gm.; niger, Br.; ætolius, V. fuscoater, Mey.; milvus, Pall. atra, Kaup.

246. affinis, Gould, B. A. i. pl. 21; Schl. Valkv. t. 20. 1.

247. ægypius, Gm.; Lev. O. A. t. 22.

Forskahlii, Gm. parasitus, Daud. parasiticus, Lath. isuroides, Würt.

Aust., Tasmania. Timor, Celebes. S.E. Europe. Africa.

Madagascar. Mayotte.

c. LOPHOICTINIA, Kaup, 1847. Reich. S. A. t. 93. f. .

248. isurus, Gould, B. A. i. pl. 22. pacificus, Lath.?

New S. Wales. S. Australia.

82. NAUCLERUS, Vig. 1825.

Milvus, V. 1807, nec Cuv. 1799-1800. Elanoides, G. R. Gr. 1848. Milvus, a, p., Nitzsch. G. of B. i. p. 24, pl. 9, f. 9; Reich. S. A. t. 93, f. .

a. NAUCLERUS.

249, furcatus, L.; V. O. A. S. t. 10; Wils, O. A. pl. 51, 3. S. of N. America. yetapa, V.

Texas, England.

83. b. Chelictinia. Less. 1843.

Chelidopteryx, 1844, et Cypselopteryx, 1851, Kaup. Milvus, Boie, 1826.

250. Riocouri, V.; P. C. 85; V. Gal. des Ois. t. 16.

W. Africa.

S4. ROSTRHAMUS, Less. 1831.

Cymindes, Spix, 1824. Cymindis, Boie, 1826, nec Cuv. 1817.

Sw. C. of B. f. 106; G. of B. i. p. 25, pl. 9. f. 10; Reich, S. A. t. 98. f. .

251. sociabilis, V.; Spix, A. B. t. 2; P. C. 61, 231; Baird, B. of N. A. pl. 65.

Brazil, Florida.

hamatus, Ill.; leucopygus, Spix. niger, Less.; tæniurus, Cab.

55. CYMINDIS, Cuv. 1817, nec Latr. 1806.

Leptodon, Sundev. 1836. Cymindes, Flem. 1822. Odontriorchis, Kaup, 1844. G. of B, i, p. 25; Reich, S, A, t, 95, f,

a. Cymindis.

252. cavanensis, Gm.; P. E. 473; P. C. 204, 270. eyanopus, V.; palliatus, Max.

N. of S. America.

monachus, cinereus, ct griseus, V. buteonides, Less.

86. b. Regerminus, Kaup, 1845.

Cymindis, Sw. 1837. Cymindis, p., Nitzsch. Sw. C. of B. f. 104; G. of B. i. pl. 9. f. 7; Reich, S. A. t. 95, f. 253. uncinatus, Ill.; P. C. 104, 115. cuculoides, Sw. Brazil. ? vittacaudus, Max. & Pelz. 254. megarhynchus, Kaup; Casteln. Voy. t. 1. Peru. Wilsoni, p., Verr. (?).

255. Wilsoni, Cass. Journ. Ac. Phil. 1847, pl. 7. Cuba. uncinatus, p., Lemb.; cayanensis, p., Poey.

uncinatus, p.? Int. of Bolivia. 257. boliviensis, Burm.

\$7. ELANUS, Sav. 1809.

256. Pucherani, Ledd.

Milans, Boie, 1822. Elanoides, V. 1818. Sw. C. of B. f. 105; G. of B. i. p. 25, pl. 9. f. 5; Reich. S. A. t. 93. f. (Ictinia!).

258. melanopterus, Daud.; Lev. O. A. t. 36, 37; Naum. Vög. t. 347; Gould, B. E. pl. 31. cæsius, Sav.

India. 259. minor, Bp. vociferus et sonniensis, Gm.? Nepal. melanopterus, p., Jerd.

260. intermedius, Schl. Valkv. t. 24, 2, 3. Java, Borneo. axillaris, Tem.; hypoleucus, p., Wall.

261. axillaris, Lath.; Gould, B. A. i. pl. 23. melanopterus, Vig.; notatus, Gould.

Int. S. Australia,

Guiana.

Trinidad.

Africa.

Europe.

Australia.

262. scriptus, Gould, B. A. i. pl. 24. S. & W. of U. S. 263. leucurus, V.; P. C. 319; Bp. A. O. pl. 11. 1. dispar, Tem.; melanopterus, Bp. Haiti.

264. hypoleucus, Gould, B. As. pl. Celebes. Amboina.

88. GAMPSONYX, Vig. 1825.

Chondrohierax, Less. 1847? Sw. C. of B. f. 188; G. of B. i. p. 26, pl. 9. f. 4; Reich. S. A. t. 93. f. (Elanus!).

265. Swainsoni, Vig.; G. R. Gr. & M. G. B. pl. 9. Brazil. torquatus, Cuv.; rufifrons, Max. Holmi, Sundev.

S9. ICTINIA, V. 1816.

Nertus, p., Boie, 1828. Sw. C. of B. f. 194.

a. Ictinia.

266, mississipiensis, Wils, A. O. pl. 25. 1; Gal. des Ois. t. 17. N. America, ophiophagus, V.; plumbeus, Aud. Texas, New Mex. 90.

b. NERTUS, Boie, 1826.

Poecilopteryx, Kaup, 1844. Paecilopteryx, Bp. 1849. Milvus, b, p., Nitzsch.

Sw. C. of B. f. 97; G. of B. i. p. 26, pl. 9, f. 1.

267. plumbeus, V. O. A. S. t. 10 bis; P. C. 180. cenchris, V.

S. America.

Subfam. VI. Accipitrinæ, Sw. 1837.

Accipitrina, Vig. 1825. Falconinæ, p., Bp. 1831. Circinæ, p., Bl. 1849.

11. ASTUR, Lacép. 1800-01.

Autours, Cuv. 1797-98. Dædalion, Sav. 1809. Sparvius,
 V. 1816. Aster, Sw. 1837. Phabotypus, Glog. 1842.
 Sw. C. of B. f. 98, 195; G. of B. i. p. 27, pl. 10. f. 3; Reich.
 S. A. t. 94, f.

a. Astur.

268. palumbarius, L.; P. E. 418, 461, 423; Naum. Vög. t. 17, 18;
 Gould, B. E. pl. 17.
 Gentilis, L.
 Nepal.

marginatus, Lath.; albescens, Bodd. gallinarius, Gm.; aster, Pall. paradoxus, C. L. Brehm.

Nepal. Himalayas.

269. atricapillus, Wils. A. O. 52. 3; P. C. 495. regalis, Tem.; pietum, Less. palumbarius, p.

N. America.

270. melanoleucus, Smith, I. S. A. Z. pl. 18. Smithii, Kaup. apoxypterus et hypoxanthus, Licht.? Africa.

271. Verreauxii, Schl.

melanoloucos, Hartl.; Temminckii, Pel. leucomelas, Würt.?

C. & W. Africa.

272. radiatus, Lath.; Gould, B. A. i. pl. 16. Calei, Vig. et Horsf.; testaceus, V. Ern.

New S. Wales, N. Australia.

273. spectabilis, Schl. Tijdschr. Dierk. i. t. 6.

Gold Coast.

274. macrourus, Tem. & Hartl.

"

275, tibialis, Verr.

W. Africa.

92. b. Leucospiza, 1844, et Leucospizia, 1851, Kaup.

276. novæ-hollandiæ, Gm.; White's Journ. Bot. B. pl. Gould, B. A. i. pl. 15; Schl. Valkv. t. 11. 3. albus, Shaw; nævius, V.; candidum, Less.

albus, Shaw; nævius, V.; candidum, Less. leucactus, Forst.; novæ-hollandiæ, albino, Gould.

New S. Wales. Tasm., S. Austr. New Guinea. 277. Ravi. Vig. et Horsf. ; Gould, B. A. i. pl. 14. clarus, Lath.?; novæ hollandiæ, p., Gould.

New S. Wales.

93. c. Lophospiza, 1844. ct Lophospizia, 1851, Kaup.

278. trivirgatus, Cuv.; P. C. 303; Schl. Valkv. t. 10. cristatus, G. R. Gr.

Java, Borneo, Sumat., Phil.I. India. Himalayas, Ceyl.

Sunda Islands.

279. indicus, Hodgs. rufitinctus, M'Clell.; palumbarius, Jerd.; anceps, Tem. trivirgatus indicus, Schl.

Celebes.

280. griseiceps, Schl. Valkv. t. 11. 1, 2; Ibis, 1862, pl. 5. trivirgatus, juv., Bp.

d. ASTURINA, V. 1816. 94. Astur, p., Nitzsch.

Reich, S. A. t. 94, f.

281. nitidus, Lath.; P. C. 294; Baird, B. N. A. pl. 64; V. Gal. des Ois. t. 20.

cinereus, V.; striolatus, Cuv.

S. America. New Mexico. Vera Paz, Guatemala, Mexico.

282. plagiatus, Licht.

283. leucorrhous, Quoy & G, Voy. Uranie, t. 13.

Caraccas, Brazil. 95. e. Buteola, Dubus, 1855.

284. brachyura, V.; Isis, 1847, t. 2, 15. melanoleucus, Less.; albifrons, Kaup. abbreviatus, p., Sclat.

S. America. Brazil.

Para.

285. Cabanisii, Schl. abbreviatus, ♀, Licht. minutus, Natt. & Pelz. Mexico, Guiana. Cavenne, Brazil,

96. f. Rupornis, Kaup, 1844. Nisus, Lcss, 1831,

286. magnirostris, Gm.; P. E. 464; P. C. 86. macrorhynchus, Natt. & Pelz.

Cayenne, Costa Rica, Caraccas.

287. insectivorus, Spix, A. B. t. 8a. magnirostris, p.

Brazil. Guatemala, Mex.

288. Pucherani, Verr. gularis, Licht.; magnirostris, p., D' Orb.

Monte Vidco. Buenos Ayres, Bolivia.

97. GERANOSPIZA, 1847.

Geranopus et Geranospizia, 1851, Kaup. Ischnosceles, Strickl. 1844, nec Burm. 1842. Ichnoscelis, G. R. Gr. 1849. G. of B. i. p. 28, pl. 10. f. 6; Reich. S. A. t. 94. f. .

289. gracilis, Tem. P. C. 91.

cærulescens, V. Wiedii brasiliensis, Gr. atcrrimus, Licht.; nigra, Dubus. ? hemidaetylus, Tem. P. C. 3. E. Brazil, Bucnos Ayres. Island of Puna.

Brazil.

98. MICRASTUR, G. R. Gr. 1841.

Brachypterus, Less. 1837, nec Kugel. 1794. Carnifex, Less. 1842, nec Sundev. 1836. Climacocercus, Cab. 1844. Herpetotheres, p., Kaup, 1845. Climacocurus, 1849, et Rhyncomegas, 1853, Bp. G. of B. i. p. 28, pl. 10. f. 1.

a. Micrastur.

290. brachypterus, Tem. P. C. 141, 116.

semitorquatus ct melanoleucus, V.; leucomelas, IU.; naso!, Less.

Brazil, Bahia.

Mexico.

291. Mirandollei, Schl.

maerorhynchus, Natt. & Pelz.

Surinam. Brazil, E. Peru.

99. b. ——?

Micrastur, Bp. 1854. Reich, S, A. t. 98. f.

292. ruficollis, V.; P. C. 92. xanthothorax, Tem.

Guiana, Brazil.

293. leucauchen, Max.; P. C. 306. xanthothorax, p., G. R. Gr.

Brazil.

294. gilvicollis, V. ? concentrious, Ill.

Brazil, Columb.
Mexico?
S. America.

295. castanilius, Bp.; Sclat. & S. Ex. Orn. pl. 18, 296. guerilla, Cass. Journ. Ac. Phil. 1848, pl. 40.

Mexico, Jalapa,

297. zonothorax. Cab.

New Granada.

100. HERPETOTHERES, V. 1818.

Physta, V. 1816. Macagua, Less. 1831. Cachinna, Flem. 1822. G. of B. i. p. 15, pl. 7. f. 4.

298. cachinnans, L.; V. Gal. des Ois. t. 19; Spix, A. B. t. 3 a. Guiana, Mexico. herpetotheres, G. R. Gr. Bolivia.

101. ACCIPITER, Br. 1760.

Eperviers, 1798-99, et Nisus, 1799-1800, Cuv. Ierax, Leach, 1816. Nisuoides, Poll. Astur, p., Nitzsch. G. of B. i. p. 28, pl. 10. f. 4; Reich. S. A. t. 94, f.

a. ACCIPITER.

299. nisus, L.; P. E. 467, 412; Naum, Vög. t. 20, 21; Gould, B. E. pl. 18. accipiter, Ray; striatus, Frisch.

Europe, N. Africa. communis, Cuv.; fringillarius, Kaup. nisosimilis, Tick.; subtypicus, Hodgs. Dussumierii, Jerd.

India, Persia. Japan.

300. rufiventris, Smith, I. S. A. Z. pl. 93; P. C. 496. exilis, Tem.; perspicillaris, Rüpp. fringillarius, p., Kaup. fringillarius rufiventris, Schl.

S. & N. Africa.

301. tachiro, V.; Lev. O. A. t. 27; P. C. 377, 420.

S. Africa.

polyzonos, Tem. unduliventer, Rüpp. F. A. t. 18. 1. erythrocnemius et satrapa, Licht.

N.E. Africa.

W.Afr., Gaboon.

302. Toussenelli, Verr. poliopareius, Heugl.?

303. Stevensoni, Gurn. Ibis, 1863, pl. 11.

China.

304. fuscus, Gm.; Wils. A. O. pl. 46. 1; P. C. 67. pennsylvanicus, Wils. Cooperi, Q. Kaup; velox, Wils. Malfini, juv., Less.; lineatus, striatus, et ardosiacus, V.; fringillarius, p., Kaup.

N. America.

305. erythrocnemius, G. R. Gr.; Sclat. & S. Ex. Orn. pl. 17. Brazil. fuscus, p. ?, Schl.; nisoides, Cuv. Bolivia. striatus, D' Orb. ferrugineus, Licht. erythrocnemis, Sclat. & S.

306. ventralis, Sclat. & S. Ex. Orn. pl. 13. erythrocnemis, p., Sclat.

New Granada.

307. chionigaster, Kaup; Sclat. & S. Ex. Orn. pl. 14. erythrocnemius, p., Selat. & S.

Coban.

308, madagascariensis, Verr. fringillarius, p., Kaup. Francesii, Q or juv., Sehl. (!) Lantzii, Verr. R. et M. de Zool. 1866, t. 18; Poll. & V. D. F. de Madag, t. 13.

Madagascar.

309. zonarius, Tem.; Des Murs, I. O. t. 61. polyzonos, Less.; macrocelides, Tem. tachiro, p., G. R. Gr.

W. Africa.

310. Hartlaubii, Verr. guttatus, Heugl.?

311. fringilloides, Viq. fuscus, p., Lemb.

Cuba.

102. b. Cooperastur, Bp. 1854.

312. Cooperi, Bp.; A. O. pl. 10, 1. Stanleyi, Aud.; Beskii, Lieht. pileatus, juv., Kaup.

N. America. W. of Rocky M.

313. ? mexicanus, Sw. Mexico, New Mexico. fuscus, p.?, G.R. Gr. California. 314. chilensis, Ph. & Landb.; Sclat. & S. Ex. Orn. pl. 37. Chili, Str. of erythrocnemia et pileatus, p., G. R. Gr. Magellan. Cooperi, p., Pelz. 315. pileatus, Max.; P. C. 205. Brazil, Cayenne. variatus, Cuv. Str. of Magellan. Cooperi, p., Kaup. 316. guttatus, V. Bolivia. pileatus. Lafr. 317. poliogaster, Tem.; P. C. 264, 265. Brazil, Bolivia. 318. bicolor, V.; Sclat. & S. Exot. Orn. pl. 69. Guaiana, Guat. sexfasciatus, Sw.; dynastes, Bp. Bogota. pileatus, p., ct erythrocnemis, p., Sclat. 319. Gundlachi, Lawr. Cuba. pileatus et Cooperi, Lemb. Cooperi, p., Cab. 103. c. Hieraspiza, 1844. et Jeraspizia, 1851. Teraspiza!, 1867, Kaup. Hieracospiza, Agass. Pr. Z. S. 1867, f. 1, p. 171. 320. tinus, Lath.; G. R. Gr. & M. G. B. pl. 10. S. America. subniger et minutus, V. Veragua. Malfini (adult), Less.; collaris, Lawr. Fontainieri, Verr. & Des M. New Granada. superciliosus, L.?; Kaup. New Granada. Java, Sumatra, Ind. Orn. pl. 4. Timor.

321. collaris, Kaup; Ibis, 1860, pl. 6.

New Granada.

322. virgatus, Tem.; P. C. 109; Schl. Valkv. t. 12. 1-4; Jerd.
Ind. Orn. pl. 4.

Brissonianus, Shaw.
Dussumieri, Sykes; besra et fringillarius, Jerd.
affinis, Hodgs.; minutus, Less.; Delafonii, H. Smith.
gularis, Schl. F. J. t. 2.
nisoides, Bl.

323. minullus, Daud.; Lev. O. A. t. 34.
binotatus, Licht.

324. pectoralis, Cuv.; Ibis, 1861, pl. 10.

325. rhodogaster, Schl. Valkv. t. 12. 5, 6.
virgatus rhodogaster, Schl.

326. erythropus, Tem. Seneg., Guinea. miuullus, p., Hartl.

d. Urospiza, 1845. 104. Urospizia, 1848, et Uraspiza, 1867, Kaup. Pr. Z. S. 1867, f. 5. p. 175, et f. 4, C. p. 174. N. Austr., Timor. 327. torquatus, Cuv.; P. C. 43, 93; Schl. Valkv. t. 17. Ternate, Celebes. cruentus, Gould, B. A. i. pl. 18. 328. sylvestris, Wall.; Schl. Valkv. t. 17. 3. 5. Flores, Sumbava, Java. torquatus, p., Kaup. 329. cirrhocephalus, Lath.; Gould, B. A. i. pl. 19. Australia. nisus et melanops, Lath.? Moluccas. New Caledonia. torquatus, Vig. & Horsf.; australis, Less. tricolor, V.; macrodactylus, Tem. 330. approximans, Vig. & Horsf.; Gould, B. A. i. pl. 17. N. S. Wales, Tasmania, S. Austr. radiatus, Cuv.; fasciatus, Vig. & Horsf. Timor, New Caledonia. 331. rufitorques, Peale; U. S. Expl. Exp. pl. 2.2; Voy. Pôle Feejee Islands. Sud, t. 2. 2. hyiogaster, p., Bp. erythrauchen, p.?, Kaup. cruentus, p., Finsch & Hartl. New Caledonia. 332. haplochrous, Sclat. Ibis, 1859, pl. 8. 333. sulaënsis, Schl. Valkv. t. 16. 3, 4. Sula, Ceram? 334. erythrauchen, G. R. Gr.; Schl. Valkv. t. 13. 1, 3, 4. E. Gilolo, Ceram, Morty, Batc. I. Bouru, Morty, 335. rubricollis, Wall. Pr. Z. S. 1863, pl. 4; Schl. Valkv. t. 13. 2. Ceram, Gilolo. cirrocephalus ceramensis, et erythrauchen, p., Schl. 336. poliocephalus, G. R. Gr.; Ibis, 1860, pl. 10. New Guinea. Aru, Kei, Salwatty. 105. Erythrospiza, Kaup, 1867, nec Bp. 1830. Pr. Z. S. 1867, fig. 3. p. 173, et fig. 4, A, B, p. 174. 337. trinotatus, Tem.; Schl. Valkv. t. 19. 1-3. Celebes. 338. griseogularis, G. R. Gr.; Schl. Valkv. t. 14. 1, 2, t. 15. Gilolo. 1, 2, 3, t. 16. 1, 2. Teruate, Batchicruentus, p., Schl. an, Morty. E. Gilolo. henicogrammus, G. R. Gr.

340. iogaster, Tem.; Voy. Pôle Sud, t. 2. 1; Schl. Valkv. t. 18. hyiogaster, Bp.

Morty, Salwatty. Batchian, Gilolo.

Waigiou.

Celebes.

339. ? æquatorialis, Wall.; Schl. Valkv. t. 14. 3, 4.

griseogularis, p., Kaup.

cruentus, p., Finsch & Hartl.

341. Muelleri, Wall.
griseogularis, p., Kaup.
cruentus, p., Schl.

Waigiou, Gilolo.

106. MICRONISUS, G. R. Gr. 1840.

Nisastur, Bl. 1844. Melierax, Boie, 1855. Astur, p., Nitzsch.

a. Micronisus.

342. gabar, Daud.; Lev. O. A. t. 33; P. C. 122, 140. erythrorhynchus, Sw.; leucorrhous, V. nilotica, Sundev.; gabarinus, Sundev.?

Africa. Portugal.

343. niger, V.; Gal. des Ois. t. 22; Gould, Syn. A. B. pl. f. (head). gabar, var., Kaup; carbonarius, Lieht. Banksii, Tem.

S. Africa. Madagascar.

341. sphenurus, Rüpp. S. U. t. 2; Bree, B. of Eur. pl. app.
Rüppellii, Kaup; guttatus, Heugl.
badius, p., Schl.
brachydactylus, Sw.

Abyssinia.
W. Africa.

345. polyzonoides, Smith, I. S. A. Z. pl. 11. erythropus, p., Schl.; sphenurus, p., G. R. Gr.

S. Africa.

Damaraland?

346. brevipes, Severz. Bull. S. Imp. Mosc. 1850, t. 1. 2. sphenurus, p., Gurn. Gurneyi, Breg, B. of Eur. pl. app.

Athens, Damasc. S. Russia.

347. badius, Gm.; P. C. 308, 336; Bree, B. Eur. pl. app. Brownii, Shaw; Dussumieri, Tem. dukhunensis, Sykes; fringillanoides et scutarius, Hodgs.; bifasciata, Peale. manillensis, Meyen.

India, Ceylon. Siam, Europe.

107.

b. TACHYSPIZA, 1844,

et Tachyspizia, 1851, Kaup. Hypotriorchis, p., Boie, 1828. Pr. Z. S. 1867, f. 2, p. 172.

348. soloënsis, Horsf. P. C. 110, 129; Schl. Valkv. t, 19. 4-6. cuculoïdes, Tem.; minutus, Less.

Java, Celebes. Philip. I., Batchian I., N. China, New Guinea.

108. c. Scelospiza, 1847,

et Scelospizia, 1851, Kaup. Nisuoides, Poll. 1866.

349. Francesii, Smith; Ibis, 1864, pl. 7; Poll. & V. F. D. Ma-Madagascar, dag. t. 14.

350. Moreli, Poll.; Poll. & V. D. F. de Madag. t. 12. 3. Lantzii, p.?, Newt. Madagascar.

351. Brutus, Poll.; Poll & V. D. F. de Madag. t. 12. 2.

Mayotta.

109. d. Kaupifalco, Bp. 1854.

Asturinula, Hartl. & Finsch, 1869.

352. monogrammicus, Tem. P. C. 314; Sw. B. of W. Afr. pl. 4. W. Africa. musicus, Hartl.

110. MELIERAX, G. R. Gr. 1840.

G. of B. i. p. 30, pl. 10. f. 5.

353. musicus, Daud.; Lev. O. A. t. 27. canorus, Thunb.; cantans, Kaup.

354. polyzonus, Rüpp. F. A. t. 15. 1. musicus, p., G. R. Gr.

355. ? metabates, Heugl.

S. Africa.

N.E. Africa. Gambia.

White Nile.

Subfam. VII. Circinæ, Bp.

Buteonina, p., Vig. 1825. Buteoninæ, p., Sw. 1837. Falconinæ, p., 1831, et Polyborinæ, p., 1849, Bp.

111. CIRCUS, Lacép. 1800-1801.

Pygargus, Koch, 1816.

Sw. C. of B. f. 107; Reich. S. A. t. 93. f. .

a. Circus.

356. æruginosus, L.; P. E. 460, 424; Naum. Vög. t. 37, 38; Gould, B. E. pl. 32.

rufus, Gm.; arundinaceus, Bechst. Krameri, Kram.; palustris et rufus, Br. indicus, Lath.; variegatus, Sykes. Svkesi, Less.

byzantina, Bp.

C. & S. Europe. N. Africa.

India.

357. ranivorus, Daud.; Lev. O. A. t. 23.

358. assimilis, Jard. & S. Ill. Orn. pl. 51; Gould, B. A. pl. 26. Jardinei, p., Schl.

359. approximans, Peale.

Wolfii, Gurn. Pr. Z. S. 1865, pl. 44. assimilis, p., Verr. & Des Murs.

360. spilonotus, Kaup; Ibis, 1863, pl. 5.

361. Maillardii, Verr.; Ibis, 1863, pl. 4. melanoleucus, Hartl.

362. macroscelis. A. Newt.

S. Africa.

New S. Wales. S. Australia.

Feejee Isalnds. New Caledonia. New Zealand.

Philippine I., I. of Formosa. I. of Bourbon. Joanna.

Madagascar.

112. b. Spilocircus, Kaup, 1847.

Reich. S. A. t. 93. f. .

363. Jardinii, Gould, B. A. i. pl. 27; Schl. Valkv. t. 20. 2, 3. assimilis, p., Schl.

New S. Wales, Tasmania. Celebes.

113.

c. Strigiceps, Bp. 1831.

Circus, Cuv. 1817.

G. of B. i. p. 32, pl. 11. f. 1; Reich. S. A. t. 93. f. .

364. cyaneus, L.; P. E. 480, 459, 443; Naum. Vög. t. 38, 39; Gould, B. E. pl. 33.

C. Europe.

bohemicus, albicans, griseus, et montanus, Gm.; cinereus et rubiginosus, H. Poseg.; strigiceps, Nils. variabilis, Pall; gallinarius, Sav.

Himalayas.

pygargus, L. Cuv.

365. hudsonius, L.; Wils. A. O. pl. 51.2; Bp. A. O. pl. 12; Faun. B. A. pl. 29.

N. America.

uliginosus, variegatus, albidus, et Buffoni, Gm.; europogistus, Bosc.

California, Cuba.

cyaneus, var. americanus, Sw. cyaneus, p., Kaup.

366. melanoleucus, *Gm.*; *Lev. O. A.* t. 32.

Bengal, Nepal.

367. maurus, Tem. P. C. 461.

S. Africa.

Lalandii, Smith; ater, G. R. Gr. 368. cinereus, V.; Voy. Uranie, t. 15, 16.

S. America.

histrionicus, Quoy & G. acoli, (V.) Kaup; frenatus, Ill. campestris,? V.

114.

d. GLAUCOPTERYX, 1844,

Glaucopterix, 1845, et Pterocircus, 1851, Kaup. Reich. S. A. t. 93, f.

369. cineraceus, Mont.; Naum. Vög. t. 40; V. Gal. des Ois. t. 13; Gould, B. E. pl. 35.

C. & S. Eur.

Montagui, V.; cinerascens, Flem. cinerarius et cinerareus, Mont. ater, V. (var.) nipalensis et pallidus, Hodgs.

Himalayas.

370. pallidus, Sykes; Gould, B. E. pl. 34; Naum. Vög. t. 348.

C. S. E. Eur., S. and W. Africa, India, China.

Swainsoni, Smith, I. S. A. Z. pl. 43, 44. acquipar, Cuv.; Feldeggi, Bruch. albescens, Less.; dalmaticus, Rüpp. herbacola, Tick.; superciliaris, Smith. acoli, V.?; cineraceus pallidus, Schl.

115.

e. Spizacircus, 1845,

et Spiziacircus, 1851, Kaup. Reich. S. A. t. 93. f.

371. macropterus, V.; P. C. 22. palustris, Max.; superciliaris, Less.

S. America. Patagonia, Maldonado. leucophrys, albicollis et maculosa?, V.; Gouldi, Ep. megaspilus, Gould; G. R. Gr. G. M. G. B. pl. 11.

372. poliopterus, Tsch. F. P. t. 3.

Peru. La Plata.

116. POLYBOROIDES, Smith, 1830.

Gymnogenys, Less. 1830. G. of B. i. p. 31, pl. 11. f. 2; Reich. S. A. t. 98. f.

373. capensis, Smith, I. S. A. Z. pl. 81, 82. typus, Smith; Malzakii, Verr. radiatus, p., Gurn.

S. W. & N. Afr.

374. radiatus, Scop.; Sonn. Voy. t. 103; P. C. 307. madagascariensis, Daud. gymnogenys, Tem. Madagascar.

FAM. IV. SERPENTARIIDÆ, Selys, 1842.

Gypogeranidæ, Steph. 1825.

Subfam. I. Serpentariinæ, G. R. Gr. 1855.

Gypogeraninæ, Bp. 1849. Circinæ, p., G. R. Gr. 1840.

117. SERPENTARIUS, Cuv. 1797-98.

Falco, 1 div., Gm. 1788.
 Sagittarius, Vosm. 1767.
 Secretarius, Dum. 1806.
 Gypogeranus, Ill. 1811.
 Ophiotheres, V. 1816.
 G. of B. i. p. 31, pl. 11. f. 3; Reich. S. A. t. 93. f.

375. reptilivorus, Daud.; Lev. O. A. t. 25; P. E. 721.

S. Africa.

serpentarius, Gm.; secretarius, Scop. africanus, Shaw. capensis, gambensis et philippensis, Ogilby.

W. Afr., Philippine Isl. (?).

Suborder II. ACCIPITRES NOCTURNI.

FAM. V. STRIGIDÆ, Leach.

Strixidea, Lafr. 1837.

Subfam. I. Surninæ, Bp. 1838.

Noctuina, Vig. 1825. Buboninæ, p., et Atheninæ, Bl. 1849. Atheninæ, Nycteininæ et Striginæ, p., Cass. 1849.

118. SURNIA, Dum. 1806.

Syrnia, Steph. 1826.

G. of B. i. p. 33, pl. 12, f. 1; Reich. S. A. t. 92, f. ; Trans. Z. S. iv. pl. 56, 6.

376. ulula, L.; P. E. 463; Naum. Vög. t. 42; Gould, B. E. pl. 45; N. Europe, N. Wils. A. O. pl. 50. 6.

caparoch, Müll.; nisoria, Bechst.; hudsonia, Gm. doliata, Pall.; funerea, Lath. arctica, Sparrm.; borealis, Less.

119. NYCTEA, Steph. 1825.

Strix, 2 div., Gm. 1788. Noctua, Brehm, 1828.
Syrnium, 1829, et Surnia, 1851, Kaup.
Nyctia, Sw. 1837.
G. of B. i. p. 34, pl. 12. f. 2; Reich. S. A. t. 92. f.

377. nivea, Daud.; P. E. 458; Naum. Vög. t. 41; Gould, B. E. i. pl. 43; Wils. A. O. pl. 23. 1.

nyctea, L.; candida, Lath. erminea, Shaw; arctica, Bastr. cinerea, Steph. N. Europe.

N. America.

120. ATHENE, Boie, 1822.

Carine, Kaup, 1829. Noctua, Sav. 1809, nec Fab. 1776.
G. of B. i. p. 34, pl. 12. f. 3; Reich. S. A. t. 92. f. ; Trans. Z. S. iv. pl. 56, 3, 4.

a. ATHENE.

378. noctua, Retz.; P. E. 439; Naum. Vög. t. 48. 1; Gould, B. E. pl. 48.

C. S.W. Europe.

passerina, *Tem.*; veterum, *Licht*. Vidgli, *Brehm*; nudipes, *Nils*. psilodactyla *et* indigena, *Brehm*.

379. glaux, Sav. persica, V.; numida, Lev. meridionalis, Risso; pharaonis, Müll. nilotica, Würt.; noctua, var. β, Blas.

Thibet.

S. Europe.

N. Africa.

380. bactriana, Hutt. nudipes et gymnopus, Hodgs.; persicus, p., Bl.

381. brama, Tem. P. C. 68. indica, Frankl.; tarayensis, Hodgs.

India.

121. b. Tenioglaux, Kaup, 1848.

382. castanoptera, Horsf.; P. C. 98. spadicea, Reinw.

Java.

383. castanonota, Bl. castanoptera, Bl.

Ceylon.
India.

384. radiata, Tick.
erythroptera, Gould; perlineata, Hodgs.

undulata, Bl.
cuculoides Via: Gould C. B. pl. 4

Nepal, China.

385. cuculoides, Vig.; Gould, C. B. pl. 4. auribarbis, Hodgs.

386. malabarica, Bl. castanoptera, p., Jerd.

India.

387. Whitelii, Bl.

Japan.

388. superciliaris, V.; P. C. 21. Sonneratii, Tem.; rufescens, p., Bl. Pollenii, Poll. & V. D. F. de Madag. t. 17. Pondicherry? Malacca, Java? Madagascar.

122. e. T.ENIOPTYNX, Kaup, 1848. Glaucidium, Bl.

389. **Brodiei**, Burt. tubiger et badia, Hodgs.; Brodiaei, Pelz. Himalayas.

390. sylvatica, Müll.

Sumatra.

391. pardalota, Swinhoe.

I. of Formosa.

123. d. Smithiglaux, Bp. 1854.

392. capensis, Smith, I. S. A. Z. pl. 33.

S. Africa.

393. ?leucopsis, Hartl. Abh. d. naturw. Ver. in Hamb. 1852, t. 1. St. Thomas I., W. Africa.

1.24. e. Microglaux, Kaup, 1848.
 Nyctipetes, Sw. 1837.
 Sw. C. of B. f. 199; Reich. S. A. t. 92. f.

394. perlata, V.; Lev. O. A. t. 284. licua, Licht.; perlata capensis, Schl.

S. Africa.

395. occipitalis, Tem. P. C. 34. perlata, Sehl.; licua, Lieht. (Verz).

W. Africa. N.E. Africa.

125. f. Hierocoglaux, 1848, Ieraglaux et Zeraglaux, 1851, Kaup.

Ieroglaux, Bp. 1854.Trans. Z. S. iv. pl. 56. 7.

396. connivens, Lath.; Gould, B. A. i. pl. 34. frontata, Less.; fortis, Gould. Var.

E. & W. Austr.

Cape York.

397. strenua, Gould, B. A. i. pl. 35. rufa, Gould, B. A. i. pl. 36 (juv.).

N.E. Australia. N. Australia.

398. Franseni, Sehl.

Waigiou.

399. aruensis, Sehl.

Aru.

9. SPILOGLAUX, Kaup, 1848.	A tue Teans
400. boobook, Lath.; Gould, B. A. i. pl. 32. bubuk, Kaup.	Austra., Tasma.
Var.	Port Essington.
401. maculata, Vig. & H.; Gould, B. A. i. pl. 33.	Austra., Tasma.
402. marmorata, Gould.	S. Australia.
403. novæ zealandiæ, Gm.; Voy. Astrol. t. 2. 2. fulva, Forst.; zealandica, Quoy & G.	New Zealand.
404. guteruhi, Müll.	Timor.
405. theomacha, Bp.	New Guinea.
7.00 V. 1071	
127. h. Серильортухх, Kaup, 1851. 406. punctulata, Quoy & G. Voy. Astrol. t. 1. 1.	Celebes.
400. punctusata, Quoy y Cr. 109. 210. 10. 1. 1.	C Lacoco.
128. i. Rabdoglaux et Rhodoglaux, Bp. 1854.	
407. squamipila, Bp .	Ceram.
408. hantu, Müll.	Bouru.
409. hypogramma, G. R. Gr.	Batchian, Gilolo
410. humeralis, Homb. & J. Voy. Pôle Sud, t. 4. 1.	New Guinea.
411. variegata, Quoy & G. Voy. Astrol. t. 1. 2.	New Ireland.
412. Jacquenoti, Bp.; Voy. Pôle Sud, t. 3. 1. tæniata, Homb. Å J.	Salomon I.
413. florensis, Wall.	Flores.
414. ochracea, Schl.	Celebes.
415. rufostrigata, G. R. Gr.	E. Gilolo.
416. Forsteri, Hartl.	Tonga I.
bakkamma, Forst.	Tanna.
129. j. Sceloglaux, Kaup, 1848.	
417. albifacies, G. R. Gr.; Gould, B. A. Suppl. pl.	New Zcaland.
130. k. Nixox, Hodgs. 1837. Ctenoglaux, Kaup, 1851.	
418. hirsuta, Tem. P. C. 289. malayensis, Eyton?	Ceylon. Malacca?
419. lugubris, Tick. Madr. Journ. Lit. & Sc. 1837, pl. 14. nipalensis et jeridius, Hodgs. seutellata, p., Gr.	India.

420. borneensis, Bp.
hirsuta borneonensis, Schl.
hirsuta, p., Schl.

Borneo.

421. japonica, Schl. F. J. t. 9 B. hirsuta japonica, Schl. scutellata, p., Horsf. & M.

Japan, China.

422. **philippensis**, *Bp*. hirsuta philippensis, *Schl*.

Philippine I.

423, affinis, Tytl.

Andaman I.

424. madagascariensis, Bp. hirsuta, Smith.

Madagascar.

425. scutellata, Raffl.

Sumatra.

1.31. *l.* Glaucidium, *Boie*, 1826. Phalænopsis, *Bp*. 1854.

426. nana, King; G. R. Gr. & M. G. B. pl. 12. ferruginea, Cab. leucolaima, Homb. & J. Voy. Pôle Sud, t. 4. 2, 3. Str. of Magellan. Chili.

427. **infuscata**, *Tem. P. C.* 344. passerinoides, *Tem.*; pumila, *Less.* jardinei, *Bp.*?

Brazil.

428. ferruginea, Max.; P. C. 199. infuscatus, p., Sclat. & S.

Guatemala.
Brazil.

,,

429. pumila, Lieht.; P. C. 39. minutissima, Max. ferox, V.

Antilles.

430. phalænoides, V. O. A. S. t 15. ferruginea, p., Cass.; infuscatus, p., Sclat. & S.

Trinidad.
Cuba.

431. siju, D'Orb. Voy. Cuba, t. 3. havanensis, Licht.; sigu, Sclat.

Chili.

432. ocellata, Homb. & J. Voy. Pôle Sud, t. 3. 2. bubuk, p., Kaup.

132. m. Microptynx, Kaup, 1851. Glaucidium, Brehm, 1828, et p. Boie, 1826.

 passerina, L.; Lev. O. A. t. 46; Bree, B. E. pl. app. pusilla, Daud.; acadica, Tem. pygmæa, Bechst. N. Europe. Africa.

434. gnoma, Wagl.; Aud. B. Am. i. pl. 30. infuscatum, Cass.; californicum, Sclat.; eluta, Natt.; passerinoides, Aud. California.

Mexico, Oregon.

133. *n.* Micrathene, *Coues*, 1866.

435. Whitneyi, Coues; Elliot, B. N. A. pl. . Arizona Territory.

134. o. Speotyto, Glog. 1842.

Pholeoptynx, Kaup, 1848.

436. cunicularia, Mol.; P. C. 46. Chili.
grallaria, Tem.; patagonica, Peale.
urucurea, Less.?

Chili.
Brazil, Peru.

437. hypogæa, Bp. A. O. pl. 7. 2. socialis, Gamb. cunicularia, Say, et p. G. R. Gr.

438. domingensis, Müll. St. Domingo. Nevis, W.Indies.

439. fusca, V.; P. C. 46. Maugei, Tem. Antilles.

N.W. America.

Mexico, Texas.

Subfam. II. Buboninæ, Bp. 1838.

Bubonina, Vig. 1825. Surniinæ, p., Bp. 1850.

135. BUBO, Dum. 1806.

Strix, L. 1735-66. Feliceps, Barr. 1745.
Asio, Briss. 1760. § Sw. 1837. Bubotus, Rafinq. 1815.
Heliaptex, Sw. 1837. Aibryas, Glog. 1842.
Megaptynx et Pachyptynx, Bp. 1854.
Sw. C. of B. f. 198; G. of B. i. p. 37, pl. 13. f. 3; Reich, S. A. t. 91, f.

а. Виво.

440. maximus, Sibb.; P. E. 435; Naum, Vög. t. 44; Gould, B. E. pl. 37.

C. S. Europe. N.E. Europe.

bubo, L.; atheniensis, Daud. scandiaca, L.; maximus, var. β, Blas. microcephala, Leach; europea, Less. cinerca, Gm.; G. R. Gr. & M. G. B. pl. 13. sibiricus, Lieht.; Susem. Vog. Eur. t. 44. turcomanus, Ehrenb.

441. capensis, Daud.; Lev. O. A. t. 40; Smith, I. S. A. Z. t. 70. S. Africa. africana, Steph.; maximus, p., Kaup.

442. virginianus, Gm.; Edw. B. pl. 60; Wils. A. O. pl. 50. 1. N. America. pinicola, V. var. atlantius, pacificus et crassirostris, Cass.? var. arcticus, Sw. Faun. B. A. pl. 30. subarcticus, Hoy? California.

crassirostris, V. O. A. S. t. 19. macrorhyncha, Tem. P. C. 62?

443. magellanicus, Gm.; P. E. 385. S. America. uacurutu, V.; virginianus, p., Schl.

136.

b. Huhua, 1837.

Etoglaux, 1841, et Aëtoglaux, 1844, Hodgs. Ptiloskelos, Tick. 1859.

444. orientalis, Horsf.; P. C. 174, 229. strepitans, Tem.; sumatra, Raffl.

orientalis minor, Schl.

Java, Sumatra. Bangka.

445. **nipalensis**, *Hodgs. Madr. Journ.* 1831, pl. 1. pectoralis, *Jerd.*; orientalis, p., *Bl.* Amherstii, *Tick.*

N. India.

137. c. Urrua, 1837,

et Mesomorpha, Hodgs. 1841. 446. bengalensis, Frankl.; Gould, C. B. pl. 3.

India, Ceylon. Affghanistan.

447. coromanda, Lath.; Gr. I. Ind. Z. pl. 20. umbrata, Bl.

India.

138. d. Nyctaetus, Glog. 1842. Bubo a, p., Nitzsch. Nyctaetos, Bp.

448. lacteus, Tem. P. C. 4. sultaneus, Less.

caveria, Hodgs.

W. Afr., Seueg. N. Africa?

449. fasciolatus, Tem.; Proc. Z. S. 1863, pl. 33; Schl. Handb. Dierk. t. 1. 11. poensis, Fras.

Gold Coast.

450. Verreauxii, *Bp.* lacteus, *Gr.*; lacteus, p., *Schl.*

S. Africa.

451. leucostictus, Tem.

Gold Coast.

139. e. Nisuella, Bp. 1854. Trans. Z. S. iv. pl. 57. 5.

452. maculosus, V.; P. C. 50; Gal. des Ois. t. 23 bis. africana, Tem.; nisuella, Smith. gracilis, Less. Dilloni, Des Murs; Lefebr. Voy. en Abyss. t. 3.

S. Africa.

453. cineraceus, Guer.; Ferr. & Gal. Voy. Abyss. t. 2; Lefebr. Voy. Abyss. t. 4. abyssinicus, Dubus.

abyssinicus, Dubus. selenotis, Würt. africanus, p., Kaup.

454. madagascariensis, Smith; Arch. du Mus. 1844, t. 23.

140. f. Ascalaphia, I. Geoffr. 1830.

Otus, Cuv.

455. ascalaphus, Sav. Hist. de l'Egypte, t. 3. 2; P. C. 57; Gould, B. E. pl. 38. Savignyii, I. Geoffr.

N. Africa. S. Europe.

Yadagascar.

141. g. Pseudoptynx, Kaup, 1848.

456. philippensis, G. R. Gr.; Schl. De Dier. fig. , p. 10.

Philippine Isl.

142. KETUPA, Less. 1831.

Cultrunguis, Hodgs. 1836. Ketupu!, G. R. Gr. 1840. Bubo, β, Nitzsch, 1840.

G. of B. i. p. 38, pl. 13. f. 1; Reich. S. A. t. 91. f. ; Trans. Z. S. iv. pl. 57. 6, 7.

a. KETUPA.

457. ceylonensis, Gm.; P. C. 20; Gr. I. Ind. Z. pl. 31.

Hardwickii, Gr.; Leschenaultii, Tem.

India, Ceylon, Bur., China. Palestine.

458. flavipes, Hodgs, T. A. S. B. v. fig. p. 364.

dumeticola, Tick.; nigripes, Hodgs.

Himalayas. Java.

459. javensis, Less.; P. C. 74.

ketupa, Horsf.; ceylonensis, Tem. javanensis, Schl.

143. b. Scotopelia, Вр. 1849.

Megapelia, Kaup, 1851, nec 1836. Scotoglaux, Heine, 1860.

460. Peli, Tcm.; Schl. Handb. Dierk. t. 1. 10; Ibis, 1859, pl. 15. W. & S. Africa. typica, Bp.

144. SCOPS, Sav. 1809, nec Mahr. 1752.

Ephialtes, Keys. & Bl. 1840 (nec Schrank, 1802). Bubo, p., Boie, 1822. G. of B. i. p. 38; Reich. S. A. t. 91. f. .

a. Scops.

461. zorca, Gm.; P. E. 436; Naum. Vög. t. 43. 3; Gould, B. E. pl. 41.

S. Europe.

Scops, L.; Giu, Scop.; europæus, Less. pulchella, Pall.; Aldrovandi, Flem. ephialtes, Sav.

longipennis, Kaup; striolata, Ehren.

N. Africa. S. & W. Africa.

462. capensis, Smith. senegalensis, Sw.; ephialtes, var., G. R. Gr. latipennis, Kaup. zorea africanus, Schl. fazoglensis, Würt.

463. japonicus, Tem. & Schl. F. J. t. 9. bakkamæna, Bl.; scops japonicus, Schl. Japan.

464. sunia, Hodgs.; Jerd. I. Ind. Orn. pl. 41. India, Ceylon. pennata, Hodgs.; Aldrovandi et spilocephala, Bl.; zorca, p.?, zorca asiaticus, Schl.

Himalayas, Burmah.

465. elegans, Cass.

Japan?

466. sylvicola, Wall.

Flores.

467. kamtchatchensis, Verr.	Kamtschatka.
468. novæ zealandiæ, Schl. & Bp.	New Zealand.
469. Hendersoni, Cass.	Angoli.
470. rutilus, Puch. Arch. du Mus. 1844, t. 22. menadensis, var. Schl. & Poll.; sunia, var. rufus, Bl. madagascariensis, Grandid.	Madagascar. Mayotta.
145. b. Lempijius, Bp. 1854.	
471. lempiji, Horsf.; P. C. 99. noctula, Reinw.; javanicus, Less.	Java, Borneo. Sumatra.
472. lettia, Hodgs. griseus, Jerd.; lettoides, Bl. lempiji, p., G. R. Gr.; semitorques, p.?, Schl. sagittatus, p.?, Bp.; indicus, Gm.?	N. India. E. Ghats.
473. semitorques, Schl. F. J. t. 8. lettia, p., Swinh.; lempiji, p., Bl.	Japan, China. I. of Formosa.
474. ? megalotis, G. R. Gr. (juv.).	Manilla.
475. sagittatus, Cass. Journ. Ac. Phil. ii. pl. 12:2. semitorques, p.?, Schl.; lettoides?, Jerd.	Malacca.
476. rufescens, Horsf. superciliaris, p., et "sagittatus, Cass.," Bl.	Java.
477. mantis, Müll. rufescens, p., Bl.; manadensis, p., Kaup.	Borneo. Celebes.
1.46. c. Pisorhina, 1848, et Psilorhina, 1849, Kavp.	
478. manadensis, Quoy & G. Voy. Astrol. t. 2. 2.	N. Celebes.
479. magicus, Müll.	Amboina, Celeb.
480. leucospila, G. R. Gr. magicus, p., Schl.	Batchian, Gilolo, Bouru, Morty, Ternate, Celeb.
1.47. d. Acnemis, 1848, et Aenemis, 1851, Kaup.	
481. gymnopodus, G. R. Gr. zorca asiaticus, p. ?, Sehl. saggitatus, p. ?, Bp.	India (?).
148. e. Ptilopsis, Kaup, 1848.	
482. leucotis, Tem. P. C. 16.	W. Africa.
1.49. f. Megascops, Kaup, 1848. G. of B. i. pl. 13. f. 2.	

483. asio, L.; Wils. A. O. pl. 19. 1, & 42. 1; P. C. 80.

nævia, Gm.; striata, V.; ocreata, Licht.

N. America.

484. brasiliana, Gm.; Spix, A. B. t. 9. 10. Cayenne, Brazil. choliba, V.; brasiliensis, Tem. & Schl.; decussata, Licht. crucigera et undulata, Spix. atricapilla, Cuv. P. C. 145. Porto Rico, Trin. 485. ? portoricensis, Less; Des Murs, I. O. t. 26. New Granada. brasilianus, p., Schl. 486. ? usta, Sclat.; Trans. Z. S. iv. pl. 61. Ega, Sarayaca. brasiliensis, var., Sclat. & S. 487. lophotes, Less. Cayenne? atricapillus, p., Kaup. 488. Watsoni, Cass. Journ. Ac. Phil. ii. pl. 12. 1. Venezuela. Surinam. lophotes, Pucher. 489. flammeola, Licht.; Pr. Z. S. 1868, p. 57. fig. (foot); Sclat. & S. Exot. Orn. pl. 50. Mexico. 490. trichopsis, Wagl. Antilles. 491. psilopoda, V. O. A. M. t. 22. Isl. of St. John. nudipes, V. nec Daud. 492, Kennicotti, Elliot. Sitka. 493, argentina, Licht. Monte Video. Watsonii, p. ?, Schl. 494, barbarus, Sclat. & S. Exot. Orn. pl. 51. Guatemala. 495. M'Callii, Cass.; Baird, B. of N. A. pl. 39. W. & S.W. Amer. Maccallii, Aliq.; flammeola, p.?, Schl. trichopsis, p., Sclat. & S. 150. q. Gymnasia, Ep. 1851. Athene, Boie, 1826. Gymnoglaux, Cab. 1855. 496. nudipes, Daud.; V. O. A. S. t. 16. St. Croix, St. Thomas. Newtoni, Lawr.; Ibis, 1859, pl. 1. Porto Rico, St. Domingo. 497. Lawrencei, Sclat. & S. Pr. Z. S. 1868, pl. 29. Cuba.

151. h. Lophostrix, Less. 1837.

nudipes, Lemb. Voy. Cuba, t. 4. 2.

nudipes, p., V.?

498. cristatus, Daud.; Lev. O. A. t. 43. griscata, Lath.

N. of S. Amer.

499. Stricklandi, Sclat.

§ S.; Contr. Orn. 1848, pl. .
cristata, var. Strickl.; griscata, Griff. An. Kingd. i. pl. ?

C. America.

Subfam. III. Syrniinæ, G. R. Gr. 1845.

Syrnina et Asionina, Vig. 1825. Ululinæ, Ep. 1838. Buboninæ, p., El. 1849.

152. SYRNIUM, Sav. 1809.

Strix, Cuv. 1799, 1800. Strix, Briss. 1760.
Aluco, Kaup, 1829, nec Flem. 1822.
Ulula, Barr. 1745, et Cuv. 1817.
Scotiaptix, Sw. 1837. Scoptioptex, Agass.
G. of B. i. p. 39, pl. 14. f. 2; Reich. S. A. t. 92. f. ; Trans. Z. S. iv. pl. 57. 9, 10.

a. Syrnium.

500. aluco, L.; P. E. 441. 437; Naum. Vög. t. 47; Gould, B. E. pl. 47. stridula, L.; sylvatica, Shaw.

N. Europe.

ululans, Sav.
501. nivicolum, Hodgs.

N. India.

502. Woodfordi, Smith, I. S. A. Z. pl. 71.

- S. Africa.
- 503. lapponicum, Retz.; Naum, Vög. t. 349; Gould, B.E. pl. 42. N. Europe. barbatum, Pall.; microphthalma, Tyzensk. cinereum, p., Bp.
- 504. cinereum, Gm.; Faun. Bor.-Amer. pl. 31. acclimator, Bartr.; fuliginosa, Shaw.

N. America.

505. nebulosum, Forst.; Wils. A. O. pl. 33. 2; Gould, B. E. pl. 46. varius, Bartr.; chichictli, Gm.; fernandina, Shaw.

N. Europe.

506. fulvescens, Sclat. & S. nebulosum, p., Salv.

Guatemala.

507. occidentale, Xantus; Baird, B. N. A. pl. 66.

Port Tejou.

508. **rufipes,** King. fasciatus, p., Bp.

Str. of Magellan.

509. hylophilum, Tem. P. C. 373.

Brazil.

510. umbrinum, Heugl.

N.E. Africa.

511. fasciatum, Des Murs, I. O. t. 37. hypophila, p., Bp.; rufipes, p.?, Sclat. & S.

Chili.

- 153. b. Ptynx, Bl. 1840, nec Mahr. 1752.
- 512. uralense, Pall.; P. C. 27; Naum. Vög. t. 42; Gould, B. E. pl. 44.

C. E. Europe.

liturata, Petz.; macroura, Natt. macrocephala, Meism.

513 fulvescens, Tem. & Schl. F. J. t. 10. rufescens, Tem. (letterpr.).

Japan.

Hally Blot of Birbon	30
154. c. Bulaca, 1837,	
et Meseidus, 1841, Hodgs. Meseides, G. R. Gr. 1845. Mesides, Agass.	
514. indrance, Sykes. monticola, Jerd.; lacteus, p., Bp.	S. India, Ceylon. Malay penin.
newarense, p., G. R. Gr.	Malay penni.
515. newarense , <i>Hodgs.</i> ; <i>G. R. Gr. & M. G. B.</i> pl. 14. indrance, p., <i>Schl.</i>	Himalayas.
516. sinense, Lath.; Gr. I. Ind. Z. pl. 21. orientalis, Shaw.	India, Ceylon.
517. caligatum, Swinhoe. indrance?, Swinhoe.	I. of Formosa.
518. ocellatum, Less. sinensis, p., Schl.	S. Asia.
155. d. Муктиа, <i>Ep.</i> 1853.	
519. leptogrammicum, Tem. P. C. 525.	Borneo.
520. seloputo, <i>Horsf.</i> ; P. C. 230. pagodarum, <i>Tem</i> .	Java.
521. sumatranum, Bp . myrtha, Bp .; leptogrammica, var., $Schl$.	Sumatra.
156. e. Ciccaba, Wagl. 1831.	
522. huhula, Daud.; Lev. O. A. t. 41; Spix, A. B. t. 10*. lineata, Shaw.	Brazil,
523. spilonotum, n. sp.?	Bogota.
524. albomarginatum, $Spix,A,B.$ t. 10². huhula, p., $Kaup.$	Brazil,
525. nigrolineatum, Sclat. Trans. Z. S. iv. pl. 63.	S. Mexico.
157. f. Macabra, Bp. 1853?	
526. albitarse, G. R. Gr.; Trans. Z. S. iv. pl. 60. hylophilum, p., Kaup.	S. America.
527. suinda, V.	Paraguay.
dominicensis, Cab.; cayanense, juv., Kaup. polygrammicum, p., G. R. Gr.	
528. albogulare, Cass. Journ. Ac. Phil. iv. pl. 4. albopunctata, G. R. Gr.; macabrum, Bp.	Bogota, Columb. Mexico.
529. virgatum, Cass. Journ. Ac. Phil. iv. pl. 3.	Mexico, Carac.
squamulata et chrysosticta, Licht. zonocercum, G. R. Gr.; cayannense, p., Kaup. lineatum, Lawr.	New Granada,
530. polygrammicum, G. R. Gr.	Brazil.

fasciata, p.; cayannense, p., *Kaup*. 531. cayanense, *Gm.*; *P. E.* 442.

fasciata, p., Kaup; cayannensis, Aliq.

Cayenne.

532. fasciatum, V. cayannense, p., Kaup. N. of S. America.

533. superciliare, Natt.

Brazil.

158.

g. Gisella, Bp. 1854.

Nyctalatinus, Kaup, 1854.

534, Harrisii, Cass. Journ, Ac, Phil. 1848, pl. 5. gisella, Bp. albipunctatus, Kaup?

Brazil. Bogota.

535. Lathami, Bp.

--- ?

159. h. Pulsatrix, Kaup, 1848.

536. torquatum, Daud.; Lath. Syn. pl. 107; Lev. O. A. t. 42, 44. Guiana. personata, Daud.; perspieillata, Lath. larvata et superciliosa, Shaw.

537. melanonotum, Tsch. F. P. t. 4. melanota, Tsch.

Peru.

538. pulsatrix, Max.

Brazil.

major, Bp.; torquatum, Q, Kaup. melanotus, Pucher.

160. OTUS, Cuv. 1729-1800. nec Barr. 1745.

Bubo, Sav. 1809, nec Dum. 1806. Asio, Sw. 1831, nec Briss. 1760. Ægolius, Keys. & Bl. 1840, nec Kaup, 1829. G. of B. i. p. 39, pl. 14. f. 3; Reich. S. A. t. 91. f. .

a. Orus.

539. vulgaris, Flem.; P. E. 29; Naum. Vög. t. 45.1; Gould, B. E. pl. 39.

Europe. India.

communis, Less.; albicollis, Daud. 540. americanus, Gm.; Wils. A. O. pl. 51. 1.

otus, L.; europæus, Steph.

N. America.

Wilsonianus, Less.; vulgaris, Aud. otus, Wils.; vulgaris americanus, Schl.

Mexico.

541. zonurus, G. R. Gr. 542. melanotus, Hcugl.

N.E. Africa.

b. Nyctalops, Wagl. 1832.

543. stygius, Wagl.; Arch. du Mus. 1844, t. 24. communis, var. brasiliensis, Lcss.

St. Paul.

544. siguapa, D' Orb. Voy. Cuba, t. 2. melanopis, Licht.; stygius, p., Kaup. Cuba.

Monte Video.

545, midas, Licht.

161.

162. c. Rhinostrix, 1848. Rhinoptynx et Rhenoptynx, 1851, Kaup. 546. mexicanus, Gm.; V. O. A. S. t. 20. Mexico. clamator, V.; maculosa, Max. longirostris, Spix, A. B. t. 9a. Brazil. 163. d. Pseudoscops, Kaup, 1848. 547. grammicus, Gosse, Ill. of B. of Jam. pl. 4. Jamaica. 548. macrurus, Kaup. Mexico. 164. e. Brachyotus, Gould, 1837. Reich. S. A. t. 91. f. . 549. brachyotus, L.; P. E. 438; Naum. Vög. t. 45. 2; Gould, B. E. pl. 40. N.C. Europe. ulula et accipitrina, Gm. India. ægolius, Pall.; caspia, Shaw. N. Africa. tripennis, Schr.; brachvura, Nils. N. China. palustris, Smies. palustris europæus, Bp. 550. Cassinii, Brew.; Wils. A. O. pl. 33. 3. N. America. brachyotus, Wils.; brachyotus, p., Schl. Greenland. palustris americanus, Bp. Cuba. 551. galapagoensis, Gould, Voy. Beagle, pl. 3. Galapagos. brachyotus, p.?, Schl. Chili, Bolivia. 552. ?sandwichensis, Blox. Sandwich I. brachvotus, Peale. 165. f. Phasmaptynx, 1848, et Phasmoptynx, 1851, Kaup. Phasmatoptynx, Bp. 1854. 553. capensis, Smith, I. S. A. Z. pl. 67. S. & N.E. Africa. belvolus, Licht. abyssinicus, Guér.; Ferr. & Gal. Voy. Abyss. t. 3. candida, p., Kaup. tingitanus, Bp. (var. a). S. Spain. 166. NYCTALA, 1828, et Nyctale, 1831. Brehm. Ægolius, Kaup, 1829. Scotophilus, Sw. 1837, nec Leach, 1822. G, of B, i, p, 40, pl, 14, f, 1; Reich, S, A, t, 92, f, 554. funerea, L.; Edw. B. pl. 228; Naum. Vog. t. 43. 1, 2; Gould B. E. pl. 49? N. Europe. noctua, Tenq.; Tengmalmi, Gm. dasypus, Bechst.; passerina, Pall.

555. Richardsoni, Bp.; Faun. Bor.-Amer. pl. 32.

556. acadica, Gm.; Lath. Syn. pl. 5, 2; Wils. A. O. pl. 34, 1.

Tengmalmi, Rich.; funerca, p., Kaup.

acadiensis, Lath.; passerina, Wils.

Dalhousici, Hall, MS.

E 2

N. America.

Oregon, Calif.

557. albifrons, Shaw, Nat. Misc. pl. 171; Cass. B. Calif. pl. 11. frontalis, Licht.; Kirtlandii, Hoy. acadica, p., Bp.

N.W. America Wisconsin, Canada.

Subfam. IV. Striginæ, Bp. 1838.

Strigina, Vig. 1825.

167. STRIX, Sav. 1809, nec L. 1735.

Aluco, Flem. 1822. Hybris, Nitzsch, 1840. Stridula, Sel. Longch. 1842.

Eustrinx, Webb & Berth. 1844.

Sw. C. of B. f. 197; G. of B. i. p. 41, pl. 15. f. 2; Reich. S. A. t. 92. f. ; Trans. Z. S. iv. pl. 57. 8.

a. STRIX.

558. flammea, L.; P. E. 440; Naum. Vög. t. 47; Gould, B. E. pl. 36. C. S. Europe.

splendens, Licht.; guttata et Kirchhoffii, Brchm.

559. africana, Bp.

flammea, Poll. & V. D.

560. indica. Bl.

javanica, Jerd.; flammea, p., Gould.

561. poensis, Fras. affinis, Bl.

562. javanica, Gm.

delicatula, p., Kaup. 563. delicatula, Gould, B. A. i. pl. 31.

flammea, p., Vig. & Horsf.; javanica, p., Kaup.

564. lulu, Peale.

delicatula, p., G. R. Gr.; Forsteri, Hartl. Bakkamuna, Forst.; Forsteni, Bp. flammea, p., Schl.

565. pratincola, Bp.; Wils. A. O. pl. 50. 2. flammea, Wils.; americana, Aud. flammea americana, Schl.

566. punctatissima, G. R. Gr. Voy. Beagle, pl. 4.

567. glaucops, Kaup.

568, thomensis, Hartl.; Müll, Beitr, t, 15. Santi Thomæ, Kaup.

569. Walleri, Diggles, Orn. of Austr. pl. .

570. Rosenbergii, Schl.

571. amaurota, v. Mart.

b. GLYPHIDIURA, Reich, 1850. 168.

Strigymnhemipus, Des Murs, 1852. Reich, S. A. t. 92, f. .

572, perlata, Licht.; P. C. 432.

furcata, Tem. flammea americana, Schl. Brazil. Cuba

N. Africa. S. Africa.

Madagascar.

Nepal.

W. & S. Africa.

Java.

Australia.

Navigators Isl.

Tonga Islands. Feejee Islands. N. America.

Mexico.

Galapagos I. Jamaica.

W. Africa. I. St. Thomas.

Australia.

Celebes.

Philippine I.

Jamaica.

169.

e. Glaux, Bl. 1848.

Scelostrix, Kaup, 1851. Glaucostrix, Bp. 1854.

573. candida, Tick.; Jerd. I. Ind. O. pl. 30. longimembris, Jerd.

India.

574. punctata, Licht.; Smith, I. S. A. Z. pl. 45. capensis, Smith.

S. Africa.

575. pithecops, Swinhoe.

Isl. of Formosa.

170. d. Dactylostrix, Kaup, 1851.

576. novæ hollandiæ, Steph.; Gould, B. A. i. pl. 29. personata et cyclops, Gould.

Australia.

Tasmania.

577. castanops, Gould, B. A. i. pl. 28.

New Zealand, Canterbury.

578. Haasti, Buller.

121.

e. MEGASTRIX, Kaup, 1848.

579. tenebricosa, Gould, B. A. i. pl. 30.

New S. Wales.

172. PHODILUS, I. Geoffr. 1830.

Pholidus!, G. R. Gr. 1840. Phodilas!, Kaup, 1851. G. of B. i. p. 41, pl. 15, f. 1; Reich. S. A. t. 92, f.

580. badius, Horsf. Zool. Res. pl. ; P. C. 318.

Java.

581. **nepalensis**, n. sp. badius, p., *Hodgs*.

Nepal.

Order II. PASSERES, L.

Tribe I. FISSIROSTRES, Cuv.

Subtribe I. FISSIROSTRES NOCTURNÆ.

FAM. I. CAPRIMULGIDÆ, Viq. 1825.

Ampelidæ, p., et Hirundinidæ, p., Bp. 1831. Coraciadæ, p., Cab. 1847.

Subfam. I. Podarginæ, G. R. Gr. 1840.

Steatorninæ, p., G. R. Gr.

173. PODARGUS, Cuv. 1829.

G. of B. i. p. 44, pl. 16, f. 1; Reich, S. A. t. 90, f.

582. strigoides, Lath.; Jard. & S. I. Orn. pl. 88; Gould, B. A. ii. pl. 3. New S. Wales. podargus, Desm.; australis. Steph.

cinereus, V.; humeralis, Vig. & Horsf. gracilis, Lath.; gigas, Nitzsch?

583. Cuvieri, Vig. & H.; Gould, B. A. ii. pl. 4.

584. megacephalus, Lath. Stanleyanus, Vig. & H.

585. brachypterus, Gould. macrorhynchus, Gould.

586. phalænoides, Gould, B. A. ii. pl. 5. Vincendonii, Jacq. & P. Voy. Pôle Sud, t. 21. 1?

587. papuensis, Quoy & G. Voy. Astrol. t. 13.

588. ocellatus, Quoy & G. Voy. Astrol. t. 14.

589. marmoratus, Gould.

590. superciliaris, G. R. Gr. Pr. Z. S. 1861, pl. 42.

591. plumiferus, Gould, B. A. ii. pl. 6.

Tasmania, S.
Australia.
New S. Wales,

Australia.

New S. Wales,

Australia.

W. Australia.

N. Australia, Port Essington.

New Guinea, Waig., Salw., Aru, Cape York. New Guinea, Aru, Salwatti.

Cape York, New Guinea. Waigiou.

New S. Wales.

174. BATRACHOSTOMUS, Gould, 1838.

Podargus, Boie, 1826. Bombycistomus, Horsf. Bombycistomas, Hay, 1841. Bombycistoma, Bl. 1842. G. of B. i. p. 45, pl. 16. f. 3; Reich. S. A. t. 90. f.

a. Batrachostomus.

592. javanensis, Horsf. Zool. Res. pl. 6; P. C. 159. cornutus, Tem.

Java, Bornco.

593. **moniliger**, Bl. javanensis, p., Jerd.

S. India, Ceylon.

594. stellatus, Gould. javanensis, p., Bp.

Java.

595. stictopterus, Cab.

Malacca.

596. **crinifrons**, Tem. stellatus?, p., Moore.

Gilolo.

597. psilopterus, G. R. Gr. crinifrons, p., Wall.

Batchian I.

598. auritus, Vig.; Griff. An. Kingd. ii. pl. p. 114; Gould, I. A. pl. . Fullertoni, Hay.

Sunda Islands.

599. affinis, Bl.; Sehl, Handl. Dierk. t. 2, 15. parvulus, Tem.

Malacca. Sumatra. 175. b. Otothrix, G. R. Gr. 1859.

600. Hodgsoni, G. R. Gr.; Pr. Z. S. 1859, pl. 152. affinis, p., et cornutus, Bl.

Nepal.

176. ÆGOTHELES, Vig. & H. 1825.

Œgotheles, Less. 1831.

G. of B. i. p. 45, pl. 16. f. 4; Reich, S. A. t. 90. f. .

601. novæ hollandiæ, Lath.; White's Voy. pl.; Gould, B. A. Australia, Tasmania.

cristatus, Shaw; vittatus, Lath. lunulatus, Jard.; australis, Sw.

602. leucogaster, Gould, B. A. ii. pl. 2.

603. Wallacei, G. R. Gr. brachyurus, v. Rosenb. (apud Schl.). argus, v. Rosenb. (apud Hartl.).

N.W. Australia, Port Essington. New Guinea. Aru,

Subfam. II. Steatornithinæ, Bp. 1849.

Podarginæ, p., 1840, et Steatorninæ, 1846, G. R. Gr.

177. STEATORNIS, Humb. 1817?

Podargus, p., Bp. 1831.

G. of B. i. p. 44, pl. 16. f. 2; Reich. S. A. t. 90. f. .

604. caripensis, Humb.; Ann. du Mus. 1834, t. 15; Schl. De Caripé, Vene-Dier. fig. p. 116. zuela. steatornis, Humb. Trinid., Bogota.

Subfam. III. Nyctibiinæ, Cab. & H. 1860.

Steatorninæ, p., Cab. 1847. Podarginæ, p., Selat. 1866.

178. NYCTIBIUS, V. 1816.

Caprimulgus, Lath. 1790. Nyetornis, Nitzsch, 1840. 1bijus,
 Rafing, 1815? Nyeticorax, Mahr. 1752?
 G. of B. i. p. 46, pl. 16. f. 5; Reich, S. A. t. 90. f.

605. grandis, Gm.; P. E. 325; Jard. & S. I. O. pl. 89; G. R. Gr. Cayenne, S.E. & M. G. B. pl. 16. Brazil.
maximus, Shaw; Mus. Lev. pl. 9.

606. æthereus, Max.

longicaudatus, Max.

S.E. Brazil.

607. longicaudatus, Spix, A. B. t. 1. ethereus, p., Max., Cab. & H.

Brazil, R. Japura, E. Peru. 608. jamaicensis, 6m.; Lath. Syn. pl. 57; Gould, I. A. pl. Jamaica. pectoralis, Gould. cornutus, V.; urutau, Lafr. Guatemala. Ecuador, E. Peru,

609. bractcatus, Gould; P. E. 735?; Sclat. & S. Ex. Orn. pl. 20. rufus, Cab. ? furcatus, Cun.; ? longicaudatus, D'Orb.

610. pallidus, Gosse.

Jamaica.

611. leucopterus, Max.; Des Murs, I. O. t. 49, 50.

S.E. Brazil.

Subfam. IV. Caprimulginæ, Sw. 1831.

179. CAPRIMULGUS, L. 1756-66.

jamaicensis, p.?

Hirundo, Klein, 1759, et p., L. 1735. Nyetichelidon, Renn. 1831.

Sw. C. of. B. f. 65; G. of B. i. p. 47, pl. 17. f. 5; Reich. S. A. t. 90, f.

a. Caprimulgus.

612. europæus, L.; P. E. 193; Naum. Vög. t. 148; Gould, B. E. pl. 51. maculatus et vulgaris, V.; punctatus, Wolf & M. caprimulgus, Pall.

caprimulgus, Pall.

613. Smithi, Bp.; Smith, I. S. A. Z. pl. 102.

europæus, Smith; capensis, Verr.

S. Africa.

614. ruficollis, Tem.; Wern. Icon. t. S.W. Europe, N. rufitorques et rufitorquatus, V. Afr., Palestine.

torquatus, Brehm.

615. ægyptius, Licht.; P. C. 379.

isabellinus, Tem.; ægyptiacus, Aliq.
fasciatus, Hempr. & E.?

616. tamaricis, Tristr.; Ibis, 1866, pl. 11.

Palestine.

Europe.

Arabia, Egypt.

617. tristigma, Rüpp. S. U. t. 3. poliocephalus!, Rüpp.

N.E. Africa.

618. lentiginosus, Smith, I. S. A. Z. pl. 101. tristigma, p., Cass.

S. Africa, Damaraland.

619. rufigena, Smith, I. S. A. Z. pl. 100. pectoralis, p., Strickl. & S.; damarensis, Strickl. & S.? S. & W. Africa, Damaraland.

620. pectoralis, Cuv.; Lev. O. A. t. 49. africanus, Steph.; atrovarius, Sundev. asiaticus, V. S. Africa.

* 178a. Selochusa, G. R. Gr. 1841. fornicatus, V.; Lev. O. A. t. 47, 48. est fictitia Avis, Bp.

S. Africa!

621. mossambicus, Peters. mozambiquus, Cab.		Mozambique. Tette.
622. madagascariensis, Sganz.		Madagascar.
623. Fossii, Verr.		Gaboon.
624. indicus, Lath. cinerascens, V.; saturatior, Hodg	<i>ys.</i> (var.).	India. Nepal.
625. asiaticus, Lath.; Gr. I. Ind.	Z. pl. 34, 2,	India.
626. albonotatus, Tick. gangeticus et macrurus, Bl. nipalensis, Hodgs.; bimaculatus,	Peale.	**
627. mahrattensis, Sykes; Jerd. As. pl. arenarius, Bl.	I. Ind. O. pl. 24; Gould, B.	27
628. monticola, Frankl. gymnopus, Hodgs.		23
629. griseatus, n. sp.?		Philippines.
630. spilocircus, G. R. Gr. macrourus et atripennis, Jerd.; n	nahrattensis, Bl.	Madras. Ceylon.
631. Kelaarti , <i>Bl.</i> indicus, <i>Jerd</i> .		Ceylon, India.
632. jotaka, Tem. & Schl. F. J. t. 12 dytiscivorus, Swinh.; Swinhoii,		Japan, China. R. Amur.
633. macrurus, Horsf.; Gould, B.	A. ii. pl. 9.	Java, Lombock, Australia, Ce-
634. Schlegelii, n. sp.? macrurus, p., G. R. Gr.		ram, Gilo., &c. Aru, Dorey, N. G., Waigiou.
635. affinis , Horsf. europæus, Raffl.; bisignatus, Ten arundinaceus, Homb. & J. Voy. 1		Java, Sumatra. Borneo.
636. assimilis, G. R. Gr.		11
637. manillensis, G. R. Gr.		Manilla.
638. poliocephalus, Rüpp. S. U. t. 4. tetrastigma!, Rüpp.		N.E. Africa.
639. nubicus, Licht.; Rüpp. Atl. t. 6. infuscatus, Rüpp.		N.E. Africa. Natal.
640. eximius, Rüpp.; P. C. 398. 641. Welwitschii, Bocage.		Sennaar, Nubia, Kordofan. Angola.
542. concretus, Tem.		Ashanti.
543. binotatus, Tem.		W. Africa.
644. fulviventris, Hartl.		
(FII. IMITACIONES, LIMITE,		"

645. stictomus, Swinhoc. China, I. of Formosa.

646. papuensis, Schl.

Salwatti, New
Guinea.

647. pallidus, Hartl.

Sumatra.

648. Würtembergii, v. Müll. Sennaar.

180. b. Capripeda, Verr. 1857.

649. natalensis, Smith, I. S. A. Z. pl. 99.

S. Africa, Port Natal.

e. Hydropsalis, Wagl. 1832.
 Psalurus, Sw. 1837. Hydropsalia, G. R. Gr. 1840.
 Pydrosalis, Less. 1847. Hydropsallis, Reieh. 1850.
 Reich, S. A. t. 90. f.

650. torquatus, Gm.; P. C. 157; Journ. Ac. Phil. ii. pl. 14. 4. Brazil.
furcifer, V.; psalurus, Tem.; Azaræ, Wagl.
fssicaudis, Merr.; grandis, Licht.
maeropterus, Sw.; boliviensis, G. R. Gr.
manurus, V.?; sphenurus, V.
Bahia.

651. pallescens, Pelz. Brazil.

182. d. Macropsalis, Selat. 1866.

pallescensee!, Pelz.; furcifer, V.?

creagra, Bp.?

652. lyra, Gould; Journ. Ac. Phil. ii. pl. 14. 2. New Granada.

653. segmentatus, Cass.; Journ. Ae. Phil. ii. pl. 14. 3. New Granada,

654. forfipatus, Nitzsch; Journ. Ac. Phil. ii. pl. 14. 1.

Ecuador.
S.E. Brazil.
limbata, Cass.; forcipatus, Burm.

655. ypanemæ, Pelz. Brazil.

183. e. Diplopsalis, Selat. 1866.

656. trifurcatus, Natt. Peru, Ucayali.

657. climacocercus, Tsch. F. P. t. 6. 1. Peru. trifurcatus, p. ?, Selat.

658. Schomburgkii, G. R. Gr. British Guiana.

184. f. Tetroura, Lcss. 1843. Hydropsalis psaluri, Bp.

659. enicurus, V. Paraguay. cordicilla, Merr.; cayennensis, p. ?, Cass.

185. g. Antrostomus, Gould, 1838.

660. carolinensis, Gm.; Wils. A. O. pl. 54.2; V. O. A. S. t. 25. N. America. Incifugus, Bartr.; rufus, V. Cuba. brachypterus, Steph.

661. vociferus , Wils. A. O. pl. 41. virginianus et clamator, V. vociferans, Koenig, Warth.	E. of U. States.S. Mexico, Guatemala.
662. Nuttallii, Aud. B. A. vii. pl. 495.	Pacific Coast, Kansas, Ari- zona, Texas.
663. ornatus , <i>Sclat.</i> ; <i>Pr. Z. S.</i> 1866, pl. 45. serico-caudatus, p., <i>Sclat.</i>	Bahia.
664. cubanensis, Lawr. vociferus, p., Gundl.	Cuba.
665. scrico-caudatus, Cass. Journ. Ac. Phil. ii. pl. 13.	Venez., Brazil.
666. macromystax, Wagl. vociferus, p. ?, Cass.	S. Mexico.
667. dominicus, Bp.	St. Domingo.
668. californianus, Bp. asiaticus, p.?, Cass.	California.
669. rufus, Bodd.; P. E. 735.	Cayenne.
670. rutilus, Burm.	Para, Brazil.
cortapua, Natt.; rufus, p., Sclat.	
186. h. Nyctiphrynus, Bp. 1857.	
671. ocellatus, Tsch. F. P. t. 5. 2.	Peru.
brasiliensis, Max. ct p. Cab.	S.E. Brazil.
187. i. Stenopsis, Cass. 1851.	
672. cayennensis, Gm.; P. E. 760.	Cayenne.
cayanus, $Lath.$; odontopteron, $Less.$ odonpteron, $Bp.$; eayanensis, $Hartl.$ leopetcs, $Jard.$ G S I . O . pl. 87.	Tobago, Parag.
673. longirostris, Bp.; Tsch. F. P.t. 5.1; U. S. Expl. Exp. pl. 13. 1.	Chili.
bifasciatus, Gould; decussatus, Tsch. andinus, Phil. & Landb.	Peru.
674. nigrescens, Cab.; G. R. Gr. & M. G. B. pl. 17. semitorquatus, G. R. Gr.	British Guiana.
	New Granada.
675. maculicaudus, Lawr.; Pr. Z. S. 1866, pl. 46.	New Granada. Brazil, Belivia?
675. maculicaudus, Lawr.; Pr. Z. S. 1866, pl. 46. 676. ruficervix, Selat. Pr. Z. S. 1866, pl. 14.	
	Brazil, Bolivia?
676. ruficervix, Sclat. Pr. Z. S. 1866, pl. 14.	Brazil, Bolivia? New Granada.
 676. ruficervix, Sclat. Pr. Z. S. 1866, pl. 14. 677. reticulatus, G. R. Gr. 678. parvulus, Gould; Pr. Z. S. 1866, pl. 13. 	Brazil, Bolivia? New Granada. Brazil.
 676. ruficervix, Sclat. Pr. Z. S. 1866, pl. 14. 677. reticulatus, G. R. Gr. 678. parvulus, Gould; Pr. Z. S. 1866, pl. 13. mixtus, p., Licht. 	Brazil, Bolivia? New Granada. Brazil. La Plata.

681. Langsdorfi, Pelz. candicans, juv. aut ♀?, Pelz. E. Brazil.

682. æquicaudatus, Peale.
 parvulus, p., Cass.; conterminus, Peale.

Peru.

188. j. Siphonorhis, Sclat. 1861. Nyetidromus, p., Cass.

683. americanus, L.; Sloane, Jamaica, pl. 255, i.; P. Z. S. 1861, fig. (caput), p. 78.

Jamaica.

189. ELEOTHREPTUS, G. R. Gr. 1840.

Amblypterus, Gould, 1837, nec Agass. 1833. Amplypterus!, Wiegm. Heleothreptus, Sclat. 1866. G. of B. i. p. 48, pl. 17. f. 1; Reich. S. A. t. 90. f.

684. anomalus, Gould, I. A. pl. 1.

Demerara.

190. NYCTIDROMUS, Gould, 1838.

Nyctydromus, *Aliq*. Eucapripodus, 1843, *et* Lucapripodus, 1847, *Less*. *G. of B*. i. p. 48, pl. 17. f. 4; *Reich*. S. A. t. 90. f.

685. albicollis, Gm.; Gould, I. A. pl. 2. guianensis, Gm.; americanus, Cass. Derbyanus, Gould; affinis, G. R. Gr.? laticaudatus, Drap. Guiana, Ucayali.

Bolivia.

686. grallarius, Max. americanus, p., Cab. & H. albicollis, p., Sclat. Brazil.

191. SCORTORNIS, Sw. 1837.

Scotornis, G. R. Gr. 1840. Climacurus, Glog. 1842. G. of B. i. p. 51, pl. 18. f. 3; Reich. S. A. t. 90. f.

687. longicaudus, Steph.; Lath. Hist. B. pl. 114; Gal. des Ois. t. 112.

W. Africa.

climacurus, V. climacturus!, G. R. Gr. macrocercus et longissimus, Würt.

688. Finschii, n. sp.?

E. Africa.

689, trimaculatus, Sw.

W. Africa.

192. MACRODIPTERYX, Sw. 1837.

Stelidopteryx, Glog. 1842. Macrodypteryx, Bp. 1849. Macrodipterix, Cass. 1851. G. of B. i. p. 51, pl. 18, f. 1; Reich. S. A. i. t. 90, f.

a. Macrodipteryx.

690. longipennis, Shaw, Nat. Misc. pl. 265; Sw. B. W. Afr. i. pl. 5.

Africa.

macrodipterus, Afz.; africanus, Sw.

691. condylopterus, Heugl.

C. Africa.

b. Cosmetornis, G. R. Gr. 1840. 193. Semeiophorus, Gould, 1838, ncc Wagl, 1830.

692. vexillarius, Gould, I. A. pl. 3; Ibis, 1864, pl. 2. longipennis, p., Schl.; Spekii, Sclat. MS.

Red Sea, Madag. E. & W. Africa.

693. ? Burtoni, G. R. Gr.

Fernando Po.

Subfam. V. Podagerinæ, G. R. Gr. 1847.

Caprimulginæ, p., Cab.

194. PODAGER, Wagl. 1832.

Proïthera, Sw. 1837. Podarger, Aliq. G. of B, i. p. 52.

a. Podager.

694. nacunda, V.; P. C. 182.

diurnus, Max.; campestris, Licht.

S.E. Brazil. Paraguay, Brit. Guiana, Boliv., Argent. Rep.

195. b. Lurocalis, Cass. 1851. Urocolus, Cab. & H. 1860.

G. of B. i. pl. 18. f. 2; Reich, S. A. t. 90. f. .

695. Nattererii, Tem. P. C. 107. brachyurus, Nordm.

S.E. Brazil.

696. semitorquatus, Gm.; P. E. 734; G. R. Gr. & M. G. B. pl. 18. Gouldii, G. R. Gr.

Cayenne. S. Brazil.

196. CHORDEILES, Sw. 1831.

Chordeilus, G. R. Gr. 1840. Chordedilus, 1861, et Chordediles, 1847, Cab. G. of B. i. p. 49, pl. 17, f. 2; Reich. S. A. t. 90, f. .

a. CHORDEILES.

697. virginianus, Gm.; O. A. S. t. 24; Wils. A. O. pl. 40. popetue, V. americanus, Wils. Wiederspergii, Reich. All. deuts. N. Zeit. 1846, t. 5.

N. & C. Amer. Brazil.

698. texensis, Lawr.; Baird, B. N. A. pl. 44. sapiti, p., Cass.; brasiliensis, Lawr.

Texas, Mexico. Guatemala.

699. rupestris, Spix, A. B. t. 2.

Braz., RioNegro, Low. Ucayali. Bahia. S.E. Brazil.

700. pusillus, Gould, brasiliensis, p., Pelz.

Cuba.

701. minor, Cab. Gundlachii, Lawr.; virginianus, Lemb.

Jamaica. Utah, New & S. Mexico.

702. Henryi, Cass.; Baird, E. N. A. pl. 17.

703. brasiliensis, <i>Gm.</i> ; <i>Petiv.</i> pl. 59. 1. variegatus, <i>V.</i> ; jaspideus, <i>Merr.</i> noitibo, <i>V.</i> ?; guianensis, p., <i>Hartl.</i> semitorquatus, p., <i>Max.</i>	Brazil.
704. ? hirundinaceus, Spix, A. B. t. 3. 1. acutipennis, p., Selat.? brasiliensis, p. ?, Pelz.	**
197. b. Nyctiprogne, Bp. 1857. Chordeiles (Podochætes), Selat. 1866.	
705. leucopygus, Spix, A. B. t. 3. 2. leucopterus, p., Bp.; leucopygius, Bp.	33
706. minutus, Natt. rufulus, Lafr.	17
198. e. ? Ramphaoratus, Bp. 1857. Microrhynchus, Less. 1847, nec Meig. 1825.	
707. acutipennis, Bodd.; P. E. 732. acutus, Gm.; semitorquatus, Max. sapiti, Natt.; labeculatus, Jard.	Cayenne. Tobago, S.E. Brazil.
708. stenopterus, Natt. & Pelz.	Bahia.
709. ? peruvianus, Peale; F. P. t. 6, 2. pruniosus et semitorquatus, Tseh. acutipennis, p., Cass.; exilis, Less.	Peru,
199. EUROSTOPODUS , Gould, 1837. Eurystopodus, Wiegm. G. of B. i. p. 49, pl. 17. f. 3; Reich. S. A. t. 90. f.	
a. Eurostopodus.	
710. guttatus, Vig. & H.; Gould, B. A. ii. pl. 8.	Australia.
711. albigularis, Vig.; Gould, B. A. ii. pl. 7; P. C. 410. albimaculatus, Cuv.; mysticalis, Tem. brachyurus, v. Rosenb. (apud Hartl. nec Sehl.).	N. S. Wales, Aru.
200. b. Lyncornis, Gould, 1838.	
712. cerviniceps, Gould, I. A. pl. 4.	Burmah.
713. macrotis, Vig.; Gould, I. A. pl. 5. Var.	Philippine I. N. China.
714. Temminckii, Gould, I. A. pl. 6.	Borneo.

SundaI., Penang.

Celebes.

Berneo.

pulcher, Hay; imberbis, Tem.

715. macropterus, Tem.

716. borneensis, Wall. MS.

Subtribe II. FISSIROSTRES DIURNÆ.

FAM. I. CYPSELIDÆ, Cab. 1847.

Hirundinidæ, p., Vig. 1825.

Subfam. I. Cypselinæ, Bp. 1838.

201. CYPSELUS, Illig. 1811.

Apus, Scop, 1777, nec Schäff. 1756.
Micropus, Wolf & M. 1810. Brachypus, Mey. 1815.
Sw. C. of B. f. 292 a; G. of B. i. p. 53, pl. 19. f. 2; Reich. S. A. t. 87. f.

a. Cypselus.

717. apus, L.; P. E. 542. 1; Naum. Vög. t. 147. 2; Gould, B. E. pl. 53. 1. murarius, Tem.; vulgaris, Steph. niger, Leach; barbatus, Tem.

Eur., N.& E. Afr. W. Asia, India.

718. unicolor, Jard. & S. I. O. pl. 83.

aterrimus, Heugl.? dubius, Antin.?

B. E. pl. 53. 2.

C. Africa.

Madeira.

murarius, *Heinck*.

719. melba, *L.*; *Edw. B.* pl. 27; *Naum. Vog.* t. 147. 1; *Gould*,

Abyss., Madag.
S.W. Eur., Palestine, W. Asia, India, Greece.

alpinus, Scop.

720. gutturalis, V.; Lev. O. A. t. 243. gularis, Steph.; Layardi, Tristr.

S. Africa.

721. caffer, Licht.; P. C. 460. 1. hottentotus, Lafr. pygargus, Tem.; leucorhea, Smith.

abyssinicus, Heugl.

S. Africa. Natal. Damaraland. Nubia, Abyss.

nigra, V.; Levaillantii, v. Müll. melba, p., Cab. & H. 722. affinis, Gr. I. Ind. Zool. pl. 35. 2. nepalensis, Hodgs.; montanus, Jerd.

? leucorrhous, Steph.; Lev. O. A. t. 244. 1.

India, Nepal. Kumaon. Abyssinia.

abessynicus, Střeub.; Streubelii, Hartl.
723. galilæensis, Antin.
abessynicus, p., Střeub.; affinis, p., Sclat.

Palestine.

724. subfurcatus, Bl. affinis, var., Strickl.; leucorrhous, Müll. leucopygialis, Cass. Pr. A. Phil. v. pl. 13. 1.

Malac., Penang. S.Chi., For., Jav. Sumatra.

725. acuticaudus, Bl.

Nepal.

726. palmarum, Gr. I. Ind. Z. pl. 35. 1. batassieusis, Gr.; balassieusis!, Gr.

India, Ceylon. Assam, Burmah. 727. pacificus, Lath.; Gould, B. A. ii. pl. 11. australis. Gould. vittatus, Jard. & S. I. O. pl. 39. apus, var. β, Pall.; caffer, p., Radde.

728. æquatorialis, Müll. Orn. d'Afr. t. 7. Rüppellii, Heugl.?

729. abyssinicus, Licht. affinis, Hartl.; fuliginosus, Verr.

730. infumatus, Sclat.

731. leuconyx, Bl.

202. b. Cypsiurus, Less. 1843.

732. parvus, Licht.; P. C. 460. 2. ambrosiacus, Tem. ambrosiaca, Gm.?; Briss. Orn. ii. t. 45, 4? unicolor, Hartl.

203. c. Tachornis, Gosse, 1847.

Cypselus, B., Sclat. Reich, S. A. t. 87. f. .

733. phœnicobius, Gosse, Ill. B. Jam. pl. 9; Voy. Cuba, t. 7.4. Iradii, Lemb.

734. squamatus, Cass.; P. Z. S. 1865, pl. 33. marginipennis, Natt.

735. andicolus, Lafr.; D'Orb. Voy. A. M. t. 42. 2.

736. montivagus, D' Orb, Voy. A. M. t. 42. 1.

d. Panyptila, Cab. 1847. 204.

Pseudoprocne, Streub. 1848. Panyptilus!, G. R. Gr. 1849. Reich, S. A. t. 87, f. .

737. cayanensis, Gm.; P. E. 725. 2.

738. melanoleucus, Baird, B. N. A. pl. 18. 1. saxatilis, Woodh.; = "niger, Gm.," Baird.

739, Santi hieronymi, Salv. P. Z. S. 1863, pl. 23.

205. DENDROCHELIDON, Boie, 1828.

Macropteryx, 1832, et Macropterus, Sw. Pallestre, Less. 1837. Palaestra, Agass. Hemiprocne Chelidonia, Streub. 1848, nec Nitzsch, 1840. Sw. C. of B. f. 292, c; G. of B. i. p. 54, pl. 19. f. 1; Reich. S.

740. Klecho, Horsf.; P. C. 83. 1; Gould, B. As. pl.; Schl. De Dier. fig. p. 114.

Java, Sumatra. Malay penius. longipennis, Tem.; urbica, Raffl.

New S. Wales. Ca. York, China. Formo., Penang. Siberia.

Abyssinia.

N.E. Africa.

Borneo.

N.W. Himalayas. Malab., Bootan.

Egypt, Nubia. Cape of G. H. BlueNile, W.Afr. Fernando Po, Comoro I., Zanzi., Madag.

Jamaica. Cuba.

British Guiana. Brazil.

Bolivia.

Bolivian Andes.

Cayenne, Brazil, Bahia. New Mexico. Guatemala,

Vera Paz.

741. coronata, Tiek.; Gould, B. As. pl. longipennis, Jerd.; velatus, Less. schisticolor, Ep.

Nepal, C. India, Ceylon.

742. Wallacei, Gould, B. As. pl.

743. comata, Tem.; P. C. 268; Gould, B. As. pl.

Celebes, Sula. Philip. I., Siam,

744. mystacea, Less. Voy. Coqu. t. 12; Gould, B. As. pl.

Ceram, Morty, lo, Waigiou.

745. ? cristata, V.; Lev. O. A. t. 247.

206. COLLOCALIA, G. R. Gr. 1840.

Salanganes, I. Geoffr. 1836. Colocalia, Gould. Callosalia, Van der Hoeven, 1856. Hemiprocne, Cypseloides, Salangana, Streub. 1848.

G. of B. i. p. 54, pl. 19. f. 3; Reich, S. A. t. 87, f. .

746. nidifica, G. R. Gr.; Lath. H. B. pl. 113. esculenta, Osbeck? fuciphaga, Thunb. Act. Holm. 33, t. 4; gelatinosa, Streub.? var. brevirostris, M. Clell.; unicolor, Jerd. concolor, Bl.

nidifica?, Garn.; ualensis, Streub.? nidifica, Freyc.

nidifica, var.

747. Linchi, Horsf.; Reise Novara. t. 2. 2. fuciphaga, Horsf.; esculenta, Bernst. fucivora, Streub.; malaisia, Streub.?

748. troglodytes, G. R. Gr. & M. G. B. pl. 19. philippina, Streub,?

749. hypoleuca, G. R. Gr. esculenta, p., Wall.; viridinitens, G. R. Gr. MS.

750. spilura, G. R. Gr. hypoleuca, p., G. R. Gr.; esculenta, Wall. nec L.

751. neglecta, G. R. Gr. esculenta, var., Less.; esculenta, Bp.; esculenta, p., Wall.

752. francica, Gm.; P. E. 544. 2. virescens, I.; spodiopygius, p.?, Cass. fuciphaga, p., Wall.

753. spodiopygia, Peale, U. S. Expl. Exp. pl. 49. 5.

754. leucopygia, Wall. Linchi, Verr. & Des Murs; troglodytes, Bp.

755. uropygialis, G. R. Gr. leucopygia, p., Wall.

Timor, Celebes, Borneo, Sumat. New Guin., Aru, Moluce., Celeb.,

Batchian, Gilo-S. Afr.?, India?

Java, Sumatra.

Andaman Isl. India, Ceylon. Siam. Born., Louisiade, Celeb., Timor. Caroline Isl. Marianne Isl.

Java, Malacca. Nicob.I., Mergui.

Philippine Isl.

Aru, Mysol, N. Guinea, Celeb.

Batchian Isl.

E. Timor.

Isle of France. Madagascar.

Feejee, Navig. I.

New Caledonia.

New Hebrides.

756. vanikorensis, Quoy & G. Voy. Astrol. t. 12. 3. fuciphaga, p.?, Bp.; inquietus, Kittl.

757. affinis, Beav. linchi, p., Bl.

758. ? Forsteri, Hartl. peruvianus, p., Forst.; cinerea, p., Gm. fuciphaga, p., Bp.; spodiopygia, p.?, Finsch & Hartl.

759. ? leucophæa, Peale. cinerea, Cass.; fuciphaga, p., Wall. vanicorensis, p., Finsch & H. I. Vanikoro, Fcei.I., Pelew I.

Andaman I.

Otaheite, Marquesas.

Tahiti.

Subfam. II. Chæturinæ, Sclat. 1865.

207. CHÆTURA, Steph. 1825.

Acanthylis, Boie, 1826. Pelasgie, I. Geoffr.
Uranteris, Glog. 1842.
Acanthura et Chectura, Guild. 1827. Chectura, a, Solat.
Acanthyllis, Agass.
Sw. C. of B. f. 292, b; G. of B. i. p. 55, pl. 19. f. 4; Reich. S.
A. t. 87, f.

a. Chætura.

760. pelasgia, L.; Wils. A. O. pl. 39. 1. acutus, Tem.

761. Vauxii, Towns.; Baird, B. N. Am. pl. 18. 2.

762. poliura, Tem.; P. E. 726. 2. cinercicauda, Cass. Pr. Ac. Phil. 1852, pl. 13. 2. pelasgius, Max.; oxyura, Burm.; brachyura, Jard.?

763. spinicauda, Tem.; P. E. 726. 1. pelasgia, var., Lath.

764. rutila, V.; Ibis, 1860, pl. 3. Robini, Less.; brunneitorques, Lafr.

765. brachycerca, Selat. P. Z. S. 1867, pl. 34. brachycerea!, Hartl.

766. Sclateri, Pelz.

767. cinereiventris, Selat. P. Z. S. 1863, pl. 14. 1. acutus, Max.; spinicanda, Burm.

768. acuta, Gm.; P. E. 544. 1.

769. oxyura, V. pelasgia, p., Max.

208. b. Hirundapus, Hodgs. 1836. Chætura, Sw. 1837. Hirundinapus et Chætura, α, p., Solat. E. of N. Am. to Rocky Mounts.

W. of N. Amer., Puget's Sd. to Calif., Mexico, Guatemala. Cayenne. Brazil. Tobago.

Cayenne.

Guatemala.

Upper Amazon. Xeberos.

Brazil, Chamicuros. S.E. Brazil.

Martinique.

Paraguay.

770. caudacuta, Lath.; Sw. Zool. Ill. n. s. pl. ; Gould, B. A. New S. Wales, Tasmania. ii. pl. 10. fusca et australis, Steph. macropterus, Sw.; ciris, p., Bl.

771. nudipes, Hodgs, ; Mag. de Zool, 1840, t. 20. leuconotus, Delcss.; fusca, p., et ciris, p., Bl. caudacuta, p., Jerd.

Nepal.

772. ciris, Pall. caudacuta, p. ?, Sclat. China, Dauria. Amur.

209. c. -- . Chætura, B, Sclat.

773. Sabini, Gr. leucopygia, Boic; bicolor, Gr. Sabinei, Hartl.

W. Africa, Sierra Leone. Fernando Po.

774. Cassini, Sclat. Pr. Z. S. 1863, pl. 14. 2. Hartlaubii, Jard.; Sabinei, p., Cass.

W. Africa. Gaboon.

775. Grandidieri, Verr. N. Arch. du Mus. 1867, t. Coquerelii, Poll. MS.

E. coast of Madagascar.

210. d. —, Chætura, y, Sclat.

776. sylvatica, Tick. Sabinei, p., Tick.; coracinus, p.?, Bl. N. & C. India

777. coracina, Müll.; Schl. Handl. Dierk. t. 2. 14. leucopygialis, Bl.

Borneo, Sumat. Pinang.

211. e. Pallenia, Bp. 1857. Pallene, Less. 1837, nec Meig. 1823. Chætura, a, p., Sclat.

778. gigantea, v. Hass.; P. C. 364, caudacuta, Bl. var. celebensis, Sclat.

Java. India, Cevlon. Celebes.

212. f. Hemiprocne, Nitzsch, 1840. Chætura, b. Sclat.

779. zonaris, Shaw; P. C. 195; V. Gal. des Ois. t. 120. albicollis, V.; collaris, Max.; torquatus, Licht. albicincta, Cab.

S. America. Jama., St. Domi.

780. biscutata, Natt.; Sclat. Pr. Z. S. 1865, pl. 34. zonaris, var. ?, Sclat.

razil.

781. semicollaris, De Sauss.; Sclat. & S. Exot. Orn. pl.

Mexico.

g. Acanthylops, Bp. 1857. Pallenis, Reich. 1850, nec Lap. 1836. Hemiprocne, Cypseloides, Senex, Streub. 1848. Cypseloides, a, Sclat. 1866. Reich. S. A. t. 87. f.

782. fumigatus, Natt.

S.E. Brazil.

783. senex, Tem. P. C. 397. Temminckii, Streub,

21.4. h. Nephocetes, Baird, 1858. Cypseloides, b (Nephœcetes), Sclat. 1866.

784. niger, Gm.; Gosse, Ill. B. Jam. pl. 10; Elliot, B. N. A. pl. Jamaica, Cuba.

785. borealis, Kenn. nigra, p., Baird.

N.W. America.

FAM. II. HIRUNDINIDÆ, Leach.

Subfam. I. Hirundininæ, Sw. 1831.

215. HIRUNDO, L. 1735-66.

Cecropis, p., Boie, 1826.

Sw. C. of B. f. 293; G. of B. i. p. 57, pl. 19, f. 7; Reich. S. A. t. 87, f.

a. Hirundo.

786. rustica, L.; P. E. 543. 1; Naum. Vög. t. 383. 2; Gould, B. E. pl. 54.

domestica, Brehm; albifrons, Rüpp. jewan, Sykes; javanica, Hodgs.

panayana, Gm.; gutturalis, Scop.

Europe, Palest. Africa, Natal. Ind., Malac., Pinang, Tenas., Burmah.

Philip. I., Suma., Born., China, Celeb., Bat. I. S. Africa, Natal.

787. albigula, Bp.; Contr. Orn. 1849, pl. 17. albigularis, Strickl.; rufifrons, Less. nec V.

788. horreorum, Bart.; V. O. A.S.t. 30; Wils. A. O. pl. 38. 1, 2.

N. Amer., Green.,
C. America.
W. Indies.

789. cahirica, Lieht.; Descr. del'Egypte, t. 4. 4; Naum. Vög. t. 383. 1. S.E. Europe. Savignyi, Leach; Riocourii, Audouin. Boissonneauti, Tem.; castanea, Less. rustica orientalis, Schl.; rustica, β , Blas. rustica, var., Hartl. & F.

790. Tytleri, Jerd. rustica, var., p. ?, Hartl. & F.

791. andamanensis, Tytl.

792. lucida, Verr. & Hartl.

793. rufifrons, V.; Lev. O. A. t. 245. 2.

794. angolensis, Bocage.

Bengal.

A., J.,... T

Andaman I.

W. Africa.

Seneg., Sennaar,

S. Nubia. W. Africa. **216.** b. Cecropis, Boie, 1 div. 1826.

Aeropis! Reid & Hahn, 1835.

795. cucullata, Bodd.; P. E. 723. 2; Lev. O. A. t. 245. 1. S. Africa. capensis, Gm.; rufula, p., Tem.

796. senegalensis, L.; P. E. 310; Gould, B. E. pl. 55; Sw. B. W. Afr. pl. 6. rnfula, Gould.

W. Africa. Abyssinia.

797. puella, Tem.; Rüpp. S. U. t. 6; Ferr. & Gal. Voy. Abyss. t. 10. striolata, Rüpp.; abyssinica, Guér.

N. Africa.

798. hyperythra, Bl.; Gould, B. As. pl.

Cevlon.

799. Gordoni, Jard. mclanocrissus, Jard. nec Rüpp. W. Africa, Fantee.

800. Korthalsii, Bp. abyssinica, juv.?, Schl.

---- ?

801. striolata, Tem.; Schl. Handl. Dierk. t. 1. 13. rusticoides, Kuhl.

Java.

802. semirufa, Sundev.

Caffraria.

803. Montieri, Hartl.; Ibis, 1862, pl. 11.

Angola.

804. badia, Cass.

Malacca?

Siberia.

217. c. Lillia, Boie, 1859.

805. daurica, L.; Naum. Vög. t. 383. 4; Gould, B. As. pl. alpestris, Pall. Zoogr. t. 30. 2.

N.E. Asia, Pales.

806. erythropygia, Sykes; Gould, B. As. pl. nipalensis, Hodgs.; europygia, Tick, daurica, p., Jerd.

India, Ceylon.

807. melanocrissa, Rüpp. S. U. t. 5. rufula, p., Bp.

E. & W. Africa. Abyssinia.

808. rufula, Tem.; Naum. Vög. t. 383, 3; Gould, B. As. pl. duarica, p., Savi; alpestris, p., Hartl.; capensis, Duraz. alpestris, β, Blas.

Africa. S. Europe.

7 japonica, Tem. & Schl. F. J. t. 11.
 rufula, p., Tem.
 alpestris japonica, Tem.

Japan.

domicella, Hartl, & F. melanocrissus, Hartl.

Kasamanse.

218. d. Hypurolepsis, Gould, 1868. Herse, Less. 1837, nec Oken, 1815.

828. spilodera, Sundev.

70	HAND-LIST OF BIRDS.	
pyrrl taiter	itica, Gm.; Lath. Syn. pl nokema, Forst.; tabitensis, Boie. nsis, Less.	Society Islands.
subru	sca, Gould.	Feejee Isl., New Hebrides.
neoxe	ntalis, Quoy & G. Voy. Astrol. t. 12. 1. ma, Gould, B. A. ii. pl. 13. ica, Vig. & H.	New Guin., Aru. Austral., Tasma. Redcar Island.
813. java	nica, Sparrm. M. C. t. 100; P. C. 83. 2.	Java, Lombock,
	nicola, Jerd. ica, p., Hartl. & F.	Celebcs. Ceylon, Pinang. Neilgherries.
	nsis, Gould. va, p. ?, Hartl. & F.	W. Australia. Torres Straits.
816. frens	ata, Bl.	S. India.
219.	e. Hylochelidon, Gould, 1865.	
	ricans, V.; Gould, B. A. ii. pl. 14.	Australia.
_	nonota, Vig. & H.; arborea, Gould.	Aru.
220.	f. Lagenoplastes, Gould, 1865.	
818. arie	1, Gould, B. A. ii. pl. 15.	Australia, Aru.
	icola, Jerd.; Gould, B. As. pl. sa, Gould, MS.	India.
221. Ubromi	g. Uromitus, Bp. 1854. tus!, Hartl. 1857.	
filicat	era, Steph.; Lath. H. B. pl. 113; Gould, B. As. pl. adata, Frankl. rocephala, Gm.?; indica, Gm.?	. India, N.W. Himala. Cashmere.
	ceps, Licht.	Abyssinia.
filifer	chii, Leach; Smithii, Cranch. a, p.?, Hartl.; filicaudata, Rüpp. letæ, Bocage.	Isl. off Chisalla I.
822. atro	cærulea, Sundev.	Natal, Lower Caffraria.
222.	h. Psalidoprocne, Cab. 1850.	Cumaria.
	melas, Sundev.; Pr. Ac. Phil. 1850, pl. 12. 2. gera, Cass.; cypselina, Cab.	S. & W. Africa.
824. mel	bina, Verr.	Gaboon.
	ox, V.; Lev. O. A. t. 244, 2. fera, Aliq.	S. Africa.
826. ? cyp	seloides, Heugl.	C. Africa.
223. 827. leuc	i. Hemicecrops, Bp . 1857. cosoma, Sw .	W. Africa.

Caffraria.

829. nigrita, G. R. Gr. & M. G. B. pl. 20.	W. Afr., Fantee.
830. obscura, Tem.	W. Africa.
831. nitens, Cass.	,,
832. dimidiata, Sundev. scapularis, Cass. Pr. Ac. Phil. 1852, pl. 12. 3. leucosoma, Grill.	S. Africa. E. Africa.
833. ? griseopygia, Sundev.	S. Africa, Natal.
 j. PHEDINA, Bp. 1855. borbonica, Gm.; P. E. 544. 2, var.?; Coqu. Alb. de la Ré-union, fig. 2. var. madagascariensis, Hartl. k. Petrochellon, Cab. 1850. 	Isle of France. Isle of Bourbon, Madagascur.
835. melanogastra, Sw. Swainsoni, Sclat.	Mexico.
836. lunifrons, Say; Bp. A. O. pl. 7. 1. fulva, Bp. republicana, Aud.; opifex, Clint.	N. America.
837. pœciloma, Gosse, fulva, p., Bp.	Jamaica.
838. Alfredi, <i>Hartl.</i> ; <i>Ibis</i> , 1868, pl. 4. lunifrons, p., <i>Layard</i> .	Cape of G. Hope.
839. ruficollaris, Peale.	Peru.
840. americana, Gm.; P. E. 724. pyrrhonota, V.; platensis, Steph. crythrogaster, p., G. R. Gr. cyanopyrrha, V.	Brazil. Paraguay.
226. l. TACHYCINETA, Cab. 1850. Petrochelidon, a. Sclat. Chelidon, Boic, 1826, nec 1822. Hirundo, p., et Tachycineta, a. Baird, 1865.	
 841. thalassina, Sw.; Aud. B. A. i. pl. 49. viridis, Licht. 227. m. ——? 	Mexico. W. & C. Amer., Guatemala.
Tachycineta, b, Baird, 1865.	
842. bicolor, V.; Wils. A. O. pl. 38. 3; V. O. A. S. t. 31. viridis, Wils.; lencogaster, Steph.	N. America. California.
843. albiventer, Bodd.; P. C. 546. 2. leucoptera, Gm.; albiventris, Pelz.	Cayen., Guiana. Brazil, Bolivia.
844. æquatorialis, Lawr.	Upper Amazon.
845. albilineata, Lawr. littorea, Salv.; leucoptera, Lawr.	C. America. Panama.
846. ? maculata, Bodd.; P. E. 546. 1.	Cayenne.

leucoptera, var., Lath.

847. leucorrhoa, V. leucopyga, Licht.; frontalis, Gould. Gouldi, Cass.; frontata, Boie. leucorrhœa, Burm.

Meyeni, Cab.; Nov. Act. 1834, t. Suppl. 10.
 leucopyga, Meyen nec Licht.; leucorrhoa, p., Lafr. leucopygia, Gould.

228. n. Callichelidon, Bryant, 1865. Hirundo, p., Baird.

849. euchrisea, Gosse, Ill. B. of Jam. pl. 12. var. dominicensis, Bryant.

850. cyaneoviridis, Bryant.

229. o. Pygochelidon, Baird, 1865. Petrochelidon, a, Sclat. Atticora, p., Baird.

851. cyanoleuca, V.; P. C. 209. 1. melampyga, Licht.; minuta, Max. var. montana. Baird.

852. murina, Cass. cinerea, Gm.??; cyanophæa, Cab. cinerea, Sclat.

853. andicola, Lafr.

854. melanoleuca, Max.; P. C. 209. 2.

855. patagonica, *Lafr*. hemipyga, *Burm*.; viridi alba, *Lafr*.

856. peruviana, *Gm*. peruviana major, *Tsch*.

230. ATTICORA, Boie, 1844.

Acticora, Gould. Actocora, Agass. G. of B. i. p. 58, pl. 19. f. 5; Reich. S. A. t. 87. f. .

a. Atticora.

857. fasciata, Gm.; P. E. 724. 2.

231. b. Neochelidon, Sclat. 1862.
Microchelidon, Sclat. 1861, nec Reich.
Atticora, p., Baird.

858. **fucata**, *Tem. P. C.* 161. 1. brasiliana, *Lafr*.

859. tibialis, Cass.

232. c. Noticchelidon, Baird, 1865. Cotyle, Boie, 1826, nec 1822. Atticora, p., Baird.

860. pileata, Gould. eyanoleuca, juv., Cab.

Paraguay.
Brazil, La Plata.
Monte Video.
Parana.

Chili. Patagonia.

Jamaica. St. Domingo.

Bahamas.

Paraguay, Chili, Patagonia. Bolivia, Argent. Rep., Brazil, Costa Rica.

Andes of S.Amer. Ecuador.

Bolivia, Tinta, Peru. Brazil.

Patagonia. Chili.

Peru.

Cayenne, Rio Negro.

Paraguay, Brazil.
Argentine Rep.,
La Plata.
Panama to Brazil, New Gran.

Panama. Guatemala. 233. d. Pristoptera, Bp. 1857.

861. albiscapulata, Boie; Rüpp. F. A. t. 39. 2. pristoptera, Rüpp.; typica, Bp.

862. albiceps, Selat. Pr. Z. S. 1864, pl. 14.

234. *e.* Cheramœca, *Cab.* 1850.

863. leucosternon, Gould, B. A. ii. pl. 12. New S. S. & V

235. COTILE, Boie, 1822.

Cotyle, p., Boie, 1826. Biblis, Less. 1837. G. of B. i. p. 59, pl. 19. f. 6; Reich. S. A. t. 89. f.

a. Cotile.

864. riparia, L.; P. C. 543. 2; Naum. Vög. t. 146. 3, 4; Gould, B. E. pl. ; Aud. B. A. i. pl. 50. cinerea, V.

865. sinensis, Gr. I. Ind. Z. pl. 35. 3. brevicaudata, McClell.; minuta, Hodgs.

866. subsoccata, Hodgs. sinensis, p., G. R. Gr.

236. b. Stelgidopteryx, Baird, 1858.

867. serripennis, Aud. B. A. i. pl. 51.

868. ruficollis, V. flavigastra, V.; hortensis, Licht. jugularis, Max.; flaviventer, Less.

869. fulvipennis, Selat. serripennis, p., et flavigastra, p., Selat.

870. **uropygialis**, *Lawr*. flavigastra, p., *et* ruficollis, p., *Selat*.

871. fulvigula, Baird.

237. c. Ptyonoprogne, Reich. 1850.

Cotyle, p., Boie, 1826. Reich. S. A. t. 87. f.

872. rupestris, Scop.; Naum. Veg. t. 146. 1, 2; Gould, B. E. pl. 56. rupicola, Hodgs.; inornata, Jerd.

montana, Gm.

873. concolor, Sykes.

874. fuligula, Licht.; Lev. O. A. t. 246. 1. rupestris, p., Tem.; fulva, Bp.; torquata, Boie. capcusis, Less.; hyemalis, Forst.

875. cincta, Scop.; P. E. 723. 1. torquata, Gm.

Abyssinia.

E. Africa.

New S. Wales, S. & W. Aust.

E. Eur., India. N. Africa, Greenland, Bermuda, Great Antilles.

Great Antilles. N. India.

 ${\bf Nepal.}$

N. America, C. Mexico. La Plata.

Brazil.
Paraguay.

Mexico.
Guatemala.

Ist. of Panama.
Esmeraldas,
Ecuador.
Costa Rica.

S. Europe. India, W. Africa. Palestiuc.

India, Behar.

S. Africa.

99

N.E. Africa.

W. Indies, Porto Rico. St. Domingo.

876. obsoleta, Cab.

rupestris, Rüpp. 877. paludicola, V.; Lev. O. A. t. 246. 2. S. Africa. palustris, Steph.; paludibula, Bp. N.E. Africa. 878. minor, Cab. paludibula, Rüpp. Prince's Island. 879. eques, Hartl. 238. CHELIDON, Boie, 1822. Hirundo, Cuv. 1817. G. of B. i. p. 60, pl. 19. f. 9; Reich. S. A. t. 87. f. . a. CHELIDON. 880. urbica, L.; P. E. 542. 2; Naum. Vög. t. 145. 2; Gould, Eur., India, N. B. E. pl. 57. Afr., Lebanon. Amoor. 881. lagopoda, Pall. urbica, p., Bp. Japan. 882. Blakistoni, Swinhoe. urbica, p., Blak. Borneo. 883. dasypus, Tem. albigena, Heugl.? Cashmere. 884. cashmeriensis, Gould. b. Deliction, Hodgs. 1854. 239. 885. nipalensis, Hodgs. Pr. Z. S. 1854, pl. 63; Gould, B. As. pl. . Nepal. 240. PROGNE, Boie, 1826. Procne, DesMurs, 1852. G. of B. i. p. 59, pl. 19. f. 8; Reieh. S. A. t. 87. f. a. PROGNE. 886. purpurea, L.; P. E. 722; Wils. A. O. pl. 39. 2. N. America. Brazil, Bolivia. subis, L.; violacea, Gm. Argentine Rep. cærulea et versicolor, V. ludoviciana, Cuv.; chalybea, Max. Guiana. 887. chalybæa, Gm.; P. E. 545. 2. purpurea, p., Lafr. Buenos Ayres. 888. elegans, Baird. Brazil. purpurea, p., Gould. Galapagos I. 889. concolor, Gould, Voy. Beagle, pl. 5. modesta, Gould. Chili. 890. furcata, Baird. modesta, p., G. R. Gr.

891. dominicensis, Gm.; V. O. A. S. t. 28, 29.

albiventris, 1.

892. leucogaster, Baird.

dominicensis, Sclat. chalybæa, p., Cab.

893. domestica, V.

purpurea, p., D' Orb.; chalybea, p., Max.

894. cryptoleuca, Baird. purpurea, p., D' Orb.

2-11. b. Pheoprogne, Baird, 1865.

Progne, p., Cab.

895. fusca, V.

242.

tapera, p., Burm.

c. Tapera, Bp. 1857.

Phæoprogne, p., Baird.

896. pascuum, Max.

? tapera, L.; Briss. Orn. ii. t. 45. 3. tapera, Cab.

S. Mexico to Ist. of Darien. C. America.

S. America.

Paraguay, Brazil.

Cuba, Florida?

Paraguay, Boliv. Argentine Rep.

S. Brazil. Rio Grande.

FAM. III. CORACIADÆ, G. R. Gr. 1845.

Oriolidæ, p., *Boie*, 1826. Todidæ, p., Corvidæ, p., *et* Buceridæ, p., *Vig*, 1825. Ampelidæ, p., 1831, *Bp*.

Subfam. I. Coracianæ, G. R. Gr. 1840.

Coraciana, Vig. 1825.

243. CORACIAS, L. 1758-66, nec 1735.

Galgulus, Briss. 1760, nec Barr. 1745.

Coratius!, Reid & Hahn, 1835.

Sw. C. of B. f. 289, c; G. of B. i. p. 61, pl. 20. f. 2; Reich. S. A. t. 34, f.

a. CORACIAS.

897. garrula, L.; P. E. 486; Naum. Vög. t. 60; Gould, B. E. pl. 60.

C. & S. Europe.
Madagascar,
I. St. Thomas,
Egypt, Arabia,
Persia, Natal.
N.E. Africa.
Damaraland.

899. pilosa, Lath.; Lev. Parad. t. 28, 29. erinita, Shaw; nævia, Licht.; nuchalis, Sw. Levaillantii, Tem.; indica, p., G. R. Gr. nevia, p., Wagl.

899. Temminckii, V.; Lev. Prom. t. D. Urvillei, Quoy & G. Voy. Astrol. t. 16. papucnsis, Quoy & G.; pileata, Reinw. Celcbes, Sula.

244. b. —.

Galgulus, Reich. 1852, nec Barr.

900. indica, L.; Edw. B. pl. 326. bengalensis, L.; P. E. 285. nævius, V.; indica, var. bengalensis, Reich. India. Nepal.

901. affinis, McClell.; G. R. Gr. & M. G. B. pl. assamensis, McClell. indica, p., G. R. Gr.

India. Burmah.

902. viridis, Cuv.; Lev. Parad. t. 31.

India.

245.

c. Coraciura, Bp. 1854.

903. cyanogastra, Cuv.; Lev. Parad. t. 26; Sw. B. W. Afr. pl. 13. W. Africa. cyanogaster, V.

904. caudata, L.; P. E. 88; DesMurs, I. O. t. 28. angolensis, Shaw; natalensis, Licht.

S.W. & E.Africa. Natal.

905. abyssinia, Bodd.; P.E. 626; Lev. Parad. t. 25. abyssinica et senegalensis?, Gm. leucocephalus, Müll.?; senegalla, Lath.? albifrons, Shaw; caudata, V.

S. Africa. Abyssinia. Arabia.

246. EURYSTOMUS, 1816.

et Eurysthomus, 1825, V. Colaris, Cuv. 1817.

Sw. C. of B. f. 289, b; 5 pt. f. 69; G. of B. i. p. 62, pl. 21. f. 3; Reich. S. A. t. 34. f.

a. Eurystomus.

906. orientalis, L.; P. E. 619; V. Gal. des Ois. t. 111; Lev. Parad. t. 36?. cyanicollis et fuscicapillus, V. calornyx, Hodgs.

India, Ceylon.

Malayana, Bor.

Lombock, China.

907. pacificus, Lath.; Gould, B. A. ii. pl. 17. orientalis, Vig. & H.; australis, Sw.

N. S. W., V. D. Land, Waigiou. Aru, N. Guinea.

908. azureus, G. R. Gr.

Batchian I.

247. b. Cornopio, Cab. & H. 1859. Eurystomus, Bp. 1854.

909. gularis, V.; Lev. Prom. t. 56; Jard. & S. I. O. pl. 109. collaris, Vig. W. Africa.

910. glaucurus, Müll.; P. E. 501; Lev. Parad. t. 34. madagascariensis, Gm. violaceus, V.

Africa. Madagascar,

911. afer, Lath.; Lev. Prom. t. 35. rubescens et purpurascens, V. orientalis, Rüpp.; viridis, Wagl., juv. W. Africa.

Subfam. II. Leptosominæ, Bp. 1850.

Cuculinæ, p., Bp. 1831.

248. LEPTOSOMUS, V. 1816.

Leptosoma, Bp. 1849. Courols, Cuv. 1817. Crombus, Reich. 1849.

G. of B. app. p. 22, pl. Suppl. 186. f. 7; Reich. S. A. t. 50. f.

912. discolor, Herm.; P. E. 587, 588; Lev. O. A. t. 226, 227; V. Gal. des Ois. t. 40.

Madagascar.

afer, Gm.; africanus, Steph.; viridis, V. crombec, Less.; madagascariensis, Reich.

249. BRACHYPTERACIAS, Lafr. 1834.

Chloropygia, Sw. 1837.

G. of B. i. p. 61, pl. 21. f. 1; Reich. S. A. t. 34. f. .

a. Brachypteracias.

913. leptosoma, Less. Ill. de Zool. t. 22; Mag. de Zool. 1834, collaris, Pucher.

250. b. Atelornis, Pucher. 1846.

Brachypteracias, Reich, 1849. Corapitta, Bp. 1854.

914. pittoides, Lafr. Mag. de Zool. 1834, t. 32; Ibis, 1862, pl. 9. c. ----

251.

Atelornis, Bp. 1854.

915. squamigera, Lafr.; Des Murs, I. O. t. 39.

FAM. IV. EURYLAIMIDÆ, Selus, 1842.

Todidæ, p., Vig. 1825. Oriolidæ, p., Boie, 1826. Coraciadæ, p., Cab. 1847.

Subfam. I. Eurylaiminæ, Sw. 1837.

252. EURYLAIMUS, Horsf. 1820.

Platyrhynchus, V. 1825. Eurylæmus, Strickl. Sw. C. of B. f. 144; G. of B. i. p. 65.

a. Eurylaimus.

916. javanus, Horsf.; P. C. 130, 131; Gould, B. As. pl. javanicus, Horsf.; Horsfieldii, Tem. Var.

Java, Sumatra.

Moalmaza.

917. ochromelas, Raffl.; P. C. 261; Gould, B. As. pl. ochromelus, Raffl. : cucullatus, Tem. Rafflesii, Less.

Sumatra, Java.

253. b. Serilophus, Sw. 1837.

Serolophus, Agass. Sericolophus, Reich. 1850. Reich, S. A. t. 34, f.

918. lunatus, Gould, Trans. Z. S. i. pl. 25; Gould, B. As. pl.
Innulatus. Sw.

Tenasserim. Rangoon.

919. rubropygius, Hodgs.; G. R. Gr. & M. G. B. pl. 23; Gould, B. As. pl. lunatus. Horsf.

Nepal.

254. c. Psarisomus, Sw. 1837.

Crossodera, Gould, 1837. Raya, 1839, Simus, 1841, et Simornis, 1844, Hodgs. Psarosomus, Agass.

920. Dalhousiæ, James.; Gould, I. A. pl. ; id. B. As. pl. seriogula et nipalensis, Hodgs. psittacinus, Müll.; P. C. 598.

Himalayas.
Sunda Islands.

255. d. Corydon, Less. 1828.

Eurylaimus, Wagl. 1827.

G. of B. i. pl. 22. f. 3; Reich. S. A. t. 34. f. (Cymbirhynchus!).

921. sumatranus, Raffl.; P. C. 297; Gould, B. As. pl. . Sumatra. corydon, Tem.; Temminckii, Less.

256. CYMBIRHYNCHUS, Vig. 1831.

Cymborhynchus, Agass. Erolla, Less. 1831. Cymbyrhynchus, Eyton, 1839. G. of B. i. p. 66, pl. 22. f. 4; Reich. S. A. t. 34. f. (Eurylaimus!).

922. macrorhynchus, Gm.; Lath. Syn. pl. 30; P. C. 154. nasutus, Lath.; ornatus, Desm. lemniscatus, Raffl.; nasica, Less. Var.

Sumatra.
Java, Borneo.

Malacca.

923. affinis, Bl.; Gould, B. As. pl.

Arac., Siam, Cambodia, Tenasser.

Subfam. II. Calyptomeninæ.

257. CALYPTOMENA, Raffl. 1820.

Calyptomina, Sw. 1837. Calyptomeina!, G. R. Gr. 1840.
Calyptomene, Reich. 1850. Calyptomena, Bp. 1854.
Sw. C. of B. f. 221, a; G. of B. i. p. 275, pl. 67. f. 1; Reich. S. A. t. 63, f.

924. viridis, Raffl.; P. C. 216; Horsf. Zool. Res. pl. . Rafflesii et caudacuta, Sw. Sumat., Borneo. Java.

FAM. V. **TODIDÆ**, Vig. 1825.

Colopteridæ, p., Cab. 1847.

Subfam. I. **Todinæ**, G. R. Gr. 1841.

258. TODUS, L. 1766.

Alcedo, p., L. 1758.

Sw. C. of B. f. 228 c; G. of B. i. p. 63, pl. 22. f. 1.; Reich. S. A. t. 48. f. .

925. viridis, L.; V. O. A. S. t. 56; Gosse, Ill. B. Jum. pl. 14. Jamaica, Antilles.

926, mexicanus, Less.; Dict. Sc. N. t. 32. 1.

Mexico.

Cuba.

viridis. Dict.

927. multicolor, Gould, Ic. Av. pl. ; Voy. Cuba, t. 22. viridis, Via. portoricensis, Less.; cyanogenys, Sagra.

Porto Rico.

hypochondriacus, Bryant. 928. angustirostris, Lafr.

multicolor, p., Sclat.; dominicensis, p., Sallé.

St. Domingo.

929. subulatus, Gould; G. R. Gr. & M. G. B. pl. 22. dominicensis, Lafr.; P. E. 585. 1, 2?

FAM. VI. MOMOTIDÆ, Selys, 1842.

Buceridæ, p., Vig. Rhamphastidæ, p., Boie, 1826. Prionitidæ, Bp. 1849.

Subfam. I. Momotinæ, G. R. Gr. 1840.

Prionitinæ, Cab. 1847.

259. MOMOTUS, Briss. 1760.

Ramphastos, p., L. Momots, Lacép. 1800-1. Baryphonus, V. 1816. Prionites, Ill. 1811. Momota, Shaw. Merula, Mochr. 1752. G. of B. i. p. 67.

a. Momorus.

930. brasiliensis, Lath.; P. E. 370; Lev. Parad. t. 37, 38. momota, L.; cyanocephalus, V.

N. of S. America. E. Peru, Braz.

931. subrufescens, Sclat. parvirostris, Bp.?

Santa Martha. Cartagena.

932. bahamensis, Sw.; Jard. & S. I. O. pl. 45.

Bahama. Tobago, Trinid.

Swainsoni, Sclat.

933. æquatorialis, Gould. grandis, Lafr.

Ecuador.

934. microstephanus, Sclat. brasiliensis, p., Sclat.

New Granada.

935. Nattereri, Sclat. brasiliensis, Lafr.?

Bolivia. Brazil.

260.

b. ——.

Prionites, Cab. & H. 1859.

936. cæruliceps, Gould; Baird, B. N. A. pl. 46. cæruleicephalus, Jard. & S. I. O. pl. 42. subhutu, Less.; cæruleiceps, Selat.

S. Mexico.

937. Lessoni, Less.; Des Murs, I. O. t. 62. momotus et psalurus, Bp.

C. America.

c. CRYBELUS, Cab. & H. 1859.
 Momotus, Bp., 1854.

938. mexicanus, Sw.; Jard. & S. I. O. pl. 23; Sw. Zool. Ill. n. s. pl. 81. Martii, Jard. & S.

S. Mexico.

939. Martii, Spix, A. B. t. 60. semirufus, Sclat.

New Granada. Brazil, Ecuador.

940. castaneiceps, Gould.

Guatemala.

262. d. Baryphthengus, Cab. & H. 1859. Baryphonus, Bp. 1854. G. of B. i. pl. 22. f. 5; Reich. S. A. t. 48. f.

Paraguay,Brazil.

tutu, Ranz. Levaillantii, Less.; Lev. Prom. suppl. t. B.

Buenos Ayres?

943. ?ruficapillus, V.; Lev. Parad. t. 39. Dombeyanus, Rantz; Dombeyi, Less. rubricapillus, Steph.; tutu, Less.

942. melanocholicus, Cab. & H.

941. cyanogaster, V. Gal. des Ois. t. 190.

Peru.

263. *e.* Еимомота, *Sclat.* 1857. Spathophorus, *Cab.* 1859.

944. superciliaris, Sandb.; Jard. & S. I. O. pl. 18; Schl. De Dier. fig. p. 55.
superciliosus, Sw.; apiaster, Less.

C. America.

yucatanensis, Cabot.

f. PRIONIRHYNCHUS, Sclat. 1857.
 Crypticus, Sw. 1837, nec Latr. 1817.
 Reich. S. A. t. 48. f.

×

945. platyrhynchus, Leadh.; Jard. & S. I. O. pl. 106. Martii, Tsch. E. Peru, Bolivia.

946. carinatus, Du Bus; Pr. Z. S. 1857, pl. 128.

Guatemala.

265. g. Hylomanes, *Licht*, 1838. *Reich*, S. A. t. 48. f.

947. momotulus, Licht. Abh. Ac. Berl. 1838, t. 4; G. R. Gr. & M. G. B. pl. 24.

Mexico.

948. gularis, Lafr.; Jard. Contr. Orn. 1849, pl. .

Guatemala.

FAM. VII. TROGONIDÆ, Sw. 1831.

Bucconidæ, p., Boie, 1826. Cuculidæ, p., ? Vig. 1825.

Subfam. I. Trogoninæ, Bp. 1849.

Bucconinæ, p., Bp. 1831.

266. TROGON, Mahr. 1752, et L. 1766. Curucujus, Bp. 1854. Troctes, Cab. & H. 1863. G. of B. i. p. 69.

a. Trogon.

949. curucui, L.; P. E. 452, 737; Gould, Trog. pl. 18. melanurus, Sw.; nigricaudatus, Gould. strigilatus, Spix.

Cayenne. Brazil.

950. macrurus, Gould, Trog. pl. 17.

Carthagena.

951. Massena, Gould, Trog. pl. 16.

Guatem., Hondu.

952. calthratus, Salv.

Veragua.

953. mesurus, Cab. & H. melanurus?, Sclat.

Ecuador.

954. Hoffmanni, Cab. & H.

Costa Rica.

267. b. Aganus, Cab. & H. 1863. Trogon, Bp. 1854. Agames!, Hartl. 1864.

955. caligatus, Gould. Trog. pl. 7.

Gnatemala, Carthagena, Brazil.

956. aurantius, Spix, A. B. t. 36. chrysogaster, Sw.

957. viridis, L.; P. E. 765, 766; Gould, Trog. pl. 10, 11. strigilatus, Gm.; violaceus, Spix. Leverianus, Shaw; albiventer, Cuv. melanopterus, Sw.

975, exoptatus, Cab. & H.

958. melanocephalus, Gould, Trog. pl. 12. Mex., Honduras. 959. braccatus, Cab. & H. Mexico. caligatus, G. R. Gr.; violaceus, Pelz. 960. Ramonianus, Dev. & Des M. Pampa, Ucayali, Chamicuros. 961. lepidus, Cab. & H. Ecuador. caligatus, Sclat. 962. meridionalis, Sw.; Gould, Trog. pl. 9. Trinid..Cavenne. Brazil. sulphureus, p., Gould; violaceus, C. & H. Santa Maria. 963. Devillei, Cab. & H. meridionalis, p., Dev. & Des M. Amazon. Bahia. 964. crissalis, Cab. & H. ? meridionalis, p., Pelz. New Granada. 965, concinnus, Lawr. caligatus, Lawr. 966. venustus, Cab. & H. ,, heliothrix, Bp.?; melanopterus, Sclat. viridis, Sclat. 967. citreolus, Gould, Trog. pl. 13. Mexico. chrysogaster, Sw.?; capistratum, Less. 268. c. Trogonurus, Bp. 1854. Trogon, Cab. & H. 1863. G, of B. i. pl. 25. f. 1; Reich. S. A. t. 88. f. 968. collaris, V.; Lev. Cour. t. 6; Gould, Trog. pl. 5. Cavenne. curucui, Max.; auratus, Sw. Brazil. Ucayali. castaneus, Spix; rosalba, Cuv. elegans et erythrinus, Licht. 969. mexicanus, Sw. Zool. Ill. pl. 82, 83; Gould, Trog. pl. 12. Mexico. Vera Paz. Morgani, Sw.; glocitans, Licht. capistratus, Less.? Guatemala. 970. elegans, Gould, Trog. pl. 3. personatus, Hartl.; mexicanus, p., Baird. Mexico. anriceps Q, Hartl. 971. ambiguus, Gould, Trog. t. 4. mexicanus, Baird, B. of N. A. pl. 40. 972. puella, Gould; Dubus, E. O. t. 5. Guatemala Mexico. xalapensis, Du Bus; Luciana, Less. 973. personatus, Gould. Brazil. New Granada. collaris, p., Sclat. Rio Janeiro 974. Eytoni, Fras.

Venezuela.

976. virginalis, Cab. & H. collaris, p., Sclat.

Ecuador.

977. propinquus, Cab. & H. personatus, p., Sclat.

Peru.

978. heliothrix, Tsch. assimilis, Gould.

979. erythronotus, Müll.

Mexico.

269. d. Hapalophorus, Cab. & H. 1863.

980. variegatus, Spix, A. B. t. 37. purpuratus, Sw. B. Braz. pl. 63, 64.

Brazil.

981. surucua, V.; Gould, Trog. pl. 15. leucurus, Sw.

Paraguay. Brazil.

270. c. Pothinus, Cab. & H. 1863.

982. atricollis, V. Gal. des Ois. t. 31; P. E. 195, 736; Gould, Trog. pl. 8. rufus, Gm.; lepturus, Sw.

rufus, Gm.; lepturus, scalaris, Licht.

)7 V.----

983. tenellus, Cab. & H. atricollis, p., Salv.

Veragua.

984. aurantiiventris, Gould. Sallei, Bp.

S. Mexico.
N. Brazil.

985. sulphureus, Spix, A. B. t. 38. 986. chrysochlorus, Natt. & Pelz.

Brazil (Ypanema).

271. f. Temnotrogon, Bp. 1854.

Tmetotrogon, Cab. & H. 1863.

Haiti.

987. roseigaster, V.; Lev. Cour. t. 13; Gould, Trog. pl. 20. domicellus, Sw.; rhodogaster, Tem.

272. PRIOTELUS, G. R. Gr. 1840.

Trogon, Boie, 1826. Temnurus, Sw. 1837, nec Less. 1831. Prionotelus, Reich. 1850.

G. of B. i. p. 70, pl. 25. f. 5; Reich. S. A. t. 88. f.

988. temnurus, Tem. P. C. 326; Gould, Trog. pl. 19. Cuba. albicollis, Sw.; silens, Würt.

273. APALODERMA, Sw. 1837.

Hapaloderma, Agass.

G. of B. i. p. 70, pl. 25, f. 4; Reich. S. A. t. 88, f. .

 narina, V.; Lev. Cour. t. 10, 11; Gould, Trog. pl. 26; Lev. S. Africa, Abys-O. A. t. 228, 229.

274. HARPACTES, Sw. 1837.

Hapalurus, Reich. 1850.

G. of B. i. p. 70, pl. 25, f. 3; Reich, S. A. t. 88, f. .

 $_{0.2}$

a. HARPACTES.

990. fasciatus, Gm.; Gould, Trog. pl. 31; id. B. As. pl. India. malabaricus, Gould.

991. kasumba, Raffl.; P. C. 321; Gould, Trog. pl. 29; id. B. As. pl. Sun fasciatus, Tem.; Temminckii, Gould.

Sumatra.

fasciatus, Tem.; Temminckii, Gould kondea, Cuv.; Duvaucelii, Vig. flagrans, Kuhl.

992. **Diardi**, Boie; P. C. 541; Gould, Trog. pl. 30; id. B. As. pl.

Malac., Sumatra.

275. b. Pyrotrogon, Bp. 1854.

993. ardens, Tem. P. C. 404; Gould, Trog. pl. 35; id. B. As. pl. rhodiosternus, Peale.

Philippine I.

994. Hodgsoni, Gould, Trog. pl. 34; id. B. As. pl. erythrocephalus, p., Gould.

Nepal.
Sumatra.

995. erythrocephalus, Gould, Trog. pl. 33. flagrans, Müll.

Bor., Rangoon, Pegu.

276. c. Duvaucelius, Bp. 1854.

996. rutilus, V.; P. C. 291; Lev. Cour. t. 14; Gould, B. As. pl. Sumatra. cinnamomeus et Duvaucelii, Tem. Borneo. kasumba, juv., Raffl.

997. orphophæus, Cab. & H.; Gould, Trog. pl. 32. Duyaucelii, Gould.

Malacca.

277. d. Oreskios, Bp. 1854. Orescius, Cab. & H. 1863.

998. oreskios, Tem. P. C. 181; Gould, Trog. pl. 36; id. B. of As. pl. Gouldii, Sw.

Java. Burmah.

999. ? gigas, V.; Lev. Cour. t. 12; Gould, Trog. pl. 28. Temminckii, Cuv.; Cuvieri, Sw. Moluccas?

278. *e.* Apalharpactes, *Bp.* 1854. Hapalarpactes, *Cab. & H.* 1863.

1000. Reinwardtii, Tem. P. C. 124; Gould, Trog. pl. 27; id. B. As. pl. sulphurens, Begbie.

Java. Malacca.

1001. Mackloti, Müll. Tijdsch. Nat. Gesch. 1835, t. 8. 1; Gould, B. As. pl. Reinwardtii, p., Horsf. & M.

Sumatra.

-----, F., ---- 3. 9 ---

279. PHAROMACRUS, De la Llave, 1801.

Calurus, Sw. 1837. Calliurus, Agass. G. of E. i. p. 71, pl. 25. f. 2; Reich, S. A, t. 88. f. a. Pharomacrus.

1002. mocinna, Llave; P. C. 372; Gould, Trog. pl. 21. paradiscus, Bp.; resplendens, Gould.

Guatemala.

pavoninus, Tem.; pavonius, Glog. micinno, Cab. & H.

b. Tanypeplus, Cab. & H. 1863.

Cosmurus, *Bp.* 1854.

280.

Peru, Brazil.

1003. pavoninus, Spix, A. B. t. 35; Gould, Trog. pl. 23. 1004. auriceps, Gould; G. R. Gr. & M. G. B. pl. 25.

New Granada.

1005. fulgidus, Gould, Trog. pl. 24; Schl. Handl. Dierk. t. 3. 36.

Bogota, Venczu.

pavoninus, Tem.

Ecuador.

1006. heliactin, Cab. & H. auriceps, p., Sclat.

281. e. Cosmurus, Reich. 1850.

Antisianus, D' Orb. 1836. Reich. S. A. t. 88. f. .

1007. antisianus, Lafr. Mag. de Zool. 1837, t. 85; Gould, Trog.

Bogota.

pulchellus, Gould; peruvianus, Gould, MS. antisinensis, D' Orb.

282. d. Leptuas, Cab. & H. 1863.

1008. neoxenus, Gould, Trog. pl. 25.

Mexico.

FAM. VIII. BUCCONIDÆ, Cab. 1862, et

p. Boie, 1826. Haleyonidæ, p.?, Vig. Cuculidæ, p., Cab. 1847. Tamatiadæ,

Subfam. I. Bucconinæ, Bp. 1831.

Tamatianæ, G. R. Gr. 1840.

283. BUCCO, L. 1776.

Capito, Tem. 1820. G. of B. i. p. 73.

Bl. 1849.

a. Bucco.

1009. collaris, Lath.; P. E. 395; Lev. Parad. t. 42. capensis, L.; strigilatus, Less.

Cayenne.

Hondur., Brazil.

284. b. Tamatia, Cuv. 1797-98.

Notharchus, Cab. & H. 1862. Reich, S. A. t. 45. f. .

1010. macrorhynchus, Gm.; P. E. 689; Lev. Parad. t. 39.

1011. pectoralis, G. R. Gr. & M. G. B. pl. 26. S. America. 1012. Swainsoni, G. R. Gr.; Sw. Zool. Ill. pl. 99. macrorhynchus, Sw.

Brazil.

1013. Ordi, Cass.

1014. hyperrhynchus, Sclat. Pr. Z. S. 1855, pl. 105. macrorhynchus, Sclat. et p. Schl. giganteus, Pelz. Venezuela, Ega, Brazil. Upper Amazon.

1015. Dysoni, Sclat.

C. America.

Para.

macrorhynchus, p., Sclat.; gigas, Bp.?

Ecuador.

1016. leucocrissus, Sclat. albicrissus, Cab. & H.; macrorhynchus, p., Schl.

Rio Napo.

1017. napensis, Sclat.

285. c. Cyphos, Spix, 1824.

Argicus, Cab. & H. 1862. Cyphus, Agass.

7. 1862.

Brazil.

1018. macrodactylus, Spix, A. B. t. 39. 2. cyphos, Wag!.

286. d. Nothriscus, Cab. & H. 1862.

1019. tectus, Bodd.; P. E. 688. 2; Lev. Parad. t. 40. melanoleucus, Gm.

Cayenne. Rio Negro.

1020. picatus, Sclat. tectus, p., Schl.

Amazon, Chamienros, Ecuador,

1021. subtectus, Selat.

287. e. Hypnelus, Cab. & H. 1862. Chaunornis, Bp. 1854.

G. of B. i. pl. 26. f. 1.
1022. bicinctus, Gould.
bitorquatus, Sw.

Trinidad.

1023. ruficollis, Licht.

New Granada.

288. f. Chaunornis, G. R. Gr. 1841.

Capito, Boie, 1826. Bucco, Gm. 1788. Nyctactes, Strickl. 1841, nec Glog. 1827. Tamatia. Sw. 1837.

1024. tamatia, Gm.; P. E. 746. 1; Lev. O. Parad. t. 41. maculata, Cuv.; variegatus, Dum. vulgaris, Drap. Guiana. Brazil.

1025. pulmentum, Bp.; Pr. Z. S. 1855, pl. 106.

E. Peru.

289. g. Nyctalus, Cab. & H. 1862.

Nyctactes, *Bp.* 1854. Sw. C. of B. f. 289, e. 1026. maculatus, Gm.; Lev. Parad. suppl. t. F; Sw. B. Braz. Brazil. pl. 9.

somnolentus, Licht,

1027. striatipectus, Sclat.

flammulatus, Bp.?

1028. chacura, V.; P. C. 94. melanotis, Tom.; leucotis, Sw.

1029. radiatus, Sclat, Pr. Z. S. 1853, pl. 50. ruficervix, Bp.

1030. striolatus, Natt. & Pelz. 1031. lanceolatus, Dev.

290. MONASA, V. 1816.

Barbacous, V. Lypornix, Wagl. 1827. Scotocharis, Glog. 1827. Monastes, Nitzsch, 1840. Monaste, Cab. 1847. Monassa, Sw. 1837. Sw. C. of B. f. 290, b; G. of B. i. p. 74; Reich, S. A. t. 45, f. .

a. Monasa.

1032. nigra, Müll.; P. E. 512; Lev. O. Parad. t. 44. atra, Bodd.; tranquilla, australis et cinerea, Gm. calcarata, Lath.; affinis, Shaw.

1033. morphæa, Hahn; Spix, A. B. t. 43. 1; V. Gal. des Ois. t. 36. personata, V.; leucops, Licht.; albifrons, Spix.

1034. nigrifrons, Spix, A. B. t. 43. 2.

1035. flavirostris, Strickl.; Contr. Orn. 1850. pl. axillaris, Lafr.

1036. peruviana, Bp. & Verr.

unicolor, Wagl.

1037. grandior, Sclat. & S. 1038. pallescens, Cass. Pr. Ac. Phil. 1864, pl. 4.

b. Malacoptila, G. R. Gr. 1841. 291. Lypornix, 2 div., Wagl. 1827. Bucco, V. 1823.

Lypornix, Sw. 1837. Sw. C. of B. f. 290, a; G. of B. i. pl. 26, f. 3.

1039. rufa, Spix, A. B. t. 40. 1. senilis, Popp.

1040. torquata, Hahn, Ausl. Vög. t. 5; Spix, A. B. t. 40. 2. fuscus, Licht.; striatus, Spix.

1041. fusca, Gm.; Lev. O. Parad. t. 43. torquatus, juv., Wagl.; inornata, Schat. unitorques, Du Bus.

Bolivia.

Brazil.

New Granada.

Brazil.

Peru.

Cayenne.

Brazil.

Bolivia, Bogota.

Upper Amazon.

Costa Rica.

New Granada. Panama.

Brazil.

Upper Amazon Brazil.

Cavenne.

Brazil.

Venezuela. 1042. adspersa, Sclat.

1043. veræ-pacis, Sclat. & S. Vera Paz.

Bogota. 1044. nigrifusca, Sclat. fusca, Sclat.

Bolivia. 1045. fulvogularis, Sclat. pyrrholæmus, Bp.?

New Granada. 1046. substriata, Sclat. Pr. Z. S. 1853, pl. 51.

Ecuador. 1047. æquatorialis, Cab. & H. panamensis, Sclat.

1048, panamensis, Lafr.

Costa Rica. 1049. costaricensis, Cab.

Panama.

Brazil.

Guatemala. 1050. inornata, Du Bus.

Peru. 1051. blacica, Cab. blazika!, Hartl.

New Granada. 1052. mystacalis, Lafr.

1053. castanea, J. Verr. R. et M. de Zool. 1866, pl. 19. Santa Fé.

292. c. Nonnula, Sclat. 1853. Scotocharis, Bp. 1854.

1054. rubecula, Spix, A. B. t. 39. 1; P. C. 323. 2. Brazil.

phaioleucus et rufalbinus, Tem.

1055. frontalis, Sclat. Bogota, Upper Ucayali. 1056. ruficapilla, Tsch. F. P. t. 24. 1. Upper Amazon.

293. CHELIDOPTERA, Gould, 1836.

Monasa, Boic, 1826. Lypornix, 3 div., Wagl. 1827. Brachypetes, Sw. 1837. Sw. C. of B. f. 291; G. of B. i. p. 75, pl. 26. f. 2; Reich, S. A. t. 45. f. .

1057. tenebrosa, Pall.; P. E. 505; P. C. 323. 1; Lev. O. Parad. t. 46. tenebrio, Tem.

1058. albipennis, Bp. Venezuela.

Cumana. 1059. brasiliensis, Sclat. S.E. Brazil. tenebrosa, Max.

FAM. IX. ALCEDINIDÆ, Bp. 1838.

Haleyonidæ, Vig. 1825.

Subfam. I. Daceloninæ, Bp. 1849.

Alcedininæ, p., Bp. 1831. Halcyoninæ, ? G. R. Gr. 1840.

294. DACELO, Leach, 1816.

Aleedo, Lath. 1790. Paraleyon, 1827, et Nycticeyx, 1842, Glog. G. of B. i. p. 77; Reich. S. A. t. 33. f.

a. DACELO.

1060. gigas, Bodd.; P. E. 663; V. Gal. des Ois. t. 188; Gould, B. A. ii. pl. 18.

gigantea, Lath.; fusca, Gm.; australe, Less. undulata, Scop.; Sonn. Voy. t. 106.

New S. Wales. S. Australia.

1061. Leachii (Lath.), Vig. & H.; Gould, B. A. ii. pl. 19.

N. Australia.

1062. cervina, Gould, B. A. ii. pl. 20; Voy. Pôlc Sud, t. 23. 1. cervicalis, Kaup; Salussii, Homb. & J.

295. b. Choucalcyon, Less. 1831.

Chouacalyon!, G. R. Gr. 1847. Sauromarptis, Cab. & H. 1859. G. of B. i. pl. 27. f. 1.

1063. Gaudichaudi, Quoy & G. Voy. Uranie, t. 25; Schl. Vög. Ned. Ind. t. 4. 2, 3; Sharpe, Alced. pl. 18.

New Guinea, Waig., Guebe, Mysol, Ceram.

1064. **Tyro**, G. R. Gr. Pr. Z. S. 1858, pl. 133; Schl. Vog. Ned. Ind. t. 4. 4; Gould, B. As. pl.; Sharpe, Alced. pl. 19. Gaudichaudi, p., Schl.

Aru.

296. c. Cittura, Reich. 1851.

1065. cyanotis, Tem. P. C. 262; Schl. Vog. Ned. Ind. t. 6. 1, 2; Sharpe, Alced. pl. 10. sanghierensis, juv., Finsch.

Celebes. "Sumatra," Tem.

1066. sanghierensis, Schl.; Pr. Z. S. 1868, pl. 27; Sharpe, Alced. pl. 9.

Sanghir.

207. d. Melidora, Less. 1831.

1067. macrorhyncha, Less. Voy. Coqu. t. 31 bis. 2; Schl. Veg. Ned. Ind. t. 4. 1; Sharpe, Alced. pl. 25. euphrasia, Less.

New Guinea.

298. c. Monachaleyon, Reich. 1851.

1068. princeps, Reich.; Schl. Vog. Ned. Ind. t. 7. 1-3. monachus, Tem.; eyanocephala, Forst.

Celebes, Ceram. Ternate.

299. TANYSIPTERA, Vig. 1823.

Pyrrhocorax, Mahr. 1742?

G. of B. i. p. 78, pl. 27. f. 3; Reich. S. A. t. 33. f.

1069. dea, L.; P. E. 116; Schl. Vog. Ncd. Ind. t. 13. 3? Ternate.

1070. margaretta, Heine; Schl. Vog. Ned. Ind. t. 13. 2. Batchian, Gilolo. Isis, G. R. Gr.; dea, Müll.?; dea, p., Schl.

1071. galatea, G. R. Gr.; Sch'. Vog. Ned. Ind. t. 13.1, t. 15. 2. New Guinea, dea, Less.; dea, p., Schl. Waigiou, Aru.

1072. **nympha**, G. R. Gr.; Sharpe, Alced. pl. 19. Philippine I.? N.W. of New Guinea.

1073. sabrina, G. R. Gr. Pr. Z. S. 1860, pl. 170; Schl. Vog.

Ned. Ind. t. 14. 4, 5?

Kaisa, Batchian.

1074. nais, G. R. Gr.

Amboina.

1075. hydrocharis, G. R. Gr.; Schl. Vog. Ned. Ind. t. 15. 4. Aru.

1076. sylvia, Gould, B. A. suppl. pl. Cape York.

1076. sylvia, Gould, B. A. suppl. pl. Cape York.1077. doris, Wall.; Schl. Vog. Ned. Ind. t. 14. 1, 2, 3, &t. 15. 3. Morty Island.

sabrina, p., Schl.

1078. acis, Wall.

Ceram.

nais, var., Schl.

1079. Rosenbergii, Kaup.

New Guinea.

1080. Riedelii, J. Verr.; N. Arch. du Mus. ii. t. 3, 1. Cclebes.

300. HALCYON, Sw. 1821.

Entomothera, Horsf, 1820? Entomophila, Leach? Paraleyon, Glog. 1842. Sw. C. of B. f. 290, d; G. of B. i. p. 79; Reich. S. A. t. 33. f.

a. Halcyon.

1081. senegalensis, L.; P. E. 594; Sw. Ill. Zool. pl. 27. W. Africa, Natal.

,,

1082. cinereifrons, V. Gal. des Ois. t. 187. torquata, Sw.; malembica, Shaw.

1083. semicærulea, Forsk.; Rüpp. Wirbelth. t. 21. Arabia, N.E Afr. cancrophaga, Forst.; senegalensis, p., G. R. Gr.

1084. leucocephala, Müll.; P. E. 356. 2; Sw. B.W. Afr. pl. 12. W. Africa. senegalensis, var. δ, Gm.; erythrogaster, Tem. rufiventer, Sw.; Swainsoni, Smith. semicærulea, p., G. R. Gr.

1085. erythrorhyncha, Gould. Cape Verd 1sl.

1086. badia, Verr.; Sharpe, Alced. pl. 20. Gaboon. cancrophaga, Strickl.

1087. dryas, Hartl.; Sharpe, Alced. pl. 4. W. Afr., St. Thomas, Prince's I. 1088. scnegaloides, Smith, I. S. A. Z. pl. 63; Sharpe, Aleed. pl. 26. S. Africa. irrirata, Cab.

1089. cancrophaga, Bodd.; P. E. 334.

Senegal.

301. b. Chelicutia, Reich. 1851.

Haleyon, Bp. 1850. Pagurothera, Cab. & H. 1859.

1000. Chelicuti, Stanl.; Rüpp. Atl. t. 28, b. Abyssinia. pygmaa, Kretzs.; striolata, p., Hartl.

1091. variegata, V. striolata, Licht.

Natal.

1092. fuscicapilla, Lafr. Mag. de Zool. 1833, t. 18.
Vaillantii, Tem.

S. Africa.

1093. damarensis, Strickl.
1094. orientalis, Peters.

Damaraland.

Mozambique.

302. c. Entomobia, Cab. & H. 1859.

Entomothera, Reich. 1851, nec Horsf. Halcyon, Bp. 1854, nec Sw.

1095. smyrnensis, L.

Asia Minor.

arabica, Hempr. fusca, Bodd.; P. E. 894; Gould, B. As. pl. smyrnensis, var. γ, Gm. smyrnensis, Sykes; albigularis, Bl.

Malacea. India, Ceylon.

1096. gularis, Kuhl; P. E. 232; Gould, B. As. pl. rufirostris, Ill.; smyrnensis, Kittl. ruficollis, Sw.; melanoptera, Tem. Philippine I. China.

1097. pileata, Bodd.; P. E. 673; Gould, B. As. pl.; Sharpe, Alced. pl. 3. atricapilla, Gm.; brama, Less. puella, Kreling.; albiventer, Seop.

Sumatra, Borneo. Malacca, Tenas. Ceylon, India, Andam. I. &c.

1098. cyaniventris, V.; P. C. 135; Sehl. Vog. Ned. Ind. t. 9. 3, 4; Gould, B. As. pl. melanoptera, Horsf.

Java.

omnicolor, Tem.; multicolor, Kaup.

303. d. Calialeyon, Bp. 1850.

Callialeyon, Reich. 1851. Callaleyon, Bp. 1854.

1099. coromandeliana, Scop.; Sonn. Voy. t. 118. coromanda, Lath.; lilacina, Sw. coromandelicus, Viq.

coromanda minor, Tem. & Schl. Vog. Ned. Ind. t. 8. 1. calipyga, Hodgs.; varia, Eyton.

Java. Borneo. Japan.

India.

Tenasserim.

Sumatra.

1100. Schlegeli, Reich. coromanda major, Tem. & Schl.

coromanda major, Iem. 3 Sch

1101. rufa Wall.

Celebes, Sula.

coronata, Müll.

1119. superciliosa, G. R. Gr.; U. S. Expl. Exp. pl. 16. 2.

superciliaris, Reich.; vitiensis, p., Peale. collaris, var. A, Forst.; sacra, p., Finsch & Hartl. Tonga I.

92 HAND-LIST OF BIRDS.	
304. e. Hylcaon, Reich. 1851.	
1102. melanorhyncha, Tem. P. C. 391; Sehl. Vog. Ned t. 2. 1.	l. Ind. Celebes.
305. f. Pelargopsis, Glog. 1842. Rhamphaleyon, Reich. 1851. Haleyon, Boie, 1826.	
1103. capensis, L.; P. E. 590. leucocephala, McClell.; gurial, Pears. brunniceps, Jerd.	India.
1104. javana, Bodd.; P. E. 757; Schl. Vog. Ned. Ind. t. 2. 2 leucocephala, Gm.; javanica, Shaw.	2, 3, 4. Java, Borneo. Malacca.
1105. amauroptera, Pears.	India, Burmah.
306. g. Cyanalcyon, Verr. 1854.	
1106. Macleayi, Jard. & S. I. O. pl. 110; Gould, B. A. ii. punicinetus, Gould.	pl. 24. New S. Wales. W. Australia.
1107. diops, Tem. P. C. 272; Sehl. Vog. Ned. Ind. t. 11.	3, 4. Celebes, Ternate, Batch., Gilolo.
1108. lazuli, Tem. P. C. 500; Schl. Vog. Ned. Ind. t. 12.	1, 2. Amboina, Gilolo, Batch., Ceram.
1109. leucopygia, Verr.	Solomon Islds.
1100. ledcopygia, rorr.	
1110. Jacquinoti, G. R. Gr. diophthalmo rufoventris, Homb. & Jacq. Hombroni et Macleayi, p., Cass.	Tonga Island.
1110. Jacquinoti, G. R. Gr. diophthalmo rufoventris, Homb. & Jacq.	
1110. Jacquinoti, G. R. Gr. diophthalmo rufoventris, Homb. & Jacq. Hombroni et Macleayi, p., Cass.	Tonga Island.
1110. Jacquinoti, G. R. Gr. diophthalmo rufoventris, Homb. & Jacq. Hombroni et Macleayi, p., Cass. 1111. lazulina, Bp. h. Sauropatis, Cab. & H. 1859.	Tonga Island.
1110. Jacquinoti, G. R. Gr. diophthalmo rufoventris, Homb. & Jacq. Hombroni et Macleayi, p., Cass. 1111. lazulina, Bp. 307. h. Sauropatis, Cab. & H. 1859. G. of B. i. pl. 27. f. 4; Schl. t. 10. 1. 1112. sancta, Vig. & H.; Gould, B. A. ii. pl. 21. sacra, Steph.; chlorocephala, var., Less.	Tonga Island. —— ? Australia, Loyalty I.
 1110. Jacquinoti, G. R. Gr. diophthalmo rufoventris, Homb. & Jacq. Hombroni et Macleayi, p., Cass. 1111. lazulina, Bp. 303. h. Sauropatis, Cab. & H. 1859. G. of B. i. pl. 27. f. 4; Schl. t. 10. 1. 1112. sancta, Vig. & H.; Gould, B. A. ii. pl. 21. sacra, Steph.; chlorocephala, var., Less. australasiæ, Cass. 1113. vagans, Less.; Voy. Ereb. & Terr. pl. 1. 	Tonga Island. —— ? Australia. Loyalty I. Norfolk I.
 1110. Jacquinoti, G. R. Gr. diophthalmo rufoventris, Homb. & Jacq. Hombroni et Macleayi, p., Cass. 1111. lazulina, Bp. 307. h. Sauropatis, Cab. & H. 1859. G. of B. i. pl. 27. f. 4; Schl. t. 10. 1. 1112. sancta, Vig. & H.; Gould, B. A. ii. pl. 21. sacra, Steph.; chlorocephala, var., Less. australasiæ, Cass. 1113. vagans, Less.; Voy. Ereb. & Terr. pl. 1. chlorocephala, var. γ, Less.; cyanea, Forst. 	Tonga Island. ——? Australia. Loyalty I. Norfolk I. New Zealand.
1110. Jacquinoti, G. R. Gr. diophthalmo rufoventris, Homb. & Jacq. Hombroni et Macleayi, p., Cass. 1111. lazulina, Bp. 1112. h. Sauropatis, Cab. & H. 1859. G. of B. i. pl. 27. f. 4; Schl. t. 10. 1. 1112. sancta, Vig. & H.; Gould, B. A. ii. pl. 21. sacra, Steph.; chlorocephala, var., Less. australasie, Cass. 1113. vagans, Less.; Voy. Ereb. & Terr. pl. 1. chlorocephala, var. \(\gamma\), Less.; cyanea, Forst. 1114. sordida, Gould, B. A. ii. pl. 23. 1115. Grayi, Cab. & H.	Tonga Island. —— ? Australia, Loyalty I. Norfolk I. New Zealand. N. Australia. Aru. Louisiade I.
1110. Jacquinoti, G. R. Gr. diophthalmo rufoventris, Homb. & Jacq. Hombroni et Macleayi, p., Cass. 1111. lazulina, Bp. 303. h. Sauropatis, Cab. & H. 1859. G. of B. i. pl. 27. f. 4; Schl. t. 10. 1. 1112. sancta, Vig. & H.; Gould, B. A. ii. pl. 21. sacra, Steph.; chlorocephala, var., Less. australasiae, Cass. 1113. vagans, Less.; Voy. Ereb. & Terr. pl. 1. chlorocephala, var. y, Less.; cyanea, Forst. 1114. sordida, Gould, B. A. ii. pl. 23. 1115. Grayi, Cab. & H. sordida, var., G. R. Gr. 1116. chloris, Bodd.; P. E. 783. 2; Schl. Vog. Ned. Ind. t. 1 collaris, Scop.; chlorocephala, Gm.	Tonga Island. ——? Australia. Loyalty I. Norfolk I. New Zealand. N. Australia. Aru. Louisiade I. 10.3, 4. India, Malacca. Sunda I.

1120. vitiensis, Peale, U. S. Expl. Exp. pl. 16. 1. tuta, Peale, l. c. pl. 15. 1; Cassini, Finsch & H. superciliosa, p., G. R. Gr.

Feejee I.

1121. Reichenbachii, Hartl.

cinnamomina, p., G. R. Gr.; collaris, var. 11, Forst,?

Marquesas.

1122. ruficeps, Cuv. cinnamomina, p.?, Cab.

1123. cinnamomina, Sw. Zool. Ill. pl. 67.

New Ireland. Mariannes.

1124. Juliæ, Reich.

New Hebrides.

coronata, p., G. R. Gr.; Grayi, Schl. sacra, p., Hartl.

1125. nigrocyanea, Wall. Pr. Z. S. 1862, pl. 19.

N.W. of New Guinea. Celebes, Gilolo.

1126. funebris, Forst.; Schl. Vog. Ned. Ind. t. 11. 2. 1127. saurophaga, Gould, Voy. Sulph. pl. .; Schl. Vog. Ned.

New Guinea.

Ind. t. 11. 3, 4. cyanoleuca, Tem.; albicilla, p., Schl.

New Ireland, Mysol, Louisiade Isl.

1128. Forsteni, Tem.; Schl. Vog. Ned. Ind. t. 11. 1.

Celebes.

1129. albicilla, Cuv.

305.

i. Todiramphus, Less. 1828. Haleyon, Sw. 1837. Coporhamphus, Glog. 1842. Mariannes, Ladrone, Pelew Islands.

1130. sacra, Gm.; U. S. Expl. Exp. pl. 42. 1. collaris, Forst.

Society I. Sandwich I.

1131. tuta, Gm. cyanea, Forst.

Society I. New Caledonia.

1132. venerata, Gm.; Mem. Soc. H. N. Paris, iii. t. 12. divinus, Less.; tuta, G. R. Gr. nullitorques, Peale, U. S. Expl. Exp. pl. 18. 1.

Society I. Friendly I. Samoan I.

1133. recurvirostris, Lafr.; U. S. Expl. Exp. pl. 45. platyrostris, Gould; minima, Pealc.

309. j. Caridagrus, Cab. & H. 1859. Paraleyon, Bp. 1850, nec Glog. 1827.

1134. concreta, Tem. P. C. 846; Schl. Vog. Ned. Ind. t. 8. 2, 3.

Sumatra, Java. Borneo.

310. k. ASTACOPHILUS, Cab. & H. 1859. Actenoides, p., Hartl. 1855.

1135. Lindsayi, Vig.; Voy. Bonite, t. 7; G. R. Gr. & M. G. B. pl. 27. Lessoni, Vig.

Philippine I.

311. 1. ACTENOIDES, Hombr. 1853.

1136. Hombroni, Bp.; Voy. Pôle Sud, t. 23, 2. variegatus, Pucher.

Mindanao.

312. m. LACEDO, Reich. 1851.

Carcincutes, Cab. & H. 1859.

1137. pulchella, Horsf.; P. C. 277; Schl. Vog. Ned. Ind. t. 5. 1, 2; Sharpe, Alced. pl. 2. buccoides, Tem. P. C. 586.

Sunda I. Malacca, Mergui, Burmah.

1138. melanops, Tem.; Schl. Vog. Ned. Ind. t. 5, 3, 4; Sharpe, Alced. pl. 15.

Borneo.

313. n. Caridonax, Cab. & H. 1859.

1139. fulgida, Gould, B. As. pl.; Sehl. Vog. Ned. Ind. t. 9. 1; Sharpe, Alced. pl. 1.

Flores, Lombock.

314. o. Syma, Less. 1828.

Lyma!, Selby, 1840. Reich, S. A. t. 33. f.

1140. torotoro, Less. Voy. Coqu. t. 31 bis. 1; Sehl. Vog. Ned. Ind. t. 6. 3, 4; Sharpe, Alced. pl. 21. syma, Müll.; Lessonia, Sw.

New Guinea.
Aru, Mysol, Waigiou.

1141. flavirostris, Gould, B. A. suppl. pl.; Sharpe, Alced. pl. 22. torotoro, p., Schl.

22. Cape York, N. Australia.

315. CEYX, Lacép. 1800-1801.

Alcedo, 2 div., Tem. 1820. G. of B. i. p. 79, pl. 27. f. 1; Reich. S. A. t. 33. f.

1142. tridactyla, L.; Pall. Spic. Zool. t. 2. 1; Sonn. Voy. t. 32; P. E. 778. 2; Schl. Vog. Ncd. Ind. t. 16; Sharpe, Alccd. pl. 23. rubra, Bodd.; purpurea et erythaca, Gm. luzoniensis, Steph. microsoma, Burt.

India, Ceylon.
Penang.
Sumatra, Philippines.

1143. rubra, Müll.; Jard. & S. I. O. pl. 55. 2; Schl. Vog. Ned. Ind. t. 16; Sharpe, Aleed. pl. 13.

tridactyla, var., Shaw; tridactyla, Jard. & S. rufidorsa, Strickl.

Sunda I., Malac.

1144. melanura, Kaup; Sharpe, Alced. pl. 14. frontalis, Kaup, MS.

Luzon, Manilla.

1145. lepida, Tem. P. C. 595. 1; Schl. Vog. Ned. Ind. t. 16. 4, 5; Sharpe, Alecd. pl. 11.

S.&S.W. N. Gu., Amboi., Ceram.

1146. Wallacei, Sharpe, Alced. pl. 6; Schl. Vog. Ned. Ind. t. 16, 3? lepida, Wall.

Sula.

1147. cajeli, Wall. Pr. Z. S. 1863, pl. 5; Schl. Vog. Ned. Ind. t. 16, 3; Sharpe, Alced. pl. 5.

Bouru, Matabella. Batchian, Gilolo, Ternate.

1148. uropygialis, G. R. Gr.; Sharpe, Alced. pl. 30.

389. Labuan.

1149. Dillwynni, Sharpe; Reich. Handb. Alced. t. 403 b, f. 3389. tridactyla, Reich.; rufidorsa, Sclat.

316. b. "Therosa, Müll.," Bp. 1849.

Ceyx et Ceux, Müll.

meninting, Less.

1150. solitaria, Tem. P. C. 595, 2; Schl. Vög. Ned. Ind. t. 3, 2; Sharpe, Alced. pl. 12. solitaris, Müll.

N. Guinea, Aru, Mysol, Ceram.

Subfam. II. Alcedininæ, G. R. Gr. 1840.

Halcyoninæ, p., Sw.

317. ALCEDO, L. 1756.

Ispida, L. 1735.

Sw. C. of B. f. 290, e; G. of B. i. p. 81, pl. 28. f. 3; Reich. S. A. t. 33. f.

a. Alcedo.

1151. ispida, L.; P. E. 77; Naum. Vog. t. 144; Gould, B. E. pl. Europe, Egypt. atthis, Gm.; ægyptia, V. Red Sea. Russia.
1152. bengalensis, Gm.; Edw. B. pl. 11; Gould, B. As. pl. India.

India.
Japan, Formosa,
China.
Java, Sumatra.

1153. euryzona, Tem.; Schl. Vog. Ned. Ind. t. 1, 1, 2. nigricans, Bl.; cærulea, Bp.

t. 2. 2, 3.
asiatica, Sw.; bengalensis, var., Gm.

hispidioides, Less; japonica, Bp.

Java, Malacca. Lombock.

Borneo.

1155. Verreauxi, De la Berg, Rev. et M. de Zool. 1851, t. 9.

1154. meningting, Horsf.; P. C. 239, 2; Schl. Vog. Ned. Ind.

1156. molluccensis, Bl.; Schl. Vog. Ned. Ind. t. 1. 4, 5. minor molluccensis, Schl. Moluccas, Celeb. New Ireland.

1157. sondaica, Reich.; Schl. Vog. Ned. Ind. t. 1. 3. minor, Schl.

Borneo, Java, Flores, Timor.

1158. beryllina, V.; P. C. 239.1; Schl. Vog. Ned. Ind. t. 3.1. biru, Horsf.; cærulescens, V.

Java, Sumatra. Lombock, Timor.

1159. quadribrachys, Tem.; Contr. Orn. 1850, pl.

W.Africa, Natal. N. Africa, Shoa.

1160. semitorquata, Sw. Zool. Ill. pl. 151; Rüpp. S. U. t. 7. azureus, Less.

Philippine I.

22

1161. cyanopectus, Lafr.; Contr. Orn. 1850, pl.; Sharpe, Alced. pl. 31. cincta, Jard.

1162 philippensis, Gould; Sharpe, Alced, pl. 24.

1163. grandis, Bl. Darjeeling, Sikhim. 1164. senegalensis, Hartl. Senegal. 318. b. Corythornis, Kaup, 1848. Alcedo, L. 1766. N. & E. ? Africa. 1165. galerita, Müll.; P. E. 356. 1. nigra, Bodd.; cæruleocephala, Gm. cyanocephala, Shaw. nais, Kaup. Gaboon. S. Africa. 1166. cristata, L.; P. E. 756, 1; Rüpp. Wirbelth, t. 24, 2. Abyssinia. cvanostigma, Rüpp, 1167. Hartlaubi, n. sp.? Ashanti. cristata, p. 1168. vintsioides, Eyd. & Gerv. Mag. de Zool. 1836, t. 74. Madagascar, Gambesi and Shiré River. cristata, p., L. ?; Edw. B. pl. 336? Johanna, Mayotta. W. Africa. 1169. leucogaster, Fras. Zool. Typ. pl. 32; Sharpe, Alced. pl. 28. 319. c. Ispidina, 1848, et Ipsidina!, Kaup. 1170. picta, Bodd.; P. E. 783. 1; G. R. Gr. & M. G. B. pl. 28; Sharpe, Alced. pl. 29. S.&W.Afr., Natal. cærulea, Gm.; capistrata et pusilla, Shaw. Abyssinia. ultramarina, Daud.; nutans, V. eyanotis, Sw. "natalensis, Smith," Layard. S. & W. Africa. 1171. coronata, Smith. nitida, Kaup; picta, Reich. picturata, Schl. 1172. madagascariensis, L.; P. E. 778. 1; Sharpe, Alced. pl. 27. Madagascar. rufulus, Lafr. W. Africa. 1173. ruficeps, Hartl. 1174. Lecontei, Cass. 320. ALCYONE, Sw. 1837. Halcyone, Agass. G. of B. i. p. 82, pl. 28, f. 2; Reich. S. A. t. 33, f. 1175. azurea, Lath.; Gould, B. A. ii. pl. 25. Australia. tribrachys, Shaw; cyanea, Less. australis, Sw. 1176. pulchra, Gould. N. Australia.

New Guin., Aru.

Tasmania.

azurea, p., Schl.; Lessonii, Cass.

1177. diemenensis, Gould.

azurea, p., Schl.

1178. affinis, G. R. Gr.; Schl. Vög, Ned, Ind. t. 3, 4. azurea, p., Schl.

Batchian.

1179. pusilla, Tem. P. C. 595. 3; Gould, B. A. ii. pl. 26.

N. Austr., New Guin., Aru, Mysol.

321. CERYLE, Boie, 1828.

Alcedo, Illig. 1811. Ispida, Sw. 1837, nec L. 1735. G. of B. i. p. 82; Reich, S. A. t. 33, f. .

a. CERYLE.

1180. rudis, L.; P. E. 62, 716. bicineta et bitorquata, Sw.

S.E. Europe. N.E. Africa.

1181. varia, Strickl. rudis, Sykes; leucomelanura, Reich. India.

rudis, p., Schl.

Senegal.

322.

1182. ? tricolor, V.

b. Megaceryle, Kaup, 1848. G. of B. i. pl. 28. f. 1.

1183. guttata, Vig.; Gould, C. B. pl. 5.

Nepal.

1184. lugubris, Tem. P. C. 548; F. J. t. 38 b. guttata, p., G. R. Gr.

Japan.

323. с. Ісптичномия, Сав. 1859. Megaceryle, Reich. 1851, nec Kaup.

1185. maxima, Pall.; P. E. 679; Sw. B. W. Afr. pl. 11. guttata, Bodd.; afra, Shaw; gigantea, Sw.

W. Africa. Abyssinia, Natal.

324. d. Streptoceryle, Bp. 1854. Alcedo, Illia, 1811.

1186. torquata, L.; P. E. 284. cyanea et cinerea, V. casia, Reich.

Brazil, Bolivia. Argent. Rep. Peru.

1187. alcyon, L.; P. E. 715; Wils. A. O. pl. 23. 1; Sharpe, Alced. pl. 7. ludoviciana, Gm.; jaguacati, Dum.

N. & C. America, Antilles. Jamaica, St. Do-

1188. stellata, Meyen, N. A. N. C. xvi. suppl. t. 14. torquata, Tsch.

guacu, V.; domingensis, Reich.?

mingo. Chili.

325. e. Chloroceryle, Kaup, 1849.

1189. amazona, Lath.

vestita, Dum.; rubescens, V. leucosticta et amazona, Reich.; amazonia, Cab. Brazil, Bolivia. Argent. Rep.

1190. americana, Gm.; P. E. 591; Baird, B. N. A. pl. 45. viridis, V.; brasiliensis, Gm. chalcites, Reich.

Brazil, Texas. Guatemala. Boliv., Peru. 1191. Cabanisi, Reich.; Sharpe, Alced. pl. 16. americana, p., Tsch.; americana, p., Cass.

S. of U. States, C. America, W. of S. Am.

326. f. Amazonis, Reich. 1854.

1192. inda, L.; Edw. B. pl. 325; P. E. 592; Sharpe, Alced. pl. 32. viridirufa, Bodd.; surinamensis ct bicolor, Gm.; indica, Drap.

Brazil.
C. America.

1193. superciliosa, L.; Edw. B. pl. 245; P. E. 756, 2, 3; Sharpe, Alced. pl. 8. supercilosa, Reich.

Demerara, Brit. Guiana, Brazil, C. America.

FAM. X. MEROPIDÆ, Leach.

Subfam. I. Nyctiornithinæ, Cab. & H. 1859. Meropinæ, p., G. R. Gr. 1840.

327. NYCTIORNIS, Sw. 1831.

Alcemerops, I. Geoffr. 1832. G. of B. i. p. 87, pl. 30, f. 2; Reich. S. A. t. 34, f.

a. Nyctiornis.

1194. amictus, Tem. P. C. 310; Sw. Zool. 1ll. pl. 56.

Sumatra, Born.

1195. malaccensis, Cab. amictus, Reich.; amictus, p., Schl. Malacca. Burmah.

328. b. Bucia, 1836, et Napophila, 1841, Hodgs.

1196. Athertoni, Jard. & S. Ill. Orn. pl. 58.

India. Assam, Arakan. Tenasserim.

cærulea, Sw.; Amherstiana, Royle. nipalensis, Bl.; meropina, Hodgs. cyanogularis, Jerd.; paleazureus, Less.; assamensis, McClell.

329. c. Meropiscus, Sundev. 1849.

1197. gularis, Shaw, Nat. Mise. pl. 337; G. R. Gr. & M. G. B. pl. 30.

W. Africa.

1198. Mulleri, Cass. Journ. Ac. Phil. 1860, pl. 49. 2.

W. Africa.

330. Meropogon, *Bp.* 1850.

1199. Forsteni, Tem.; Schl. De Dierk. fig. p. 53.

Celebes.

331. Bombylonax, Heine, 1859. Archimerops, Hartl. 1859.

Pogonomerops, Cass.

1200. Breweri, Cass. Journ. Ac. Phil. 1861, pl. 49. 1.

Cama R., W.Afr.

Subfam. II. Meropinæ, Bp. 1831.

332. MEROPS, L. 1756.

Ispida, L. 1744. Apiaster, Briss, 1760.
Sw. C. of B. f. 289, a; G. of B. i. p. 85, pl. 30, f. 1; Reich. S. A. t. 34, f.

a. MEROPS.

1201. apiaster, L.; P. E. 938; Naum. Vög. t. 143; Lev. Guép. Eur., N.&W.Afr., t. 1. 2. Eachaeghagha, Forsk.; chrysocephalus, Gm. Egypt, Cashmere. galilleus, Hasselq.; hungarie, Brehm.

333. b. Melittophas, Reich, 1852.

1202. bicolor, Bodd.; P. E. 252; Lev. Guép. t. 12.

badius, Gm.; castaneus, Lath.

sumatranus, Raffl.; Latreillei, V.
cyanopygius, Less.; hypoglaueus, Reich.
americanus, Müll.

1203. chlorolæmus, n. sp.?

334. c. Blepharomerors, Reich. 1852.
1204. superciliosus, L.; P. E. 259; Lev. Guêp. t. 19. Madagascar. ruficapillus, V.; Vaillianti, Bp. Port Natal.

ruficapillus, V.; Vaillianti, Ep. Port Natal. Bonnelli, Lev.

1205. ?ægyptius, Forsk.; Descr. de l'Egypte, t. 4. 3; Lev. Guép.

t. 6. 16.

persica, Pall.; Savignyi, Cuv.
ruficollis, V.; superciliosus, Lieht.

E.&S.E. Europe.
N. Africa.

1206. ? Savignyi, Sw. B. of W. Afr. pl. 7; Lev. Guép. t. 6 bis. S. & W. Africa. egyptius, Bp.; longicanda, V. chrysocercus, Cab.

1207. philippinus, L.; P. E. 57. Philippine Isl. philippensis, Tem.

1208. **Daudini,** Cuv.; Lev. Guép. t. 14; Gould, B. As. pl. eyanorrhous, Tem.; javanicus, Horsf. Java, Flores, typieus, Hodgs.; philippinus, p., G. R. Gr. Lomb., Timor.

335. d. Aërops, Reich. 1852.

1209. albicollis, I.; Lev. Guép. t. 9; Sw. Zool, Ill. pl. 76. W. Africa.

Cuvieri, Lieht.; Savignyi, Sw. Nile below Khartoum.

336. e. Phlothrus, Reich. 1852.

1210. viridis, L.; Edw. B. pl. 183; Lev. Guép. t. 10, 11. India. torquatus, Lath.; Lamarckii, Cuv. orientalis, Lath.; ferrugineiceps, Hodgs. indicus, Jerd.; citrinella, V.

----?

1211. viridissimus, Sw.; P. E. 740. viridis, p.

W.&N.E.Africa. Isle of France.

ægyptius, Lieht.; viridis, Rüpp.

Arabia.

1212. eyanophrys, Cab.

337. f. Melittotheres, Reich. 1852.

1213. nubicus, Gm.; P. E. 649; Lev. Guép. t. 3. cæruleocephalus, Lath. superbus, Penn.

W., S., & N.E, Af.

1214. nubicoides, Des Murs, I. O. t. 35. natalensis, Reich.

Africa.

338. q. Tephraërops, Reich, 1852.

1215. malembicus, Shaw, Nat. Misc. pl. 701; Lev. Guêp. t. 5; Ann. du Mus. ii. t. 62. 1.

W. Africa.

bicolor, Daud. nubicus, p.

330. h. Melittias, Cab. & H. 1859.

Urica, Bp. 1854.

1216. quinticolor, V.; Lev. Guêp. t. 15. 18; Sw. Zool. Ill. t. 8. India, Sunda I. urica, Horsf.; erythrocephala, Bl. Tenasserim. Leschenaultii, V.

340. i. Cosmaërops, Cab. & H. 1859. Urica, p., Bp. 1854.

1217. ornatus, Lath.; Lev. Guép. t. 4; Gould, B. A. ii. pl. 16. Thouini et tenuipennis, Dum. melanurus, Lewin, B. N. Holl. pl. 18.

Australia. Moluccas. Lombock.

1218. cærulescens, n. sp.? ornatus, p., G. R. Gr.

N. Guin., Mysol. Ceram?

j. Sphecophobus, Reich, 1852. 341.

E. Africa. 1219. angolensis, Gm.; Briss. Orn. t. 44. 1; Lev. Guép. t. 7. Sonnini et variegatus, V. eyanipectus, Verr.; erythropterus, Rüpp.

1220. Lafresnayi, Guér.; Des Murs, I. O. t. 34; Ferr. & Gal. N.E. Africa. Voy. en Abyss. t. 15. Lefebvrei, Des Murs; Lefebr. Voy. en Abyss. t. 5. variegatus, p., Sehl.

342. k. Dicrocercus, Cab. & H. 1859.

Tachymerops, Fitz. 1864. Melittophagus, Bp. 1854.

1221. hirundinaceus, V.; Lev. Guép. t. 8; Sw. B. W. Afr. W., N.E., & S. Africa. pl. 10.

taiva, Cuv.; chrysolaimus, Jard. azuror, Less.; furcatus, Stanl.

343. MELITTOPHAGUS, Boie, 1828.

G. of B. i. p. 86, pl. 30. f. 3; Reich. S. A. t. 34. f.

1222. pusillus, Müll.; P.E. 318; Lev. Guêp. t. 17. bicolor, Bodd.; erythropterus, Gm.

N.E. & S. Africa

minutus, V.; pusillus, Sw. variegatus, Rüpp.; minulus, Cuv.

1223. collaris, V.; Kittl. Kupf. der Vög. t. 7.2. erythropterus, p., Schl.

Sonnini, p. ?, Bp.

W. Africa.

344. Coccolarynx, Reich. 1852.

Spheconax, Cab. & H. 1859.

1224. Bullocki, V.; Don. Nat. Rep. pl. 137; Lev. Guêp. t. 20. cyanogaster, Sw. B. of W. Afr. pl. 8.

1225. Bullockoides, Smith, I. S. A. Z. pl. 9. albifrons, Cab.; Smithii, Schl.; Bullockioides, Reich.

1226. frenatus, Hartl.; Reich, Handb, t. 450, 3250-51. Bullockii, Rüpp.; Bullockii, p., Schl.

S. Africa.

N.E. Africa.

1227. Boleslavskii, Pelz. frenatus, p.?, Hartl. & F.

Sudan.

FAM. XI. GALBULIDÆ, Cab. 1847.

Halcyonidæ, p., Viq. 1825.

Subfam. I. Galbulinæ, G. R. Gr. 1841.

345. GALBULA, Moehr. 1752.

G. of B. i. p. 83, pl. 28, f. 5; Reich, S. A. t. 34, f.

a. GALBULA.

1228. viridis, Lath.; P. E. 238; Lev. Jac. t. 47, 48, 49. galbula, L.; rubricollis, Steph. viridicauda, Sw.

Cayenne. Brazil.

11

1229, rufoviridis, Cab.

viridis, I'.; maculicauda, Scl. ruficauda, Sw.

1230. ruficauda, Cuv.; Lev. Jac. t. 50; V. Gal. des Ois, t. 29. macroura, V.; leptura, Sw.

Cartheg., Brazil. Para, Rio Negro. Brazil.

Venez., Tobago.

1231. cyanicollis, Cass. Pr. Ac. Phil. v. pl. 7. cyanopogon, Cab.; albirostris, Burm.

Peruvian Andes.

1232. tombacea, Spix, A. B. t. 58. cvanescens, Dev.?

New Granada.

1233. fuscicapilla, Sclat. P. Z. S. 1855, pl. 77. tombacea, Sclat.

Guiana, Brazil.

1234. albirostris, Lath.; Lev. Jac. t. 51. flavirostris, V.

1235. castaneopectus, n. sp.? Amazon, Quito.

1236. chalcocephala, Dev.; Voy. Casteln, t. 9. 2. Peru, Rio Negro. quadricolor, Verr.

1237. melanogenia, Sclat. Contr. Orn. 1853, pl. 90. C. America.

346. b. Caucalias, Cab. & H. 1863.

1238. leucogaster, V.; Lev. Guép. suppl. t. 11; G. R. Gr. &.
M. G. B. pl. 29.
albiventris, Cuv.; albiventer, Sw.
Guiana,
Brazil.

1239. chalcothorax, Sclat. Quito, Ecuador.

3-17. c. Urogalba, Bp. 1854. Urocex, Cab. & H. 1863.

Chalcophanes, Reich. 1853, nec Wagl. 1827.

1240. paradisea, L.; P. E. 271; Lev. Jac. t. . Cayenne.

1241. amazonum, Sclat. paradisea, p., Cab. & H.

3.48. d. Brachygalba, Bp. 1854. Brachycex, Cab. & H. 1863. Brachygalbula!, Sclat. 1862.

1242. lugubris, Sw. Upper Amazon. inornata, Sclat.; alboventer, Bp.

chalcoptera, Reich.; albiventris, Less.?

1243. albogularis, Spix, A. B. t. 57. l.

Rio Janeiro, R. Javari.

1244. melanosterna, Selat.

Brazil, Bolivia.

Venezuela.

1244. melanosterna, Sclat. 1245. Göeringi, Sclat. & S.

3-49. e. JACAMARALCYON, Cuv. 1829.

Aleyon, *Spix*, 1824. Galbula, *Boie*, 1826. Haleyon, *Agass*. Cauax, *Cab*. 1847. *Reich*. S. A. t. 34. f.

1246. tridactyla, Pall.; Lev. Guép. suppl. t. 4; Spix, A.B. t. 57. 2. Brazil. ceyceides, Such; armata, Sw. brasiliensis, Less.

350. GALBALCYRHYNCHUS, 1845, et

Jacamaraleyonides, 1849, Des Murs. Cauccias, Cab. 1851. Alcyonides, Reich. 1852. Galbaleyorhynchus!, G. R. Gr. 1849.

1247. leucotis, Des Murs, I. O. t. 17. Bogota.

351. JACAMEROPS, Cuv. 1829.
 Lamprotila, Sw. 1837. Lamproptila, Agass.
 G. of B. i. p. 84, pl. 28. f. 4; Reich. S. A. t. 34. f.

1248. grandis, Gm.; Lev. Jac. t. 54. Brazil. jacamarici, Shaw, Nat. Misc. pl. 83 platyrhyncha, Sw.

1249. Isidori, Dev. Casteln. Voy. t. 10. grandis, var., Des Murs.

E. Peru.

Tribe II. TENUIROSTRES, Cuv.

FAM. I. **UPUPIDÆ**, Bp. 1838.

Promeropidæ, p., Sw. Certhiadæ, p., Boie, 1826. Paradiseidæ, p., Cab. 1851.

Subfam. I. Upupinæ, Bp. 1831.

352. UPUPA, L. 1735-66.

Hupupa, Bonn.

G. of B. i. p. 89, pl. 31. f. 2; Reich, S. A. t. 41. f. .

1250. epops, L.; P. E. 52; Lev. Prom. t. 22; Naum. Vög. t. 142; Gould, E. E. pl. 238.
vulgaris, Pall.; maculigera, Reich.; bifasciata, Brehm.

1251. senegalensis, Sw. epops, var., Sw.

indica, Hodgs.

1252. minor, Shaw; V. O. D. t. 2; id. Gal. des Ois. t. 184; Jard. & S. I. O. pl. 142. africana, Licht.; cristatella, V. capensis, Sw.

1253. nigripennis, Gould. minor, Sykes; senegalensis, Bl. indica, Reich.; epops, Burgess. ? ceylonensis, Reich.

1254. ? major, Brehm. 1255. decorata, Hartl.

1256. marginata, Peters. madagascariensis, Ep.?

1257. ? longirostris, Jerd.

1258. ?? monolophos, Wagl.; Lev. Prom. t. 9. (tail imperf. or artificial).

Subfam. II. Irrisorinæ, Bl. 1849. Promeropinæ, G. R. Gr. 1840.

353. IRRISOR, Less. 1831.

Promerops, Boie, 1826. G. of B. i. p. 90.

*351a. Galbuloides, Des Murs, 1851.

Boersii, Ranz.; Lev. Jac. t. 53. (Avis fictitia.)

S. America.

Europe, India.
Assam, Hima.,
Cashmere, Palest., Bagdah,
Upp.Burmah?
W. Africa.

S. Africa.

Fernando Po.

Caffraria.

S. & C. India.

Ceylon. Egypt.

Angola.

Madagascar.

Burmah.

S. Africa.

a. Irrisor.

1259. erythrorhynches, Lath.; Lev. Prom. t. 1-3. viridis, Licht.; capensis, Less.; erythrorhynchus, V. ? Stricklandii, Bp.

S. & N.E. Africa.

1260. senegalensis, V.; G. R. Gr. & M. G. B. pl. 31. melanorhynchos, Licht.

Damaraland.

W. Africa. Abyssinia.

1261. Bollei, Hartl.

Ashanti.

1262. caudacutus, V.; Lev. Prom. t. 8, 9. obscurus, Waql.

Madagascar.

1263. sibilator, V.; Lev. Prom. t. 10. sibilatrix, Wagl.

S. Africa.

354. b. Lamprolophos, Des Murs, 1853. Lamprocephalus, Reich. 1854.

1264. lamprolophos, Wagl.; Lev. Prom. t. 11, 12. Levaillanti, Reich.

355. c. Cyanepops, Reich, 1853.

1265. cæruleus, Shaw, Nat. Misc. pl. 985; V. Ois dor. t. 9. indica, Lath.

Africa.

1266. ? cyaneus, V.; Lev. Prom. t. 7. cæruleus, p., Wagl.

356.

d. Scoptelus, Cab. & H. 1859. Irrisor, Bp. 1854. Iridoptilus, Fitz. 1864.

1267. aterrimus, Steph. pusillus, Sw.; unicolor, Wagl. cyanomelas, Rüpp.?

W. & E. Africa.

e. Rhinopomastus, Smith, 1828. Rhinopomastes, Cab. 1847.

G. of B, i. pl. 31. f. 1; Reich. S. A, t. 41. f.

1268. cyanomelas, V.; Lev. Prom. t. 5, 6; Zool, Journ. iv. pl. 1. purpurea, Burch.; purpurascens!, Cab.; purpuratus, Sw. Smithii, Jard.; Levaillantii, Less.

N.E. Africa. Damaraland.

1269. minor, Rüpp. S. U. t. 8.

Shoa.

1270. Cabanisi, De Fil. icterorhynchus, Heugl. White Nile

Subfam. III. Epimachinæ, G. R. Gr. 1848.

Promeropinæ, p., et Upupinæ, p., G. R. Gr. 1840.

358. PTILORNIS, Sw. 1825.

Ptilorhis, Cab. 1851. Epimachus, p. G. R. Gr.

a. Ptilornis.

1271. paradisea, Sw.; Voy. Coqu. t. 28; Less. O. Parad. t. 29, 30; Gould, B. A. iv. pl. 100. regius, Less.; Brisbani, Wils.

New S. Wales.

1272. Victoriæ, Gould, Pr. Z. S. 1849, pl. 12; id. B. A. suppl. pl.

Cape York.

359. b. Craspedophora, G. R. Gr. 1840.

1273. magnificus, V.; Lev. Prom. t. 16; G. R. Gr. & M. G. B. pl. 32.

New Guinea.

splendidus, Steph. ? major, Schl. ?; Gould, B. A. suppl. pl. Alberti, G. R. Gr. MS.

Cape York.

360. EPIMACHUS, Cuv. 1817.

Cinnamolegus, Less. 1835.

G. of B. i. p. 94, pl. 31, f. 4; Reich. S. A. t. 41, f.

a. Epimachus.

1274. maximus, Scop.; P. E. 638, 639; Lev. Prom. t. 13-15. New Guinea. magna, Gm.; speciosa et striata, Bodd.; papuensis et superba, Lath.

361.

b. Seleucides, Less, 1835.

Nematophora, G. R. Gr. 1840. Ptilornis, Reich. 1850.

1275. albus, Blumenb.; Lev. Prom. t. 17; V. Gal. des Ois. t. 185. nigricans, Shaw; violacea, Bechst. candida, Forst.; resplendescens, V. acanthylis, Less.

Salwatti. New Guinea.

362.

c. Semioptera, G. R. Gr. 1859.

1276. Wallacei, G. R. Gr.; Gould, B. A. suppl. pl.; Ibis, 1860, pl. 2. Var.

Batchian G

363. FALCULIA, I. Geoffr. 1836.

G. of B. i. p. 91, pl. 31. f. 3; Reich. S. A. t. 41. f. .

1277. palliata, I. Geoffr. Mag. de Zool. 1836, t. 49; Poll. & V. D. F. de Madag. t. 33; Schl. De Dierk. fig. p. 188.

Madagascar.

FAM. II. PROMEROPIDÆ, Vig. 1825.

Cinnyridæ, Vig. 1825. Nectarinidæ, Boic, 1826.

Subfam. I. Nectarininæ, G. R. Gr. 1840.

364. NECTARINIA, Ill. 1811.

Curruca, Moehr. 1752.
Mellisuga, 1816, et Cinnyris, 2 div., 1818, V.
Cinnyris, 2 div., Cuv. 1817.
G. of B. i. p. 97, pl. 33.f.4; Reich. S. A. t. 41. f. (Anthreptes!).

a. Nectarinia.

1278. famosa, L.; P. E. 83. 1; Lev. O. A. t. 289, 290. formosa, Bp.; cinerea, Gm.

S. Africa.

365. b. Cinnyris, Cuv. 1817, et Cab. 1850.

Soui-manges, Cuv. 1797–98. Sw. C. of B. f. 288, 1.

1279. splendida, Shaw; V. O. D. t. 82; Lev. O. A. t. 295. 1. W. Africa. splendens et bombyeinus, V. coccinigastra, Lath.; lucidus, Less. nitida, Bechst.

1280. habessynica, Hempr. & Ehr. Symb. Phys. t. 4. gularis, Rüpp. Atl. t. 31. 2. purpuratus, Kittl. Kupf. t. 28. 1; porphyreocephala, Heugl.? Abyssinia.

1281. afra, L.; Edw. B. pl. 347. 1; Lev. O. A. t. 300; V. O. D. t. 10.
erythrogastra, Shaw; smaragdinis et pectoralis, V.

E. & S. Africa.

1282. chalybea, L.; Edw. B. pl. 265; P. E. 246, 3; Sw. Zool. Ill. pl. 95.

S. & W. Africa.

1283. bifasciata, Shaw; V. O. D. t. 24. nitens, V.; mariquiensis, Smith.

S. Africa, Natal. Damaraland,

1284. fusca, V.; Lev. O. A. t. 296.

Angola, Damaraland, Somanly. Damara., Natal.

1285. Anderssonii, Strickl. talatala, Smith; Andersonii, Reich.

Gaboon.

1286. Jardinei, Verr. 1287. osea, Bp.; Gould, B. As. pl.

Jerieho.

1288. canora, Scop.; Sonn. Voy. t. 116. 2.

S. Africa.

viridis, Lath.; scarlatina, Sparrm. M. C. t. 58. 1289. virescens, V. O. D. t. 34.

Africa.

1290. fasciata, Jard.

W. Africa.

1291. Johannæ, Verr.

Gaboon.

1292. albiventris, Strickl. Contr. Orn. 1852, pl.	Somanli.
1293. sovimanga, Gm.; Briss, Orn. iii. t. 32, 2, 3; V. O. D. t. 18, 19, madagascariensis, Lath.	Madagascar.
1294. erythrocerca, Heugl. Gonzenbachi, Bianc.; erythroceria!, Hartl. & F.	C. Africa.
1295. erythrothorax, V.	Angola.
1296. phæothorax, Hartl.	Ashanti.
1207. rubescens, V.	Congo.
1298. ænea, V.; Lev. O. A. t. 297.	S. Afr., Ceylon
1299. Perreini, <i>V</i> .	Congo, Angola.
1300. gabonica, Hartl.	Gaboon.
1301. Coquerellii, Vcrr.	Mayotta.
1302. seychellensis, Hartl. Dussumieri, Newt.	Seychelles I.
1303. comorensis, Peters.	Joanna I.
1304. ludvicensis, Bocage.	W. Africa.
366. c. Chalcomitra, Reich, 1854.	
Cinnyris, p., Cab.	
1305. amethystina, Shaw; V. O. D. t. 5, 6. auratifrons, I.; aurifrontalis, Bechst. aurifrons, Licht.	Africa.
1306. senegalensis, L.; Briss. Orn. iii. t. 34,2; V. O. D. t. 8, 9; Kittl. Kupf. Vog. t. 28. 2. discolor, V.; acis et natalensis, Antin.	E. & W. Africa.
1307. gutturalis, L.; Briss. Orn. iii. t. 33. 3; P. E. 573. 3; Jard. Nect. pl. 12; Contr. Orn. 1849, pl. natalensis, Jard.	Natal.
1308. ? Bianconi, Hartl. Contr. Orn. 1849, pl discolor, Bianc.; natalensis, var. zanzibar, Jard. gutturalis, p., Hartl.	S.E. Africa. Zanzibar.
1309. cruentata, $R\ddot{u}pp$. S. U. t. 9. proteus, $R\ddot{u}pp$.	Abyssinia,
1310. Adelberti, Gerv. Mag. de Zool. 1833, t. 19. cboensis, Thoms.	W. Africa. Fernando Po.
1311. angolensis, Less. Ill. Orn. n. s. pl. 48. Stangeri, Jard.	W. Africa.
1312. venusta, Shaw; V. O. D. t. 79. quinticolor, Less.; parvula, Jard. pusilla, Sw.; leucogaster, V.	"
367. d. Chromatophora, Reich. 1854.	

1313. superba, V. O. D. t. 22.

sougnimbindus et sanguineus, Less.

368. e. Anthodiæta, Cab. 1850. Tephrolæma, Heine, 1860. Africa. 1314. collaris, V.; Lev. O. A. t. 299. W. Africa. 1315, subcollaris, Reich.; Jard. Nect. pl. 6. collaris, Jard. 1316. chloropygia, Jard. Nect. pl. 3. chalybea, Sw. 1317. hypodilus, Jard. Fernando Po. hypodelos, Reich. 1318. cyanolæma, Jard. 1319, tephrolæma, Jard. 369. f. Adelinus, Bp. 1854. Elæocerthia, Reich, 1854. Mangusia, Bp. S. Africa, Natal. 1320. olivacea, Smith. 1321. obscura, Jard. Ill. Orn. n. s. pl. 51. Fernando Po. S. Africa. 1322. Verroxi, Smith, I. S. A. Z. pl. 57; Jard. Nect. pl. 9. 1323. Reichenbachii, Hartl, Gaboon. 1324. Hartlaubii, Verr. Angola. g. Cyanomitra, Reich. 1854. 320. 1325. cyanocephala, Gm.; Briss. Orn. iii. t. 28. 4; I. O. D. W. Africa. t. 7; Jard. Nect. pl. 10. chloronotus. Sw. 1326. affinis, Rüpp. F. A. t. 31. 1. Abyssinia. 371. h. Leucochloridia, Reich. 1854. 1327. verticalis, V. O. D. t. 25. Angola. Vieilloti, Verr. Ashanti. 372. i. AIDEMONIA, Reich. 1854. 1328. cuprea, Shaw; V. O. D. t. 23. W. Africa. rubrofusca, Cuv.; nibarus, V. 1329. tacazze, Stanl.; Rüpp. F. A. t. 31. 3. Abyssinia.

erŷthronotus, Sw. B. W. Afr. pl. 15.

37:3.

j. CARMELITA, Reich. 1852.

1330. rubrofusca, Shaw; Vieill. O. D. t. 27.

1331. fuliginosa, Shaw; V. O. D. t. 20, 21; Jard. Nect. pl. 14. maculata, Shaw.

W. Africa.

,,

374. k. Paneola, Cab. 1850.

Nectarinia, Bp. 1850.

1332. pulchella, L.; P. E. 670. 1; V. O. D. t. 40; Lev. O. A. W. Africa. t. 293. 1.

caudatus, V.; melampogon, Ill.

l. Hedydipna, Cab. 1850.

1333. platura, V.; Lev. O. A. t. 293, 2; Jard. Nect. pl. 19. sylviella, Tem.; eyanopygos, Licht.; platyura, Cab.

1334. metallica, Licht.; Lev. O. A. t. 293, 1; P. C. 347, 1, 2. Nubia, Abyss., White Nile.

376. m. Mangusia, Bp. 1854. Euchloridia, Reich. 1854.

1335. rectirostris, Shaw; V. O. D. t. 75; Gal, dcs Ois, t. 178. S. Africa. elegans, V.

377. n. Angladiana. et Angaladiana, Reich. 1854.

1336. angladiana, Shaw; P. E. 575. 2, 3; V. O. D. t. 2, 3. Madagascar. madagascariensis, Q. & G.

375. o. Cosmeteira, Reich. 1854.

1337. eques, Less.; Voy. Coqu. t. 31. 1.

N. Guin., Waig., Mys., Salwat., Gilo., Ceram.

Subfam. II. Promeropinæ, G. R. Gr. 1847.

Nectarininæ, p., G. R. Gr. 1840. Ptiloturinæ, Cab. 1850.

379. PROMEROPS, Briss. 1760.

Falcinellus, V. 1816. Nectarinia, Tem. 1820. Ptiloturus, Sw. 1837. Ptilurus, Strickl. 1841. G. of B. i. p. 96, pl. 33. f. 5; Reich. S. A. t. 41, f.

a. Promerops.

1338. cafer, L.; P. E. 637; Lev. O. A. t. 287, 288. S. Africa. promerops, L. Briss. Orn. ii. t. 43. 2; longicaudatus, V. capensis, Less.

380. b. Æтноруда, Cab. 1850.

Aithopyga, Reich. 1854.

1339. siparaja, Raffl.; P. C. 126. 3; Schl. De Dierk. fig. p. 127. Sumatra. mystacalis, Tem.; Lathami, Jard.

1340. eximia, Horsf.; P. C. 376. 1, 2. Java. Kuhlii, Tem.

1341. nipalensis, Hodgs.; Jard. Nect. pl. 27; Gould, B. As. pl. Nepal, Kha. Hil.

N.W. Himala. 1342. Horsfieldii, Bl.

1362. amasia, Less.1363. simplex, G. R. Gr.

110	HAND-LIST OF BIRDS.	
B. As. pl.	riensis, Lath.; Royle, Ill. of Bot. pl. 7. 1; Gould, dgs.; sheriæ, Tick.?	N. India.
rubricaud	uda, Hodgs.; Jard. Nect. pl. 29; Gould, B. As. pl. la, Bl.; phænicura, Jard. us, Hodgs.	Nepal. Assam, Sylhet.
	ta, Hodgs.; Jard. Nect. pl. ; Gould, B. As. pl. is, Jard.; assamensis, M Clell.	S.E. Himalayas. Assam, Sylhet.
	iæ, Vig.; Gould, C. B. pl. 56; id. B. As. pl. ninckii, Müll. Verh. Zool. t. 8, 2.	Hima., Assam, Sylhet, Arac. Sumatra.
•	sii, Sykes; Gould, B. As. pl Sykes; goalpariensis, p., G. R. Gr.	Deccan.
1349. flavost lodoisia,	criata, Wall. Pr. Z. S. 1865, pl. 29. 2. Salvad.	Celebes.
1350. Dabrii,	Verr. Rev. et M. de Zool. 1867, t. 15.	N. China.
1351. chalcop	ogon, Reich. Icon. Av. t. 586, 3982-83.	Borneo.
1352. eupogor	n, Cab.	Born., Malacca.
O. A. t. 292	c. Anthobaphes, Cab. 1850. ea, L.; Briss. Orn. iii. t. 33. 6; P. E. 670. 2; Lev. l. Shaw; croceus, Less.	Africa.
382.	d. Сильсовтетил, <i>Cab.</i> 1850.	T
-	lis, Tem. P. C. 183. 1a, Jard.; Macklotii, Bp. Jard.	Java. Sumatra.
383. Chalcosteth	e. Негмотіміл, <i>Reich.</i> 1854. а, р., <i>Cab</i> .	
1355. aspasi	a, Les. Voy. Coqu. t. 30. 4.	New Guinea,
sericea, L	ess.	Waigiou. Mysol, Salwattie.
1356. aspasi aspasia, p	noides, G. R. Gr. o., Müll.	Moluceas, Bouru.
1357. aurice	eps, G. R. Gr.	Moluceas.
1358. prcser	rpina, Müll.	Bouru.
1359. Grayi	, Wall.	Celebes.
1360. porph	yrolæma, Wall.	"
	, Less. Voy. Coqu. t. 30. 3.	Amboina. Gilolo.

New Guinea, Amboina. Gilolo, Batch. I. 384. f. Chalcoparia, Cab. 1850.

Chalcopareia, Reich. 1854.

1364. cingalensis, Gm.; P. C. 108. 1, et 338. 2. phænicotis, Tem.

Malacca. Tenasserim.

Subfam. III. Arachnotherinæ, Cab. 1850.

Nectarininæ, p., G. R. Gr. 1840.

385. ARACHNOTHERA, Tem. 1826.

Arachnocestra, Reich. 1854.

Sw. C. of B. f. 288, c; Reich. G. of B. i. p. 99.

a. ARACHNOTHERA.

1365. longirostra, Lath.; P. C. 84. 1. cinereocollis, V.; longirostris, Reich.

1366. uropygialis, G. R. Gr. & M. G. B. pl. 33.

1367. Temminckii, Horsf. & M.

1368. crassirostris, Reich.

386. b. Arachnoraphis, Reich. 1854.

1369. flavigaster, Eyton. flaviventris, Reich.

1370. simplex, Müll. & Schl.; Verh. N. G. t. 8. 4.

1371. novæ guineæ, Less.; Verh. N. G. t. 11. 3.

1372. armata, Müll. & Schl.; Verh. N. G. t. 11. 2.

1373. robusta, Müll. & Schl.; Verh. N. G. t. 11. 1.

1374. vagans, Bernst.

387. c. — ?

Aracthnothera, Reich. 1854. G. of B. i. pl. 33. f. 6; Reich. S. A. t. 41. f. .

1375. affinis, Horsf.; P. C. 84. 2. inornata, Tem.

1376. magna, Hodgs. inornata, McClell.; chrysopus, Hodgs.

1377. chrysogenys, Tem. P. C. 388. 1. longirostra, Horsf.; flavigenis, Sw.

1378. pusilla, Bl. affinis ct inornatus, Bl.; longirostris, Jerd.

1379. modesta, Eyton. latirostris, Bl.

1380. Phayrei, Bl.

Java, Sumatra.

----?

Indian Archipel.

India.

Malacca.

Lombock.

New Guin., Aru, Salwat., Mysol. Lombock.

Sumatra, Born.

Waigiou.

Java.

N. India.
Assam, Burmah.

Java, Sumatra.
Borneo, Malacc.

India, Malabar. Mysore.

Malacca.

Pegu.

388. d. Arachnechthra, Cab. 1850.

1381. asiatica, L.; V. O. D. t. 12; Jard. Nect. pl. 24; Gould, B. As. pl.

currucaria, L.; mahrattensis, Lath. cyaneus, V.; orientalis, Frankl. epauletta et strigula, Hodgs.

India, Ceylon. Burmah.

1382. lotentia, L.; Briss. Orn. iii. t. 33, 4, 5; V. O. D. t. 11; Jard. Nect. pl. 23; Gould, B. As. pl. .

Malabar coast. Ceylon.

polita, Sparrm.; purpurata, Shaw. notatus, Müll.

Tenasserim.

1384. insignis, Gould, B. As. pl.

1383. flammaxillaris, Bl.

jugularis, Bl.

Siam, Pinang.

Penang, Arakan.

389. *e.* Cyrtostomus, *Cab.* 1854.

Crytostomus!, G. R. Gr. 1855.

1385. pectoralis, Horsf.; P. C. 138, 1, 2; Müll, Verh. Zool. t. 9. 2. Java. eximia, Tem.; luteoventris, Less. Lomi

m.; luteoventris, Less. Lombock.

1386. solaris, Tem.; P. C. 347. 3; Müll. Verh. Zool. t. 8. 5.

1389. jugularis, L.; Briss. Orn. ii. t. 32.5; V. O. D. t. 29, 30,

Timor, Amboina, Gilolo, Flores. Celebes, Molucc.,

1387. frenata, Müll. Verh. Zool. t. 8. 1. 1388. ? australis, Gould, B. A. suppl. pl.

Sula. Cape York.

pectoralis, Macgill.

Philippine I.

31; Jard. Neet pl. 25. 2. 1390. melanogastra, n. sp. ?

Ceram.

1391. flavigastra, Gould, Voy. Sulph. pl. 24.

New Ireland.

390. f. Leptocoma, Cab. 1850. Nectarophila, Reich. 1854.

1392. zeylonica, L.; Briss. Orn. iii. t. 34. 4; V. O. D. t. 16, 17; Jard. Nect. pl. 20; Gould, B. As. pl. quadricolor, Scop.; philippensis, Mey. sola, Jerd.; nigralbus, Less.; dubia, Shaw?

India. Assam.

1393. sperata, L.; Briss. Orn. iii. t. 31. 2, 3; P. E. 246. 1, 2?; P. C. 388. 3; Jard. Nect. pl. 21.

Phil. I., Manilla.

1394. Hasseltii, Tem. P. C. 376. 3; Jard. Nect. pl. 22. brasiliana, Shaw; sperata, Raffl. Phayrei, Bl.; ruber, Less. Sunda I.

1395. minima, Sykes; Jard. Nect. frontisp.

W.coastof India, Ceylon.

391. g. Anthreptes, Sw. 1830.

Anthothreptes, Cab. 1850. Anthorheptes, Agass.

Hypogramma, Reich. 1854.

Sw. C. of B. p. 288, f.; Reich. S. A. t. 41. f. (Nectarinia!).

Senegal.

---- ?

22

Ι

1396. malaccensis, Scop.; Voy. Sonn. t. 116. 1; P. C. 126. Sunda Island, 1, 2; Gal. des Ois. t. 177. Malacca. lepida, Lath.; javanica, Horsf. Celeb., Sula.

1397. hypogrammica, Müll. Verh. N. G. t. 8. 2. Sumatra, Born. nuchalis et macularia, Bl.

392. h. —?

Cinnyricinclus, p., Less. Cinnyricincle, Reich. 1854. Anthreptes, p., Sw. "Cinnyricincla, Bp. 1854," G. R. Gr. 1855.

1398. Longuemarii, Less. Ill. Zool, t. 23; Sw. B. W. Afr. pl. 17. W. Africa. leucosoma, Sw.

1399. Fraseri, Jard. & S. Ill. Orn. n. s. pl. 53. W. Africa, Fernando Po.

1400. melasoma, Less.

1401. aurantia, Verr. Gaboon.

1402. nigralba, V.

Subfam. IV. Drepaninæ, Cab. 1850.

Nectarininæ, p., 1840, et Promeropinæ, p., 1847, G. R. Gr.

393. DREPANIS, Tem. 1820, nec Rafinq. 1815.
Falcator, Tem. 1822. Mellisuga, Merr. 1786, nec Briss.
Melithroptus, 2 div., V. 1816. Myzomela, p., Vig. & Horsf.
Mellithreptus, Less. 1831.
G. of B. i. p. 95.

a. DREPANIS.

1403. pacifica, Gm.; Lev. Prom. t. 19; V. O. D. t. 63. Friendly Isl.

1404. falcata, Gm.

394. b. Vestiaria, Flem. 1822.

Heorotaires, Cuv. 1817. Melithreptns, p., V. G. of B. i. pl. 33. f. 1; Reich. S. A. t. 41. f.

1405. coccinea, Gm.; V. O. D. t. 52; Gal. des Ois. t. 181. Sandwich I. vestiaria, Lath.; evi et akaroa, Less. obscura, Gm.

o. Himatione, Cab. 1850.

1406. sanguinea, Gm.; V. O. D. t. 66, 67, 68. byronensis, Gr. virens, Gm.; flava, Blox.; tonganensis, Less. chloris et maculata, Cab.

396. d. Hemignatius, Licht. 1838. Heterorhynchus, Lafr. 1839. Reich. S. A. t. 41. f.

1407. lucida, Licht. Berl. Trans. 1838, t. 5. f. 2, 3. olivaceus, Licht.; Voy. Venus, t. 1. beterorhynchus, Less. 1408. Ellisiana, G. R. Gr.; Berl. Trans. 1838, v. t. 5. f. 1. obscura, V. O. D. t. 53?

Sandwich I.

397. MOHO, Less. 1831.

Gracula, Merr. 1786. Acrulocercus, Cab. 1847. Mohoa, Reich.

G. of B. i. p. 96, pl. 33. f. 2; Reich, S. A. t. 41. f.

1409. nobilis, Merr. Vog. t. 2; P. C. 471. niger, Gm.; fasciculatus, Lath.; pacificus, Licht.

1410. apicalis, Gould, Dixon's Voy. pl. 19.

braccata, Cass.
 pacifica, Peale.

398. PSITTIROSTRA, Tem. 1820.

Psittacirostra, Tem. Psittacopis, Nitzsch. Sittacodes, Glog. 1842. Psittacina, Tem. G. of B. ii. p. 389, pl, 94. f. 2; Reich, S. A. t. 80. f.

1412. psittacea, Lath.; P. C. 457. icterocephala, Tem.; sandwichensis, Steph.

399. LOXOPS, Cab. 1847.

Byrseus, Reich. 1859. Hypoloxias, Licht. 1854. Fringilla, p., Gm. Reich. S. A. t. 76. f.

1413. coccinea, Gm.; V. O. D. t. 31; Voy. Sulph. pl. . rufa et sandwichensis, Bloxh.

1414. inornata, Gould, Voy. Sulph. pl. .

Bow Island.

400. DICÆUM, Cuv. 1817.

Diceum, Strickl. 1843. G. of B. i. p. 99.

a. DICEUM.

1415. cruentatum, L.; Edw. B. pl. 81; Gould, B. As. pl. coccinea, Scop.; rubricapillum, Less.

erythronotos, Lath.; ignite, Begbie.

1416. trigonostigma, Scop.; Sonn. Voy. t. 117. 2. cantillans, Lath.

1417. chrysorrhæum, Tem. P. C. 478. 1. chrysochlorum, Bl.; croceoventre, Vig.

1418. sanguinolentum, Tem. P. C. 478. 2.

1419. ignifer, Wall. igniferum, Wall.

1420. ignicolle, G. R. Gr.

1421. papuense, Lath.; P. E. 707. 2.

India.

Sumatr., Borneo, Labuan, Arak. Assam, Malacca.

Java, Sumatra.
Borneo, Arakan,
Tenasserim.
Java, Sumatra.

Arakan, Tenasserim, Malac. Java, Sumatra.

Flores.

Aru.

New Guinea.

1422. celebicum, Müll. Leclancheri, Lafr. ${\bf Celebes.}$

1423. flammeum, Sparrm.; P. C. 108. 2, 3. rubrocana, Tom.; cruentatum, Horsf. rubescens, G. R. Gr. Java, Banda. Borneo.

1424. concolor, Jerd. Ill. Orn. pl. 39.

Malab., Nilgiris.

1425. mininum, Tick. erythrorhyncha, Lath.?; Tickelliæ, Bl. inornata, Hodgs. India, Assam, Ceyl., Arakan.

1426. schistaceiceps, G. R. Gr.

Batchian, Gilolo

1427. erythrothorax, Less. Voy. Coqu. t. 30, 1, 2. pectoralis, Müll. & Schl.?

New Guinea.

1428. vulneratum, Wall.

Bouru, Ceram.

1429. rubrum, Gm. atriceps, V.; scarlatinum, Schinz.

1430. Maugei, Less. rubesceus, p., Reich.

Timor.

401. b. Phenacistes, Reich. 1854.

1431. griseum, Scop.; Sonn. Voy. t. 117. 3. tæniata, Shaw; flaviceps, V.

402. c. Microchelidon, Reich. 1854.

Dicæum, Sw. 1837.

1433. Macklotii, Müll.

Sw. C. of B. f. 288, h; G. of B. i. pl. 33. f. 3; Reich. S. A. t. 41. f.

1432. hirundinaceum, Lath.; Lewin, B. N. H. pl. 7; Gould, B. A. i. pl. 34.

Australia.

rubricollis et gularis, Lath.
Desmaresti, Leach; pardalotus, Cuv.
atrigaster, Less.; sanguineum, Sw.

Timor, Lombock,

1434. æneum, Homb. & J. Voy. Pôle Sud, t. 22. 4.

Salomon I.

403. d. —?

Myzanthe, 1843 (nec Less. 1831), et Micrurus, 1844 (nec Ehr. 1831), Hodgs. Microchelidon, p., Reich.

1435. ignipectus, Hodgs.; Gould, B. As. pl.

Nepal, Sikkim, Bootan,Khasia Hills,

1436. pygmæum, Kittl. Mém. Pétersb. 1835, t. 5.

Hills. Luzon.

404. e. Pachyglossa, 1843, et Pachyglossus, 1846, Hodgs.

1437. melanoxanthum, Hodgs.

Nepal.

405. f. Piprisoma, Bl. 1844.

vireoides, Jerd.; squalida, Burt.

Parisoma, Jerd. Psarisoma, G. R. Gr. 1849.

1438. agile. Tick.; Ibis, 1867, pl. 10.

India, Ceylon.

406. g. Pholidornis, Hartl. 1857.

1439. Rushiæ, Cass. Pr. Ac. Phil. 1858, pl. 1. 1.

Moonda River, Ashanti.

407. h. Prionochilus, Strickl. 1841.

1440. percussum, Tem. P. C. 394. 2. ignicapillum, Eyton.

Java, Sumatra.

1441. maculatum, *Tem. P. C.* 600. 3. thoracicus, p., *Bp*.

thoracicus, p., Bp.

Borneo.

N. Celebes.

1442. aureolimbatum, Wall. Pr. Z. S. 1865, pl. 29. 1.

1443. obsoletum, Müll. & Schl.

Timor, Flores.

408. i. Analmos, Reich. 1854.

1444. thoracicum, Tem. P. C. 600. 1, 2.

Borneo.

409. j. Melanocharis, Sclat. 1854.

1445. nigrum, Less. Cent. de Zool. t. 27. New Guin., Aru.

FAM. III. CEREBIDÆ, Bp. 1849.

Dacnididæ, Cab. 1850. Nectarinidæ, Vig. 1825. Cinnyridæ, p., Sw. 1837.

Subfam. I. Cœrebinæ, G. R. Gr. 1840. Dacnidinæ, Cab. 1847.

410. CŒREBA, V. 1807.

Guitguit, Cuv. 1797-98. Guitus, Rafing. 1815?

Nectarinia, Cuv. 1817. Cœreba, Vig. 1825. Cœreba, Boie, 1826. Arbelorhina, Cab. 1847. Arbelorrhina, Reich. 1854.

G. of B. i. p. 101, pl. 34. f. 1; Reich. S. A. t. 38. f.

1446. cyanea, L.; Edw. B. pl. 264. 1; P. E. 83. 2; V. O. D. t. Cayenne, Braz., 41, 42, 43.

cyanogastra, Lath.

1447. carneipes, Sclat. cyanea, p., Sclat.

Mexico. Guatemala.

1448. eximia, Cab.; Reich. Icon. t. 554 b. 4072-73. cyanea, p.?, Cass.

Porto Cabello. Trinidad.

1449. Kelletii, n. sp.?

Gorgona.

1450. cærulea, L.; Edw. B. pl. 21. 1; V. O. D. t. 44, 45. ochrochlora, Gm.; surimanensis, Lath. evanomela, Gm.

Cayenne, Braz. Berbice.

1451. nitida, Hartl. Contr. Orn. 1850, pl. .

Bogota, Ucayali, Guay., Braz. Carac., Upper

1452. longirostris, Cab.

Amazon, Trin. C. America.

1453. lucida, Sclat. & Salv.

1454. brevipes, Cab.; Reich. Icon. t. 554 b. 4071.

Porto Cabello.

411. DACNIS, Cuv. 1817.

Cyanodacnis, Cass. 1864. Dacnis, div. A, Cass. Nectarinia, Sw. 1837.

Sw. C. of B. f. 288c; G. of B. i. p. 101, pl. 34. f. 2; S. A. t. 38. f.

a. DACNIS.

1455. cayana, L.; Briss. Orn. iii. t. 23. 2; P. E. 578; V. Gal. des Ois. t. 165; Sw. Zool. Ill. pl. 117. cyanocephala, Gm.; cyanater, Less. cærulea, Max.

Trin., Cayenne, Guiana. Brazil.

1456. ultramarina, Lawr. cœrebicolor, Lawr.

Panama.

1457. nigripes, Pelz. Acad. der Wissench. xx. 1856, t. 1. 1, 2. bicolor, Boek, Mem. Mosc. vii. t. 23.

S.E. Brazil.

412. b. Polidacnis, Cass. 1864.

Dacnis, div. B, Cass.

1458. cœrebicolor, Sclat.; Jard. Contr. Orn. 1852, pl. 93. 2.

New Granada.

1459. melanotis, Strickl.; P. E. 669. 1? cayana, var. y, Lath.; cayana, V. angelica, Sclat.

Cavenne. Amazon.

1460. egregia, Sclat. Cat. of Am. B. pl. 7.

New Granada.

1461. venusta, Lawr.; Ibis, 1863, pl. 7.

Panama.

1462. angelica, Defil.; P. E. 669. 2.

Cayenne.

archangelica, Bp.; melanotis, p.?, Cass.

c. Eudacnis, Cass. 1864. 413. Dacnis, div. C. Cass.

1463. flaviventer, Laft.; D'Orb. Voy. Am. M. t. 13. 2.

Bolivia, Peru.

1464. pulcherrima, Sclat. Cat. of A. B. pl. 8. torquata, Du Bus.

New Granada.

414. d. Ateleodacnis, Cass. 1864.

Dacnis, div. D, Cass. 1465. leucogenys, Lafr.

New Granada. Venezuela.

1466. speciosa, Max.; P. C. 293, 2; Jard. Contr. Orn. 1852, pl. 93. 1. analis, Lafr.

Brazil.

1467. bicolor, V. O. A. S. t. 90 bis. cærulescens, Max.; plumbea, Lath.! Peru. Cayenne.

,,

1468. brevipennis, Giraud, An. Lyc. N. Y. v. pl. 3. 1. or juv. of speciosa?, Cass.

415. e. Hemidacnis, Sclat. 1861. Dacnis, div. E, Cass, 1864.

Bogota.

1469. albiventris, Sclat. Contr. Ornith. 1852, pl. 100. 2.

416. f. Chlorophanes, Reich. 1853.

spiza, var. a, Edw. B. pl. 25; Cass.

1470. spiza, L.; Edw. B. pl. 348; P. E. 578. 1 and 682. 2. Cavenne, Trin. atricapilla, V.; mitrata, Licht. Bolivia. micans, Hahn; melanocephala, Max.

1471. guatemalensis, Sclat. atricapilla, Sclat. & S. spiza, var. b, Cass.

Guatemala.

1472. cærulescens, Cass.

spiza, var. c. Cass.

Nicaragua.

1473. melanops, Cass. spiza, var. d, Cass.

Rio Negro.

417. DIGLOSSA, Waql. 1832.

Campylops, Licht. 1837. Serrirostrum, 1838, et Uncirostrum, 1839, *Lafr*.

Agrilorhinus, 1838, et Anchilorhinus, Ep. Agriolorhinus, Wagn. 1841.

Agrilorhynchus, G. R. Gr. 1842. Diglossa, div. A, Cass. 1864. G. of B. i. p. 137.

a. Diglossa.

1474. baritula, Wagl.; G. R. Gr. & M. G. B. pl. 42. hamulus, Licht.; Brelayi et sittaceum, Lafr.

Mexico.

1475. sittcides, Lafr.; D'Orb. Voy. A. M. t. 58. 2. olivascens, Fras.

Bolivia. Columbia.

juv. or ♀ of brunneiventris?, Cass.

1476. D'Orbignii, Boiss.

baritula, p., G. R. Gr.; sittoides, p., Cass.

New Granada.

1477. similis, Lafr.; Reich. Icon. t. 554. 3764. hyperythra, Cab.; D'Orbignyii Q, Boiss.

Bogota, Colum.

1478. ? major, Cab.; Reich. Icon. t. 551 b. 4065.

Guiana.

b. Tephrodiglossa, Cass. 1864. 418. Diglossa, div. B, Cass.

1479. carbonaria, Lafr.; D' Orb. Voy. A. M. t. 58. 1.

Bolivia.

419. c. Pyrrhodiglossa, Cass. 1864. Diglossa, div. C, Cass.

G. of B. i. pl. 42. f. 1; Reich, S. A. t. 36, f.

1480. mystacalis, *Lafr.*; *G. R. Gr. & M. G. B.* pl. 42. 3. mystacea, *G. R. Gr.*

1481. brunneiventris, Lafr.; Des Murs, I. O. t. 43.

Peru, Bolivia, Chili?

420. d. Cyanodiclossa, Cass. 1864. Diglossa, div. D. Cass.

1482. personata, Fras.; Reich. Icon. t. 552. 3752-53. eyaneum, Lafr.; melanopis, Tsch.

New Gran., Eeu.

1483. indigotica, Sclat. Cat. of Am. B. pl. 6. Eeuador.

421. e. Melanodiglossa, Cass. 1864. Diglossa, div. E, Cass.

1484. Lafresnayi, Boiss.; Reich. Icon. t. 553. 3757. Bonapartei, Fras. New Gran., Bog.

1485. humeralis, Fras.; Reich. Icon. t. 552. 3754. Lafresnayi, p., Boiss. New Granada.

1486. aterrima, Lafr.; Reich. Icon. t. 553, 3759.
 1487. albilatera, Lafr.; Reich. Icon. t. 553, 3758.
 albilateralis, Sclat.

Ecuador, New Granada. Ecuador. Bogota, Columb.

1488. intermedia, Cab. humeralis, p. ?, Cass.

122.

f. Diolossopis, Sclat. 1856.

1489. cærulescens, Sclat.

Carace., Bogota.

423. CONIROSTRUM, Lafr. 1838.

Conirostra, Cab. 1847.G. of B. i. p. 102, pl. 34. f. 4; Reich. S. A. t. 38. f.

a. Conirostrum.

1490. cinereum, Lafr.; D' Orb. Voy. Am. M. t. 59. 2.

Peru, Bolivia.

1491. Fraseri, Sclat. einereum, p.?, Cass.

Eeuador.

1492. albifrons, Lafr.; Mag. de Zool. 1843, t. 35. atroeyaneum et cæruleifrons, Lafr.

New Granada.

1493. sitticolor, Lafr.; G. R. Gr. & M. G. B. pl. 34. bicolor, Less.; rufocinerea, Bp. rufum, Lafr.?

Bogota.

1494. ferrugineiventre, Sclat. Pr. Z. S. 1855, pl. 86.

Bolivia.

124.

b. Spodiornis, Sclat. 1866.

1495. Jardinii, Sclat. Pr. Z. S. 1866, p. 323. fig.

Quitian Andes.

425.

c. Oreomanes, Sclat. 1860.

1496. Fraseri, Sclat. Pr. Z. S. 1860, pl. 159.

Chimborazo.

426. CERTHIOLA, Sundev. 1835.

Cœreba, V. 1807? Colius, Moehr. 1752. Nectarinia, Less. 1831.

G. of B. i. p. 102, pl. 34. f. 3; Reich, S. A. t. 38. f.

a. CERTIHOLA.

1497. flaveola, L.; Edw. B. pl. 122. 1, et 362. 3; Gosse, B. Jum. pl. 16.

antillensis et aterrimum. Less.

W. Indies.

1498. chloropyga, Cab.; Reich. Icon. t. 561, 3826.

brasiliensis, Sclat.; flaveola, Licht.

Brazil.

1499. luteola, Licht.; Reich. Icon. t. 561. 3824.

Ecuador.

1500. mexicana, Sclat. luteola, Lawr.

Mexico. Panama.

1501. bahamensis, L.; Catesb. Car. i. pl. 59. flaveola, var. β , L.

1502. major, Cab.

Carthagena.

1503. guianensis, Cab.; Reich, Icon, t. 561. 3825.

Guiana.

1504. martinicana, Reich, Icon, t. 561, 3824. albigula, Bp.?

Martinique.

1505. dominicana, Tayl.

Dominica.

1506. Bairdi, Cab.

Indian Key.

1507. columbiana, Cab.

Bogota.

1508, majuscula, Cab.

Monte Video.

1509. peruviana, Cab. flaveola, Tsch.?

Peru.

427. b. Glossiptila, Sclat. 1856.

Neornis, Hartl. 184 ?, nec Hodgs. 1844.

Reich. S. A. t. 77. f. .

1510. ruficollis, Gm.; Edw. B. pl. 122. 2; Gosse, B. Jam. pl. 58. Jamaica. St. Domingo. campestris, L.?; rufigularis, Lafr. cærulea, Hartl.

FAM. IV. TROCHILIDÆ, Viq. 1825.

Subfam. I. Phæthornithinæ, Bp.

Phæthorninæ, G. R. Gr. 1840. Trochilinæ, p. 1855, et Grypinæ, 1848, G. R. Gr.

128. PHAËTHORNIS, Sw. 1831.

Phætornis, Less. 1832. Phrethornis, Boie, 1831. Phæthornis, Jard. 1833. Phæthornis, Sw. 1827. Phætornis, G. R. Gr. 1848. Phætornis, Ep. 1849. G. of B. i. p. 103, pl. 35. f. 3; Reich. S. A. t. 40, f.

a. Phaëthornis.

1511. malaris, Licht.; V. O. D. t. 17; Gould, T. i. pl. 17. N. of S. America. superciliosus, V.
1512. eurynome, Less. T. t. 31; Gould, T. i. pl. 16. Brazil. eurynomus. Jard.; melanotis. Licht.

 1513. consobrinus, Bourc.
 N. Granada.

 Moorei, Lawr.
 Ecuador, Rio

 Napo.
 Napo.

 1514. fraterculus, Gould, T. i. pl. 18.
 Cayenne.

1515. longirostris, De Lattr.; Gould, T. i. pl. 19. C. America. cephalus, Bourc. & M.

1516. syrmatophorus, Gould, T. i. pl. 20. Ecnador.

1517. superciliosus, L.; P. E. 600.3; Less. Col. t. 6.7; Gould, T. i. pl. 28. E. Brazil. Pretrei, Delatt.; brasiliensis, Cab. affinis, Natt. & Pelz.

1518. boliviana, Gould.
Bolivia.
1519. Augusti, Bourc.; Gould, T. i. pl. 29.
angusta, Gr. R. Gr.

1520. Cassini, Lawr. New Granada.

129. b. GUYORNIS, *Bp.* 1854.

Toxoteuches, *Cab. & H.* 1860. Mesophila, *Muls. & V.* 1865.

1521. Guyi, Sclat.; Less. T. t. 44; Gould, T. i. pl. 26. Trinidad. Guy, Less.; apicalis, Licht.; typus, Bp.

1522. Emiliæ, Bourc. New Granada. Guyi, p., Cab.

1523. Yaruqui, Bourc.; Gould, T. i. pl. 27. Ecuador.

430. c. Orthornis, Bp. 1854. Ametrornis, Reich. 1854.

1524. Bourcieri, Less. T. t. 18; Gould, T. i. pl. 25. Cayenne.

New Granada. 1525. Oservi, Bourc. & M.; Gould, T. i. pl. 23. villosus, Lawr. New Gran., Braz. 1526. anthophilus, Boure.; Gould, T. i. pl. 24. 1527. Philippi, Boure.; Gould, T. i. pl. 21. Peru or Bolivia. De Filippi, Bourc.; Defilippi, Bp. Filippi, Muls. & V. Brazil. 1528. abnormis, Natt. & Reich. Bolivia. 1529, hispidus, Gould, T. i. pl. 22. 431. d. Pygmornis, Bp. 1854. Ptyonornis, Reich. 1854. Pygornis, Muls. & Verr. 1865. 1530. squalidus, Natt.; Less. C. t. 8; P. C. 120. 1; Gould, T. S.E. Brazil. i. pl. 30. leucophrys, Licht. brasiliensis, G. R. Gr. 1531. Longuemareus, Less. T. t. 2. 62; Gould, T. i. pl. 31. N. of S. America. Trividad, Brazil. Longuemari, Reich.; Longuemarei, Cab. & H. intermedius, Lcss. T. t. 19. 1532. Adolphi, Boure.; Gould, T. i. pl. 35. C. America. 1533. griseogularis, Gould, T. i. pl. 36. New Granada, Ecuador? 1534. striigularis, Gould, T. i. pl. 37. New Granada. 1535. episcopus, Gould, T. i. pl. 39. 2. British Guiana, Surin., Demer. 1536. amaura, Boure.; Gould, T. i. pl. 32. Rio Napo. atrimentalis, Lawr.; striigularis, p., Muls. & V. 1537. nigrocinctus, Lawr.; Gould, T. i. pl. 39. 1. R. Amazon. rufigaster, p., Muls. & V.; nigricinctus, Gould. Brazil, Peru. 1538, aspasiæ, Bourc. & M.; Gould, T. i. pl. 33. viricaudata, Gould; pygmæus, Tsch. griseogularis, p., Muls. & V. Peru. 1539. zonura, Gould, T. i. pl. 34. zonara!, Muls. & V. 432. e. Monus, Muls. & V. 1866. Pygornis, p., Muls. & V. 1540. Idalie, Bourc. & M.; Gould, T. i. pl. 38. Brazil. obscura, Gould. 433. f. Eremita, Reich. 1854. N. Brazil. 1541. eremita, Gould, T. i. pl. 40; P. C. 120. 2. squalidus et brasiliensis, Tem. rufiventris, Less. 1542. rufigaster, V. O. D. t. 19; Less. T. t. 13. Cavenne. Brazil. Davidianus, Less. pygmæus, Cab.; rufiventris, Cab. & H. 1543. pygmæus, Spix, A. B. t. 80. 1; Gould, T. i. pl. 41. S.E. Brazil.

brasiliensis. Max.

434. GRYPUS, Spix, 1824.

Ramphodon, Less, 1831.

G. of B. i. p. 104, pl. 35. f. 2; Reich, S. A. t. 40. f. .

a. Grypus.

1544. nævius, Dumont; P. C. 120.3; Gould, T. i. pl. 1. squamosus, Licht.; ruficollis, Spix.

S.E. Brazil.

maculatum, Less.

1545. Spixii, Gould, T. i. pl. 2.

Brazil.

chrysurus, Reich.

b. Eutoxeres, Reich. 1849.

Myiaëtina, Bp. 1854.

435.

Reich. S. A. t. 40. f. .

1546. aquila, Lodd.; G. R. Gr. & M. G. B. pl. 36; Gould, T. i. pl. 3.

New Granada.

1547. Salvini, Gould. aquila, p., Gould.

Veragua. Costa Rica.

1548. heterura, Gould.

C. Ecuador.

1549. Condaminei, Bourc.; Gould, T. i. pl. 4. Condaminii, Bp.

E. Ecuador.

Subfam. II. Polytominæ.

Lampornina et Trochilina, p., G. R. Gr. 1840. Lampornithina, Bp. 1849.

436. OREOTROCHILUS, Gould, 1847.

Oriotrochilus, Reich. 1849. Orotrochilus, Cab. & H. 1860.

G. of B. i. p. 104, pl. 35. f. 1; Reich. S. A. t. 40. f.

1550. Estella, Lafr.; D'Orb. Voy. Am. M. t. 61. 1; Gould, T. i. pl. 70.
Ceciliæ, Less.; Estellæ, Gould,

Bolivia.

1551. leucopleurus, Gould, T. ii. pl. 71. Milleri, Lodd.

Chilian Andes.

1552. pichincha, Bourc. & M.; Gould, T. ii. pl. 69. Jamesoni, Jard. Contr. Orn. 1850, pl. .
Pichinchæ, Bp.

Mts. Pichincha & Cotopaxi, in Ecuador.

1553. chimborazo, Bourc.; Gould, T. ii. pl. 68.

Chimborazo M.

1554. melanogaster, Gould, T. ii. pl. 72.

HighlandofPeru.

1555. Adela, Lafr.; D' Orb. Voy. A. M. t. 61.2; Gould, T. ii. pl. 73. Bolivia. Adelæ, Gould.

437. POLYTMUS, Eriss. 1760.

a. Campylopterus, Sw. 1827.

Kampylopterus, Spix.

G. of B. i. p. 107, pl. 35. f. 5; Reich. S. A. t. 39. f.

1556, largipennis, Bodd.; P. E. 672. 2; Less. O. M. t. 34; Cayenne, British Gould, T. ii. pl. 48.

campunterus et cinereus. Gm.

Brazil

campylopterus et cinereus, Gm. latipennis, Lath.

Quito.

1557. æquatorialis, Gould. latipennis, p., Muls. & V.

1558. ensipennis, Sw. Zool. Ill. pl. 107; Less. O. M. t. 35; id. T. t. 46, 47; Gould, T. ii. pl. 46. latipennis, Jard.; falcipennis, Burm.?

Isl. of Tobago.

1559. hemileucurus, Licht.; Gould, T. ii. pl. 45. Delattre, Less.; Delattrii, Bp.; Delattrei, Reich.

Mexico, Guatemala.

1560. obscurus, Gould, T. ii. pl. 49. latipennis, p., Muls. & V.

villavicencio, p., Muls. & V.

1561. splendens, Lawr.; Gould, T. ii. pl. 47, upper fig.

Lower Amazon.

Rio Napo, Quito.

1562. villavicencio, Bourc.; Gould, T. ii. pl. 47, lower fig. villavisencio, Bp.

R. Napo.

1563. inornatus, Burm.

La Plata.

438. b. Androdon, Gould, 1863.

1564. æquatorialis, Gould.

Ecuador.

439. c. Platystylopterus, Reich. 1854. Platystopterus, Bp. 1854.

1565. rufus, Less.; Gould, T. ii. pl. 50.

Guatemala.

4.10. d. Sæpiopterus, Reich. 1854. Sæpiopterus, Bp. 1854. Tæniopterus!, Gould.

1566. lazulus, V. Gal. des Ois. t. 179; Less. O. M. t. 36; Gould, T. ii. pl. 44. falcatus, Sw. Zool. Ill. pl. 83.

Venezuela. New Granada.

4-11. e. Loxopterus, Cab. & H. 1860.

Platystylopterus, p., Reich. Campylopterus, p., Muls. & V.

1567. hyperythrus, Cab.; Gould, T. ii. pl. 51. hypertrurus, Muls. & V.

Brit. Guiana.

4.12. f. Pampa, Reich. 1854. Sphenoproctus, Cab. & H. 1860.

Trinidad.

1568. pampa, Less. O. M. suppl. t. 15; Gould, T. ii. pl. 43. Guatemala. campyloptera, Reich. Mexico. 1569. curvipennis, Licht. pampa, p., Cab. & H. g. APHANTOCHROA, Gould, 1853. Agapeta, Cab. & H. 1570. cirrochloris, V.; Gould, T. ii. pl. 54. Brazil. eampylostylus, Licht. simplex, Less. O. M. t. 33, suppl. t. 6. cirrhoehloris, Gould. 1571. hypostictus, Gould. Equador. 1572. gularis, Gould, T. ii. pl. 55. R. Napo. 444. h. PHEOCHROA, Gould, 1861. 1573. Cuvieri, Delatt. & Bourc.; Gould, T. ii. pl. 52. Venezuela, New Gran., Panama. 1574. Roberti, Salv.; Gould, T. ii. pl. 53. Guatemala. 445. i. EUPETOMENA, Gould, 1853. Prognornis, Reich. 1854. 1575. macrourus, Gm.; Briss. Orn. iii. t. 36. 9; Less. O. M. t. 25; C. suppl. t. 39; Gould, T. ii. pl. 42. Cavenne. hirundinacea, Less.; foreipatus, Lath. Brazil. LAMPORNIS, Sw. 1827. Anthracothorax, Boie, 1831. Sericotes et Chalybura, p., Reich. Reich. S. A. t. 39. f. . 1576. mango, L.; P. E. 680. 2, 3; Less. C. t. 13, 13*, 14, 15; Gould, T. ii. pl. 74. N. of S. America. violicauda, Bodd.; alba et punetulatus, Gm. nitidus, Lath.; atricapillus, V.; fasciatus, Shaw; quadricolor et nigrieollis, V. lazulus, Less. 1577. Prevostii, Less. C. t. 24; Gould, T. ii. pl. 75. Guatemala, Honduras. 1578. veraguensis, Gould, T. ii. pl. 76. Veragua, Costa Rica. 1579. viridis, Aud. & V. O. D. t. 15; Less. C. t. 11; Gould, T. ii. pl. 78. Porto Rico. aureoviridis, Shaw. 1580. iridescens. Gould. Guayaquil. mango, p., Muls. & V. 447. k. Hypophania, Reich. 1854.

1581. gramineus, L.; V. O. D. t. 9, 10, 44, 70; Gould, T. ii.

pectoralis, Lath.; maculatus (P. E. 671. 1) et gularis, Gm.; Cavenne Guiana.

pl. 77.

marmoratus, V.? dominicus, G. R. Gr.

448. l. Margarochrysis, Reich. 1854.

1582. aurulentus, V. O. D. t. 12, 13, 16; Gould, T. ii. pl. 79. St. Domingo. margaritaceus, G. R. Gr.; dominicus, L.?

1583. virginalis, Gould, T. ii. pl. 80.

I. of St. Thomas.

4.49. m. Chalybura, Reich. 1854. Hypuroptila, Gould, 1853.

1584. Buffonii, Less. T. t. 5; Gould, T. ii. pl. 89.

Venezuela, New Granada. Costa Rica.

1585. melanorrhous, Salv. earnioli, Lawr.

1586. Isauræ, Gould.

1587. urochryseus, Gould, T. ii. pl. 90.

New Granada.

1588. æneicauda, Lawr.

Venezuela.

450. n. Floresia, Reich. 1854.

Lampornis, p., Gosse.

1589. porphyurus, Shaw, Nat. Misc. pl. 333; Gould, T. ii. pl. 81. Jamaica. bromicolor, Less.; Floresii, Bourc. mango, Gosse.

451. o. Glaucis, Boie, 1831.

Reich. S. A. t. 39. f. .

1590. hirsutus, Gm.; V. O. D. t. 20. 68; Less. C. t. 21; Gould, T. i. pl. 5. brasiliensis, Lath.; dominicus, Licht. ferrugineus, Max.; superciliosus Ω, Less.

E. Brazil, Venez. Trinidad.

1591. mazeppa, Less. T. t. 3; Gould, T. i. pl. 6.

Cayenne, Guiana, Trinidad.

1592. affinis, Lawr.; Gould, T. i. pl. 7.1593. Ruckeri, Bourc.; Gould, T. i. pl. 11.

New Granada.

1594. lanceolatus, Gould, T. i. pl. 8. hirsutus, var., Muls. & V.

Veragua. Para.

1595. mclanura, Gould, T. i. pl. 9. hirsutus, var., Muls. & V.

R.Napo & Negro.

1596. Dohrni, Bourc.; Gould, T. i. pl. 10.

S. Brazil. Ecuador.

1597. Fraseri, Gould, T. i. pl. 12. Ruckeri, p., Sclat.; Ruckeri, var., Muls. & V.

or a mo

1598. æneus, Lawr.

Costa Rica.

452. p. Threnetes, Gould, 1853.

1599. leucurus, L.; Edw. B. pl. 256. 1; P. E. 600. 4; Less. Surinam, Brit. C. t. 22; Gould, T. i. pl. 13.

1600. cervinicauda, Gould, T. i. pl. 14. leucurus, var., Muls. & V.

Ecuador.

1601. Antoniæ, Bourc. & Muls.; Gould, T. i. pl. 15.

Cayenne, Guiana.

453.

q. Sternoclyta, Gould, 1853.

1602. cyanopectus, Gould, T. ii. pl. 58. cyanipectus et cyaneipectus, Gould.

Venezuela.

454.

r. Colibri, Spix, 1824.

Petasophora, G. R. Gr. 1840. Anais, Bp. 1854. Petasophorus, Muls. & V. 1865. Colibris, Sclat. 1856.

1603. serrirostris, V.; Less. O. M. t. 1; Gould, T. iv. pl. 223. Brazil. petasophorus, Max.; Vieillotii, Steph. crispus, Spix, A. B. t. 81. 1. Gouldi, Bp.

1604. anais, Less. O. M. suppl. t. 3; Gould, T. iv. pl. 224. thalassinus, p., Jard.

New Granada.

. 225. Ecuador, Peru. Bolivia.

1605. iolatus, Gould, T. iv. pl. 225. anais, Tsch.; rhodotis, Sauc.

1606. thalassinus, Sw.; Less. T. t. 55-57; O. M. t. 3; Gould, T. iv. pl. 227. anais, Sw.

Mexico. Guatemala.

1607. coruscans, Gould, T. iv. pl. 226.

——? Costa Rica.

1608. cabanidis, Heine.

455. s. Praxilla, Reich. 1854.

Colibri, Bp. 1849.

1609. cyanotus, Bourc.; Gould, T. iv. pl. 228. cyanotis, Bp.; anais, Less.?

New Granada. Venezuela.

456. t. Telesiella, Reich. 1854.
Delphinella, Bp. 1854. Telesilla, Cab. & H. 1860.

1610. Delphinæ, Less. Ill. de Zool. t. 64; Gould, T. iv. pl. 229. N. of S. America. delphina, Bp.

457.

u. Schistes, Gould, 1851.

1611. Geoffroyi, Bourc. & Muls.; Gould, T. iv. pl. 218.

Andes of New Granada.

1612. personatus, Gould, T. iv. pl. 219.

Geoffroyi, p., Sclat.

Ecuador.

1613. albigularis, Reich.; Gould, T. iv. pl. 220.

458. v. Leucochloris, Reich. 1854. Agyrtria, Cab. & H. 1860. 1614. albicollis, V.; P. C. 203. 2; Gould, T. v. pl. 291. Brazil. albigularis, Spix, A. B. t. 82. 1. vulgaris, Max. Bogota. 1615. terpua, Cab. 459. w. Polytmus, Briss, 1760, Emeraudes, Less. 1832. Thaumatias, Bp. 1849. Agyrtria, Reich. 1854. 1616, fluviatilis, Gould. Rio Napo. 1617. candidus, Bourc, & M.; Gould, T. v. pl. 292. Guatem., S. Mex. N. of S. America. 1618, chionopectus, Gould, T. v. pl. 293. Trinidad. niveipectus, Cab. & H. 1619. leucogaster, Gm.; P. E. 672. 3; Gould, T. v. pl. 294. N. of S. America. albirostris, Less. O. M. t. 78; mellisugus, Burm. Bahia. Ecuador. 1620. viridiceps, Gould, T. v. pl. 295. 1621. Milleri, Lodd.; Gould, T. pl. v. 296. New Granada, Brazil. 1622. brevirostris, Less. O. M. t. 77; Gould, T. v. pl. 298. S.E. Brazil. versicolor, Licht. Tobago. 1623. Linnæi, Bp. tobacci, Gm.; tobagensis, Lath.; maculatus, Aud. & V. ?N.of S.America. Brazil. viridissima, Less.; ourissia, p., G. R. Gr. viridipectus, Sauc.; thaumatias (L.), Bp. lactea Q et Maugei Q, Reich.; maculata, Cab. & H. 1624. Bartletti, Gould. Upper Ucayali. 1625. cupreiceps, Lawr. Costa Rica. 1626. leucoproctus, Gould. Peru. 1627. affinis, Gould, T. v. pl. 299. brevirostris, var., Muls. & V. New Granada. 1628. apicalis, Gould. 1629. maculicaudus, Gould. Brit. Guiana. 1630. nitidifrons, Gould, T. v. pl. 297. Venezuela? New Granada. 1631. cæruleiceps, Gould. 1632. tephrocephalus, V.; Gould, T. v. pl. 301. Brazil. albiventris, Less. O. M. t.

1633. ? mellisugus, L.; Edw. B. pl. 360. 1. conciuna, Steph.; albirostris, p., Less. atala, p., Gould; bicolor, p., Cab. & H.

1634. ? medius, Pelz.

1636. Luciæ, Lawr.

1635. ? meliphilus, Pelz.

Cayenne, Guiana.

Matogrosso. Barcellos.

Honduras.

460. x. ELVIRA, Muls. & Verr. 1865.

Agyrtria, p., Cab. & H. Thaumatias, p., Gould.

1637. chionurus, Gould, T. v. pl. 300. niveicauda, Lawr.

Costa Rica.

461. y. Smaragdites, Boie, 1831.

Polytmus, V. 1807, nec Briss. 1760. Chrysobronchus et Thaumantias, Bp. 1854.
"Chloristes, Reich.," Mull. & V. 1865. Smaragditis, Reich. 1854.

1638. viridissimus, And. & V. O. D. t. 42; Less. O. M. t. 75; Gould, T. iv. pl. 231.

Theresiæ, De Silva; viridis, Less. virescens, Max.; chrysurus, Burm.

R. Amazon. Rio Negro.

1639. virescens, Dumont; V. O. D. t. 41; Gould, T. iv. pl. 230. Thaumatias et viridescens, L. chrysobronchus, Shaw; viridis, V. chloroleucurus, Sauo.; albiventris, p., Bp.

Trinidad.
Venezuela.
New Granada?
Brazil.

1640. leucochlorus, Heine.

462. z. Leucippus, Bp. 1849.

Doleromyia, Bp. 1854. Dolerisca, Cab. & H. & Gould, 1860. Leucolia, Muls. & V. 1865.

1641. fallax, Bourc.; Gould, T. ii. pl. 56, fulviventris, Gould.

Venezuela.

1642, cervinus, Gould.

----?

463. aa. ——?

Leucippus, Cab. & H. 1860. Leucippus, p., Bp. 1849. Leucolia, p., Muls & Verr. 1866.

1643. chionogaster, Tsch. F. P. t. 22. 2; Gould, T. v. pl. 290, Peru, Bolivia. leucogaster, Tsch.; Turneri, Bp. hypoleucus, Gould.

1644. chlorocercus, Gould,

Upper Ucavali.

464. bb. Urochroa, Gould, 1856.

1645. Bougueri, Boure.; Gould, T. ii. pl. 57. Ecuador. Bouguieri, Reich.; Bougieri, Selat, Bougheri, Muls. & V.

1646. ? —— ? leucura, *Lawr*.

465. cc. Cyanoghloris, Reich. 1854.

Chalybura, p., Cab. & H.

1647. cæruleogaster, Gould, T. ii. pl. 91. cæruleoventris, Reich.

New Granada,

466. dd. Eulampis, Boie, 1831. Culampis, Less. 1832.

Reich, S. A. t. 39. f.

1648. jugularis, L.; Edw. B. pl. 266. 1; Less. C. t. 10; Gould, T. ii. pl. 82.

Isl. Nevis.

auratus, cyanomelas, violaceus et venustissimus, Gm.; cyaneus, granatinus et Bancrofti, Lath.; prasinoptera, Šparrm.; auritus, V.

Martinique.

467. ee. Sericotes, Reich. 1854.

Sericotis, Bp. 1854. Eulampis, p., Gould.

1649. holosericeus, L.; Edw. B. pl. 36. 1; V. O. D. t. 6; Gould, T. ii. pl. 83. aurigaster, Shaw; atrigaster, Cab.

I. Nevis, Martinique.

1650. chlorolaimus, Reich.; Gould, T. ii. pl. 84. chlorolæmus, Gould; chlorolaemus, Cab. & H. holosericeus, var., Muls & V. St. Thomas. St. Croix.

1651. longirostris, Gould. holosericeus, var., Muls. & V. ----?

468. ff. Thalurania, Gould, 1848.

Glaucopes, Less. 1822, nec Hübn. Mellisuga, Boie, 1831, nec Briss. Thaluronia, G. R. Gr. 1849. Thalucania, Bourc. 1856. Tholucania, Hartl. 1857.

1652. furcatus, Gm.; P. E. 599. 2; Less. O. M. suppl. t. 18; Gould, T. ii. pl. 101. elegans, Shaw; gyrinno, Reich.

Cayenne, Guiana. Rio Negro.

1653. glaucopis, Gm.; Less. O. M. t. 58, 59; Gould, T. ii. pl. 99. S.E. Brazil. frontalis, Lath.

1654. **Tschudii**, Gould, T. ii. pl. 103. furcatus, Tsch.

E. Ecuador.

1655. furcatoides, Gould. forficata, p., Cab. & H.

Para.

1656. nigrofasciatus, Gould, T. ii. pl. 104. viridipectus, Gould.

Upper Amazon. Rio Izanna.

1657. venustus, Gould, T. ii. pl. 105. puella, Gould.

Costa Rica.

1658. columbicus, Bourc. & M.; Gould, T. ii. pl. 106. New Granada.

1659. verticeps, Gould, T. ii. pl. 107; Contr. Orn. 1850, pl. Ecuador. Lydia, Reich.; Fanny, p., Cab. & H.

1660. eriphile, Less. O. M. suppl. t. 25; Gould, T. ii. pl. 108. E. Brazil. eryphila, Bp.; meriphile, Less. excisus, Licht.

1661. bicolor, Gm.; V. O. D. t. 36; Gould, T. ii. pl. 109. Brazil. Wagleri, Less. 1662. forficatus, Cab. & H. furcata, Reich.

Para?

1663. subfurcatus, Cab. & H.

Para, Guiana.

1664. refulgens, Gould, T. ii. pl. 102.

Venezuela?

1665. Fanniæ, Gould,

Andes.

Fannyi, Bourc. & M.; Fanny, Reich.

Tres Marias I.

1666. lusiæ, Lawr,

1667. iolæmus, Natt.

Ypanema.

1668. Watertoni, Lodd.; Gould, T. ii. pl. 100. Whatertoni, Reich,

British Guiana.

469.

gg. ——?

Hemithylaca, Gould, 1861, nec Cab. & H. Ariana, p., Muls. & V. Hemithylaca, p., Cab. & H.

New Granada.

1669. cyanifrons, Bourc.; Gould, T. v. pl. 323.

hh. SAUCEROTTIA, Bp. 1849. 470. Hemithylaca, p., Cab. & H. Ariana, p., Muls. & V.

1670. Sophiæ, Bourc.; Gould, T. v. pl. 322. caligatus, Gould ; Hoffmanni, Cab. & H. Sophia, Bp. Taffmanni!, Muls. & V.

Costa Rica. Veragua. New Granada.

1671. Warscewiczi, Cab. & H. viridigaster, var., Muls. & V. Warszewiczi, Gould.

R. Magdalena.

1672. Saucerottii, Bourc. & Delattr.; Gould, T. v. pl. 321. typica, Bp.

New Granada.

471. ii. EMILIA, Muls. & V. 1865.

Hylocharis, Bp. 1854, nec Boie, 1831.

Sapphironia, Gould, 1861. "Lepidopyga, Reich. 1855," Cab. & H. 1861.

Chlorolampis, p., Muls. & Verr.

1673. Goudoti, Bourc.; Gould, T. v. pl. 345.

1674. cæruleogularis, Gould, T. v. pl. 346. Duchassaingui, Bourc. Calina, Bourc.; carulescens, Reich.

Costa Rica. Panama.

1675. laminosus, Lawr.

New Granada.

172. jj. Amazilis, Less. 1832.

Amazilia, Reich. 1849. Amazilius, Bp. 1849. Amazilia, Sclat. § Salv. 1859. Pyrrhophaena, Cab. § H. 1860. Amizilis!, G. R. Gr.

Reich. S. A. t. 39. f.

1676. amazili, Less. Voy. Coqu. t. 31. 1; Gould, T. v. pl. 303. Peru. amazilia, Tsch.; latirostris, Bp. pristina, Gould.

1678. cinnamomeus, Less.; Gould, T. v. pl. 307. corallirostris, Bourc. & M.; rutila, Delattr. 1679. cerviniventris, Gould, T. v. pl. 309. 1680. Riefferi, Bourc.; Gould, T. v. pl. 311. Dubusi, Bourc.; fuscicaudatus, Fras. amazili, Delattr.; arsinoides, Sauc. 1681. beryllinus, Licht.; Less. O. M. suppl. t. 23, 29; Gould, T. v. pl. 312. Arsonoë, Less.; fuscicaudatus, Licht. 1682. Devillei, Bourc.; Gould, T. v. pl. 313. Mariæ, Bourc. & M.?; Dumerili, Salv. Maria, Bp. 1683. viridigaster, Bourc.; Gould, T. v. pl. 314. viridiventris, Reich. 1684. cyanurus, Gould, T. v. pl. 304. 1685. alticolus, Gould, T. v. pl. 304. 1686. amaziliculus, Sauc.; Reich. Troch. t. 777. 4805-6. amazicula!, Gould; leucophaea, p., Cab. & H. Dumerili, p., Gould. 1687. leucophæus, Reich.; Gould, T. v. pl. 306. 1688. suavis, Cab. & H. 1689. Graysoni, Lawr. 1690. yucatacensis, Cabot; Gould, T. v. pl. 308. 1691. castaneiventris, Gould, T. v. pl. 310. 1692. iodurus, Sauc. Aglaiæ, Bourc. 423. kk. Hemistilbon, Gould, 1861. Pyrrhophaena, p., Cab. & H. 1693. Ocai, Gould, T. v. pl. 289. 1694. Norissii, Bourc. Norrisi, G. R. Gr. 424. ll. Erythronota, Gould, 1860. Ariana, Muls. & V. 1865. Hemithylaca, Cab. & H. 1860. Saurcerottia, p., Bp. 1695. erythronotos, Less.; Gould, T. v. pl. 316. antigua, Gould. 1696. Feliciæ, Less.; Gould, T. v. pl. 317. 1697. Edward, Delatt. & B.; Gould, T. v. pl. 318.	HAND-LIST OF BIRDS.	
corallirostris, Bourc. & M.; rutila, Delattr. 1679. cerviniventris, Gould, T. v. pl. 309. 1680. Riefferi, Bourc.; Gould, T. v. pl. 311. Dubusi, Bourc.; fuscicaudatus, Fras. amazili, Delattr.; arsinoïdes, Sauc. 1681. beryllinus, Licht.; Less. O. M. suppl. t. 28, 29; Gould, T. v. pl. 312. Arsonoë, Less.; fuscicaudatus, Licht. 1682. Devillei, Bourc.; Gould, T. v. pl. 313. Mariæ, Bourc. & M.?; Dumerili, Salv. Maria, Bp. 1683. viridigaster, Bourc.; Gould, T. v. pl. 314. viridiventris, Reich. 1684. cyanurus, Gould, T. v. pl. 315. 1685. alticolus, Gould, T. v. pl. 304. 1686. amaziliculus, Sauc.; Reich. Troch. t. 777. 4805-6. amazicula!, Gould; leucophaea, p., Cab. & H. Dumerili, p., Gould; leucophaea, p., Cab. & H. 1689. Graysoni, Lawr. 1690. yucatacensis, Cabot; Gould, T. v. pl. 308. 1691. castaneiventris, Gould, T. v. pl. 310. 1692. iodurus, Sauc. Aglaiæ, Bourc. 473. kk. Hemistildon, Gould, 1861. Pyrrhophaena, p., Cab. & H. 1693. Ocai, Gould, T. v. pl. 289. 1694. Norissii, Bourc. Norrisi, G. R. Gr. 474. ll. Erythronota, Gould, 1860. Ariana, Muls. & V. 1865. Hemithylaca, Cab. & H. 1860. Saurcerottia, p., Bp. 1695. erythronotos, Less.; Gould, T. v. pl. 316. antigua, Gould. 1696. Feliciæ, Less.; Gould, T. v. pl. 317. 1697. Edward, Delatt. & B.; Gould, T. v. pl. 318.	1677. Dumerilii, Less. O. M. suppl. t.36; Gould, T. v. pl. 305.	Ecuador.
1680. Riefferi, Bourc.; Gould, T. v. pl. 311. Dubusi, Bourc.; fuscicaudatus, Fras. amazili, Delattr.; arsinoïdes, Sauc. 1681. beryllinus, Licht.; Less. O. M. suppl. t. 28, 29; Gould, T. v. pl. 312. Arsonoë, Less.; fuscicaudatus, Licht. 1682. Devillei, Bourc.; Gould, T. v. pl. 313. Marice, Bourc. & M.?; Dumerili, Salv. Maria, Bp. 1683. viridigaster, Bourc.; Gould, T. v. pl. 314. viridiventris, Reich. 1684. cyanurus, Gould, T. v. pl. 304. 1685. alticolus, Gould, T. v. pl. 304. 1686. amaziliculus, Sauc.; Reich. Troch. t. 777. 4805-6. amazicula!, Gould; leucophaea, p., Cab. & H. Dumerili, p., Gould. 1687. leucophæus, Reich.; Gould, T. v. pl. 306. 1688. suavis, Cab. & H. 1689. Graysoni, Lawr. 1690. yucatacensis, Cabot; Gould, T. v. pl. 308. 1691. castaneiventris, Gould, T. v. pl. 310. 1692. iodurus, Sauc. Aglaiæ, Bourc. 473.		C. America.
Dubusi, Bourc.; fuscicaudatus, Fras. amazili, Delattr.; arsinoïdes, Sauc. 1681. beryllinus, Licht.; Less. O. M. suppl. t. 28, 29; Gould, T. v. pl. 312. Arsonoë, Less.; fuscicaudatus, Licht. 1682. Devillei, Bourc.; Gould, T. v. pl. 313. Mariæ, Bourc. & M.?; Dumerili, Salv. Maria, Bp. 1683. viridigaster, Bourc.; Gould, T. v. pl. 314. viridiventris, Reich. 1684. cyanurus, Gould, T. v. pl. 304. 1685. alticolus, Gould, T. v. pl. 304. 1686. amaziliculus, Sauc.; Reich. Troch. t. 777. 4805-6. amazicula!, Gould; leucophaea, p., Cab. & H. Dumerili, p., Gould. 1687. leucophæus, Reick.; Gould, T. v. pl. 306. 1688. suavis, Cab. & H. 1689. Graysoni, Lawr. 1690. yucatacensis, Cabot; Gould, T. v. pl. 308. 1691. castaneiventris, Gould, T. v. pl. 310. 1692. iodurus, Sauc. Aglaiæ, Bourc. 473. kk. Hemistilbon, Gould, 1861. Pyrrhophaena, p., Cab. & H. 1693. Ocai, Gould, T. v. pl. 289. 1694. Norissii, Bourc. Norrisi, G. R. Gr. 474. ll. Erythronota, Gould, 1860. Ariana, Muls. & V. 1865. Hemithylaca, Cab. & H. 1860. Saurcerottia, p., Bp. 1695. erythronotos, Less.; Gould, T. v. pl. 316. antigua, Gould. 1696. Feliciæ, Less.; Gould, T. v. pl. 317. 1697. Edward, Delatt. & B.; Gould, T. v. pl. 318.	1679. cerviniventris, Gould, T. v. pl. 309.	Mexico.
T. v. pl. 312. Arsonoë, Less.; fuscicaudatus, Licht. 1682. Devillei, Bourc.; Gould, T. v. pl. 313. Maria, Bourc. & M.?; Dumerili, Salv. Maria, Bp. 1683. viridigaster, Bourc.; Gould, T. v. pl. 314. viridiventris, Reich. 1684. cyanurus, Gould, T. v. pl. 315. 1685. alticolus, Gould, T. v. pl. 304. 1686. amaziliculus, Sauc.; Reich. Troch. t. 777. 4805-6. amazicula!, Gould; leucophaea, p., Cab. & H. Dumerili, p., Gould. 1687. leucophæus, Reich.; Gould, T. v. pl. 306. 1688. suavis, Cab. & H. 1689. Graysoni, Lawr. 1690. yucatacensis, Cabot; Gould, T. v. pl. 308. 1691. castaneiventris, Gould, T. v. pl. 310. 1692. iodurus, Sauc. Aglaiæ, Bourc. 473.	Dubusi, Bourc.; fuscicaudatus, Fras.	S. Mexico. Guatemala. Andes.
Mariæ, Bourc. & M.?; Dumerili, Salv. Maria, Bp. 1683. viridigaster, Bourc.; Gould, T. v. pl. 314. viridiventris, Reich. 1684. cyanurus, Gould, T. v. pl. 315. 1685. alticolus, Gould, T. v. pl. 304. 1686. amaziliculus, Sauc.; Reich. Troch. t. 777. 4805–6. amazicula!, Gould; leucophaea, p., Cab. & H. Dumerili, p., Gould. 1687. leucophæus, Reich.; Gould, T. v. pl. 306. 1688. suavis, Cab. & H. 1689. Graysoni, Lawr. 1690. yucatacensis, Cabot; Gould, T. v. pl. 308. 1691. castaneiventris, Gould, T. v. pl. 310. 1692. iodurus, Sauc. Aglaiæ, Bourc. 473. kk. Hemistilbon, Gould, 1861. Pyrrhophaena, p., Cab. & H. 1693. Ocai, Gould, T. v. pl. 289. 1694. Norissii, Bourc. Norrisi, G. R. Gr. 174. ll. Erythronota, Gould, 1860. Ariana, Muls. & V. 1865. Hemithylaca, Cab. & H. 1860. Saurcerottia, p., Bp. 1695. erythronotos, Less.; Gould, T. v. pl. 316. antigua, Gould. 1696. Feliciæ, Less.; Gould, T. v. pl. 317. 1697. Edward, Delatt. & B.; Gould, T. v. pl. 318.	T. v. pl. 312.	S. Mexico.
viridiventris, Reich. 1684. cyanurus, Gould, T. v. pl. 315. 1685. alticolus, Gould, T. v. pl. 304. 1686. amaziliculus, Sauc.; Reich. Troch. t. 777. 4805-6. amazicula!, Gould; leucophaea, p., Cab. & H. Dumerli, p., Gould. 1687. leucophæus, Reich.; Gould, T. v. pl. 306. 1688. suavis, Cab. & H. 1689. Graysoni, Lawr. 1690. yucatacensis, Cabot; Gould, T. v. pl. 308. 1691. castaneiventris, Gould, T. v. pl. 310. 1692. iodurus, Sauc. Aglaiæ, Bourc. 473. kk. Hemistilbon, Gould, 1861. Pyrrhophaena, p., Cab. & H. 1693. Ocai, Gould, T. v. pl. 289. 1694. Norissii, Bourc. Norrisi, G. R. Gr. 474. ll. Erythronota, Gould, 1860. Ariana, Muls. & V. 1865. Hemithylaca, Cab. & H. 1860. Saurcerottia, p., Bp. 1695. erythronotos, Less.; Gould, T. v. pl. 316. antigua, Gould. 1696. Feliciæ, Less.; Gould, T. v. pl. 317. 1697. Edward, Delatt. & B.; Gould, T. v. pl. 318.	Mariæ, Bourc. & M.?; Dumerili, Salv.	Guatemala.
1685. alticolus, Gould, T. v. pl. 304. 1686. amaziliculas, Sauc.; Reich. Troch. t. 777. 4805-6. amaziculas, Gould; leucophaea, p., Cab. & H. Dumerili, p., Gould. 1687. leucophæus, Reich.; Gould, T. v. pl. 306. 1688. suavis, Cab. & H. 1689. Graysoni, Lawr. 1690. yucatacensis, Cabot; Gould, T. v. pl. 308. 1691. castaneiventris, Gould, T. v. pl. 310. 1692. iodurus, Sauc. Aglaiæ, Bourc. 473. kk. Hemistilbon, Gould, 1861. Pyrrhophaena, p., Cab. & H. 1693. Ocai, Gould, T. v. pl. 289. 1694. Norissii, Bourc. Norrisi, G. R. Gr. 474. ll. Erythronota, Gould, 1860. Ariana, Muls. & V. 1865. Hemithylaca, Cab. & H. 1860. Saurcerottia, p., Bp. 1695. erythronotos, Less.; Gould, T. v. pl. 316. antigua, Gould. 1696. Feliciæ, Less.; Gould, T. v. pl. 317. 1697. Edward, Delatt. & B.; Gould, T. v. pl. 318.		New Granada.
1686. amaziliculus, Sauc.; Reich. Troch. t. 777. 4805-6. amazicula i, Gould; leucophaea, p., Cab. & H. Dumerili, p., Gould. 1687. leucophæus, Reich.; Gould, T. v. pl. 306. 1688. suavis, Cab. & H. 1689. Graysoni, Lawr. 1690. yucatacensis, Cabot; Gould, T. v. pl. 308. 1691. castaneiventris, Gould, T. v. pl. 310. 1692. iodurus, Sauc. Aglaiæ, Bourc. 473. kk. Hemistilbon, Gould, 1861. Pyrrhophaena, p., Cab. & H. 1693. Ocai, Gould, T. v. pl. 289. 1694. Norissii, Bourc. Norrisi, G. R. Gr. 474. ll. Erythronota, Gould, 1860. Ariana, Muls. & V. 1865. Hemithylaca, Cab. & H. 1860. Saurcerottia, p., Bp. 1695. erythronotos, Less.; Gould, T. v. pl. 316. antigua, Gould. 1696. Feliciæ, Less.; Gould, T. v. pl. 317. 1697. Edward, Delatt. & B.; Gould, T. v. pl. 318.	1684. cyanurus, Gould, T. v. pl. 315.	W. of Nicaragua.
amazicula!, Gould; leucophaea, p., Cab. & H. Dumerili, p., Gould. 1687. leucophæus, Reich.; Gould, T. v. pl. 306. 1688. suavis, Cab. & H. 1689. Graysoni, Lawr. 1690. yucatacensis, Cabot; Gould, T. v. pl. 308. 1691. castaneiventris, Gould, T. v. pl. 310. 1692. iodurus, Sauc. Aglaiæ, Bourc. 473. kk. Hemistilbon, Gould, 1861. Pyrrhophaena, p., Cab. & H. 1693. Ocai, Gould, T. v. pl. 289. 1694. Norissii, Bourc. Norrisi, G. R. Gr. 174. ll. Erythronota, Gould, 1860. Ariana, Muls. & V. 1865. Hemithylaca, Cab. & H. 1860. Saurcerottia, p., Bp. 1695. erythronotos, Less.; Gould, T. v. pl. 316. antigua, Gould. 1696. Feliciæ, Less.; Gould, T. v. pl. 317. 1697. Edward, Delatt. & B.; Gould, T. v. pl. 318.	1685. alticolus, Gould, T. v. pl. 304.	C. Peru.
1688. suavis, Cab. & H. 1689. Graysoni, Lawr. 1690. yucatacensis, Cabot; Gould, T. v. pl. 308. 1691. castaneiventris, Gould, T. v. pl. 310. 1692. iodurus, Sauc. Aglaiæ, Bourc. 473. kk. Hemistilbon, Gould, 1861. Pyrrhophaena, p., Cab. & H. 1693. Ocai, Gould, T. v. pl. 289. 1694. Norissii, Bourc. Norrisi, G. R. Gr. 474. ll. Erythronota, Gould, 1860. Ariana, Muls. & V. 1865. Hemithylaca, Cab. & H. 1860. Saurcerottia, p., Bp. 1695. erythronotos, Less.; Gould, T. v. pl. 316. antigua, Gould. 1696. Feliciæ, Less.; Gould, T. v. pl. 317. 1697. Edward, Delatt. & B.; Gould, T. v. pl. 318.	amazicula!, Gould; leucophaea, p., Cab. & H.	Ecuador.
1689. Graysoni, Lawr. 1690. yucatacensis, Cabot; Gould, T. v. pl. 308. 1691. castaneiventris, Gould, T. v. pl. 310. 1692. iodurus, Sauc. Aglaiæ, Bourc. 473.	1687. leucophæus, Reich.; Gould, T. v. pl. 306.	S. Peru.
1690. yucatacensis, Cabot; Gould, T. v. pl. 308. 1691. castaneiventris, Gould, T. v. pl. 310. 1692. iodurus, Sauc.	1688. suavis, Cab. & H.	Carthagena.
1691. castaneiventris, Gould, T. v. pl. 310. 1692. iodurus, Sauc. Aglaiæ, Bourc. 473. kk. Hemistilbon, Gould, 1861. Pyrrhophaena, p., Cab. & H. 1693. Ocai, Gould, T. v. pl. 289. 1694. Norissi, Bourc. Norrisi, G. R. Gr. 174. ll. Erythronota, Gould, 1860. Ariana, Muls. & V. 1865. Hemithylaea, Cab. & H. 1860. Saurcerottia, p., Bp. 1695. erythronotos, Less.; Gould, T. v. pl. 316. antigua, Gould. 1696. Feliciæ, Less.; Gould, T. v. pl. 317. 1697. Edward, Delatt. & B.; Gould, T. v. pl. 318.	1689. Graysoni, Lawr.	Tres Marias I.
1692. iodurus, Sauc. Aglaiæ, Bourc. 473. kk. Немізтільом, Gould, 1861. Pyrrhophaena, p., Cab. & H. 1693. Ocai, Gould, T. v. pl. 289. 1694. Norissii, Bourc. Norrisi, G. R. Gr. 474. ll. Екутнюмота, Gould, 1860. Ariana, Muls. & V. 1865. Hemithylaca, Cab. & H. 1860. Saurcerottia, p., Bp. 1695. erythronotos, Less.; Gould, T. v. pl. 316. antigua, Gould. 1696. Feliciæ, Less.; Gould, T. v. pl. 317. 1697. Edward, Delatt. & B.; Gould, T. v. pl. 318.	1690. yucatacensis, Cabot; Gould, T. v. pl. 308.	Yucatan.
Aglaiæ, Bourc. 473. kk. Hemistilbon, Gould, 1861. Pyrrhophaena, p., Cab. & H. 1693. Ocai, Gould, T. v. pl. 289. 1694. Norissii, Bourc. Norrisi, G. R. Gr. 474. ll. Erythronota, Gould, 1860. Ariana, Muls. & V. 1865. Hemithylaca, Cab. & H. 1860. Saurcerottia, p., Bp. 1695. erythronotos, Less.; Gould, T. v. pl. 316. antigua, Gould. 1696. Feliciæ, Less.; Gould, T. v. pl. 317. 1697. Edward, Delatt. & B.; Gould, T. v. pl. 318.	1691. castaneiventris, Gould, T. v. pl. 310.	New Granada.
Pyrrhophaena, p., Cab. & H. 1693. Ocai, Gould, T. v. pl. 289. 1694. Norissii, Bourc. Norrisi, G. R. Gr. 1741. ll. Erythronota, Gould, 1860. Ariana, Muls. & V. 1865. Hemithylaea, Cab. & H. 1860. Saurcerottia, p., Bp. 1695. erythronotos, Less.; Gould, T. v. pl. 316. antigua, Gould. 1696. Feliciæ, Less.; Gould, T. v. pl. 317. 1697. Edward, Delatt. & B.; Gould, T. v. pl. 318.		,, ?
1694. Norissii, Bourc. Norrisi, G. R. Gr. 121. ll. ERYTHRONOTA, Gould, 1860. Ariana, Muls. & V. 1865. Hemithylaca, Cab. & H. 1860. Saurcerottia, p., Bp. 1695. erythronotos, Less.; Gould, T. v. pl. 316. antigua, Gould. 1696. Feliciæ, Less.; Gould, T. v. pl. 317. 1697. Edward, Delatt. & B.; Gould, T. v. pl. 318.		
Norrisi, G. R. Gr. 171. ll. ERYTHRONOTA, Gould, 1860. Ariana, Muls. & V. 1865. Hemithylaca, Cab. & H. 1860. Saurcerottia, p., Bp. 1695. erythronotos, Less.; Gould, T. v. pl. 316. antigua, Gould. 1696. Feliciæ, Less.; Gould, T. v. pl. 317. 1697. Edward, Delatt. & B.; Gould, T. v. pl. 318.	1693. Ocai, Gould, T. v. pl. 289.	Mexico, Xalapa.
Ariana, Muls. & V. 1865. Hemithylaca, Cab. & H. 1860. Saurcerottia, p., Bp. 1695. erythronotos, Less.; Gould, T. v. pl. 316. antigua, Gould. 1696. Feliciæ, Less.; Gould, T. v. pl. 317. 1697. Edward, Delatt. & B.; Gould, T. v. pl. 318.		C. Mexico. Guayaquil.
antigua, Gould. 1696. Feliciæ, Less.; Gould, T. v. pl. 317. 1697. Edward, Delatt. & B.; Gould, T. v. pl. 318.	Ariana, Muls. & V. 1865.	
1697. Edward, Delatt. & B.; Gould, T. v. pl. 318.		Trinidad. Tobago, Venez.
, J ,	1696. Feliciæ, Less.; Gould, T. v. pl. 317.	Venezuela.
Edwardsn, G. R. Gr.; Edward, Gould.	1697. Edward, Delatt. & B.; Gould, T. v. pl. 318. Edwardsii, G. R. Gr.; Edwardi, Gould.	Panama, C. Rica Veragua.

1698. niveiventris, Gould, T. v. pl. 319. niveoventer, Gould.	Panama. Veragua.
1699. elegans, Gould, T. v. pl. 320.	?
475. mm. Eufherusa, Gould, 1861. Epherusa, Muls. & V. 1865.	
1700. eximius, Delattr.; Gould, Troch. v. pl. 324.	Guatemala, Hon-
1701. egregius, Sclat. & S.	duras ? Veragua.
1702. nigriventris, Lawr.	Costa Rica.
476. nn. Chrysures, Less. 1832. Chrysuronia, Bp. 1849. Chrysurisca, Cab. & H. 1860. Hylocharis, Muls. & V. 1865.	
1703. Oenone, Less. O. M. suppl. t. 30; Gould, T. v. pl. 325.	Venezuela, New
1704. Josephinæ, Bourc. & M.; Gould, T. v. pl. 326.	Granada. R. Amazon,
1705. cæruleicapillus, Gould.	Peruv, Amazons.
1706. Eliciæ , <i>Bourc. & M.</i> ; <i>Gould</i> , <i>T.</i> v. pl. 328. Elicia, <i>Bp</i> .	Guat., C. Rica. Veragua.
1707. chrysurus, Less. O. M. suppl. t. 4; Gould, T. v. pl. 329.	Peru.
1708. neera, Less.	?
1709. Humboldtii, Bourc. & Muls.; Gould, T. v. pl 327. viridicandus, Lawr.	Guat., Verag. Costa Rica.
477. 00. CYANOMYIA, Bp. 1854. Uranomitra, Reich. 1854.	
1710. quadricolor, V.; Gould, T. v. pl. 284. cyanocephala, Less. O. M. suppl. t verticalis, Licht.	N. Mexico.
1711. violiceps, Gould, T. v. pl. 285.	W. Mexico.
1712. cyanocephalus, Less. O. M. suppl. t verticalis, G. R. Gr.; Faustine, Reich. Lessoni, Cab. & H.	S. Mexico.
1713. Franciæ, Bourc.; Gould, T. v. pl. 287.	New Granada.
1714. guatemalensis, Gould. eyanocephala, Salv. quadricolor, p., Muls. & V.	Guatemala.
1715. cyanocollis, Gould, T. v. pl. 288.	Peru.
178. pp. Opisthoprora, Cab. & H. 1860. Avocettinus, Ep. 1854 nec 1849. Avocettina, Muls. & V. 1865.	
1716. eurypterus, Lodd.; Gould, T. iii. pl. 200. Georginæ, Bourc.	New Granada.

479. AÏTHURUS, Cab. & H. 1860.

Polythmus, Lcss. 1832, nec Briss, 1760. Phætornis, Less. 1829, nec Sw. 1827. Trochilus, G. R. Gr. 1840, nec L. 1748. Polytmus, Muls. & V. 1865.

G. of B. i. p. 109, pl. 35. f. 6; Reich. S. A. t. 39. f. (Polytmus).

1717. polytmus, L.; Edw. B. pl. 34; Less. O. M. t. 17; Gould, T. iii. pl. 98.

Jamaica.

cephalatra, Less.; stellatus, Gould. Maria, Hill; atricapilla, V.; viridans, Reich.

1718. fuliginosus, Hill.

480. TOPAZA, G. R. Gr. 1840.

Topazes, Lcss. 1832. Trochilus, L. 1758-66, nec 1748. Lampornis, Reich. 1849.
 G. of B. i. p. 109, pl. 35. f. 7; Reich. S. A.t. 39. f. (Lampornis!).

a. Topaza.

1719. pella, L.; Edw. B. pl. 32. 2; Less. C. t. 2-5; Gould, T. ii. pl. 66. surinamensis, Spal.; paradiseus, L.

Cayenne. Rio Negro.

1720. pyra, Gould, T. ii. pl. 67.

Upper Amazon.

b. Florisuoa, Bp. 1849. Orthorhynchus, Illig. 1811, nec Cuv. 1799–1800. Lampornis, Less. 1829, nec Sw. 1827.

1721. mellivora, L.; Edw. B. pl. 36. 1; P. E. 640. 2; Gould, T. ii. pl. 113.
surinamensis, Steph.; fimbriatus, L.

Brazil, Trinidad. New Granada, Guatemala. I. Tobago.

1722. flabellifera, Gould, T. ii. pl. 114.

1723. fusca, V.; Less. O. M. t. 38, 39; Gould, T. ii. pl. 115. atratus, Licht.; niger, Sw.; atra, Max. lugubris, Less. lencopygius, Spix, A. B. t. 81. 3.

E. Brazil.

482. c. Microchera, Gould, 1861.

1724. albocoronata, Lawr.; Gould, T. ii. pl. 116. New Granada. 1725. parvirostris, Lawr. Costa Rica.

483. d. Delattria, Ep. 1849. Lamprolaima, Reich. 1854. Cœligena, p., Cab. & H.

1726. **Henrica**, Less. & D.; Gould, T. ii. pl. 62. Guatemala. Henrici, Bp.

1727. viridipallens, Bourc. & M.; Gould, T. ii. pl. 63.

484. CALOTHORAX, G. R. Gr. 1840.

Lucifers, Less. 1832. Lucifer, Reich, 1854. Cyanopogon, Bp. 1854?

G. of B. i. p. 110; Reich. S. A. t. 39. f. (Lucifer)?

a. Calothorax.

1728. Lucifer, Sw.; Less. O. M. t. 5, et C. suppl. t. 9, 10; Gould, T. iii. pl. 143. N. Mexico. cyanopogon et simplex, Less. coruscans, Licht.

485. b. Thaumastura, Bp. 1849. Cora, Bp. 1854? Tamnastura, Casteln. 1853.

1729. Cora, Less. Voy. Coqu. t. 13. 4, id. O. M. t. 6, T. t. 39, 40; Gould, T. iii. pl. 153.

Peru.

486. c. Doricha, Reich. 1854.

Myrtis, Cab. & H. 1861. Amathusia, Muls. & V. 1865.

1730. enicurus, V. P. C. 66. 3; Less. T. t. 66; Gould, T. iii. pl. 157. heteropygia et Swainsoni, Less.

d. Manilia, 1865.

Guatemala.

1731, Elizæ, Gould, T. iii. pl. 155. Eliza, Less. & D.; elisa, Bp.

S. Mexico.

1732. Bryantæ, Lawr.

henicura, Reich.

487.

Costa Rica.

1733. Evelynæ, Bourc.; Gould, T. iii. pl. 156. evillina, Bp.; bahamensis, Bryant.

Bahama I.

et Amathusia, p., Muls. & V. Calothorax, p., Gould. 1734. pulchra, Gould, T. iii. pl. 144.

S. Mexico.

488. e. Stellula, Gould, 1861. Stellura, 1865, ct Zephyritis, p., Muls. & V.

1735. calliope, Gould, T. iii. pl. 142.

N. Mexico, California.

489. f. Rhodopis, Reich, 1854. Amathusia, p., Muls. & V.

1736. vesper, Less. O. M. t. 19; T. t. 9. 48; Gould, T. iii. pl. 154. vespera, Reich.

Peru.

490. q. Myrtis, Reich. 1854. Elisa, Bp. 1854? Zephyritis, Muls. & Verr. 1865. Myrtis, p., Cab. & H.

1737. Fanny, Less.; Gould, T. iii. pl. 151; Ann. Sc. Phys. Lyon, 1838, t. Ecuador, Peru. labrador, Bourc.; Fanniæ, Gould.

1738. Yarrellii, Bourc.; Gould, T. iii. pl. 152.

W. Peru.

491. h. Lafresnaya, Bp. 1849.

Calothorax, G. R. Gr. 1848 nec 1840. Entima, Cab. & H. 1860. Euclosia, Muls. & V. 1865.

G. of B. i. pl. 35. f. 4.

1739. Lafresnayi, Boiss.; Gould, T. ii. pl. 85. flavicaudatus, Fras.

New Granada. N. Ecuador.

1740. Gayi, Bourc. & M.; Gould, T. ii. pl. 86.

Ecuador, Peru.

1741. Saulæ, Bourc.

Saulii, G. R. Gr.; Gayi, p., Cab, & H.; Saul, Reich.

---- ? Popayan?

492. i. Ionolaima, Reich. 1854.

Strophiolæmus, 1853, et Iolæma, 1854, Gould. Ionolæma, Bp. 1854.

1742. Schreibersii, Lodd.; Gould, T. ii. pl. 93.

Upp. Amazon, R. Napo. R. Napo.

1743. frontalis, Lawr.; Gould, T. ii. pl. 92.

493. TROCHILUS, L. 1748-56.

Troglodites, L. 1744. Cynanthus, Sw. 1827. Colubris, Reich. 1849? Ornismia, p., Muls. & V. Mellisuga, Briss. 1760. G. of B. i. p. 111; Reich. S. A. t. 40. f. .

a. Trochilus.

1744. colubris, L.; Edw. B. pl. 38; Wils. A. O. pl. 10, 3, 4; E. of N. Amer., Gould, T. iii. pl. 131.

Mexico, Cuba. Bermuda.

494. b. Archilochus, Reich, 1854. Ornismia, Muls. & V. 1865.

1745. Alexandri, Bourc. & M.; Gould, T. iii. pl. 132. Cassinji, Bp.

N. Mexico. California.

1746. aurigularis, Lawr.

--- ?

495. c. Docimastes, Gould, 1849.

Mellisuga, G. R. Gr. 1848, nec Briss. Docimaster, Bp. 1849.

G. of B. i. p. 111, pl. 35, f. 10; Reich. S. A. t. 40, f.

1747. ensiferus, Boiss. Mag. de Zool. 1840, t. 15; Gould, T. iv. pl. 233.

Columbia.

Derbianus, Fras.

1748. Schliephackei, Cab. ensifera, p., Gould.

Ecuador.

496. d. Eugenes, Gould, 1856. Delattria, p., et Cœligena, p., Bp. Cyltolæma, p., Muls. & V. 1749. fulgens, Sw.; Less. O. M. t. 4; Gould, T. ii. pl. 59. Mexico.
 Rivolii, Less. Guatemala.
 1750. spectabilis, Lawr. Costa Rica.

fulgens 2?, Salv.

497. e. Eugenia, Gould, 1855. 1751. imperatrix, Gould, T. iv. pl. 234.

Ecuador.

498. f. Heliodoxa, Gould, 1849. Leadbeatera, p., Bp.

1752. jacula, Gould, T. ii. pl. 94.

New Granada.

1753. ? Henryi, Lawr. jacula, p. ?, Gould.

1754. Jamesoni, Bourc.; Gould, T. ii. pl. 95. Jamersoni!, Bourc.

Ecuador.

499. g. Leadbeatera, Bp. 1849.

1755. Leadbeateri, Bourc. Ann. Sc. Phys. Lyon, 1843, t. 5; Gould, T. ii. pl. 97. grata, Bp.

New Granada.

1756. splendens, Gould. Leadbeateri, var., Muls. & V.

Venezuela.

1757. otero, Tsch.; Gould, T. ii. pl. 96. sagitta, Reich.; Leadbeateri, var., Muls. & V.

Peru, Bolivia.

500. h. — ?

Heliomaster, p., 1849, et Heliomastes, Bp. 1854. Heliomaster, Reich. 1854.

1758. longirostris, V.; P. C. 299.1; Less. O. M. t. 2, C. suppl. t. 23, T. t. 34; Gould, T. iv. pl. 259. superbus, Shaw.

Trinid., Brazil.

1759. pallidiceps, Gould.

Mexico, Guatem. New Granada.

1760. Stuartæ, Lawr. longirostris, Sclat.

Costa Rica.

Rica.

Mexico.

1761. Sclateri, Cab. longirostris, p., Sclat.?

1762. Constanti, Delattr.; Gould, T. iv. pl. 260. Guatema, Costa

1763. Leocadie, Bourc.; Gould, T. iv. pl. 261. pinicola, Gould.

501. i. Corinnes, Less. 1832.

Trochilus, Sw. 1837, nec L. Heliomastes et Ornithomyia, Bp. 1854. Lepidolarnyx, Reich. 1854. Heliomaster, p., Ep. Lepidolarynx et Lepidoria, Muls. & V. 1865. Diphlogena, p., et Calliperidia, p., Muls. & V.

1764. mesoleucus, Tem. P. C. 203. 1; Gould, T. iv. pl. 262. Brazil. longirostris, Nat.; squamosus, Tem.

mystacinus, V.; Temminckii, Less. melanoleuca!, G. R. Gr.

j. Heliomaster, Bp. 1849.

Ornithomyia, p., Bp. 1854. Calliperidia, Reich. & Muls. & V. 1854.

Callopistria!, Bp. 1854. Calothorax, p., G. R. Gr.

1765. regis, Schreib. F. Bras. t. 1. 1; Gould, T. iv. pl. 263; Ill. de Zool. t. 49, 50. angelæ, Less.; inornatus, Burm.

Buenos Ayres. Tucuman.

503. k. Oreopyra, Gould, 1860.

Panterpe, Cab. & H. 1860.

1766. hemileucus, Salv.

Costa Rica.

1767. calolæmus, Salv. venusta. Lawr.

1768. insignis, Cab.

Veragua. Costa Rica.

1769. leucaspis, Gould, T. iv. pl. 264.

1770. cinereicaudus, Lawr.

Volcans of Chiriqui.

504. *l.* Helianthea, Gould, 1848.

1771. heliantheus, Less.; Gould, T. iv. pl. 235. typica, Bp.

New Granada.

1772. Lutetiæ, Delattr. & B.; Gould, T. iv. pl. 238.

Popayan, Ecuad. Bolivia. Peru.

1773. violiferus, Gould, T. iv. pl. 239. violifer, Gould.

505. m. Hypochrysia, Reich. 1854. Helianthea, p., Gould.

1774. Bonapartei, Boiss. An. Sc. Phys. Lyon, 1842, t. 14; Gould, T. iv. pl. 236, aurigaster, Lodd.

New Granada.

1775. eos, Gould, P. Z. S. 1848, pl. 1; id. T. iv. pl. 237.

Columbia (Merida).

506. n. Diphlogæna, Gould, 1854.

Hypochrysia, p., Reich. Dipliogena!, Gould.

1776. Iris, Gould, T. iv. pl. 247.

Andes of Bolivia.

1777. aurora, Gould, T. iv. pl. 248. Warszewizii, Reich. Peru.

1778. hesperus, Gould.

Cuenza, Ecuad.

507. o. Pterophanes, Gould, 1848.

1779. **Temmincki**, *Boiss. Mag. de Zool.* 1840, t. 14; *Gould*, *T.* iii. pl. 178.

. pl. 178. New Granada. cyanopterus, Lodd. Ecuador.

50%. p. Bourcieria, Ep. 1849. Hamophania, Reich. 1854. Homophania, p., Cab. & H.

1780. Prunellei, Bourc. & M. Ann. Sc. Phys. Lyon, 1843, t. 1; Andes of New Gould, T. iv. pl. 257.

509. q. —?

Bourcieria, Reich. 1854, et p. Bp. 1849. Homophania, p., Cab. & H.

1781. torquatus, Boiss.; Gould, T. iv. pl. 251. Columbia.

1782. fuligidigula, Gould, T. iv. pl. 252. Ecuador.

1783. inca, Gould, T. iv. pl. 254. Bolivia.

1784. insectivorus, Tsch. F. P. t. 28. 1. Peru.

torquatus, p., G. R. Gr.

510. r. Lampropygia, Reich. 1854. Bourcieria, p., Bp. Lampropygia, p., Cab. & H.

1785. Wilsoni, Delattr. & B.; Gould, T. iv. pl. 258. Ecuador.

511. s. Conradinia, Reich. 1854. Bourcieria, p., Ep. Helianthea, p., Cab. & H.

1786. Conradi, Bourc.; Gould, T. iv. pl. 253.

Pamplona, New Granada.

t. CŒLIGENA, Less. 1832.
 Delattria, p., Bp. 1849.

1787. Clemenciæ, Less. O. M. t. 80, C. suppl. t. 8; Gould, T. ii. pl. 60. Mexico. typica, Bp.

. . .

513. *u.* — ?

Lampropygia, Cab. & H. 1860, nec Reich. Caeligena, 1849 (nec Less.), et Cœlegena, 1854, Bp. Urania, Fitz.

Reich. S. A. t. 40. f. .

1788. cœligena, Less. T. t. 53; Gould, T. iv. pl. 255. New Granada. typica, Bp.; Lessoni, Muls. & V.

1789. bolivianus, Gould.

Lessoni, var., Muls. & V.

Lessoni, var., Muls. & V. Bolivia.

1790. purpureus, Gould, T. iv. pl. 256. Popayan.

514. v. Heliangelus, Gould, 1848.

Anactoria, Reich. 1854.

1791. Clarisse, De Long.; Gould, T. iv. pl. 242. New Granada. Clarisse, G. R. Gr.; Clarissa, Ep. Libussa, Reich

1792. strophianus, Gould, T. iv. pl. 243. Ecuador.

1793. amethysticollis, Lafr. D'Orb. Voy. Am. M. t. 60. 2; Gould, T. iv. pl. 245.

Peru.

1794. Mavors, Gould, Pr. Z. S. 1848, pl. 11; Gould, T. iv. pl.

New Granada.

515. w. Heliotrypha, Gould, 1853.

Parzudakia, Reich. 1854. Heliotrypha, Bp. 1854. Heliotryphon, Cab. & H. 1860.

1795. Parzudaki, De Long.; Gould, T. iv. pl. 240. exortis, Fras.; dispar, Reich.

Ecuador. ,,

1796. viola, Gould, T. iv. pl. 241.

516. x. Doryfera, Gould, 1847. Doryphera, Bp. 1849. Doryphora, Cab. & H. 1860. Hemistephania, Reich. 1854.

1797. Johannæ, Bourc.; Gould, T. iv. pl. 87. violifrons, Gould.

New Granada.

1798. Ludoviciæ, Bourc. & M.; Gould, T. iv. pl. 88.

1799. rectirostris, Gould.

Ecuador. 1800. euphrosinæ, Muls. & V.

y. CLYTOLÆMA, Gould, 1853.

New Granada.

Heliodoxa, Reich. 1854, nec Gould, 1849. Clytolaema, Cab. & H. 1861.

1801. rubineus, Gm.; Briss. Orn. iii. t. 37. 4; P. E. 276. 4; Gould, T. iv. pl. 249. obscurus, Gm.; ruficaudatus, V.

E. Brazil.

1802. aurescens, Gould, T. iv. pl. 250.

Rio Madeiro et R. Napo.

518. z. Phaiolaima, Reich. 1854. Phæolæma, Bp. 1854. Phaeolaema, Cab. & H. 1860. Phæolæma, Gould, 1861.

1803. rubinoides, Bourc. & M.; Gould, T. iv. pl. 268. granadensis, Cab. & H.

New Granada.

1804. æquatorialis, Gould, T. iv. pl. 269. rubinoïdes, Sclat.

Ecuador.

aa. Lamprolaima, Reich. 1854. 5 T 40. Lamprolaema, Bp. 1854. Lamprolaema, Gould, 1861.

1805. Rhami, Less.; Gould, T. ii. pl. 61.

Guatemala.

520. bb. AGLEACTIS, Gould, 1848. Aglaïactis, Cab. & H. 1860.

1806. cupripennis, Bourc. & M.; Gould, T. iii. pl. 179.

New Granada.

1807. æguatorialis, Cab. & H. curvipennis, var., Muls. & I. Ecuador.

1808. pamela, Lafr.; D'Orb. Voy. Am. M. t. 60. 1; Gould, T. iii. pl. 181.

Bolivia.

1809. parvula, Gould. cupripennis, var., Muls. & V.

Peru or Bolivia.

1810. caumatonotus, Gould. cupripennis, var., Muls. & V. olivaceocauda, Lawr.

E. Peru.

1811. Castelnaudii, Bourc. & M.; Gould, T. iii. pl. 180. Castelnaui, G. R. Gr. Castelneaui, Bp. Peru.

521. cc. Boissonneaua, Reich. 1854.

Panoplites, Gould, 1854. Boissoneaua!, Cab. & H.

1812. flavescens, Lodd.; Gould, T. ii. pl. 111. paradisea, Boiss.

Ecuador. New Granada.

1813. Matthewsi, Lodd.; Gould, T. ii. pl. 112.

1814. Jardini, Bourc.; Gould, T. ii, pl. 110.

Jardinei, Cab. & H.

Ecuador.

522. dd. Ramphomicron, Bp. 1849.

Rhamphimicrus, Cab. & H. 1860. 1815. microrhynchus, Boiss, Mag. de Zool, 1840, t. 16; Gould,

Andes.

T. iii. pl. 189. brachyrhynchus, Fras.

1816. olivaceus, Lawr.

Bolivia.

523. ee. Eurogonus, Muls. & V. 1865.

Ramphimicron, p., Muls. & V. Chalcostigma, p., Reich.

1817. Herrani, Delattr. & Bourc.; Gould, T. iii. pl. 187.

Equador.

ff. Lamprofogon, Ep. 1854.
 Chalcostigma, Reich. 1854. Ramphimicron, Gould et p. Bp.

1818. heteropogon, Boiss. Mag. de Zool. 1840, t. 12; Gould, T. iii. pl. 184. coruscans, Fras.

New Granada.

1819. Stanleyi, Bourc. & M.; Gould, T. iii. pl. 185.

Ecuador.

1820. Vulcani, Reich. Aufz. der Col. t. 12; Gould, T. iii. pl. 186. Bolivia. Stanleyi, var., Muls. & V.

1821. ruficeps, Gould, T. iii. pl. 188.

525. gg. Oxypogon, Gould, 1848.

1822. Guerinii, Boiss.; Gould, T. iii. pl. 182. parvirostris, Fras.

New Granada.

1823. Lindenii, Parz. Rev. Zool. 1849, t. 8; Gould, T. iii. pl. 183.

hh. OBEONYMPHA, Gould, 1869. 526. Tinta, Peru. 1824. nobilis, Gould. 527. ii. UROSTICTE, Gould, 1853. Urosticta, Reich. 1825. Benjamini, Bourc.; Gould, T. iii. pl. 190. Ecuador. 1826. ruficrissus, Lawr. 528. ii. Adelomyia, Bp. 1854. Adelisca, Cab. & H. 1860. 1827. melanogenys, Fras.; Gould, T. iii. pl. 198. New Granada, Ecuad., Peru. Sabinæ, Bourc. & M. Ecuador. 1828. maculatus, Gould, T. iii. pl. 199. Bolivia. 1829. inornatus, Gould, T. iii. pl. 197. 529. kk. Phlogophilus, Gould, 1860. R. Napo? 1830. hemileucurus, Gould, T. v. pl. 360. 530. ll. Anthocephala, Cab. & H. 1860. Adelomyia, p., Bp. 1831. ? castaneiventris, Gould, T. iii. pl. 203. Chiriqui. Columbia. 1832. floriceps, Gould, T. iii. pl. 202. 531. mm. UROLAMPRA, Cab. & H. 1860. Metallura, Bp. 1854, nec Gould, 1847. 1833. tyrianthinus, Lodd.; Ann. Sc. Phys. Lyon, 1840, t. 3, 4; New Granada. Gould, T. iii. pl. 195. Allardi, Bourc.; Paulinæ, Boiss. Bolivia. 1834. æneocaudus, Gould, T. iii. pl. 192. Ecuador. 1835. quitensis, Gould. 1836. smaragdinicollis, Lafr.; D'Orb. Voy. Am. M. t. 59. 2; Gould, T. iii. pl. 196. Peru. Bolivia. 1837. Williami, Bourc.; Gould, T. iii. pl. 193. Popayan. 1838. Primolina, Bourc.; Gould, T. iii. pl. 194. Peru.

nn. Abeillia, Bp. 1849.
 Myiabeillia, Bp. 1854.

Primolii. Gould.

Baucis, Reich. 1854.

1839. chloropogon, Cab. & H.

1840. Abeillei, Delattr. & L.; Gould, T. iv. pl. 211. typica, Bp.

Mexico.
Guatemala.

--- ?

533. оо. DIOTIMA, Reich. 1854.

Heliangelus, p., Gould.

1841. Spencei, Bourc.; Gould, T. iv. pl. 244.

New Granada.

534. pp. METALLURA, Gould, 1848.

1842. cupreicaudus, Gould, T. iii, pl. 191. opaca, Tsch.; cupricauda, Gould.

Bolivia.

535. qq. Saphos, Less. 1832.

Cometes, Gould, 1847, nec Hodgs, 1841. Sappho, Reich. 1849. Sparganura, Cab. & H. 1860. Reich. S. A. t. 40. f. .

1843. sparganurus, Shaw; Less. O. M. t. 27, 28, T. t. 49; Gould, T. iii. pl. 174. chrysurus. Cuv.; radiosus, Tem.

sappho, Less.; chrysochloris, V.

1844. Phaon, Gould, T. iii. pl. 175.

Peru.

New Granada.

1845. ? glyceria, Bp.; Gould, T. iii, pl. 176. Mossai, Gould.

Peru.

1846. ? Caroli, Bourc.; Gould, T. iii. pl. 177.

536. rr. Cynanthus, Sw. 1827.

Lesbia, Cab. & H. 1860, nec Less.

1847. cyanurus, Steph.; Gould, T. iii. pl. 172. New Granada. Kingii, Less.; forficatus, (L.?) Reich. Gorgo, Reich.

1848. mocoa, Delattr. & B.; Gould, T. iii. pl. 173. smaragdinus et smaragdinicaudus, Gould. smaragdicaudus, Muls. & V.

Peru, Bolivia.

1849. cœlestis, Gould.

Ecuador.

537. ss. Lesbia, Less. 1832.

Cynanthus, Sw. 1837, nec 1827.

Discura, Reich. 1854. Agaclyta, Cab. & H. 1860. Cyananthus, Reich. 1854.

1850. Gouldii, Lodd.; Gould, T. iii. pl. 167. sylphia, Less.

New Granada.

1851. nuna, Less. O. M. suppl. t. 35; Gould, T. iii. pl. 169. bifurcata, Sw.?

Ecuador.

Peru.

1852. gracilis, Gould, T. iii. pl. 168.

538. tt. PSALIDOPRYMNA, Cab. & H. 1860. Cynanthus, Bp. 1854. Lesbia, Gould, 1854.

1853. amaryllis, Bourc. & M. Mag. de Zool. 1846, t. 4; Gould, T. iii, pl. 170.

New Granada. Ecuador, Peru.

Victoria, Bourc.

1854. eucharis, Bourc.; Gould, T. iii. pl. 171. bifurcata, Reich.

New Grauada.

539. uu. Discosura, Bp. 1849.

Platures et Platurus, Less. 1829, nec Latr. Ocreatus, p., Gould. Discura, Cab. & H. 1860.

1855. longicaudus, Gm.; V. O. D. t. 52; Gould, T. iii. pl. 126. Cayenne, Brazil. platurus, Lath.; ligonicauda, Gould. Demerara.

540. vv. Steganurus, Reich. 1849.

Spathura, 1850, et Ocreatus, p., Gould. Steganura, Reich. 1854.

Reich. S. A. t. 40. f.

1856. Addæ, Bourc.; Gould, T. iii. pl. 165. rufocaligatus, Gould.

Bolivia.

1857. **Underwoodi**, Less. T. t. 37; Gould, T. iii. pl. 162. ventilabrum, Lath.; Kieneri, Less. spatuligera et remiga, Reich.

Bogota, Venezuela.

1858. melanantherus, Jard.; Gould, T. iii. pl. 163.

Ecuador. Peru.

1859. peruanus, Gould, T. iii. pl. 164.

541. ww. Uralia, Muls. & V. 1865. Spathura, p., Gould.

1860. cissiurus, Gould, T. iii. pl. 166.

5-42. xx. Loddigioruis, 1850. Loddigioruis, 1850, et Loddiggioruis, 1854, Bp. Mulsantia, Reich. 1854.

1861. mirabilis, Lodd.; G. R. Gr. & M. G. B. pl. 37; Gould, T. iii. pl. 161.

543. yy. Selasphorus, Sw. 1831.

Rubis, Less, 1832. Mellisuga, p., G. R. Gr. 1841. Selosphorus, Bp. 1849. Selosphorus, Reich. 1854.

1862. rufus, Gm.; Lath. Syn. i. pl. 35; Less. O. M. t. 66, 67, suppl. t. 11-13, T. t. 43; Gould, T. iii. pl. 137. collaris, Lath.; sitkensis, Rath. sasin, Less.; rubra, Steph.

Mexico, Calif. Nootka S., Sitka.

1863. platycercus, Sw.; Less. O. M. suppl. t. 14; Gould, T. iii. pl. 140.

tricolor et montana, Less.

C. America.

1864. scintilla, Gould, T. iii. pl. 138.

Costa Rica.
C. Mexico.

1865. Floresii, Lodd.; Gould, T. iii. pl. 139.

1866, flammula, Salv.

Costa Rica.

54.1. zz. Calypte, Gould, 1856.
Atthis, p., Cab. & H. Zephyrites et Calypte, Muls. & V. 1865.

1867. Annæ, Less. O. M. t. 74; Gould, T. iii, pl. 135. Mexico, Calif. icterocephala, Nutt.; lamprocephalus, Licht.

1868. Costæ, Bourc.; Voy. Venus, t. 2; Gould, T. iii. pl. 136.

1869. Helenæ, *Lemb.*; *Gould*, *T.* iii. pl. 136.

Boothi, *Gundl.*; Elvira, p., *Muls.* & *V*.

Cuba.

545. aaa. Atthis, Reich. 1854.

Tryphæna, p., Bp.

1870. **Heloisa**, Less. & D.; Gould, T. iii. pl. 141. Heloisæ, Gould.

C. America. S. Mexico.

546. bbb. Acestrura, Gould, 1861.

Polymnia, Muls. & V. 1865. Ornismia, p., Muls. & V.

1871. Mulsanti, Bourc. Ann. Sc. Phys. Lyon, 1842, t. 20; Gould, T. iii. pl. 145.

Andes.

1872. Heliodore, Bourc. Ann. Sc. Phys. Lyon, 1842, t. 15, 16; Gould, T. iii. pl. 147.

1873. decoratus, Gould, T. iii. pl. 146.

Andes, New
Granada.

?, New
Granada?

Peru or Bolivia.

1874. mierurus, Gould, T. iii. pl. 148.

ccc. Chætocercus, G. R. Gr. 1853.
 Calothorax, Reich. 1854, nec Gr.
 Callothorax, Bp. 1854. Osalia, Muls. & V. 1865.

1875. Rosæ, Bourc. & M.; Gould, T. iii. pl. 149. rosa, Bp.

Venezuela.

1876. Jourdani, Bourc. Ann. S. P. de Lyon, 1840, t. 5, 6; Gould, T. iii. pl. 150.

Trinidad.

548. ddd. HELIACTIN, Boie, 1831.

Heliactinia, Reich. 1849. Queues étroites, Less. 1832. Heliactinus, Burm. 1856. Reich. S. A. t. 40. f

chrysolopha, Less.

1877. cornutus, Max.; P. C. 18. 3; Less. O. M. t. 7, 8, suppl. t. 32; Gould, T. iv. pl. 212. dilophus, V.; bilophus, Tem.

Brazil.

L

549. eee. Gouldia, Bp. 1849.

Gouldomyia, Bp. 1854. Prymmeanthus, Cab. & H. 1860. Mellisuga, Muls. & V.

1878. Langsdorffii, V.; P. C. 66. 1; Less. O. M. t. 26, suppl. 16; T. t. 35, 60; Gould, T. iii. pl. 128. hirundinaceus, Spix.

1879. melanosternon, Gould.

Peru.

1880. Conversii, Bourc. & M. Rev. de Zool. 1846, t. 3; Gould, T. iii. pl. 129.

Bogota, Ecuador.

1881. Letitiæ, Bourc.; Gould, T. iii. pl. 130.

Bolivia.

550. *fff.* Popelairia, *Reich.* 1854.

Pyrmnacanthus, p., Cab. & H. Prymnacantha, Muls. & V.

1882. Popelairii, Dubus, Esq. O. t. 6; Gould, T. iii. pl. 127. New Granada. tricholopha, Reich.

551. ggg. Tryphaena, Gould, 1850. Tilmatura, Reich. 1854. Thaumatura, p., Bp. 1854.

1883. **Duponti**, Less. C. t. 1; Gould, T. iii. pl. 158.

Guatemala.

zemes et celestis, Less.; lepida, Reich.

552. hhh. Calliphlox, Boie, 1831.
Tryphaena, p., Bp. 1849.

1884. amethystinus, Gm.; P. E. 672. 1; Gould, T. iii. pl. 159. N. of S. Amer. orthura, Less. T. t. 28, 29? Trinidad. campestris, Max.; brevicaudus, Spix.

1885. amethystoides, Less. T. t. 25-27, 30.

Brazil.

553. *iii.* Philodice, Muls. & V. 1865. Calliphlox, p., Muls. & V.

1886. Mitchellii, Bourc.; Gould, T. iii. pl. 160.

S. N. Granada.

554. jjj. Smaragdochrysis, Gould, 1861.

1887. iridescens, Gould, T. v. pl. 359.

Inter, of Brazil.

555. kkk. Lophornis, Less. 1829.

Bellatrix, Boie, 1831. Lophorinus, Bp. 1854. Reich. S. A. t. 40. f.

1888. ornatus, Bodd.; P. E. 640. 3; Gould, T. iii. pl. 117. auratus, Gm.

N. Brazil. Trinidad.

1889. Gouldii, Less. T. t. 36; Gould, T. iii. pl. 118.

N. Brazil.

1890. lophotes, Gould.

Peru.

556. *Ill.* Рарновіа, *Muls. & V.* 1865. Lophornis, p., *Gould.*

1891. Helenæ, Delattr.; Gould, T. iii. pl. 123.

Guatemala, S. Mexico.

557. mmm. Telamon, Muls. & V. 1865. Lophornis, p., Less.

1892. Delattrei, Less.; Gould, T. iii. pl. 121.

New Granada.

1893. Reginæ, Gould; Schreib, F. Bras, t. 1, 2; Gould, T. iii. pl. 122.

New Granada.

1894. regulus, Gould, T. iii. pl. 120.

Bolivia.

558.

nnn. ---- ?

Bellatrix, Boie; Reich, 1854. Reich, S. A. t. 40, f. .

1895, magnificus, V.; P. C. 299, 2; Gould, T. iii, pl. 119. S.E. Brazil. decorus, Licht.; strumaria, Less. helios, Spix.

000. POLEMISTRIA, Cab. & H. 1860. 559.

Bellatrix, Bp. 1854.

1896. chalybeus, V.; P. C. 66. 2; Gould, T. iii. pl. 124.

Brazil.

festivus, Licht.; Vieillotii, Less. Audenetii, Lcss. O. M. suppl. t. 2. mystax, Spix.

1897. Verreauxi, Bourc.; Gould, T. iii. pl. 125.

Peru.

560. ppp. Sephanoides, Less. 1832.

Eustephanus, Reich. 1849. Thaumaste, Reich. 1854. Stokæsiella, Bp. 1854. Rcich. S. A. t. 40. f.

1898. galeritus, Mol.; Voy. Coqu. t. 31. 2; Gould, T. iv. pl. 265. Chili. Kingii, Vig.; stephanoides, Less.; forficatus, Gould. Juan Fernandez. flammifrons, Lyell.

1899. fernandensis, King; Mag. de Zool. 1835, t. 43; Gould, T. iv. pl. 267.

cinnamomea, Gerv.; Robinson, Less. Stokesi, King; Less. T. t. 50; Gould, T. iv. pl 266. Q of fernandensis, Landb.

561. qqq. Chrysolampis, Boie, 1831.

Reich. S. A. t. 40. f.

1900. mosquitus, L.; Briss. Orn. iii. t. 37.1; P. E. 227. 2; Gould, T. iv. pl. 204.

N. of S. America.

moschitus, pegasus (Briss. Orn. iii. t. 36. 4.), gujanensis, carbunculus et elatus, Gm.; Edw. B. pl. 344; P. E. 640. 1; hypophæus, Shaw. Reichenbachi, Cab. & H.

Trin., Tobago.

562. rrr. Orthorhynchus, Cuv. 1799-1800.

Bellona, Muls. & V. 1865. Lepidolopha, Reich. 1854?

1901. cristatus, L.; Edw. B. pl. 37; P. E. 227. 1; Gould, T.iv. Barbadoes. pl. 205.

pileatus, Lath.; puniceus, Gm. melanolophus, V.?

St. Vincent.

1902. exilis, Gm.; Less. T. t. 4; Gould, T. iv. pl. 207. cristatellus, Lath.; chlorolophus, Bp.

West Indics.

L 2

1903. ornatus, Gould; Less. O. M. t. 31, 32?; Gould, T. iv. pl. 206. Windward Isl. Hectoris. Muls. & V.

563. sss. Cephallepis, Lodd. 1831.

Huppes, Less. 1832. Smaragditis, Reich. 1849. Cephalepis, Bp. 1849. Cephalolepis, Cab. & H. 1860. Reich. S. A. t. 40. f.

1904. Delalandii, V.; P. C. 18. 1, 2; Gould, T. iv. pl. 208. S. Brazil. versicolor, V.; Lalandii, Bp.

1905. Løddigesi, Gould; Less. T. t. 51; Gould, T. iv. pl. 209. E. Brazil. opisthotomus, Licht.

1906. Beskii, *Pelz*. Brazil. Loddigesii, juv.?, *Reieh*.

564. HYLOCHARIS, Boie, 1831.

fulvifrons, Lath.?

Saphirs, Less. 1832. Sapphironia, Bp. 1854. G. of B. i. p. 114.

a. Hylocharis.

1907. sapphirina, Gm.; Less. O. M. t. 55, 57, T. t. 15; Gould, T. v. pl. 342. latirostris, Max.

1908. lactea, Less. O. M. t. 56; Gould, T. v. pl. 343.
E. & N. Brazil.
sapphirina, p., Less.

565. b. Eucephala, Reich. 1854.

Augasma, Gould, MS. Chlorestes, Cab. & H. 1860, et p. Reich.

1909. Grayi, Delattr. & B.; Gould, T. v. pl. 330. New Granada.

1910. cærulea, V. O. D. t. 40; Gould, T. v. pl. 335.
E. & N. Brazil.
Audeberti, Less.; mentalis, Cab.

1911. cyanogenys, Max.; Edw. B. pl. 360. 1. Brazil. Wiedii, Less. O. M. suppl. t. 26.

1912. smaragdo-cærulea, Gould, T. v. pl. 331. smaragdineum, Gould.

1913. chlorocephala, Bourc.; Gould, T. v. pl. 332. Ecuador.

1914. cærulco-lavata, Gould, T. v. pl. 333. S.E. Brazil.

1915. scapulata, Gould. Cayenno?

21

1916. hypocyanea, Gould, T. v. pl. 334. Brazil?

1917. ? flavifrons, Gm. & Pelz.

566. c. Panychlora, Cab. & H. 1860.

Chlorostilbon, Bp. 1854. Panichlora, Muls. & V.

1918. Portmanni, Bourc.; Gould, T. v. pl. 358. Esmeralda, Reich.	New Granada.		
1919. euchloris, Reich. Troch. t. 694. f. 4544.	,, ?		
1920. stenura, Cab. & H. acuticauda, Gould.	**		
567. d. ——? Smaragdites, $Muls. \ \mathcal{G} \ V. \ 1865.$ Chlorostilbon, p., $Muls. \ \mathcal{G} \ V.$ Panyehlora, p., $Gould.$			
1921. Alicie, Boure.; Gould, T. v. pl. 357. Aliciœ, Reich.; aurata, Cab. & H. maculicollis, Reich.	Venezuela. New Granada.		
568. e. Prasitis, Cab. & H. 1860. Prasites, G. R. Gr.			
1922. prasina , <i>Less. O. M.</i> t. 65. alata, <i>Less.</i>	Trinidad. Venezuela.		
1923. Daphne, Bourc.	Peru.		
1924. brevicaudata, Gould.	Cayenne.		
1925. peruana, Gould.	Peru.		
1926. napensis, Gould.	Rio Napo.		
1927. insularis, Lawr.	Tres Marias I.		
569. f. Chlorolampis, Cab. & H. 1860.			
1928. chrysogaster, Eoure. melanorhynchus, Gould? smaragdina, Cab. & H.; alata, Selat.	New Granada. Ecuador.		
1929. assimilis, Lawr.	Panama.		
1930. nitens, Lawr.	Venezuela.		
570. g. ——? Chlorolampis, Gould, 1861. Chlorolampis, p., Cab. § H. 1860.			
1931. Canivetii, Less. O. M. suppl. t. 37, 38; Gould, T. v. pl. 351. Caniveti, Bp.	S. Mexico.		
1932. Salvini, Cab. & H. Canivetii, Sclat. & S.	Costa Rica.		
1933. Osberti, Gould, T. v. pl. 352.			
1934. auriceps, Gould, T. v. pl. 350. Canivetii, Delattr. & Less.	Mexico.		
571. h. Chlorostilbon, Gould, 1853.			

Chlorestes, Reich. 1854. Chlorolampis, p., Cab. & H. 1860.

1935. **phæthon**, Bourc. § Muls.; Gould, T. v. pl. 354. phæton, G. R. Gr.; phaëton et similis, Ep.; simila, Bourc. flavifrons et metallicus, Gould.

Bolivia. c. S. Brazil.

1936. angustipennis, Fras.; Gould, T. v. pl. 353.

Panama, New Granada. Carthagena.

1937. Haeberlini, Reich. Troch. t. 755. 4734-35. chrysogaster, Cab. & H.; Herberlini, Muls. & V.

1938. Pucherani, Bourc. & Muls.; Gould, T. v. pl. 355. prasina, Burm.; nitidissimus, Reich.

1939. ignea, Gould.

Para?

1940. aureiventris, D' Orb. & Lafr.

Bolivia, Peru.

572. i. Mellisuga, Klein, 1759.

Trochilus, V. 1807, nec L. Ornismya, 1828. Ornithomya et Trochilus, 1832, Less. Myiornis, Agass. Lampornis, p., Less. 1829. Zephyritis, p., et Dyrimia, Muts. & V. 1865.

1941. minima, L.; Edw. B. pl. 105. low. fig.; Less. O. M. t. 79; Gould, T. iii. pl. 133.

Jamaica. St. Domingo.

minutulus, V.; Vieilloti, Shaw; humilis, Gosse. Catharinæ, Sallé; niger, Gm.; pygmæus, Sw.

573. *j.* Sporadinus, *Bp.* 1854.

Riccordia, Reich. 1854. Sporadicus, Cab. & H. 1860. 1942. Riccrdi, De La Sag. Mag. de Zool. 1835, t. 41, 42; Gould,

Cuba.

T. v. pl. 348. Parzudhaki, Less.; Raimondi, Reich.

St. Domingo.

1943. elegans, V. O. D. t. 37, 38; Less. O. M. t. 70; Gould, T. v. t. 347.
Swainsoni, Less.

1944. Maugea, V. O. D. t. 37, 38; Less. O. M. t. 68, 69; Gould,
 T. v. pl. 349.
 Maugei, Gould; Maugeana, Shaw; ourissia, L.?

Porto Rico.

574. k. Patagona, G. R. Gr. 1840.

Cynauthus, Less. 1829, nec Sw. 1827. Patagons, Less. 1832. Hylocharis, G. R. Gr. 1848, nec Boie. Hypermetra, Cab. & H. 1860. Reich. S. A. t. 40. f.

1945. gigas, V.; Gal. dcs Ois. t. 180; Less. O. M. t. 3; Gould, T. iv. pl. 232. tristis, Less.; gigantea, D'Orb. & Lafr.

Ecuador, Peru. Bolivia, Chili.

575. l. Danophila, Reich. 1854.

1946. amabilis, Gould, T. v. pl. 341.

New Granada, Ecuador.

m. Juliamyia, Bp. 1854.
 Damophila, p.. Reich. 1854. Juliamya, Gould, 1859.

1947. Julie, Boure. Ann. Se. Phys. Lyon, 1843, t. 21; Gould, T. v. pl. 337.

New Granada.

Julia, G. R. Gr.; typica, Bp. Feliciana, p., Muls. & V.

1948. Feliciana, Less.

Ecuador.

577. n. Basilinna, Boie, 1831.

Bleuets, Less. 1832. Basilina, Reich. 1849. Heliopaedica, Gould, 1858. Heliopedica, Sclat. & S. 1859. Reich, S. A. t. 39. f. ?

1949. leucotis, V.; Less. O. M. t. 9, suppl. t. 27; Gould, T. ii. pl. 64.

Guatemala. Mexico.

mclanotis, Sw.; Arsenni, Less. leucocrotaphus et lucidus, Shaw?

cuculliger, Lieht.

1950. Zantusii, Lawr.; Gould, T. ii. pl. 65; Elliot, B. N. A. pl. S. California. castaneocauda, Laur.

578. o. Avocettula, Reich. 1849.

Avocettes, Less. 1832. Avocetta, Agass. nec Briss. Avocettinus, Ep. 1849. Campylopterus, Sw. 1837, nec 1827. Streblorhamphus, Cab. & H. 1860. Reich. S. A. t. 39. f.

1951. recurvirostris, Sw. Zool. Ill. pl. 105; Less. O. M. t. 37, suppl. t. 34; Gould, T. iii. pl. 201. avocetta, Less. C. t. 24, T. t. 23; Lessoni, Bp.

Guiana.

p. Augastes, Gould, 1850. 579. Trochilus, Sw. 1827, nec L. Augaste, Muls. & V.

1952. superba, V.; P. C. 299. 3; Less. O. M. t. 16; Gould, T. iv. pl. 221.

Ecuador. Brazil.

scutatus, Natt.; Nattereri, Less. q. Lamprurus, Reich. 1854. 580.

Lumachellus, Bp. 1854. 1953. lumachella, Less.; Gould, T. iv. pl. 222.

C. & N. Brazil.

r. Cyanophaia, Reich, 1854. 581.

1954. cyanea, V.; Less. O. M. t. 71, suppl. t. 23; Gould, T. v. pl. 344.

E. Brazil

azureus, Licht.?; bicolor, Less. smaragdo-sapphirinus, Shaw.

s. CIRCE, Gould, 1861. 552.

Mexico. 1955. latirostris, Sw.; Gould, T. v. pl. 338. circe, Bourc.; Lessoni, Delattr. lazula, Reich.; Doubledayi, Cab. & H.

1956. Doubledays, Bourc.; Gould, T. v. pl. 339

583. t. PHEOPTILA, Gould, 1861.

1957. sordida, Gould, T. v. pl. 340.

Mexico.

1958, zonura, Gould. sordida Q, Muls. & V.

584. u. Klais, Reich. 1854. Guimetia, 1854, et Myiabeillia, Bp.

Myiabellia, Sclat. Adelomya, Muls. & V.

1959. Guimeti, Bourc. & M. Ann. Sc. Phys. Lyon, 1843, t. 2; Gould, T. iv. pl. 210. Merrittii, Lawr.

Venezuela. Andes of New Granada.

"

585. v. Phemonoë, Reich. 1854. Luciania, Bp. 1854. Luciana, G. R. Gr. 1855.

1960. cupreiventris, Fras.; Gould, T. iv. pl. 270, 271. vestita Q, Long.; maniculata, Less.?

simplex, Gould.

1961. Luciana, Bourc.; Gould, T. iv. pl. 273. Ecuador.

1962. Isaacsoni, Parz.; Gould, T. iv. pl. 272.

New Granada. 1963. D'Orbignyi, Bourc.; Gould, T. iv. pl. 278. Ecuador.

1964. Godini, Bourc.; Gould, T. iv. pl. 277.

Orbignyi, Bp.

w. Eriocnemis, Reich. 1849. Eriopus, Gould, 1847, nec Treits. 1825. Vestipes, Less.

1965. vestita, Long.; Gould, T. iv. pl. 275. uropygialis, Fras.; glomata, Less.

Andes of New Granada.

1966. nigrivestis, Bourc.; Gould, T. iv. pl. 276.

Ecuador.

,,

1967. Aureliæ, Bourc.; Gould, T. iv. pl. 283.

New Granada, Ecuador.

1968. smaragdinipectus, Gould.

Ecuador.

587. x. THREPTRIA, Reich. 1854. Mosqueria, Bp. 1854.

1969. Mosquera, Bourc. & D.; Gould, T. iv. pl. 274.

New Granada.

1970. lugens, Gould, T. iv. pl. 282.

Ecuador.

1971. squamata, Gould, T. iv. pl. 281.

588. y. Engyete, Reich. 1854.

Aline, Bp. 1854. G. of B. i. pl. 35. f. 9; Reich. S. A. t. 40. f. .

1972. Aline, Bourc.; Ann. Sc. Phys. Lyon, 1842, t. 19; Gould, T. iv. pl. 280. Alinæ, Bourc.

New Granada.

589. z. Derbyomyia, Bp. 1854.

Derbyomyia, G. R. Gr. 1855. Erebenna, Muls. & V. 1866.

1973. Derbyi, Delatt. & B.; Gould, T. iv. pl. 279. New Granada. Derbyanus, Bp.; Derbiana, Gould.

590. HELIOTHRYX, Boie, 1831.

Jacobines, Less. 1832. Heliothrys!, G. R. Gr. 1840. Heliothrix, Strickl. 1841.

G. of B. i. p. 115, pl. 35, f. 8; Reich. S. A. t. 39, f.

1974. auritus, Gm.; Briss. Orn. iii. t. 37. 3; V. O. D. t. 25; Gould, T. iv. pl. 213. N. Brazil. leucocrotaphus, V.

1975. auriculatus, Licht.; Erman, Voy. t. 2. 1, 2; Gould, T. iv. pl. 214.

Pouchettii, Less.; auritus, juv., Burm.

1976. longirostris, Gould.

1977. phainoleuca, Hartl.; Gould, T. iv. pl. 215. phoenolæma, Cab. & H.; phainolæma, Gould.

1978. Barroti, Bourc. Ann. S. P. de Lyon, 1843, t. 4; Gould, T. iv. pl. 216.

purpureiceps, Gould; Gabriel, Delattr.

1979. violifrons, Gould, T. iv. pl. 217. Barroti, Gould.

S.E. Brazil. Ecuador.

Rio Negro.

Guatemala. Costa Rica.

Carthagena or Veragua.

FAM. V. MELIPHAGIDÆ, Vig. 1825.

Subfam. I. Myzomelinæ, G. R. Gr. 1840.

591. MYZOMELA, Vig. & H. 1826.

Meliphaga, 4 div., V. & H. 1826. Phylidonyris, Less. 1837, nec 1831. G. of B. i. p. 117.

a. Myzomela.

1980. sanguinolenta, Lath.; Gould, B. A. iv. pl. 63. New S. Wales. dibapha et erythropygia, Lath. N. Australia. australasie, Leach. New Caledonia?

cardinalis, Vig. & H.

1981. erythrocephala, Gould, B. A. iv. pl. 64. N. Austral., Aru.

1982. obscura, Gould, B. A. iv. pl. 67. N. Australia.

1983. major, *Bp*. Caroline I.

1984. jugularis, Peale, U. S. Expl. Exp. pl. 12.2; Finsch & H. F. Centralpol. t. 7. 1, 2. Samoan I. Feejee I.

solitaria, Jacq. & Pucher. Voy. Pôle Sud, t. 22. 6.

New Hebrides. 1985. cardinalis, Forst.; Lath. Syn. pl. 71. 2. sanguinea, Less.; melanogastra, Bp. 1986. vulnerata, Müll. Verh. Zool. t. 10. 3, 4. Timor. Batchian I. 1987. simplex, G. R. Gr. New Guin., Aru. 1988. nigrita, G. R. Gr. New Guinea? 1989. chermesina, G. R. Gr. & M. G. B. pl. 38. 1990. pectoralis, Gould, B. A. iv. pl. 65. N. Australia. 1991. rubratra, Less.; Kittl. Kupf. Vog. t. 8. 1. Marian I. Pelew I. sanguinolenta, p., G. R. Gr. 1992. nigriventris, Pcale, U. S. Expl. Exp. pl. 12.1; Finsch & Samoan I. H. F. Centralpol. t. 8. 3, 4. rubrater, Hartl.; Arnouxi, Verr.

1993. Lafargei, Homb. & J. Voy. Pôle Sud, t. 22. 5.
 de la Farge, Reich.
 1994. Boiei, Müll. Verh. Zool. t. 10. 1, 2.

1995. ? pusilla, G. R. Gr.; V. O. D. t. 58. cardinalis, V.; p., Hartl.

b. Cissomelas, Bp. 1854.
 Myzomela, p., Gould.
 G. of B. i. pl. 38. f. 1; Reich. S. A. t. 35. f.

1996. nigra, Gould, B. A. iv. pl. 66. W. Australia.

593. ENTOMOPHILA, Gould, 1837, nec Leach. G. of B. i. p. 118, pl. 38. f. 4; Reich. S. A. t. 35. f.

a. Entomorhila.

1997. picta, Gould, B. A. iv. pl. 50. New S. Wales.

594. b. Conopophila, Reich. 1852.
Entomophila, p., Gould.
1998. albogularis, Gould, B. A. iv. pl. 51.

1999. rufogularis, Gould, B. A. iv. pl. 52. rufigularis, Reich.

2000. ? spilodera, G. R. Gr. New Guinea.

C. CERTHIONYX, Less. 1831.
Melicophila, Gould, 1844.
Melitophila, Cab. 1851, nec Latr.
Lichnotentha, Cab. 1851. Entomophila, p., G. R. Gr. Reich. S. A. t. 35, f. (6).

2001. leucomelas, Cuv.; Gould, B. A. iv. pl. 40. variegatus, Less.; pienta, Gould.

S. & W. Australia.

N. Austra., New Guinea, Aru.

N. Australia.

Solomon I.

Banda.

596. GLICIPHILA, Sw. 1837.

Glyciphila, G. R. Gr. 1840. Glycyphila, Cab. 1851. G. of B. i. p. 118, pl. 38. f. 2; Reich. S. A. t. 35. f.

a. GLICIPIIILA.

2002. fulvifrons, Lewin, B. N. H. pl. 22; Gould, B. A. iv. pl. 28. Australia. melanops, Lath.; mellivora, Shaw. rubrifrons, Less.; albiventris, Steph.

2003. albifrons, Gould, B. A. iv. pl. 29.

2004. pectoralis, G. R. Gr.; Gould, B. A. iv. pl. 30.
N. Australia. fasciata, Gould.

2005. caledonica, G. R. Gr. modesta, G. R. Gr.

C. Gr.

2006. modesta, G. R. Gr. 2007. subfasciata. Rams.

2007. subfasciata, Rams. Queensland.

2008. chlorophæa, Forst.

2013. poliotis, G. R. Gr.

New Caledonia.

New Caledonia.

Goold's I., Aru.

2009. incana, Lath.2010. fasciata, Forst.

Var.

undulata, Sparrm. M. C. t. 34?; fusca, V. O. D. t. 65?

--- ?"

597. b. Stigmatops, Gould, 1865.

Stomiopera, p., Reieh. Lichmera, p., Cab.

2011. ocularis, Gould, B. A. iv. pl. 31. Australia. indistincta, Vig. & H.?

New Guin., Aru, Timor.

2012. subocularis, Gould, B. A. iv. pl. 32.

Loyalty 1.

N. & N.W.Austr.

598. ACANTHORHYNCHUS, Gould, 1837.

Leptoglossus, Sw. 1837, nee Guér. 1830. Meliphaga, 5 div., Vig. & H. 1820. G. of B. i. p. 119, pl. 38, f. 3; Reieh. S. A. t. 35, f.

2014. tenuirostris, Lath.; V. O. D. t. 60; Gould, B. A. iv. pl. 61.
cucullatus, Sw.; dubius, Gould.

2015 managiti anna Carla D. 4 in al Co

New S. Wales. Tasmania.

2015. superciliosus, Gould, B. A. iv. pl. 62. W. Australia.

Subfam. II. Meliphaginæ, G. R. Gr. 1840.

599. MELIPHAGA, Lewin, 1808.

Melliphaga, Less. 1828. Zanthomyza, Sw. 1837.
 Xanthomyza, Strickl. 1841.
 Philedon, 3 div. 1817, et 2 div. 1829, Cuv.
 G. of B. i. p. 121.

a. MELIPHAGA.

2016. phrygia, Lath.; Lewin, B. N. H. pl. 14; Gould, B. A. New S. Wales, iv. pl. 48. S. Australia.

600. b. Ptilotis, Sw. 1837.

Meliphaga, 2 div., Vig. & H. Meliphaga, G. R. Gr. 1840.

2017. Lewinii, Sw.; Gould, B. A. iv. pl. 32. chrysotis, Lew.; xanthotis, Shaw.

New S. Wales.

2018. vittata, Cuv.; Gould, B. A. iv. pl. 33. sonorus, Gould: virescens, V.?

S. Australia.

2019. versicolor, Gould, B. A. iv. pl. 34.

N. Australia. I. off co. Austral.

2020. fasciogularis, Gould, B. A. suppl. pl. .

Tasmania.

2021. flavicollis, V.; Gould, B. A. iv. pl. 35. flavigula, Gould.

2022. leucotis, Lath.; P. C. 435; Gould, B. A. iv. pl. 36.

New S. Wales. S. & W. Austr.

2023. auricomis, Lath.; V. O. D. t. 85; Gould, B. A. iv. pl. 37. New S. Wales. mystacea et novæ hollandiæ, Lath. auriculata, Shaw; erythrotis, V. melanops et australis, Lath. chrysotis, Don.

2024. ornata, Gould, B. A. iv. pl. 39.

S. Australia.

2025. flavescens, Gould, B. A. iv. pl. 41.

N. Australia.

2026. flava, Gould, B. A. iv. pl. 42.

2027. penicillata, Gould, B. A. iv. pl. 43.

S. Australia, New S. Wales. New S. Wales.

2028. fusca, Gould, B. A. iv. pl. 44. chrysotis, Lath.?

2029. chrysops, Lath.; Jard. & S. I. O. pl. 35. 1; Gould, B. A. iv. pl. 45.

gilvicapallus, V.; trivirgata, Verr.

S. Australia.

2030. cassidix, Jard.; Gould, B. A. suppl. pl. Leadbeateri, M. Coy.

Victoria, Austr.

2031. notata, Gould.

N.E. Australia.

2032. similis, Homb. & Jaeq. Voy. P. S. t. 17. 2. analoga, Reich. Var.

New Guin., Aru. Waigiou, Mysol.

2033. megarhynchus, G. R. Gr.

New Guin., Aru.

2034. rostrata, Wall. megarhynchus, var., G. R. Gr. Waigiou, Mysol.

,,

2035. polygramma, G. R. Gr.

Tasmania.

2036. maculata, Müll.; Tem. P. C. 29, 1. Timor. 2037. reticulata, Müll.; Tem. P. C. 29. 2. N. Australia. 2038. Cockerellii, Gould. 2039. plumula, Gould, B. A. iv. pl. 40. W. Australia. 2040. gracilis, Gould. Cape York. 2041. sonoroides, G. R. Gr. Waigiou, Mysol. 2042. fumata, Müll. New Guinea. concolor, Tem. 2043. striolata, Müll. 2044. auriculata, Müll. 2045, limbata, Müll, Timor. 2046. virescens, Wall. Lombock. 2047. ? olivacea, Shaw; V. O. D. Prom. t. 5. I. of S. Seas. 601. c. Stomiopera, Reich, 1852. Stomioptera, G. R. Gr. 1855. 2048. unicolor, Gould, B. A. iv. pl. 46. Port Essington. d. LICHENOSTOMUS, Cab. 1851. 602. Ptilotis, p., Gould. 2049. cratitia, Gould, B. A. iv. pl. 38. S. Australia. W. Australia. 2050, occidentalis, Cab. cratitia, p.?, Gould. 603. e. Foulehaio!, Reich. 1852. Creadion, p., V. Sarcogenys, G. R. Gr. 1855. G. of B. i. pl. 39. f. 1. 2051. carunculata, Forst.; V. O. D. t. 69, 70; Finsch & H. F. Centralpol. t. 5. 2. Tonga I. Samoan I. musicus, V.; chrysotis, Cuv. tabuensis, Steph. 2052. procerior, Finsch & H. Fauna Centralpol. t. 5. 3. Fcejec I. 604. f. Phylidonyris, Less. 1831. Lichmera, Cab. 1851. Melisympotes, Reich. 1852. 2053. australasiana, Shaw; V. O. D. t. 55; Gould, B. A. iv. New S. Wales. pl. 27. inornata, Gould; pyrrhoptera, Lath. S. Australia,

605. g. Meliornis, G. R. Gr. 1840. Meliphaga, Vig. & H. 1826.

melanoleucus, V.

2054. novæ-hollandiæ, Lath.; White, Voy. pl. p. 186; Gould, New S. Wales, B. A. iv. pl. 23. S. Australia. Tasmania.

2055. longirostris, Gould, B. A. iv. pl. 24. W. Australia.

2056. sericea, Gould; White, Voy. pl. p. 297; Gould, B. A. iv. new S. Wales.

pl. 25. sericeola, Gould.

2057. mystacalis, Gould, B. A. iv. pl. 26. W. Australia.

606. PROSTHEMADERA, G. R. Gr. 1840.

Philedon, 4 div. 1817, et 3 div. 1829, Cuv. Philemon, p., V. 1825, Reich. 1849, nec V. 1816. G, of B, i. p. 122, pl. 39, f. 3; Reich. S, A, t. 35, f.

2058. novæ seelandiæ, Gm.; Brown, Ill. pl. 9; Lev. O. A. t. 92; V. Gal. des Ois. t. 183. New Zealand. concinnatus, Lath.; crispicollis, Daud.

607. ANTHORNIS, G. R. Gr. 1840.

Anthomyza, 1837, nec 1833, Sw. Melliphaga, Less. 1831. G. of B. i. p. 123, pl. 39. f. 5; Reich. S. A. t. 35. f.

2059. melanura, Sparrm. M. C. t. 5; V. O. D. t. 64; Voy. Coqu. t. 21. 2.

sannio, Gm.; Dumerili, Less. cæruleocephala, Sw.

2060. melanocephala, G. R. Gr. Voy. Ereb. & Terr. B. pl. 2. Chatham Isl.

2061. auriocula, Buller.

circinata!. Reich.

2062. ruficeps, Pelz. New Zealand.

608. ANTHOCHÆRA, Vig. & H. 1826.

Philedon, 2 div. 1817, 1 div. 1829, Cuv. Philedon, Sundev. 1835. Creadion, Less. 1837, nec V. 1816. Meliphaga, Des Murs, 1853. Mimus, p., Bull. G. of B. i. p. 122; Reich. S. A. t. 35, f.

a. Anthochæra.

2063. carunculata, *Lath.*; *White*, *Voy.* pl. p. 144; *Gould*, *B. A.* iv. pl. 55.

paradoxus, Lath.; novæ hollandiæ, Steph. Lewinii, Vig. & H. Bulleri, Finsch.

New Zealand?

Australia.

2064. inauris, Gould, B. A. iv. pl. 54. carunculata, Vig. & H.; goruck, Shaw?

Tasmania.

609. b. Anellobia, Cab. 1851.

Mclichæra, Reich. 1852. Creadion, Des Murs, 1853. G. of B. pl. 39. f. 2; Reich. S. A. t. 35. f.

2065. mellivora, Lath.; V. O. D. t. 88; Gould, B. A. iv. pl. 56. New S. Wales. S. & N. Austra, chrysopterus, Lath. W. Australia. 2066. lunulata, Gould, B. A. iv. pl. 57. c. CHETOPTILA, Sclat. 1868. 610. Anthochæra?, p., Hartl. 2)67. angustipluma, Pealc, U. S. Expl. Exped. pl. 11. 1. Society Islands. atriceps, Less. ? 611. d. Leptornis, Homb. & J. 1845. Philedon, Reich. 1852. 2068. samoënsis, Homb. & J. Voy. Pôle Sud, t. 17. 1. Samoan Isl. olivacea, Peale; sylvestris, Jacq. & Puch. leptornis, Reich. New Caledonia. 2069. Aubryanus, Verr. & M. e. Xanthotis, Reich. 1852. 612. Myzantha, Lcss. 1831, nec Vig. & H. 1826. 2070. chrysotis, Lcss. Voy. Coqu. t. 21*. New Guinea. flaviventris, Less.; filigera, G. R. Gr. Wai., Mys. (var.). 2071. filigera, Gould, Pr. Z. S. 1850, pl. 34; Gould, B. A. Cape York. suppl. pl. 613. f. Acanthagenys, Gould, 1837. Acanthogenys, G. R. Gr. 1840. Reich, S. A. t. 35. f. . 2072. rufogularis, Gould, B. A. iv. pl. 53. Australia. 614. POGONORNIS, G. R. Gr. 1846. G. of B. i. p. 123, pl. 39, f. 4; Reich, S. A. t. 35, f. 2073. cincta, Dubus, Bull. Ac. S. Brux. 1839, t. New Zealand. auritus, Lafr. Mag. de Zool, 1840, t. 11. 615. PHILEMON, V. 1816.

Philedon, 1817, Cuv. Strigiceps, Less. 1840?, nec Bp. 1838. Philedon et Philemon, Reich. 1852.

a. PHILEMON.

2074. moluccensis, Gm.; Voy. Astrol. t. 8. 2. cinereus, V.; bouroensis, Quoy & G.; buruensis, Less.

2075. fuscicapillus, Wall.

2076. subcornutus, Tem.; Voy. Pôle Sud, t. 16. 1. subcorniculatus, Homb. & J.

2077. inornatus, G. R. Gr. & M. G. B. pl. 39; Voy. Pôle Sud, t. 18. 1.

cincracous, Müll.; vulturinus, Homb. & J.

Timor, Celebes.

Morty, Gilo., & Batchian I.

Ceram, Worou.

Bouru.

Celebes.

2078. citreogularis, Gould, B. A. iv. pl. 60.

New S. Wales.

New S. Wales, S. Aus., Tasm.

Batch, & Gilo, I. 2079. senex, G. R. Gr. 2080. Lessonii, G. R. Gr.; Arch. du Mus. vii. t. 21. New Caledonia. diemenensis!, Less.; corniculatus, p. ?, Bp. Tasmania (?). Ké Island. 2081. plumigenis, G. R. Gr. 2082, sordidus, Gould. N. Australia. 2083. ? collaris, Reich. Mcropinæ, t. 503. 3515. Celebes. b. TROPIDORHYNCHUS, Vig. & Horsf. 1826. Gymnops, p., Cuv. 1829. 2084. corniculatus, Lath.; Lev. O. Amer. t. 24; Gould, B. A. New S. Wales. iv. pl. monachus, Lath. 2085. argenticeps, Gould, B. A. iv. pl. 59. N. Australia. New Guinea. 2086. novæ guineæ, Müll. & S. Waigiou. 2087. marginatus, G. R. Gr. Timor. 2088, timoriensis, Müll. 2089. buceroïdes, Sw. Cl. of B. 5 pt. f. 68; Gould, B. A. suppl. Cape York. mitratus, p. ?, G. R. Gr.; monachus, Vig. & H. New Guinea. 2090. mitratus, Müll. corniculatus, Müll. I. of Gilolo. 2091. gilolensis, Tem. c. Entomiza, Sw. 1837. Meliphaga, Tem. 1820. Entomyzon, Sw. 1825. Philedon, Reich. 1849. Sw. C. of B. f. 288 b; Reich, S. A. t. 35. f. 2092. cyanotis, Lath.; Lewin, B. N. H. pl. 4; Gould, B. A. iv. New S. Wales. pl. 68. cyanops, Lewin; cyaneus ct cyanops, Lath. N. Australia. 2093. albipennis, Gould, B. A. iv. pl. 69. 618. MANORINA, 1818, et Manorhina, 1825, V. Philanthus, Less, 1831, nec Fab. 1793. Manorrhina, Reich. 1852. G. of B. i. p. 127. a. MANORINA. 2094. melanophrys, Lath.; Gal. des Ois. t. 149; Gould, B. A. New S. Wales. iv. pl. 80. viridis, V.; flavirostris, Vig. & H. b. Myzantha, Vig. & H. 1826.

G. of B. pl. 38, f. 7; Reich. S. A. t. 35, f. . 2095. garrula, Lath.; Gould, B. A. iv. pl. 76.

melanocephala, Lath.

2096. lutea, Gould, B. A. iv. pl. 78.

2097. obscura, Gould, B. A. iv. pl. 77.

2098. flavigula, Gould, B. A. iv. pl. 79.

W. Australia.

New S. Wales.

Subfam. III. Melithreptinæ, G. R. Gr. 1841.

Manorhinæ et Sylvicolinæ, p., G. R. Gr. 1840.

620. MELITHREPTUS, *V.* 1816.

Philedon, 3 div. 1817, et 2 div. 1829, Cuv.

Meliphaga, 3 div., Vig. & H. Hamatops, Gould, 1836. Gymnophrys et Eidopsaris, Sw. 1837.

Gymnophrys et Hæmatops, G. R. Gr. 1846.

Idopsaris, Agass.

Sw. C. of B. f. 287; G. of B. i. p. 128, pl. 38, f. 5; Reich, S. A. t. 35. f. .

a. MELITHREPTUS.

2099. lunulatus, Shaw; V. O. D. t. 61; Gould, B. A. iv. pl. 72. atricapilla, Tem.; torquata, Sur. albicollis, I'.

S. Australia.

2100. brevirostris, Vig. & H.

New S. Wales.

2101. validirostris, Gould, B. A. iv. pl. 70; Voy. Pôle Sud, t. 17. 3.

Tasmania.

2102. gularis, Gould, B. A. iv. pl. 71; G. R. Gr. & M. G. B.

E. & S. Anstralia.

2103. albogularis, Gould, B. A. iv. pl. 74.

bicinctus, Sw.; virescens, Wagl.

New S, Wales, N. Aus., N. Guin. Tasmania.

2104. melanocephalus, Gould, B. A. iv. pl. 75. atricapilla, Jard. & S. I. O. pl. 134. 1.

agilis, Lath. ?; affinis, Less. ? 2105. chloropsis, Gould, B. A. iv. pl. 73.

W. Australia.

621. b. Plectoramphus, G. R. Gr. 1840.

Plectorhynchus, Gould, 1837, ncc Lacép. 1800.

Entomiza, Selby, 1840. Plectrorhamphus, Strickl. 1841.

Plectrorhyncha, Wiegm. 1838.

Reich. S. A. t. 35. f. .

2106. lanceolatus, Gould, B. A. iv. pl. 47.

622. ZOSTEROPS, Vig. & H. 1825.

Zosteropisylvia, Würt. 1857.

Sw. C. of B. f. 131 a; G. of B. i. p. 197.

a. ZOSTEROPS.

2107. cærulescens, Lath.; Sw. Zool, Illustr. pl. 16; Gould, B. A. iv. pl. 81,

New S. Wales.

1.72	THE THE OF BINDS.	
lateralis, <i>La</i> annulosa, va	th.; diluta, Shaw; cærnleus, Cuv. xr. β, Sw.; dorsalis, Vig. & H.	Tasmania. New Zealand.
2108. strenua,	Gould, B. A. suppl. pl.	Lord Howe's I.
2109. tephropl	eura, Gould, B. A. suppl. pl.	,,
2110. tenuiros	tris, Gould, B. A. suppl. pl.	Moreton Bay.
2111. albogula	ris, Gould, B. A. suppl. pl.	New S. Wales.
2112. griseotin	acta, G. R. Gr.	Louisiade arch.
2113. griseono	ta, G. R. Gr.	New Caledonia.
2114. xanthoc	chroa, G. R. Gr.	,,
2115. melanop	s, G. R. Gr.	Loyalty Isl.
2116. flavifron heteroclita,		New Hebrides.
2117. chloris,	Müll.	Ternate, Bouru,
2118. intermed	•	Banda. Celcb., Ternate. Lombock.
	rsf.; Voy. Pôle Sud, t. 19. 4. ma, Vig.; parvulus, Homb. & J.	Java, Sumatra. Borneo.
2120. siamens	is, Bl.	Tenasserim.
2121. atrifrons	, Wall.	Celebes.
2122. palpebro	osa, Tem. P. C. 292. 3.	India, Ceylou.
2123. Meyeni, flava, <i>Kittl.</i>	Bp.; Kittl. Kupf. Vög. t. 19. 2.	Luzon.
2124. japonica	, Tem. & Sch. F. J. t. 22.	Japan.
2125. aurifron aureifrons, I	•	Timor, Flores.
2126. senegale	ensis, Bp.; Sw. B. W. Afr. ii. pl. 3.	
flava, Sw.;	citrina, Hartl.	W. Africa.
2127. ficedulir	na, Hartl.	Prince's Island.
2128. hæsitata	, Hartl.; Poll. & V. D. F. de Madag. t. 19. 3.	I. Bourbon.
2129. virens, 8	iundev.	Upper Caffraria,
2130. abyssini lateralis, p.,	ca, Guér.; Verr. & Gal. Voy. en Abyss. t. 9. 2. Layard?	Natal. Abyssinia.
-	s, Sundev.; Lev. O. A. t. 9. 2. Reich.; madagascariensis, p., Aliq.	S. Africa.
2132. Sundeva lateralis, Su	·	Upper Caffraria.

2133. madagascariensis, L.; Briss, Orn. iii. t. 27. 2; Poll. & V. D. F. de Madag. t. 19. 1.

annulosa et flavigula, Sw. leucops, V.; maderaspatana, p., Vig. & H.

Madagascar.

2134. Gouldi, Bp.; Gould, B. A. iv. pl. 82. chloronotus, Gould.	W. Australia.
2135. lutea, Gould, B. A. iv. pl. 83.	N. Australia.
2136. westernensis, Quoy & G. Voy. Astrol. t. 11. 2.	W. Australia.
2137. Grayi, Wall. citrinella, p., G. R. Gr.	Ké.
2138. albiventer, Homb. & J.	Warriors' I.
2139. fusca, Bernst.	Waigiou.
2140. cinerca, Kittl. Mém. Ac. Pétersb. 1835, t. 5.	Caroline I.
2141. conspicillata, Kittl. Mém. Ac. Pétersb. 1835, t. 4.	Ladrone I.
2142. flaviceps, Peale, U. S. Expl. Exped, pl. 10, 4; Finsch & H. Fauna Centralpol, t. 6.	Fiji I.
2143. obscura, Homb, & J. Voy. Pôle Sud, 20, 6.	
2144. Semperi, Hartl.	Pelew I.
2145. atriceps, G. R. Gr.	Batchian I.
2146. citrinella, Müll.	Timor.
2147. nigrifrons, Müll. atrifrons, Wall.	77
2148. chlorates, Müll.	Morty I.
2149. nicobarica, Bl.	Nicobar I.
2150. lateralis, Tem.	Java.
2151. simplex, Swinh.	China.
japonica, Swinh.	I. of Formosa.
2152. erythropleura, Swinh. chloronotus, v. Schrenck.	N. China.
2153. olivacea, Gm.; Briss. Orn. iii. t. 33. 1.	Madagascar.
2154. mayottensis, Poll. & V. D. F. de Madag. t. 19, 2. flavifrons, Poll.	Mayotta.
2155. pallida, Sw.	S. Africa.
2156. poliogastra, <i>Heugl.</i> euryophthalma, <i>Heugl.</i>	N.E. Africa.
2157. tenella, Hartl. aurifrons, Heugl.	Bongo.
2158. Heuglinii, <i>Hartl</i> . pallescens, <i>Heugl</i> .	N.E. Africa.
2159. modesta, E. Newt.	Seychelles.
2160. semiflava, E. Newt.	1,
2161. icterovirens, Würt.	N.E. Africa. M 2

2162. mauritanica, Gm.; Poll. & V. D. F. de Madag. t. 19. 4. Maur., I. of Bour.

2163. rufilata, Hartl. Africa.

2164. melanura. Tem.

2165. ? curvirostris, Bl. Mauritius.

b. Malacirops, Bp. 1854.

2166. ? ambigua, Sw. "Cavenne?" 623.

Sw. C. of B. f. 131, b. 2167. borbonica, Bodd.; P. E. 705. 2; Guér. Icon. t. 23*. 6;

Poll. & V. D. F. de Madag. t. 19. 5, 6. Madagascar. cinerea, Sw.? 624.

c. Cyclopterops, Bp. 1854. G. of B. pl. 53. f. 2; Reich. S. A. t. 61. f.

2168. chloronota, V.; P. C. 681, 2; V. O. D. t. 28. borbonica, Gm.?; curvirostris, Sw.

625. d. Spirors aut Speirops, Reich, 1851.

2169. melanocephala, G. R. Gr. Camer., W. Afr.

2170. lugubris, Hartl. Abh. d. Nat. Ver. in Hamb. ii. t. 2. I, of St. Thomas.

626. e. Orosterops, Bp. 1854.

2171. javanica, Horsf. Java.

2172. montana, Müll. Sumatra. 627. f. Tephras, Hartl. 1868.

2173. Finschii, Hartl. Pr. Z. S. 1868, pl. 3. Pelew I.

628. g. Helaia, Hartl. 1865.

Hylophila, Müll. 1835. Helia, Newt. 2174. frontalis, Müll.

Timor. Mulleri, Hartl.

2175. frigida, Müll. Sumatra.

FAM. VI. ANABATIDÆ, Bp. 1849.

Uppucerthidæ, D' Orb. Dendrocolaptidæ, Selys, 1842. Certhiadæ, p., Vig. 1825. Paridæ, p., Boie, 1826.

Subfam. I. Furnariinæ, G. R. Gr. 1840. Certhianæ, p., Sw. 1837.

629. FURNARIUS, V. 1816.

Opetiorhynchus, Tem. 1820. Opethyorhynchus, Boie, 1816. Figulus, Spix, 1824.

Sw. C. of B. f. 280 f, g; G. of B. i. p. 131, pl. 41. f. 6; Reich. S. A. t. 37. f. .

Peru.

Chili.

HAND-LIST OF BIRDS.	169
2176. rufus, Gm.; Spix, A. B. t. 78; V. Gal, des Ois. 182. badius, Licht.; albigularis, Spix. rufleaudus, Max.; Commersoni, Pelz.	Brazil. Rio Javarri.
2177. figulus, Licht.; P. E. 739. rufus, V.; melanotis, Sw.	Brazil.
2178. leucopus, Sw. C. of B. 5th pt. f. 67 a.	Guiana, ·
2179. cinnamomeus, Less.; Akad. der Wissensch. 1856, t. 2. 2. longirostris, Pelz.; griseiceps, Cab.	Ecuador. Peru.
2180. rectirostris, Max.	Brazil.
2181. torridus, Sclat. & S. Exot. Orn. pl. 4.	Upper Ucayali.
2182. minor, Pelz.	Nauta.
2183. tenuirostris, Pelz.	
2184. assimilis, Cab. leucopus, p. ?	Brazil.
2185. ? longipennis, Sw. Cl. of B. 5th pt. f. 67 b.	Peru.
2186. ? fasciatus, Sw.	77
Opetiorhynchus, <i>Kitl.</i> 1830. Oppetiorhynchus, <i>Lafr.</i> 1837. Cillurus, <i>Cab.</i> 1844. <i>G. of B.</i> i. p. 132, pl. 41. f. 5; <i>Reich. S. A.</i> i. t. 37. f.	
a. Cinclodes.	
2187. patagonicus, Gm.; Less. Tr. d'Orn. t. 75. 4; Mém. de Pétersh. i. t. 8. gracula, Forst; Lessonii, Dum. chilensis, Less.; rupestris, Lafr.	Terra del Fuego, Patag., Chili, Chiloe,Bolivia.
2188. fuscus, V.; D'Orb. Voy. A. M. t. 57. 1. vulgaris, Lafr.	Terra del Fuego. Falkland Island,
2189. antarcticus, Gm. fuliginosus, Less.	Mend., Parana. Falkland Island.
2190. nigrofumosus, Lafr.; Voy. Beagle, pl. 20; D'Orb. Voy. A. M. t. 57. 2. lanceolatus, Gould; inornatus, Less.	Bolivia. Chili.
2191. bifasciatus, Sclat.; Reise durch d. Urieste Atac. t. 3. atacamensis, Phil.	Bolivia. Chili.
2192. albidiventris, Sclat.	Chimborazo.
2193. minor, <i>Cab.</i> 2194. palliatus, <i>Tsch. F. P.</i> + 16, 2	Chili, Port Famine.

2194. palliatus, Tsch. F. P. t. 16. 2.

2195. albiventris, Phil. & Landb.

hypoleuca, Reich.?

631. b. Upucerthia, I. Geoffr. 1832.

Uppucerthia, Lafr. 1837.

Upupicerthia, Agass. Coprotretis, Cab. 1859. Reich. S. A. t. 37. f.

2196. dumetorius, I. Geoffr.; Voy. Beagle, pl. 19. dumetorum, Lafr. Patagonia, Chili. Rio Negro.

2197. n. sp.?

Bolivia.

632. *c.* Ochetorhynchus, *Meyen*, 1834.

Reich. S. A. t. 37. f. .

Peru.

2198. ruficaudus, Meyen, Nov. Act. Bon. xvi. suppl. t. 11. montana, Lafr. D'Orb.

Bolivia.

2199. andæcola, *Lafr.*; *D'Orb. Voy.* t. 56. 2.

Pichincha, Chim.

2200. excelsior, Sclat. 2201. luscinia. Burm.

Argentine Rep.

2202. validirostris, Burm. andicola, Burm.

Mendoza.

633. LOCHMIAS, Sw. 1827.

Picerthia, I. Geoffr. 1832. Lochmia, Sw. 1837. G. of B. i. p. 133, pl. 41. f. 2; Reich, S. A. t. 37. f.

2203. **nematura**, *Licht*.; *Sw. B. of Braz.* pl. 33. St. Hilarii, *Less.*; squamulata, *Sw.*

Brazil, Parana.

634. ENICORNIS, G. R. Gr. 1840.

Eremobius, Gould, 1838. Henicornis, Agass. Ericornis, Cass. 1855.

G. of B. i. p. 133, pl. 41. f. 4; Reich. S. A. t. 37. f. . 2204. phœnicura, Gould, Voy. Beagle, pl. 21.
Gouldii, Cab.

Chili.

2205. melanura, G. R. Gr. & M. G. B. pl. 41. Gouldii, p., Cab.

635. LIMNORNIS, Gould, 1839.

G. of B. i. p. 133, pl. 41. f. 1; Reich. S. A. t. 37. f.

2206. rectirostris, Gould, Voy. Beagle, pl. 26.

2207. curvirostris, Gould, Voy. Beagle, pl. 25. Maldonado, Conchitas.

2208. **Darwinii**, sp. n.?

chitas.
Maldonado.

Maldonado.

636. GEOSITTA, Sw. 1837.

Euthonyx, Reich. 1850. Geocitta, Sclat.
Sw. C. of B. f. 283; G. of B. i. p. 134, pl. 41. f. 7; Reich. S. A. t. 37, f

a. Geositta.

2209. cunicularia, V.; D'Orb. Voy. A. M. t. 43. l. Chili. anthoides, Sw.; fissirostra, Kittl.? nigrofasciata, Lafr.?

2210. maritima, D'Orb. Voy. A. M. t. 44. 1. Bolivia. fasciata, Phil. & L.? Chili.

2211. tenuirostris, Lafr. D'Orb. Voy. A. M. t. 43, 2. Bolivia.

2212. crassirostris, Sclat. Lima.

2213. Frobeni, Phil. & Landb. Chili.

2214. isabellina, Phil. & Landb.

2215. peruviana, Lafr. Peru.

637. b. Geobamon, Cab. 1860.

2216. rufipennis, Burm. Parana.

638. c. Geobates, Sw. 1837. Sw. C. of B. f. 280 d, e.

2217. peciloptera, Max.; Pr. Z. S. 1866, pl. 21. Brazil. brevicauda, Sw.; fuscus, Burm.

Subfam. II. Sclerurinæ, Sclat. 1862.

Furnarinæ, p., G. R. Gr. 1840. Certhianæ, p., Sw. 1837.

639. SCLERURUS, Sw. 1827.

Tinactor, Max. 1831. Oxypyga, Ménétr. 1834.
Oxypiga, Less. 1839.
Sw. C. of B. f. 76; G. of B. i. p. 210, pl. 55. f. 5.

2218. caudacutus, V. Guiana. brunneus, Sclat.

2219. mexicanus, Sclat. Cat. of A. B. pl. 12. Cordova, Coban. ruficollis, Sw. B. Braz. pl. 79?

2220. umbretta, Licht.; Sw. B. Braz. pl. 78; Mag. de Zool. 1833, t. 10. Brazil.

fuscus, Max.; scansor, Ménétr. albigularis, Sw.; longirostris, Cuv.

2221. guatemalensis, Hartl. C. America. caudacutus, Lawr.

Subfam. III. Synallaxinæ, G. R. Gr. 1846.

Anabatinæ, Sw. 1837.

640. SYNALLAXIS, V. 1818.

Synalaxis, Boic, 1826. Parulus, Spix, 1824. Synalaxis, Lafr. 1839.

Sw. C. of B. f. 282 b; G. of B. i. p. 135, pl. 42, f. 2; Reich. S. A. t. 36, f.

a. SYNALLAXIS.

2222. ruficapilla, V. Gal. des Ois. t. 174. ruficeps, Licht.; cinereus, Max. olivascens, Eyton.

Brazil.

2223. Spixii, Sclat.; Spix, A. B. t. 86. 1. albescens, Burm.; ruficeps, p., Spix. ruficapilla, Reich.

Buenos Ayres.

2224. elegantior, Sclat.

elegans, Sclat.

2225. albescens, Tem. P. C. 227, 2. ruficeps, Spix, A. B. t. 86, 2.

2226. pudica, Selat. brunneicaudalis, Lawr.

2227. fuliginosa, Lafr.

2228. erythrothorax, Sclat. Pr. Z. S. 1855, pl. 86.

2229. terrestris, Jard.

2230. rutilans, Tem. P. C. 227. 1.

2231. castanea, Sclat. Cat. of A. B. pl. 13.

2232. anthoides, King.

2233. rufigularis, Gould, Voy. Beagle, pl. 23.

2234. stictothorax, Sclat.

2235. scutata, Sclat.

2236. phryganophila, V.; P. C. 311. 1. tessellata, Tem.

2237. erythrops, Sclat.

2238. **Azaræ**, *Lafr*.

2239. terricolor, Selat. & S.

2240. vulpecula, Sclat. & S.

2241. inornata, Pelz.

2242. cinerascens, Tem. P. C. 227. 3.

Buenos Ayres.

New Granada. N. Ecuador.

Trinidad. N. Brazil.

New Granada.

S. Mexico.

Tobago.

N. Brazil.

Venezuela.

Chili.

Santa Cruz, Valpar., Patag.

Ecuador. Brazil.

Paraguay, Boliv-Argent. Rep.

Ecuador.

Bolivia.

R. Ucayali.

N. Brazil.

Brazil.

HAND-LIST OF BIRDS.	169
2243. albigularis, Sclat.	E. Ecnador,
2244. brunneicandis, Sclat.	Ucayali. E. Ecuador.
brunneicaudalis, Sclat.	
2245. gularis, Lafr.	New Granada, Ecuador.
2246. lamostieta, Sclat.	New Granada.
cinnamomea, Lafr.	
2247. mœsta, Sclat.	**
2248. Kollari, Pelz. Akad. der Wissensch. 1856, t. 1. 3.	N. Brazil.
2249. striolata, Pelz.	S.E. Brazil.
2250. propinqua, Pelz.	N. Brazil.
2251. alospecias, Pelz.	31
2252. hyposticta, Pelz.	,,
2253. frontalis, Pelz.	S.E. Brazil,
ruficeps, ♀, <i>Spix</i> , <i>A. B.</i> t. 86, 2.	Argentine Rep., Bolivia,
2254. fitis, Pelz.	S.E. Brazil.
obsoleta, Reich.?	
2255. albilora, Pelz.	Int. of Brazil, Bolivia.
2256. vulpina, Pelz.	Int. of Brazil.
2257. caniceps, Selat.	Brazil.
2258. unirufa, Lafr.	Columbia.
2259. multostriata, Sclat.	New Granada.
2260. Candei, Lafr.	Columbia.
2261. troglodytoides, Lafr.	Patagonia.
2262. ruticilla, Cab.	
2263. striata, Ph. & Landb.	Peru.
2264. brachyura, Lafr.	New Granada.
2265. antisiensis, Sclat.	Ecuador.
2266. nigrofumosa, Lawr.	Nicaragua.
2267. poliophrys, Cab.	Cayenne.
2268. sulphurifera, Burm.	Buenos Ayres.
2269. masafueræ, Phil. & Landb.	Chili.
641. b. Anabates, Tem. 1820.	

Guiana.

642. c. Sylviorthorhynchus, Des Murs, 1847. Schizura, Cab. 1848. Reich. S. A. t. 57. f.

Synallaxis, p., Cab.

2270. guianensis, Gm.; P. E. 686. 2.

ruficaudus, Tem.; cinnamomea, Less.

2271. DesMurii, Gay; Des Murs, I. O. t. 45. Chili. maluroides, Des Murs; Des Mursii, Reich. 643. d. Leptasthenura, Reich. 1853. Chili, Patagonia. 2272. ægithaloides, Kittl, Mém. Ac, Pétersb. 1830, t. 7. Thelotii, Less. Bolivia. Chili, Bolivia. 2273. humicola, Kittl. Mém. Ac. Pétersb. 1830, t. 6. 2274, flammulata, Jard. Contr. Orn. 1850, pl. 56. Ecuador. 2275. platensis, Reich. 2276. maluroides, Lafr.; D'Orb. Voy. A. M. t. 14. 3, 4. Arg. R., Parag., Conchitas. 2277. leucocephala, Lafr. Patagonia. 644. e. Bathmicercus, Fitz. 1864. Bathmidura, Reich. 1853, nec Cab. 1847. Leptasthenura, p., Cab. 2278. striaticeps, Lafr.; D'Orb. Voy. A. M. t. 16. 1. Argentine Rep., Bolivia. 2279. D'Orbignyii, Reich.; D'Orb. Voy. A. M. t. 17. 2. Bolivia. humicola, Lafr. 2280. setaria, Tem. P. C. 311. 3. Brazil. Bolivia. 2281. fuliginiceps, Lafr.; D' Orb. Voy. A. M. t. 17. 1. ruficapilla, Burm.; paranensis, Sclat. Argentine Rep. Patagonia. 2282, ? patagonica, Lafr. 645. f. Oxyurus, Sw. 1827, nec Rafing. 1810. 2283. spinicauda, Gm.; Lath. Syn. pl. 52; Voy. Coqu. t. 29. 1. Terra del Fuego. seticauda, Forst.; ornatus et australis, Sw. tupinieri, Less. q. Cranioleuca, Reich. 1853. 646. 2284. albiceps, Lafr.; D'Orb. Voy. A. M. t. 16. 2. Bolivia. 647. h. Phleocryptes, Cab. 1859. 2285, melanops, V.; D'Orb, Voy. A. M. t. 14, 1, 2. Chili, Argent. R. dorsomaculatus, Lafr. 2286. schænobænus, Cab. Peru, i. Asthenes, Reich. 1853. 648.

2287. sordida, Less.; Voy. Beagle, pl. 24.

flavigularis, Gould. 2288. brunnea, Gould.

2289. modesta, Eyton.

Patagonia.

Bolivia.

649. j. Melanopareia, Reich. 1853.

2290. Maximilliani, D'Orb. Voy. A. M. t. 15. 1. torquata, Lafr.

Paraguay, Boliv.

2291. torquata, Max.; D'Orb. Voy. A. M. t. 15. 2. bitorquata, Lafr.

Brazil, Bolivia.

650. k. Certhiaxis, Less. 1847.

Leptoxyura, Reich. 1853.

2292. cinnamomea, Gm.; V. O. D. t. 62; Spix, A. B. t. 85. 2; Gal. des Ois. t. 173.
russeola, V.; ruficauda, Spix.

Cayenne, Brazil.

Argentine Rep.

mentalis, Licht.; inundatus, Tem. caudacutus, Max.; cinnamominus, Sw.

2293. pallida, Max.

Brazil.

leucophrys, Lafr.
2294, ruficauda, V.

2295. mentalis, Licht.

21

2296. semicinerea, Reich.

S.E. Brazil. Brazil.

2297. obsoleta, Brandt.

651. l. Coryphistera, Burm. 1860.

La Plata.

2298. alaudina, Burm.

652. ANUMBIUS, 1838, et Annumbius, 1841, Lafr.

Sphenopyga, Cab. 1847. G. of B. i. p. 136, pl. 42. f. 5; Reich. S. A, t. 36, f.

a. Anumbius.

2299. acuticaudatus, Less.; Voy. Beagle, pl. 22. annumbi, V.; anthoides, Lafr.

Brazil.

annumbi, V.; anthoides, Lafr. major, Gould.

Argentine Rep.

2300. ruber, V.

Brazil, Bolivia, Argentine R.

2301. rufopectus, n. sp.? 2302. striaticeps, *Lafr*.

Brazil.
Bolivia.

653. b. Anabacerthia, D' Orb. 1841.

2303. striaticollis, D' Orb.

Buenos Ayres.

654. c. Malacurus, Reich. 1850.

Phacellodomus, Reich. 1853. Synallaxis, Sw. 1837.

Reich. S. A. t. 58. f. .

2304. rufifrons, Spix, A. B. t. 85, 1; Sw. Zool. Ill. pl. 138. frontalis, Lieht.; garrulus, Sw. Bahia, Bolivia. Trinidad.

655. PHILYDOR, Spix, 1824.

Xenops, 3 div., Less. 1837. Anabates, Boie, 1826, nec Tem. 1820. G, of B, i. p. 137 (Anabates).

a. PHILYDOR.

2305. superciliaris, Licht.; Spix, A. B. t. 73. 1; Guér, Iconog. t. 23. atricapillus, Max:; Canneveti et melanocephalus, Less.

2306. striaticollis, Sclat. New Granada.

2307. amaurotis, Tem. P. C. 238. 2. Brazil.
2308. erythrocercus, Pelz. Cayenne.

2309. pyrrhodes, Cab.
Rio Napo,
Guiana.
2310. fuscipennis, Salv.
Veragua.

2311. subfulvus, Sclat. Gualaquiza.

2312. ruficaudatus, Lafr. New Granada. ruficaudus, Sclat. Ecuador.

2313. semirufus, Sclat. Bogota.

2314. columbianus, Cab. § H.
 Porto Cabello.
 2315. panerythrus, Sclat.
 New Granada.

2316. rufobrunneus, Lawr. Costa Rica.

2317. virgatus, Lawr.

656. b. Антомоция, Reich. 1853. Іровогия, Cab. & H. 1859.

Cichlocolaptes, Reich. 1853.

2318. sulphurascens, Licht.; Spix, A. B. t. 74.

S.E. Brazil.

albogularis, Spix; leucophthalmus, Max. gularis, Valenc.; sulfurascens, Reich.

2319. Sclateri, Pelz. E. Peru. infuscatus, Sclat.; amazonus, Lafr.

2320. ferruginolentus, Max.; Jard. & S. I. O. pl. 93. S.E. Brazil. leucophrys, Jard. & S.

2321. cervinigularis, Sclat. Mex., Veragua.
2322. erythropterus, Sclat. Bogota.

2323. rubiginosus, Selat. Mexico.
2324. turdinus, Natt. & Pelz. Brazil.

2325. ochrolæmus, *Tsch. F. P.* t. 20, 2. E. Peru.

2326. melanopezus, Sclat. Rio Napo.

2327. montanus, Tsch. F. P. t. 20, 1. Peru.

New Granada.

Ecuador, Peru.

2328. pallidigularis, <i>Lawr</i> . ochrolæmus?, <i>Lawr</i> .	Panama.
2329. varicgaticeps, Sclat.	
2330. concolor, Natt. & Pelz.	Brazil.
2331. dendrocolaptoides, Natt. & Pelz.	,,
2332. echinatus, Tem.	Bahia.
2333. infuscatus, Tem. puncticollis, Natt.	Brazil,
2334. dimidiatus, Pelz. rufus, Natt.	
2335. rufipileatus, Pelz.	,,
2336. obscurus, Pelz.	**
2337. contaminatus, Licht.	,,
2338. ferrugineigula, Pelz.	Cape Horn.
2339. rufescens, Lawr.	Costa Rica.
657. c. Eusphenura, Fitz. 1864. Sphenura, Spix, 1824, nec Licht. 1823. Sphenura, D' Orb. 1844.	
2340. subulatus, Spix, A. B. t. 83. 1; F. P. t. 21. 1. melanorhynchus, Tsch.	Brazil, Peru.
658. d. Dendroma, Sw. 1837. Dendrodromus, Agass. Anabates, Sundev. 1835.	
2341. rufus, V.; Spix, A. B. t. 75. poliocephala, Licht.; ruficollis, Spix. caniceps, Sw.; rufifrons, Less.	Brazil.
2342. Lichtensteini, Cab. & H. poliocephala, juv., Licht.	31
659. e. Тикигорилол, Cab. 1847. Sphenura, Sundev. 1835, nec Licht. 1823.	
2343. striolatus, Licht.; Spix, A. B. t. 83. 2. striatus, Spix; macrourus, Max. ruficollaris, Less.	32
2344. erythrophthalmus, Max.; Des Murs, I. O. t. 44. aradoïdes, Lafr.	>>
2345. guttuligera, Sclat.	New Granada.
660. f. Pseudocolaptes, Reich. 1853.	
Oripne, Cab. 1859.	

2346. Boissoneautii, Lafr.

auritus, Licht.; semicinnamomeus, Reich.

667.

et Anabazenops, 1841, Lafr.

Anabates, Cuv. 1829.

q. Homorus, Reich, 1853.

Sw. C. of B. f. 282 a?; G. of B. pl. 42. f. 3. Brazil. 2347. cristatus, Spix, A. B. t. 84. 2348. lophotes, Bp.; Sw. B. of Braz. pl. 81. subcristata, Sw. cristatus, p. ?, Lafr.; unirufus, p., Burm. Bolivia. 2349. unirufus, Lafr.; D' Orb. Voy. Am. t. 55. 1. cristatus, p., Cab. 662. h. Thripadectes, Sclat. 1861. Bogota. 2350. flammulatus, Eyton. 663. i. Ancistrops, Sclat. 1861. E. Peru. 2351. lineaticeps, Sclat. 664. j. Pseudoseisura, Reich. 1853. 2352. gutturalis, Lafr.; D' Orb. Voy. A. M. t. 55. 3. Patagonia. 665. XENOPS, Ill. 1811. Neops, V. 1816. Sw. C. of B. f. 74; G. of B. iii, app. p. 7, suppl. pl. 186. f. 4; Reich, S. A. t. 36. f. a. XENOPS. 2353. rutilus, Licht.; P. C. 72. 2; Sw. Zool, Ill. pl. 100. S.E. Brazil. Bolivia. rutilans, Tem.; genibarbis et affinis, Sw. 2354. heterurus, Sclat. Bogota. rutilans, p., Sclat. 2355. genibarbis, Ill.; P. C. 150.1; V. Gal. des Ois. t. 170; Lev. Prom. t. 31, 2? Brazil. ruficauda, V.; Hoffmanseggii, Cuv.? 2356. mexicanus, Sclat. Oaxaca. 2357. approximans, Pelz. Braz., Ucavali, Nauta. 2358, littoralis, Sclat. Esmeralda. genibarbis, Sclat. 2359. niger, Natt. & Pelz. Brazil. 2360. tenuirostris, Pelz. 2361. dentirostris, Sw. b. SPHENOPS 666. ct Sphenopsis, Sclat. 1861. 2362, ignobilis, Sclat. S. America.

c. Anabasitta, 1838,

Syndactyla et Cichlocolaptes, p., Reich. 1853. Zenops, 2 div., Less. 1837. Xenicopsis, Cab. 1859. 2363. variegaticeps, Sclat.

Mexico.

2364. subalaris, Sclat. Cat. of A. B. pl. 14.

Pallatanga.

2365. temporalis, Sclat.

2366. rufosuperciliata, Lafr. M. de Z. 1832, t. 7. ochroblepharus et adspersus, Reich.

Brazil, Bolivia. Argentine Rep.

2367. guttulatus, Sclat. Pr. Z. S. 1857, pl. 130.

Venezuela.

2368. lineatus, Lawr.

Costa Rica.

668. d. Anabatoides, Des Murs, 1853.

2369. fuscus, V.; P. C. 150. 2. albicollis, Licht.; anabatoides, Tem.

S.E. Brazil.

669. e. Heliobletus, Reich. 1853.

2370. superciliosus, Licht.

Brazil.

pyrrhophæus, V.; xenops, Tem. MS. contaminatus, Licht.

Subfam. IV. Oxyrhamphinæ, Sw. 1831.

Anabatinæ, p., G. R. Gr. 1840.

670. OXYRHAMPHUS, Strickl. 1841.

Oxyrhynchus, Tem. 1820, nec Gesn. 1604. Oxyruncus, Tem. olim.

Sw. C. of B. f. 79; G. of B. i. p. 138, pl. 42. f. 4; Reich. S. A. t. 36. f.

2371. flammiceps, Tem. P. C. 125; Sw. Zool. Ill. pl. 49; Delic. Fl. et Faun. Bras. t. . . cristatus, Sw.; serratus, Mikan.

2372. frater, Sclat. & S. Exot. Orn. pl. 66.

Veragua.

Subfam. V. Dendrocolaptinæ, G. R. Gr. 1840. Certhianæ, p., Bp. 1831.

671. DENDROCOLAPTES, Herm. 1804.

Dendrocopus, V. 1816, nec Koch, 1816. Orthocolaptes, Less.
 1840. Dendrocops, Sw. 1837 Premnocopus, Cab. 1847.
 Sw. C. of B. f. 281 a; G. of B. i. p. 139, pl. 43. f. 4; Reich.
 S. A. t. 36. f.

a. Dendrocolaptes.

2373. giganteus, Müll.; P. E. 621; Lev. Prom. t. 26. certhia, Bodd.; cayennensis, Gm.; scandens, Lath. major, Herm.; communis, Less. undulatus, Cab.

Cayenne.
Upp. Amazon.
Bolivia.

2374. Sancti Thomæ, Lafr.

Hond., Panama, C. Rica, Guat.

110	
2375. picumnus, Licht.; Spix, A. B. t. 89. cayanensis, p., Licht.; platyrostris, Spix. melanops, Less.; platyrhynchus, Reich. fortirostris, Such?	Brazil.
2376. validus, Tsch. F. P. t. 21. 2.	Peru.
2377. radiolatus, Sclat.	E. Peru.
2378. puncticollis, Sclat. & S. Pr. Z. S. 1868, pl. 5. multistrigatus, Sclat. & S.	Guatemala.
2379. multostrigatus, Eyton.	
crassirostris, Such?; validus, p., Sclat. & S.	Vera Paz,Nicara.
2380. concolor, Pelz.	Amazonia.
2381. pallescens, Pelz.	Brazil.
2382. ? olivaceus, Eyton.	Columbia.
2383. ? simpliciceps, Pucher. & Lafr.	
b. Xifhocolaptes, Less. 1840. Dendrocopus, Reich. 1853. Dendrocolaptes, Bp. 1854. Dryocolaptes, Fitz. G. of B. pl. 43. f. 4.	
2384. albicollis, V.; Abh. Ak. Berl. t. 1. 1. decumanus, Licht.; guttatus, Max. cyanotis, Licht.?	Brazil, Bolivia. Argent. Repub.
2385. procerus, Cab. & H.	Venezuela.
2386. promeropirhynchus, Less. melanops, Less.	Bogota.
2387. lineatocephalus, G. R. Gr. & M. G. B. pl. 43. promeropirhynchus, p., Selat.	Bolivia.
2388. major, V.; Mag. de Zool. 1833, t. 16. rubiginosus, Lafr.	11
2389. emigrans, Sclat. albicollis, Sclat.	Guatemala.
2390. Perrotii, Lafr. Mag. de Zool. 1844, t. 54.	Cayenne,

673. c. Dendrexetastes, Eyton, 1851. Cladoscopus, Reich. 1853.

2391. fortis, Heine.

2392. **Temminckii**, Lafr. Mag. de Zool. 1841, t. 4. capitoides, Eyton.

2393. Devillii, Des Murs; Casteln. Voy. t. 13. 1. Amazon.

33

674. d. Nasica, Less. 1831.
Dendrocolaptes, 3 div., Cuv. 1829.

Peru.

HAND-LIST OF BIRDS.	177
2394. longirostris, Licht.; Lev. Prom. t. 24. nasalis et albicollis, Less.	Brazil. R. Negro.
2395. gracilirostris, Burm.	Rio Quinto.
675. e. Dendroplex, Sw. 1827. Dendrocolaptes, 2 div., Cun. Dendrocopus, Sundev. 1835.	
2396. picus, Gm.; P. E. 605; Lev. Prom. t. 27. minor, Herm.; rectirostris, V. guttatus, Less.; picoides, Shaw; chrysolophus, Sw. altirostris et nigrirostris, Lafr.	Brazil. Amaz., Bolivia.
2397. picirostris, Lafr.; Des Murs, I. O. t. 51.	N. Gran., Boliv.
2398. intermedius, Bp.	
2399. similis, Natt.	Brazil.
676. f. Dendrornis, Eyton, 1852. Premnocopus, Reich. 1853. Dendroplex, Sw. 1837?	
2400. susurrans, Jard. albisquamata, Lafr.	Tobago. Trinidad.
2401. rostripallens, Des Murs; Casteln. Voy. t. 12. 2. pallidirostris, Sclat.	R. Napo, Ega.
2402. multiguttatus, Lafr.; Casteln. Voy. t. 12. 1.	Cayenne.
2403. eburneirostris, Lcss.; Des Murs, I. O. t. 52. flavigaster, Sw.; flavigastra, Sclat. albirostris, Lafr.	Guatemala. Mexico.
2404. triangularis, Lafr. Mag. de Zool. 1843, t. 32.	Bogota, Ecuador,
2405. erythropygius, Selat. triangularis, Selat.	Venezuela. Jalapa.
2406. pardalotus, V.; Lev. Prom. t. 30. flammeus, Licht.; guttatus, p., Lafr.	Cayenne. Bogota, Bolivia.
2407. palliatus, Des Murs; Casteln. Voy. t. 15. 1.	Gualaquiza.
2408. nanus, Lawr.	Panama.
2409. elegans, Pelz.	Brazil.
2410. Beauperthuysii, <i>Lafr.</i> susurrans, <i>Sclat.</i> ?	**
2411. guttatus, Licht.	#1
2412. guttatoides, Lafr.	Cayenne.
2413. mentalis, Lawr.	W. Mexico.
2414. Eytoni, Sclat. P. Z. S. 1853, pl. 52.	Lower Amazon, Brazil.
2415. Kieneri, Lafr.; Casteln. Voy. t. 14. 1.	Ega.

2416. D'Orbignyanus, Pucher.

2417, ocellatus, Tsch. Peru. 2418. obsoletus, Ill. Brazil. 2419, chunchotambo, Tsch. F. P. t. 22, 1. Peru. Brazil. 2420. lacrymosus, Lawr. 677. XIPHORHYNCHUS, Sw. 1827. Dendrocolaptes, 3 div., Tem. 1830, et 4 div., Cuv. 1829. Ziphorhynchus, Sw. 1837. Sw. C. of B. f. 281 b; G. of B. i. p. 140, pl. 43. f. 1; Reich. S. A. t. 36, f. a. Xiphorhynchus. 2421. procurvus, Tem. P. C. 28; V. Gal. des Ois. t. 175. Brazil, Bolivia. falcularius, V.; trochilirostris, Lafr. 2422. Lafresnayanus, D' Orb. Voy. A. M. t. 53. 2. Bolivia. procurvus, Lafr. 2423. venezuelensis, Lafr. Venezuela. 2424. granadensis, Lafr. New Granada. 2425. thoracicus, Selat. . Ecuador. 2426. procuroides, Lafr. Cavenne. 2427, trochilirostris, Licht. Abh. Ak. Berl. 1818, t. 3. Brazil. procurvus, Lafr.; Wiedi, Hartl. 2428. brevirostris, Lafr. 2429. isabella, Verr. 2430. pusillus, Sclat. Bogota. 678. b. Drymornis, Eyton, 1852. 2431. Pucherani, Lafr.; Des Murs, I. O. t. 68. 2432. Brydgesii, Eyton, Contr. Orn. 1849, pl. . Bolivia. **679. PICOLAPTES, Less. 1831.** Thripobrosus, Cab. 1847. G. of B. i. p. 140. a. Picolaptes. 2433. tenuircstris, Licht.; Spix, A. B. t. 91. 2. Brazil. fuscus, V.; Spixii, Less.; guttata, Less. Cent. Zool. t. 32. 2434. angustirostris, V. Paraguay. bivittatus, p., Lafr. Bolivia.

2435. bivittatus, Licht. Abh. Ak. Berl. 1820, t. 2. 2.

angustirostris, p., G. R. Gr.

2436. miniatus, Ill.

rubricaudatus, V.

Brazil, Bolivia.

Argentine Rep.

Paraguay.

2437. falcinellus, <i>Licht</i> . squamatus, <i>Lafr</i> .	Buenos Ayres.
2438. ocellatus, Spix, A. B. t. 91. 1. guttatus, Spix.	Brazil.
2439. compressus, Cab.	Costa Rica.
680. b. Lepidocolaptes, Reich. 1853.	
2440. squamatus, Licht.; Spix, A. B. t 90. 2. Wagleri, Spix; maculiventris, Less.	Trinidad. Brazil.
2441. leucogaster, Sw. Wagleri, p., G. R. Gr.	Mexico.
2442. Souleyetii, Lafr.; Des Murs, I. O. t. 69.	Ecuador.
2443. lineaticeps, Lafr.	Mexico.
2444. Lafresnayi, Cab. & H.	Venezu., Bolivia.
2445. Warseiwiezi, Cab. & H.	Peru.
2446. atripes, Eyton.	Bolivia.
2447. validirostris, Eyton.	
681. c. Dacryophorus, Bp. 1854.	
2448. lacrymiger, Lafr.; Des Murs, I. O. t. 70.	Ecuador, Bogota.
2449. affinis, Lafr. angustirostris, Ep.	Jalapa.
2450. albilineatus, Lafr.	Mexico, Columb.
2451. fuscicapillus, Pelz.	Brazil.
682. DENDROCINCLA, G. R. Gr. 1840. Dryocopus, Max. 1831, nec Boie. 1826. G. of B. i. p. 141, pl. 43. f. 5; Reich. S. A. t. 36. f. a. Dendrocincla.	
2452. turdina, <i>Licht. Abh. Ak. Berl.</i> 1820, t. 2. 1, turdinea, <i>Burm.</i>	39
2453. atrirostris, Lafr.; D'Orb. Voy. t. 54, 1 olivacea et fumigata, Lawr.? turdinus, var., Lafr.	Bolivia, Ecuad.
2454. fumigata, Licht.; Lev. Prom. t. 28. fuliginosus, V.	Brazil.
2455. ? Delattrii, Bp.	Nicaragua.
2456. minor, Pelz.	Brazil.
2457. tyrannina, Lafr.	Bogota.
2458 longicauda, Natt.	Rio Negro. N 2

683. b. Dendromanes, Sclat. 1859.

2459. anabatina, Sclat. Pr. Z. S. 1859, pl. 150. Mexico, VeraPaz, Oaxaca.

2460. homochroa, Sclat. Oaxaca.

2461. merula, Licht. Guiana, Amaz.

2462. meruloides, Lafr. Venezuela. melulina, Cab. & H.

2463, ruficeps, Sclat. & Salv. Panama.

684. SITTASOMUS, Sw. 1827.

Synallaxis, 2 div., Cuv. 1829.
Dendrocolaptes, 4 div., Tem. 1820.
Sittosomus, Cob. & H. 1859.
Sw. C. of B. f. 281 d; G. of B. i. p. 141, pl. 43, f. 3; Reich.
S. A. t. 36, f. . .

a. Sittasomus.

2464. erythacus, Licht. Abh. Ak. Berl. 1820, t. 1. 2, 3; P. C. 72. 1.

sylviellus, Tem.; Temminckii, Less.

2465. amazonus. Lafr. & Dev.; Casteln. Voy. t. 15. 3. Ecuador.

S. Brazil.

Bolivia.

erythacus, Sclat.

Rio Negro.

2466 sylvioides Lafr.

Mexico.

2466. sylvioides, Lafr. pectinicauda, Cab. & H.

2467. griseus, Jard. Tobago.

2468. pallescens, Lafr.

2469. ? Orbignyanus, Lafr.

2470. olivaceus, Max. S. Brazil.

2471. stictolæmus, Pelz. Borba, Brazil.

685. b. Margarornis, Reich. 1853.

2472. squafniger, Lafr.; D'Orb. Voy. t. 542. Bolivia, Ecuador. perlatus, Less. New Granada.

2473. gutturalis, Lafr. Bolivia.

2474. certhioides, Lafr. Argentine Rep.

2475. rubiginosus, Lawr. Costa Rica.

2476. brunnescens, Sclat. Pr. Z. S. 1857, pl. 116. Bogota, Veragua.

2477. guttatus, Lawr. Ecuador.

686. c. Siptornis, Reich. 1853.

2478. flammulatus, Less. Brazil.

687. GLYPHORHYNCHUS

et Sphenorhynchus, Max. 1831. Sittacilla, Less. 1837. Zenophasia, Sw. 1837. Xenophasia, Strickl. 1841. Neops, Bp. 1854, nec V.

G. of B. i. p. 141, pl. 43. f. 2; Reich. S. A. t. 36. f.

2479. cuneatus, Licht. Abh. Ak. Berl. 1818, t. 3. 1. ruficaudus, Max.; platyrhyncha, Sw. Brazil.

2480. Castelnaudii, Des Murs; Casteln. Voy. t. 15. 2. cuneatus, p., Sclat.

Bogota. Pallatanga.

2481. major, Sclat.
euneatus, Lawr.; pectoralis, Sclat. & Salv.

Vera Paz.

688. PYGARRHICHUS, Licht. 1837.

Dendrodromus, Gould, 1839. Dromodendron, G. R. Gr. 1840. Dromodendrum, Agass. Pigarrhicus, Des Murs, 1853. Pygarhicus, Hartl. Pygarrhicus, Bp. 1850.

G. of B. i. p. 149, pl. 45. f. 4; Reich. S. A. t. 36. f.

2482. albogularis, King, Voy. Beagle, pl. 27. leucosternus, Gould; sitellus, Licht.

S. Chili.

Subfam. VI. Sittinæ, Bp. 1831.

689. SITTA, L. 1735.

Sitella, Rafing. 1815.

Sw. C. of B. f. 72; G. of B. i. p. 147, pl. 45. f. 1; Reich. S. A. t. 36. f.

a. SITTA.

2483. europæa, L.; P. E. 623. 1; Naum. Vög. t. 139; Gould, B. E. pl. 236.

N. Europe.

uralensis, Licht.; sericea, Tem. asiatica, Gould; roseilia, Tem.

Japan.

2484. cæsia, Wolf & Mey.; Gould, B. E. pl. 234. europea, Flem.; Krueperi, Tristr.? europea, var., Blas.; affinis, Bl.

C. S. Europe.

2485. syriaca, Ehr.; Gould, B. E. pl. 235. Neumayer, Mich.; rupestris, Tem, saxatilis, Schinz.

S.E. Europe. Candahar. N. Africa.

2486. himalayensis, Jard. & S. I. O. pl. 146; Gould, B. As. pl.

Himalayas. Sikkim.

vitticauda, James; indica, Burt. nipalensis, Hodgs.

2487. castaneoventris, Frankl.; Jard. & S. I. O. pl. 145; Gould, B. As. pl.

S. & C. India.

castanea, Less.; ferrugineoventris, Gould.

2488. cinnamomeoventris, Bl.; Gould, B. As. pl. nipalensis, Bp.; castaneoventris, Hodgs.	Himalayas. Sikkim.
2489. leucopsis, Gould, B. As. pl. castanilia, Bp.	Simla. N.W.Himalayas.
2490. carolinensis, Lath.; V. Gal. des Ois. t. 171; Baird, B. N. A. pl. 33, 4. melanocephala, V.	E. N. America.
2491. canadensis, Lath.; P. E. 623, 3; Wils. A. O. pl. 2, 4, ; stulta, V.; varia, Wils.	N. America.
2492. pusilla, Lath.; Wils. A. O. pl. 15, 2.	S.AtlanticStates.
2493. pygmæa, Vig. Beechey's Voy. pl. 4. 2.	N.W. America.
2494. aculeata, Cass.; Baird, B. of N. A. pl. 33. 3.	E. of Rocky Mts.
2495. Krueperi, <i>Pelz. Ibis</i> , 1865, pl. 7.	Asia Minor.
2496. villosa, Verr. N. Arch. du Mus. i. t. 5, 1.	N. China.
690. b. Callisitta, Bp. 1850.	
2497. formosa, Bl.; Gould, B. As. pl.	Sikkim.
691. c. Dendrophila, Sw. 1837. Orthorhynchus, Horsf. 182 ?, nec Cuv. 1829.	
2498. frontalis, Horsf.; P. C. 72. 3. velata, Tem.	Java, Sumatra. Borneo,Burmah.
2499. corallina, Hodgs. frontalis, Bl.	Nepal. Ceylon, Pegu.
2500. azurea, Less.; G. R. Gr. & M. G. B. pl. 45. flavipes, Sw.; gymnophrys, Kuhl; Schl. de Dierg. fig. p. 159. gymnopsis, Schl.	C. Asia.
692. d. Нүрнегрез, Newt. 1863. Sitta, p., Schl. & Poll.	
2501. corallirostris, Newt. Pr. Z. S. 1863, pl. 13.	Madagascar.
693. SITTELLA , Sw. 1837, nec Rafinq. 1815. G. of B. i. p. 148, pl. 45, f. 2; Reich. S. A. t. 36, f.	
2502. chrysoptera, Lath. Syn. suppl. pl. 127; Gould, B. A. iv. pl. 101.	New S. Wales.
2503. leucocephala, Gould, B. A. iv. pl. 102.	N. S. W., N. Aus.
2504. leucoptera, Gould, B. A. iv. pl. 103.	N. Australia.
2505. pileata, Gould, B. A. iv. pl. 104. melanocephala, Gould.	S.&W.Australia.
2506. tenuirostris, Gould.	S. Australia.

694. ACANTHISITTA, Lafr. 1843.

Acanthidositta, Aguss.

G. of B. i. p. 148, pl. 45. f. 3; Reich. S. A. t. 36. f.

a. Acanthisitta.

2507. chloris, Sparrm. M. C. t. 33; Mag. de Zool. 1842, t. 27. New Zealand.

tenuirostris, Lafr. Q, citrina, Gm. citrinella, Forst.

juv., punctata, Quoy & G. Voy. Astrol. t. 18. 1.

695. b. Xenicus, G. R. Gr. 1853.

2508. longipes, Gm. Voy. Ereb. & Terr. pl. 3. 1.

2509. **Stokesi**, *G. R. Gr.* longipes ♀, *G. R. Gr.*?

2510. gilviventris, Pelz.

2511. Haasti, Buller.

S. Island, New Zealand.

Europe.

Nepal.

FAM. VII. CERTHIIDÆ, Viq. 1825.

Subfam. I. Certhiinæ, Bp.

696. CERTHIA, L. 1735, 1744, 1758, 1766.

Ispida, p., L. 1748, 1756. Falcatores, Klein, 1759.
Sw. C. of B. f. 280 a, b; G. of B. i. p. 143, pl. 44. f. 5; Reich.
S. A. t. 38, f.

2512. familiaris, L.; P. E. 681; Naum. Vög. t. 140; Gould, B. E. pl. 237.

Nattereri, Bp.; Costæ, Bailly. scandulosa, Pall.; brachydactyla, Natt.

2513. americana, Bp.; Wils. A. O. pl. 8. 1. America. familiaris, Wils.; albifrons, Bl.?

2514. mexicana, Reich.; Baird, B. N. A. pl. 83. 2. Mexico. americana, p., Baird.

2515. himalayana, Vig.; Gould, B. As. pl. Himalaya Mts. asiatica, Sw.

2516. nepalensis, Hodgs.; Gould, B. As. pl. himalayana, Bl.

2517. discolor, Bl.; Gould, B. As. pl. Sikkim.

697. CAULODROMUS, G. R. Gr. 1847.

Rimator, Bl. 1847. Merva, Hodgs. 1847. G. of B. i. p. 143. pl. 44. f. 4; Reich. S. A. t. 38. f. 2518. Gracei, G. R. Gr. & M. G. B. pl. 44.2; Calc. Journ. N. H. 1847, p. 32. Darjeeling. malacoptilus, Bl.; Jerdonii, Hodgs.

698. SALPORNIS, G. R. Gr. 1847.

G. of B. i. p. 144, pl. 44. f. 3; Reich. S. A. t. 38. f. . 2519. spilonota, Frankl.; G. R. Gr. & M. G. B. pl. 44. 1;

Behar.

Subfam. II. **Tichodrominæ**, *Bp*. 1849. Certhianæ, p., *G. R. Gr.* 1840. Climacterinæ, *Cab.* 1860.

699. TICHODROMA, Ill. 1811.

Gould, B. As. pl.

Petrodroma, V. 1816. Jetrodroma, Boie, 1826. G. of B. i. p. 144, pl. 44, f. 1; Reich, S. A. t. 38, f.

2520. muraria, L.; P. E. 372; Lev. Prom. t. 20, 21; Naum. Vög. t. 141; Gould, B. E. pl. 239. phænicoptera, Tem.

subhimalayana, *Hodgs.*; nipalensis, *Bp.* muraria, p., *Hodgs.*

Europe.
Egypt, Abyssin.
Nepal.

700. CLIMACTERIS, Tem. 1820.

Sw. C. of B. f. 73; G. of B. i. p. 145, pl. 44. f. 2; Reich. S. A. t. 38. f.

a. CLIMACTERIS.

2521. leucophæa, Lath.; P. C. 281. 1; Gould, B. A. iv. pl. 98. N. S. W., S. Aus. picumnus, Tem.; leucoptera, Lath. Bailloni, V. Gal. des Ois. t. 172?

2522. pyrrhonota, Gould. leucophæa, p., Gould.

Australia.

2523. scandens, Tem. P. C. 281. 2; Gould, B. A. iv. pl. 93; New S. Wales, S. Kittl. Kupf. Vög. t. 6. 1.
Austr., Nor. I.

2524. melanura, Gould, B. A. iv. pl. 97.

N. Australia.

2525. rufa, Gould, B. A. iv. pl. 94.

W. Australia.

2526. erythrops, Gould, B. A. iv. pl. 95.

New S. Wales.

2527. melanota, Gould, B. A. iv. pl. 96. melanonota, Gould. N. Australia.

701. b. Rhabdornis, Reich. 1854.

2528. mystacalis, Tem. P. C. 335; Kittl. Kupf. Vög. t. 6. 2. Luzon.

FAM. VIII. MENURIDÆ, Bp. 1849.

Cracidæ, p., Vig. 1825. Penelopidæ, p., Bp. 1831. Megapodidæ, p., Sw. 1837. Eriodoridæ, p., 1847, et Pteroptochidæ, 1859, Cab.

Subfam. I. Menurinæ, G. R. Gr. 1847.

Megapodinæ, p., 1840, et Troglodytinæ, p., G. R. Gr. 1841.

702. MENURA, Davies, 1800.

Parkinsonius, Bechst. Megapodius, Wagl. 1827.
 Mænura, Cuv. 1829. Mænura, Less. 1828.
 Sw. C. of B. f. 302; G. of B. i. p. 153, pl. 47. f. 9; Reich. S. A. t. 57. f.

2529. superba, Davies, Linn. Trans. vii. pl. 22; V. Gal. des Ois. t. 192; Gould, B. A. iii. pl. 14.

menura, Wagl.; lyra, Shaw; novæ hollandiæ, Lath. mirabilis, Bechst.; vulgaris, Flem.; paradisia, Sw. lyrata, Less.

New S. Wales.

2530. Alberti, Gould, B. A. suppl. pl.

Richmond River.

2531. Victoriæ, Gould.

Port Phillip.

Subfam. II. Orthonycinæ, G. R. Gr. 1840.

703. ORTHONYX, Tem. 1820.

Sw. C. of B. f. 77; G of B. i. p. 151, pl. 44. f. 6; Reich. S. A. t. 38. f.

a. ORTHONYX.

2532. spinicauda, Tem. P. C. 428, 429; Gould, B. A. iv. pl. 99. New S. Wales. maculatus, Steph.; Temminckii, Vig.

2533. Spaldingi, Rams.

Rocking. Bay, Queensland.

704. b. Mohova, Less. 1837.

Clitonyx, Reich. 1853.

2234. ochrocephala, Gm. Voy. Astrol. t. 17. 1; G. R. Gr. & M. G. B. pl. 46.

chloris, Forst.; icterocephala, Lafr. heteroclita, Quoy & G.; hua, Less.

New Zealand. South Islds.

2535. albicilla, Less.; Voy. Ereb. & Terr. pl. 5. 2. senilis, Dubus.

New Zealand. South Islds.

FAM. IX. PTEROPTOCHIDÆ, Sclat. 1858.

Certhiadæ, p., G. R. Gr. 1840. Merulidæ, p., Sw. 1837. Erio doridæ, p., Cab. 1847.

Subfam. I. Pteroptochinæ, Cab. 1859.

Crateropodinæ, p., Sw. 1837. Troglodytinæ, p., G. R. Gr. 1840. Myjotherinæ, p., Cab. 1847.

705. HYLACTES, King, 1830.

Megalonyx, Less. 1831. Hylaetes, D'Orb. 1844. G. of B. i. p. 154, pl. 47. f. 4; Reich. S. A. t. 57. f.

2536. Tarnii, King; D' Orb. Voy. A. M. t. 8. 1. ruficeps, Lafr.

Conception, Chili.

Isld. of Chiloe.

2537. castaneus, Phil. & Landb.; Sclat. & Salv. E. O. pl. 29.

2538. megapodius, Kittl. Mém. Acad. Pétersb. 1831, t. 4; Sw. Z. I. pl. 117.

rufus, Less.; macropus, Sw.

706. PTEROPTOCHOS, Kittl. 1830.

Leptonyx, Sw. 1832. Pteroptochus, Wiegm. 1836. Platyurus, p., Sw.
G. of B. i. p. 155, pl. 47. f. 3; Reich. S. A. t. 57. f

a. Pteroptochos.

2539. rubecula, Kittl. Mém. Acad. Pétersb. 1831, t. 2; D'Orb. Voy. A. M. t. 7. 2. rufogularis, D'Orb.

Chili.
I. of Chiloe.

2540. albicollis, Kittl. Mém. Acad. Pétersb. 1831, t. 3; D'Orb. Voy. A. M. t. 8. 2. medius, Less. Ill. de Zool. t. 60.

Chili.

707. b. Acropternis, Cab. 1859. Ommatornis, Sclat. MS.

2541. orthonyx, Lafr. Mag. de Zool. 1844, t. 53.

New Granada.

708. c. Liosceles, Sclat. 1864.

2542. thoracicus, Sclat. Pr. Z. S. 1864, pl. 38.

Costa Rica, R. Amazon.

709. d. Triptorhinus, Cab. 1847.

Platyurus, p., Sw. Reich, S. A. t. 57. f.

2543. paradoxus, Kittl. Mém. Acad. Pétersb. 1831, t. 5. chilensis, Ménétr.; lepturus, Sw.

Chili.
I. of Chiloe.

210.

e. Agathopus, Sclat, 1858.

2544. micropterus, Sclat.

Rio Napo.

711. f. SCYTALOPUS, Gould, 1836.

Sylviaxis, Less. 1840. Reich, S. A. t. 57, f.

2545. magellanicus, Gm.; Jard. Contr. Orn. pl. 77.

fuscus, Gould; niger, Sw.; æthiops, Hartl. obscura, King; speluncæ, Ménétr. fuliginosum, Less.; albifrons, Landb.

Str. of Magellan.
Chili, Patagonia.
Falkland Isld.
Terra del Fuego,
I. of Chiloe.
Brazil.

2546. indigoticus, Licht.; Jurd. Contr. Orn. pl. 76. 2, & pl. 78. albiventris, Ménétr.; albigularis, Gould.

2547. polygramma, n. sp.?

Guatemala.

2548. ? fuscoides, Lafr. fuscus, var.?

Chili.

2549. undulatus, Jard. & S. Ill. O. pl. 19; Contr. Orn. 1851, pl. 76. 1.

---- \$

2550. nanus, Lafr.

I. of Chiloe.

712. g. MERULAXIS, Less. 1830.

Platyurus, Sw. 1837. Malacorhynchus, Ménétr. 1834, nec Sw. Sarochalinus, Cab. 1847. Merularis, D'Orb. Reich, S. A. t. 57. f.

2551. rhinolophus, Max.; Cent. Zool. t. 30; Sw. B. Braz. pl. 55, 56.
ater, Less.; cristatellus, Ménétr.

Brazil.

2552. analis, Lafr.

corniculatus, Sw.

Paraguay, Chili.

2553. ? senilis, Lafr.

Bogota.

2554. ? squamiger, Lafr.

I. of Chiloe.

713. RHINOCRYPTA, G. R. Gr. 1841.

Rhinomya, I. Geoffr. 1832, nec Rob. 1830. Megalonyx, Less. 1837. Rhinomyia, Agass. G. of B. i. p. 154 a, pl. 47. f. 10; Reich. S. A. t. 57. f.

2555. lanceolata, I. Geoffr.; D'Orb. Voy. A. M. t. 7. 1; Mag. de Zool. 1832, t. 3.

Patagonia.

FAM. X. TROGLODYTIDÆ, Sclat. 1862.

Liotrichidæ, p., Cab. 1847.

Subfam. I. Troglodytinæ, G. R. Gr. 1840, & Cab. 1847.

Troglodytænæ, Sw. 1831.

714. TESIA, 1837,

et Oligura, 1844, Hodgs. G. of B. i. p. 156.

a. Tesia.

2556. castaneocoronata, Burt.; G. R. Gr. & M. G. B. pl. 47. 1. E. Himalaya. flaviventris, Hodgs.

2557. cyaniventris, Hodgs.; Gould, B. As. pl. auriceps, Hodgs.; olivacea, M'Clell. S.E. Himalaya.

215. b. Anura, 1841,

et Pnoëpyga, 1844, et Propyga, et Proepygia, 1846, Hodgs. Microura, Gould, 1837. Micrura, Strickl. 1841. Aipunemia, Sw. 1831? Æpynemia, Strickl. 1840. G. of B. pl. 47. f. 5; Reich. S. A. t. 57. f.

2558. squamata, Gould, I. A. pl. albiventer, rufiventer, unicolor et concolor, Hodgs. Himalayas.

2559. pusilla, Hodgs.

Darjeeling.

2560. caudata, Bl.

Nepal.

2561. longicaudata, Moore.

N.W. Himalaya.

716. TROGLODYTES, V. 1807.

Troglodites, Cuv. 1817, nec L. 1744.
Anorthura, Renn. 1831.
Sylvia (Troglodyæ), Meyer, 1815.
Sw. C. of B. f. 71; G. of B. i. p. 157, pl. 47. f. 1; Reich. S. A. t. 57. f.

a. TROGLODYTES.

2562. parvulus, Koch; P. E. 651, 2; Naum. Vög. t. 83, 4; Gowld, B. E. pl. 130.

Europe.

troglodytes, L.; europæus, Cuv. regulus, Meyer.

2563. nipalensis, Hodgs.; Gould, B. As. pl.

Nepal.

subhimalayanus, Hodgs.

Japan.

2564. fumigatus, Tem.

m 1 11

2565. punctatus, Bl.

Darjeeling.

S. Mex. to Guat.

HAND-LIST OF BIRDS.	100
2566. hyemalis, V.; Wils, A. O. pl. 8. 6.	E. United States. Cordova?
troglodytes, Wils. hyemalis, var. pacificus, Baird.	Pacific co., U.S.
et Thryothorus, V. 1816. Thryotorus, Reich. 1850. Telmatodytes, Cab. 1850. Thriotherus, Aliq. Thryophilus, Baird. Reich. S. A. t. 57. f.	
2567. ludovicianus, Lath.; P. E. 730. 1; Wils. A. O. pl. 12. 5.	United States.
caroliniana, Wils.; arundinaceus et littoralis, V.; louisianæ, Less.	Mexico.
2568. longirostris, V. Gal. des Ois. t. 168.	Brazil.
2569. nigricapillus, Sclat.	Ecuador.
2570. pleurostictus, Sclat. Cat. of A. B. pl. 4.	Vera Paz.
2571. Berlandieri, Couch; Baird, B. N. A. pl. 83. 1.	N.E. Mexico.
2572. petenicus, Salv. albinucha, Cabot.	Guatemala.
2573. leucotis, Lafr.	Mex., L. Amaz.,
2574. Eidouxi, <i>Bp</i> .	Panama, Cay. Brazil.
2575. polyglottus, V. omnivorus, Licht.	**
2576. brunneus, Lawr.	Nicaragua.
2577. minor, Pelz.	Brazil.
2578. mexicanus, Licht. guttulatus, Hartl.; murarius, Licht.	Mexico.
2579. erythrophthalmus, Licht.	,,
2580. deflexus, Licht.	>9
2581. rosaceus, Less.	Chili.
718. c. Pheuoopedius, Cab. 1850. Thryothorus, Sundev. 1835.	
2582. coraya, Gm.; P. E. 701. 1.	Cayenne.
2583. melanos, V.; Spix, A. B. t. 73, 2. genibarbis, Sw.; coraya, Licht.	Brazil. Bolivia.
2584. mysticalis, Sclat.	Ecuador.
2585. fasciatoventris, Lafr. albogularis, Sclat.	Bogota. Panama.
2586. rutilus, V.; Sw. B. Braz. pl. 15. rutilans, Sw.; gularis, Cuv.	Brazil, Trinidad. Tobago.

2587. maculipectus, Lafr.

0509 monhara Salat	Quito.
2588. euophrys, Sclat.	Brazil.
2589. ? albicollis, Cuv.	Costa Rica.
2590. atrogularis, Salv.	
2591. thoracious, Salv.	Mexico.
2592. felix, Sclat.	MEXICO.
719. d. Thryophilus, Baird, 1864.	
2593. rufalbus, Lafr.	New Granada.
venezuelanus, Cab.; longirostris, Lawr. cumanensis, Licht.	Ecuador,Guiana. Panama, Trin.
2594. modestus, Cab.	Costa Rica.
leucotis, Lawr.	Guatemala.
2595. Galbraithi, Lawr.	Panama.
leucotis, p.	
2596. castaneus, Lawr. nigricapillus, Lawr.	Veragua.
2597. albipectus, Cab.	New Granada.
2598. sinaloa, Baird.	N.W. America.
2599. poliopleurus, Baird.	Guatemala.
rufalbus, var. poliopleurus, Baird.	
2600. Schottii, Baird.	Mexico. Isth. of Darien.
nigricapillus, Cass.	Brazil,
2601. striolatus, Max.; Spix, A. B. t. 79. 2.	Drazii.
720. e. Thryomanes, Sclat. 1861.	
Telmatodytes, p., Cab.	
2602. Bewickii , Aud. B. A. ii. pl. 118.	N. America.
leucogastra, Gould. spilurus, Vig. Beechey's Voy. pl. 4. 1.	Mexico. California.
721. f. Cistothorus, Cab. 1850.	
2603. stellaris, Naum.; Aud. B. A. ii. pl. 124. brevirostris, Nutt.; Aud. B. A. ii. pl. 175.	United States. Mexico.
2604. interscapularis, Licht.	Brazil.
2605. elegans, Sclat. & S.	C. America.
2606. polyglottus, V .	Brazil.
722. g. Telmatodytes, Cab. 1850.	

2607. arundinaceus, V.; Wils. A. O. ii. pl. 12. 4.

palustris, Wils. var. paludicola, Baird. N. America.

Greenland, Mex Pacific co., US

Panama.

723. h. Hylemothrous, Max. 18	831.
-------------------------------	------

arquinoctialis, Sw. B. Braz. pl. 13.

2617. inquietus, Baird.

2608. platensis, Gm.; P. E. 730. 2. Brazil, N. Patag., Bahia, Blanca, Falkland I.

2609. furvus, Gm.; Brown, Ill. pl. 18; V. Gal. des Ois. t. 167.

2610. hornensis, Less. Chili. fasciolatus, Burm.

2611. aedon, V.; Wils. A. O. pl. 8. E. of U. S. domestica, Wils.; fulvus, Nutt.

furvus, p., Naum. 2612. musculus, Licht. Brazil.

2613. brunneicollis, Sclat. & S. E. O. pl. 23. 2. Mexico.

2614. americanus, Aud. B. A. ii. pl. 119. N.E. of U. S.

2615. intermedius, Cab. Oaxaca, hypaedon et aedon, Sclat. Guatemala.

2616. tessellatus, Lafr. Peru, Veragua.

tecellata, D'Orb.

hypaedon, Lawr.

2618. magellanicus, Gould. Str. of Magellan.
2619. martinicensis, Sclat. Martinique.

2620. striatulus, Lafr. Bogota.
2621. audax, Tsch. Peru.

2622. solstitialis, Sclat. & S. Ex. Orn. pl. 23. 1. Pinipi, Matos.

2623. Parkmanni, Aud. B. Am. ii. pl. 122. W. of U. States. sylvestris, Gamb. California.

2624. murinus, Less. Peru.
2625. chilensis, Less. Chili.

quereza, Cuv.
2626. pallidus, Lafr. Patagonia.

2627. guarayanus, Lafr. Bolivia. 2628. rufulus, Cab. Guiana.

721. DONACOBIUS, Sw. 1831.

Cichla, p., Wagl. 1827. G. of B. i. p. 223, pl. 57, f. 6; Reich. S. A. t. 57, f.

a. Donacobius.

2629. cyaneus, Müll.; P. E. 392; Sw. Zool. Ill. pl. 27. Brazil. atricapillus, L.; braziliensis et japacani, Gm.; longirostris. Pall. Paraguay.

vociferans, Sw.; vociferus!, Sclat. pratensis, V.

2630. albolineatus, Lafr.; D'Orb. Voy. A. M. t. 12. 1.

Bolivia.

725. b. Heleodytes, Cab. 1850. Furnarius, Sw. 1837. Buglodytes, Bp. 1853.

2631. griseus, Sw. albicilius, Bp.

Santa Martha.

2632. albobrunneus, Lawr.

Panama.

2633. minor, Cab.

Chili.

226. CAMPYLORHYNCHUS

et Kampylorhynchus, Spix, 1824. Cichla, Wagl, 1827, nec Bl. 1851.

G. of B. i. p. 158, pl. 47, f. 7; Reich, S. A. t. 57, f.

2634. variegatus, Gm.; Spix, A. B. t. 79. 1. scolopaceus, Licht.

Bahia.

2635. brunneicapillus, Lafr. Mag. de Zool. 1835, t. 47; Cass.

B. Texas, pl. 25.

N. Mexico. Guatemala, Mex.

2637. zonatoides, Lafr.

2636. zonatus, Less. Cent. Zool. t. 70.

Bogota. 11

2638. brevirostris, Lafr.

S. Mexico.

2639. megalopterus, Lafr.; Des Murs, I. O. pl. 54.

Ecuador.

2640. pallescens, Lafr. megalopterus, Sclat.

2641. capistratus, Less.; Des Murs, I. O. t. 63.

C. America.

2642. pardus, Verr. & Bp.

New Granada.

2643. hypostictus, Gould.

Peru. Bolivia.

2644. unicolor, Lafr. scolopaceus, Lafr.

2645, rufinucha, Lafr. capistratus, p., Sclat. V. Cruz, Xalapa.

2646, nuchalis, Cab. 2647, unicoloroides, Lafr. Trinidad. Bolivia.

2648. jocosus, Sclat. Cat. of A. B. pl. 3.

S. Mexico.

2649. guttatus, Gould.

Mexico.

2650. cinnamomeus, Lafr.

Guayaquil.

2651. striaticollis, Sclat.

Bogota.

2652. affinis, Xantus; Elliot, B. N. Am. pl.

Lower Calif.

2653. gularis, Sclat.

Mexico.

Peru.

0

2654. nigriceps, Sclat.

2655. baltcatus, Baird.
pallescens, Sclat.

Mexico.

Guayaquil.

2656. brevipennis, Lawr.Venezuela.2657. humilis, Sclat.Mazatlan.

727. CYPHORHINUS, Cab. 1844.

Leucolepis, Reich. 1850. Cyphorinus, Sclat. 1862. G. of B. i. p. 155, pl. 47. f. 6; Reich. S. A. t. 57. f.

2658. modulator, Lafr.; Custeln. Voy. t. 17, 2,

a. Cyphoriunus.

thoracieus, Tsch.; rufigularis, Des Murs, affinis, Sw. B. of Braz. pl. 57.

2659. musicus, Bodd.; P. E. 706. 2; Sw. B. Braz. pl. 14. Cavenne.

cantans, Gm.; arada, Lath.
rubecula ct carinatus, Sw.

2600. Lawrencei, Lawr.; Sclat. & S. Exot. Orn. pl. 21. Panama. cantans, Lawr.

2661. phæocephalus, Sclat. & S. Exot. Orn. pl. 22, Ecuador.

728. b. Microcerculus, Sclat. 1861. Cyphorinus, b, Sclat. 1862.

2662. bambla, Bodd.; P. E. 703, 2. Cayenne. troglodytes, Less.

2663. philomela, Salv. Vera Paz. bambla, Lawr.

2664. marginatus, Sclat.; Casteln. Voy. t. 16. 3. Bogota. bicolor, Des Murs. E. Peru.

2665. albigularis, Sclat. Pr. Z. S. 1855, pl. 88. Panama.

2666. luscinia, Salv. Panama.
philomela, Lawr.; philomela, p., Baird. Sta Fé, Veragua.

2667. cinctus, Natt. & Pelz. Brazil.

729. c. Henicoriina, Sclat. § S. 1868. Heterorhina, Baird, 1864, nee Microcerculus, p., Sclat. 1862.

2668. prostheleucus, Sclat. Cordova, Guat. 2669. griseicollis, Lafr. Bogota.

2609. griseicollis, Lafr. Bogota.

2670. pusillus, Solat, Oaxaca.

2670. pusillus, Sclat.

Oaxaca.

2671. leucostictus, Cab. Guiana, Mexico.
prostheleuca, Baird. Ecuad., Panama,
Veragua.

2672. leucophrys, Tsch. guttatus, Hartl.

Peru. Costa Rica.

730. d. Salpinctes, Cab. 1847.

Reich, S. A. t. 57, f. .

2673. obsoletus, Say; Ep. A. O. i. pl. 1, 2. latifasciatus, Licht.?

W. America.

731. *e.* Catherres, *Baird*, 1858. Salpinetes, p., *Cab*.

2674. mexicanus, Sw. Zool. Ill. pl. 9. guttulatus, Lafr.; albifrons, Giraud.

R. Grande. Mexico.

732. f. Odontorhynchus, Pelz. 186.

2675. cinereus, Natt. & Pelz.

Brazil.

g. Cinnicerthia, Less. 1844.
 Presbys, Cab. 1851. Thelydrias, Reich. 1853.

2676. unirufus, Lafr.

Bogota.

cinnamomea et unicolor, Less. 2677. canifrons, Lafr. unirufa, p., Sclat.

2678, unibrunneus, Lafr.

Ecuador.

Subfam. II. Tatarinæ, G. R. Gr.

734. TATARE, Less. 1831.

Tatarea, Reich. 1849.

G. of B. iii. app. p. 8, pl. suppl. 186. f. 1; Reich. S. A. t. 37. f.

a. Tatare.

2679. longirostris, Gm.; Voy. Coqu. t. 23. 2. caffra, Sparrm. M. C. t. otatiensis, otatare et fuscus, Less. Society I. Tonga I. Marquesas I.

2680. ? æquinoctialis, Lath.

musæ, Forst.

Christmas I.

735. b. Hybristes, Reich. 1850.

Reich. S. A. t. 57. f. .

2681. luscinius, Quoy & G. Voy. l'Astrol. t. 5. 2.

Ladroue I.

Tribe III. DENTIROSTRES, Cuv.

FAM. I. LUSCINIDÆ, G. R. Gr. 1841.

Meliphagidæ, Pipridæ et Sylviadæ, Vig. 1825. Motacillidæ et Paridæ, Boie, 1826. Rhacnemididæ, Sylvicollidæ et Sylviadæ, Cab. 1847.

Subfam. I. Malurinæ, G. R. Gr. 1840.

Sylvianæ, p., et Motacillinæ, p., Vig. 1825.

736. ORTHOTOMUS, Horsf. 1820.

Edela, Less. 1831. Sutoria, Nichols. 1851.

Sw. C. of B. f. 135; G. of B. i. p. 161, pl. 48, f. 1; Reich. S. A. t. 58, f. .

2682. sepium, Horsf.; P. C. 599. 1; Mag. de Zool. 1836, t. 51. Java, Sumatra.

2683, edela, Tem. P. C. 599. 3.

sepium, Raffl.; Less. (Cent.).

2684. cucullatus, Tem. P. C. 599. 2.

2685, ruficeps, Less. (Tr.). sericeus. Tem.

2686. flavoviridis, Moore.

edela, Bl.

2687. longicaudus, Gm.; Mag. de Zool. 1836, t. 52, 53. sutoria, Gm.; guzuratta, Lath. Bennettii et lingoo, Sykes. ruficapilla, Hutt.; sphenurus, Sw. patia, Hodgs, ; agilis, Nichols.

2688. coronatus, Jerd. & Bl.

2689. phyllorrhapheus, Swinh. phyllorapheus, Jerd.

2690. Derbyanus, Moore, Pr. Z. S. 1854, pl. 76.

2691. atrogularis, Tem.

2692. cineraceus, Bl. sepium, Lafr.

2693. longirostris, Sw.

2694. maculicollis, Moore.

2695. Hugelii, Pelz.

Sumatra.

Malayan peninsula. Java, Sumatra.

Malacca.

India, Ceylon. Burmah.

Sikkim.

S. China.

Philippine Isl. Borneo, Malac.

Malacca.

N.S. Wales (Su.), Malacca?

Malacca.

New Holland (?).

733. PRINIA, Horsf. 1820.

Dasyocharis, Cab. 1850.

G. of B. i. p. 162, pl. 48, f. 2; Reich, S. A. t. 58, f.

a. Prinia.

2696. familiaris, Horsf. Zool. Res. pl.; Sw. Zool. Ill. pl. 97. olivacea, Raffl.; prinia, Tem.	Java, Sumatra.
2697. socialis, Sykes; Fras. Zool. Typ. pl.	S. India, Nepal.
2698. Hodgsoni, Bl. gracilis, Jerd.	Himalaya M.
2699. gracilis, Frankl. lingoo, Sykes.	India.
2700. cinereocapilla, Hodgs.	Nepal.
2701. sonitans, Swinh.	I. of Formosa.
2702. flaviventris, Deless.	Ind., Ass., Syl.,
2703. Stewartii, Bl.	Bur., Malaya. C. India.
2704. Beavani, Wald.	Tenasserim.
2705. rufescens, Bl.	Burmah.
2706. Adamsi, Jerd.	Poonah.
738. b. Franklinia, Bl. 1855.	
	Tadia Cainda
2707. Buchanani, Bl. rufifrons, Frankl.; brunnifrons, Hodgs.	India, Scinde.
2708. Cleghorniæ, Jerd.	Delhi.
739. c. Horeites, <i>Hodgs.</i> 1844. Nivicola, <i>Hodgs.</i> 1844.	
2709. brunneifrons, Hodgs.	Nepal.
2710. schistilata , <i>Hodgs</i> , brunneifrons, p., <i>Jerd</i> .	79
2711. pollicaria , <i>Hodgs</i> . brunneifrons, p., <i>Bl</i> .	**
2712. major, Hodgs.	,,
2713. robustipes, Swinh.	I. of Formosa.
740. d. Drymoipus, Bp. 1854.	
2714. polychroa, Tem. P. C. 466. 2. Blythii, Bp.	Java.
2715. neglecta , <i>Jerd</i> . sylvatica, <i>Bl</i> .	Upper India.
2716. sylvatica, Jerd.	S. India.
2717. longicauda, Tick.	Nepal.
nipalensis, Hodgs.; macroura, Jerd.	

2718. inornata, Sykes; Fras. Zool. Typ. pl.	
macroura, Frankl.; Franklinii, Bl.	
2719. valida, Bl. robustus, Bl.	

India.

Ceylon.

2720. extensicauda, Swinh.

2721. striolata, Pelz.

2722. flavirostris, Swinh.

2723. pekinensis, Swinh.2724. ? leucophrys, Boie.

2725. ? phragmitoides, Kuhl.

S. China.

Kashmir.

I. of Formosa.

N.E. Amoy. Java.

vava.

741. e. Suya, 1837,

et Decurus, 1841, et Decura, 1844, Hodgs. 2726. crinigera, Hodgs.

2727. fuliginosa, Hodgs. atrogularis, p.?, Bl.

2728. atrogularis, Moore.

2729. striata, Swinh.2730. gangetica, Jerd.

Nepal, Bootan.

Nepal.

Darjeeling.

I. of Formosa.

Upper Ganges.

7-12. DRYMOICA, Sw. 1827.

Drymozen, Agass. et Cab. 1850. G. of B. i. p. 163, pl. 48. f. 3; Reich. S. A. t. 58. f.

a. DRYMOICA.

2731. maculosa, Bodd.; P. E. 752, 2; Smith I. S. A. Z. pl. 76, 1; Lev. O. A. t. 129, 130. macroura, Lath.; capensis, Steph, & Smith.

S. Africa.

2732. ocularia, Smith, I. S. A. Z. pl. 75. 1.

2733. pectoralis, Smith, I. S. A. Z. pl. 75. 2.

2734. substriata, Smith, I. S. A. Z. pl. 72, 1.

2735. pallida, Smith, I. S. A. Z. pl. 72. 2. melanorhyncha, Jurd. S. Afr., Latakoo.

S. Africa, Olifant's R. S. & W. Africa, Namaqualand. Natal.

2736. Smithii, Bp.; Smith, I. S. A. Z. pl. 73. 1. ruficapilla, Smith,

S. Afr., Cape Col.

2737. Levaillantii, Smith, I. S. A. Z. pl. 73, 2; Gould, B. A. iii. pl. 41. tinniens, Licht.; magna et campestris, Gould.

the state of the s

Cape Town, Orange River.

2738. terrestris, Smith, I. S. A. Z. pl. 74. 2.

 Afr., Latakoo, et Kurrichain.

2739. subruficapilla, Smith, I. S. A. Z. pl. 76, 2.

S. Afr.. Cape Col.

2740. affinis, Smith, I. S. A. Z. pl. 77. 1.

2741. cherina, Smith, I. S. A. Z. pl. 77. 2.

2742. aberrans, Smith, I. S. A. Z. pl. 78.

2743. chiniana, Smith, I. S. A. Z. pl. 79. procerula, Sundev.

2744. natalensis, Smith, I. S. A. Z. pl. 80.

2745. subcinnamomea, Smith, I. S. A. Z. pl. 111. 1.

2746. fasciolata, Smith, I. S. A. Z. pl. 111. 2. fasciiventris, Sundev.

2747. curvirostris, Sundev.

2748. Morelii, Poll.

2749. madagascariensis, Hartl.

2750. clamans, Rüpp. Z. Atl. t. 2 a; P. C. 466. 2.

2751. inquieta, Rüpp. Z. Atl. t. 36 b. famula, Hempr. & E.

2752. lugubris, Rüpp. S. U. V. t. 11. bizonura, Heugl.

2753. ruficapilla, Fras. nigrirostris, Fras.

2754. lateralis, Fras.

2755. **Strangeri**, Fras. Strangei, Hartl.

2756. uropygialis, Fras. Zool. Typ. pl. . 2.

2757. fortirostris, Jard.

2758. rufa, Fras. Zool. Typ. pl. . 3.

2759. ? subflava, Gm.; P. E. 584. 2, var. 3.

2760. ? fuscata, Gm.; P. E. 584. 1.

2761, ? flavicans, V.; Lev. O. A. t. 127. limonella, Licht.; subflava, p., G. R. Gr.

2762. undata, *Lath.*; *P. E.* 582, 2. rufigastra, *V*.

2763. scotoptera, Sundev.

2764. fulvescens, Sundev.

2765. chloris, Sundev.

2766. flavogularis, Sunder.

2767. flavicans, Strickl.

S. Africa.

S. Africa, Port Natal.

S. Africa.

N. of Kurrichain.

S. Africa.

S. Africa, Little Namaqualand.

S. Africa, N.E. of Latukoo.

Caffraria, Natal.

Madagascar.

,,

Nubia,Kordofan.

Arabia.

E. Africa, Abyss.

W. Africa.

,,

Senegal.

S. Africa. Namaqualand.

Senegal.

Caffraria, E. Sennaar. Caffraria.

**

S.W. Africa.

Natal, Caffraria.
Mossambique.
Natal.
Rodriguez.
N.E. Africa.
Djour.
,,
Abyssinia.
Gondar, Abyss., W. Africa.
Abyss., W. Afr.
Kordofan.
Abyss., W. Afr.
Abyssinia.
N.E. Africa.
Sahara.
Palestine.
Sennaar. Keren.
Gambia.
Gambia. E. Africa.
E. Africa.
E. Africa. W. Africa.
E. Africa. W. Africa.
E. Africa. W. Africa.
E. Africa. W. Africa. " Abyssinia.
E. Africa. W. Africa. " " Abyssinia. N.E. Afr., Abyss.
E. Africa. W. Africa. " Abyssinia. N.E. Afr., Abyss. N.E. Africa.
E. Africa. W. Africa. ,,, Abyssinia. N.E. Afr., Abyss. N.E. Africa. Abyssinia.

2796. simplex, Heugl.

2797. virgata, Heugl.

2798. Anchietæ, Bocage.

2799. elegans, Hartl.

2800. lais, Hartl.

2801. rufilata, Hartl.

2802. ? valida, Peters.

2803. Ortleppi, Tristr.

2804. marginata, Heugl, Ibis, 1869, pl. 1. 1.

743. b. Cisticola, Kaup, 1829.

Schemicola, Blus. 1862. Drymoica, p., Sw. Reich. S. A. t. 58, f.

2805. schœnicola, Bp.; P. C. 6. 3. cisticola. Tem.

2806. cursitans, Frankl.; Jerd, Ill. Ind. Orn. pl. 6. schenicola, p., Jerd.

subhimalayana, *Hodgs*, brunniceps, *Tem. & Sch. F. J.* t. 20 c. brunneicephala, *Bl.* tintinnabulans, *Swinh*,

2807. exilis, Lath.; Gould, B. A. iii. pl. 42.

2808. lineacapilla, Gould, B. A. iii. pl. 43.

2809. ruficeps, Gould, B. A. iii. pl. 45.

2810. ? fuscicapilla, Wall.

2811. Ayresii, Hartl. Ibis, 1863, pl. 8. 2.

2812. omalura, *Bl*.

2813. Tytleri, Bl.

2814. erythrocephala, Jerd.

2815. volitans, Swinh.

2816. isura, Gould, B. A. iii. pl. 45.

2817. rustica, Wall.

2818. oryziola, Müll.

2819. isodactyla, Peters.

2820. procera, Peters.

2821. madagascariensis, A. Newt. cursitans, p.?, Hartl. & F.

N.E. Africa.

W. Africa.

W. Alrica.

Africa.

ratai.

Damaraland.

E. Africa.

Colesberg.

N. E. Africa.

S.W. Europe. Egypt, N. Arabia.

India.

Nepal. Japan.

China, Formosa.

New S. Wales, S. Australia. N. Australia.

New S. Wales, Lombock, Flores, Timor. Timor, Flores.

Natal.

Cevlon.

Dacca.

Malabar.

I. of Formosa.

N. G. IV. T.

N. S. W., Lomb., Flores, Timor. Bourn.

Bouru.

Timor, Java.

Mossambique.

Tette, Mossamb.

Madagascar.

W. Afr., Camma.

W. Africa, Da-

boerons.

2822. ferruginea, Heugl. Ibis, 1869, t. 3, 2, C. Africa. troglodytes, Antin.; uropygialis, p., Finsch. 2823. scmitorques, Heugl. N.E. Africa. 2824. eximia, Heugl. Ibis, 1869, pl. 3. 1. U. Gazelle River. 2825. hatomacephala, Cab.; Decken, Reisen, t. 2, 2, E. Africa. stulta, Hartl. & F. 244. c. Graminicola, Jerd. 1863. 2826. bengalensis, Jerd. Ganges, Cachar. 745. d. Hemipteryx, Sw. 1837. 2827. tetrix, V.; Lev. O. A. t. 131; Smith, I. S. A. Z. pl. 74. 1. S. Africa. 2828. immaculata, Hartl. ,, oligura, p., Heugl. 2829. oligura, Heugl.; Ibis, 1869, pl. 3. 3. N.E. Africa. brunnescens, Heugl. 2830. iodopyga, Heugl. N.E. Afr., Teuta. 2831. habessinica, Heugl. N.E. Africa. 7.46i. e. Burnesia, Bl. 1855. 2832. gracilis, Rüpp. Atl. t. 2. 6; P. C. 466. 1. Egypt, W. Afr. lepida, Bl.; Gould, B. As. pl. Tiberias? Bengal, Sindh. tetrix, Aud. 747. f. Catriscus, Cab. 1850. S. Africa. 2833. apicalis, Lieht. Natal. brevirostris, Sundev. C. Africa. alexinæ, Heugl. 7.18. g. Melocicilla, Hartl. 1857. W. Africa. 2834. Bairdi, Cass. 2835. mentalis, Fras.; Jard. Contr. Orn. 1849, pl. 749. h. Euprinodes, Cass. 1859. Drymoterpe, Heine, 1859. 2836. rufigularis, Fras. Zool. Typ. pl. 42. 1. Fernando Po. 2837. olivacea, Strickl. Stricklandi, Bp. rufigularis, juv.?, Cass.

i. Stiphrornis, Tem.; Hartl. 1855.

2838, schistacea, Cass.

2839. erythrothorax, Tem.

250.

2854. scotops, Sundev.

2855, viridiflava, Hartl,

2856. lutescens, Less.

751. j. HYLIA, Cass. 1859. 2840. superciliaris, (Tem.) Hartl. W. Africa. prasina, Cass. Ashanti, Gaboon. 752. k. Beoscelis, Heine, 1860. 2841, badiceps, Fras. Fern. Po, Camma, C. Lopez. 7. APALIS 2.5.3. et Apales, Sw. 1837. Hapalus, Agass. 2842. thoracica, Shaw; Lev. O. A. t. 123, 1. S. Africa. gutturalis, Boie. 254. m. Eroessa, Hartl. 1866. Damia, Poll. MS. 2843. tenella, Hartl. Pr. Z. S. 1866, p. 219, fig. head; Poll. & V. D. F. de Madag. t. 18. 2. Madagascar. pusilla, Poll. MS. 255. n. B.eocerca, Heine, 1829. 2844. virens, Cuss. W. Africa. microura, Cass. o. Ellisia, Hartl. 1861. 2.56. Drymoica, p., Schl. 2845, typica, Hartl.; Poll. & V. D. F. de Madag. t. 28. 2. Madagascar. Ellisii, Schl. & Poll. 2846. Lantzi, Grandid. 2847. chloropetoides, Grandid. 2848. ? madagascariensis, Lath.; Briss. Orn. iii. t. 22. 1. 257. p. Eremomela, Sundev. 1850. 2849. flaviventris, Burch. S. Africa. icteropygialis, Lafr.? 2850. pusilla, Hartl. W. Afr., Scnegal. S. Africa, Natal. 2851. brachyura, V.; Lev. O. A. t. 125. chloris, Boie. Damaraland. 2852. icteropygialis, Lafr. icteropyga, Cab. S. Africa. 2853. usticollis. Sundev.

,,

W. Afr., Sencg. W. Africa. 2857. elegans, Heugl. cancecens, Antin.

C. Africa.

2858. griseoflava, Heugl.

Bogosland.

75%. q. Dryodromas, Hartl. & Finsch, 1869.

2859. fulvicapilla, V.; Lev. O. A. t. 124. 1, 2. natalensis, Hartl. Ibis, 1863, pl. 8. 1. S. Africa. Natal.

2860. albigularis, Hartl. & F.

2861. damarensis, Wahlb.

Damaraland

2862. flavida, Striekl.

2863. caniceps, Cass.

W. Afr., Camma.

75.9. r. Camaroptera, Sundev. 1850. Syncopta, Cab. 1853. Sincopta, Hengl.

2864. brevicaudata, Rüpp. Atl. t. 35. 6. clamans, Heugl.; griscoviridis, Müll. olivacea, Sundev.

N.E. Africa. S.& W. Afr., Nat. Damaraland.

2865. tineta, Cass.

olivacea, p., Heugl.; brevicaudata, p., Hartl. & F.

W. Africa.
Gaboon, Mudi R.
Guinea.

2866. concolor, Hartl. olivacea, Tem.

2867. icterica, *Striekl*. superciliaris, *Fras*.

Fernando Po. Camma, Ashanti.

2868. Salvadoræ, Würt.

N.E. Africa.

760. SYLVIETTA, Lafr. 1839.

Trochlotides et Oligura, Rüpp. 1845. Oligocercus, Cab. 1853. Sylviella, Sundev. Reich. S. A. t. . f. .

2869. microura, Rüpp. F. A. t. 41. 1; Lefebv. Voy. Abyss. t. 6. N.E. Africa. brachyura, Lafr.; rufescens, p., Sundev. brevicauda, Lefebv. Voy. Abyss. t. 6; brachyptera, Bp.

2870. rufescens, V.; Lev. O. A. t. 135. crombec, Lafr. meridionalis, Bp.; brachyura, Strick/. microura, Bocage. S. Africa.

761. CALAMANTHUS, Gould, 1837.

Praticola, Sw. 1837, nec Kaup, 1829. G. of B. i. p. 164; Reich, S. A. t. 58. f.

a. Calamanthus.

2871. campestris, Gould, B. A. iii. pl. 71.

S. & W. Austr.

2872. fuliginosus, Vig. & Horsf.; Gould, B. A. iii. pl. 70. anthoides. Sw.

Tasmania.

New S. Wales,

Tasmania.

b. Hylacola, Gould, 1842.

2873. pyrrhopygius, Vig. & Horsf.; Gould, B. A. iii. pl. 39.

G. of B, i. pl. 48. f. 5; Reich, S. A. t. 58. f.

palustris, V.; gularis, Griff.

S. Australia. 2874. cantus, Gould, B. A. iii. pl. 40. S. Australia. 763. c. Chthonicola, Gould, 1847. Reich. S. A. t. 58. f. . 2875. sagittatus, Lath.; Gould, B. A. iii. pl. 72. New S. Wales. S. Australia. minimus, Viq. & Horsf. 264. MALURUS, V. 1816. G. of B. i. p. 165, pl. 48. f. 7; Reich. S. A. t. 58. f. 2876. cyaneus, Lath, Syn. pl. 53; V. Gal. des Ois. t. 163; Gould, New S. Wales. B. A. iii. pl. 18. S. Australia. superba, Shaw. Tasmania. 2877. longicaudus, Gould, B. A. iii. pl. 19. S. Australia. 2878. melanotis, Gould, B. A. iii. pl. 20. W. Australia. 2879. splendens, Quoy & G. Voy. Astrol. t. 10. 1. pectoralis, Gould, B. A. iii. pl. 21. 2880. elegans, Gould, B. A. iii. pl. 22. 2881. pulcherrimus, Gould, B. A. iii. pl. 23. 2882. Lambertii. Vig. & H.; Lewin, B. N. H. pl. 15; Gould, New S. Wales. B. A. iii. pl. 24. 2883. cæruleicapillus, Gould. N.S.& N.E. Aus., Nicholson R. Cape York. 2884. amabilis, Gould, B. A. iii. pl. 25. N.W. Australia 2885. coronatus, Gould, B. A. suppl. pl. 2886. leucopterus, Quoy. & G. Voy. Astrol. t. 23. 3; Gould, Australia. B. A. iii. pl. 25. 2887. dorsalis, Lewin, B. N. H. pl. 14; Gould, B. A. iii. pl. 26. New S. Wales. melanocephalus, Vig. & Horsf. Brownii, Jard. 2888. Brownii, Vig. & Horsf.; Gould, B. A iii. pl. 27. N. Australia. cruentatus, Gould. Cape York. 2889. hypoleucus, Gould. 2890. leuconotus, Gould, B. A. suppl. pl. Int. of Australia. 2891. callainus, Gould, B. A. suppl. pl. 765. STIPITURUS, Less. 1831. Malurus, Boie, 1826. G. of B. i. p. 165, pl. 48, f. 8; Reich, S. A. t. 58, f. . 2892. malachurus, Shaw, Lev. O. A. t. 130. 2; Gould, B. A. Australia. iii, pl. 31.

766. AMYTIS, Less. 1831 nec Sav. 1826.

G. of B. i. p. 166, pl. 48. f. 12; Reich, S. A. t. 58. f.

2893. textilis, Quoy & G. Voy. Uranie, t. 23. 1; Gould, B. A. iii. New S. Wales, S. & N. E. Aus.

2894. striatus, Gould, B. A. iii. pl. 29; Less, Tr. d'Orn. t. 67. 2. New S. Wales. textilis, Less.

2895. macrourus, Gould, B. A. iii. pl. 30.

W. Australia.

767. ATRICHIA, Gould, 1844, nec Schrank, 1803.

G. of B. i. p. 166, pl. 48. f. 4; Reich. S. A. t. 57. f.

2896. rufescens, Ramsay.

Richmond Riv., E. Australia. W. Australia.

2897. clamosa, Gould, B. A. iii. pl. 34.

768. SPHENURA, Licht. 1823.

Dasyornis, Vig. & H. 1826. Malurus, 2 div., Tem. 1820. Timalia, p., Sw. G. of B. i. p. 167, pl. 48, f. 11; Reich. S. A. t. 58, f.

a. Sphenura.

2898. brachyptera, Lath.; Jard. & S. I. O. pl. 73; Gould, B. A. iii, pl. 32.

pectoralis, Steph.; australis, Vig. & H.

New S. Wales.

2899. longirostris, Gould, B. A. iii. pl. 33.

W. Australia.

2900. Broadbenti, M. Coy; Gould, B. A. suppl. pl.

Portland Bay, Australia.

769. b. Pycnoptilus, Gould, 1850.

2901. floccosa, Gould, B. A. suppl. pl.

Int. of N. S. W.

770. CHÆTORNIS, G. R. Gr. 1848.

Dasyornis, p., et Sphenura, Bl. G. of B. i. p. 167, pl. 48. f. 9; Reich. S. A. t. 58. f. .

2902. striata, Jerd.

India.

locustelloïdes et collurioceps, Bl.

771. CINCLORAMPHUS, Gould, 1837.

Cinclorhamphus, Strickl. 1841.

Cintorhamphus, Wiegm. Ptenœdus, Cab. 1850. Megalurus, p., Sw.

Sw. C. of B. f. 212; G. of B. i. p. 168, pl. 48. f. 3; Reich, S. A. t. 58. f. .

2903. cruralis, Vig. & H.; Gould, B. A. iii. pl. 74.

New S. Wales.

2904. cantillans, Gould, B. A. iii. pl. 75.

Australia.

cantatoris, Gould.

772. MEGALURUS, Horsf. 1820.

G. of B. i. p. 168, pl. 48, f. 10; Reich, S. A. t. 58, f.

a. MEGALURUS.

2905. palustris, Horsf.; P. C. 65. 2. marginalis, Reinw.

Java.

2906. citrinus, G. R. Gr. & M. G. B. pl. 48. palustris, juv ?, G. R. Gr.

2907. timorensis, Wall.

Timor.

773. b. Sphengacus, Strickl. 1841.

Malurus, Tem. 1820. Dasyornis, Vig. & H. 1826. Timalia, p., Sw. Sphenæacus, Ep. 1850. Sphenura, Reich. 1850. Reich. S. A. t. 58. f.

2908. africanus, Gm.; Lev. O. A. t. 112, 2. afra, Gm.; tibicen, Licht. dubia, Forst.; cantor, Less.

S. Africa.

2909. galactotes, Tem. P. C. 65; Gould, B. A. iii, pl. 36. galactodes, Aliq.

New S. Wales. N. Australia.

2910. punctatus, Quoy & G. Voy. Astrol. t. 18, 3.

New Zealand.

2911. fulvus, G. R. Gr. punctatus, p.?, Buller.

2912. pycnopygius, Strickl.

Damaraland.

2913. rufescens, Buller.

Rocky isle near Chatham Isl.

774. e. Poodytes, Cab. 1850.

Sphenœacus, p., Gould.

2914. gramineus, Gould, B. A. iii. pl. 36.

Australia.

775.

d. - - ?

Ptenædus, p., Cab. Ptenædus, Gould. 2915. rufescens, Vig. & H.; Gould, B. A. iii. pl. 76.

e. LATICILLA, 1845, 776.

et Sphenæacus, 1849, Bl. Eurycercus, Bl. 1844 (nec Baird, 1843).

2916. Burnesii, El.

Sindh.

Subfam. II. Calamodytinæ, G. R. Gr.

Sylviana, Vig. 1825. Philomeline, Sw. 1831. Luscininæ, G. R. Gr. 1841. Sylvianæ, Platyrhynchinæ, p., Calamoherpinæ, Bp. 1838. Todinæ, p., et Parinæ, p., Cab. 1847.

777. CALAMODYTA, Meyer, 1815.

Acrocephalus, Naum. 1819. Calamoherpe, Boie, 1822. Hydrocopsichus, Kaup, 1829. Muscipeta. Reid & H. 1835.

Chi., I. of Formo.

I. of For., S. Chi.

Aral M.

Amoy.

Madagascar.

Agrobates, Jerd. 1839, nec 1837. Acrobates, Bp. 1850. Arundinaceus, Less. 1831. Phragmaticola, Bl. 1844. Malacocercus, Hodgs. 1844. Phragmaticola, G. R. Gr. 1849. Junco, Reich. 1850?, nee Wagl. 1831. G. of B. i. p. 171; Reich, S. A. t. 61, f. .

a. Calamodyta.

2917. arundinacea, L.; P. E. 513; Naum. Vög. t. 81. 1; Gould, B. E. pl. 106. C. & S. Europe. Arab., S. &. WAf. turdoides, Meyer; junco, Pall. lacustris, Naum.; turdina, Glog. India 2918. brunnescens, Jerd. abrornis, Hodgs.; arundinaceus, p., Bl. 2019. orientalis, Schl. F. J. t. 21 B. Japan, China. magnirostris, Swinh. Moluceas. W. Australia. 2920. longirostris, Gould, B. A. iii. pl. 38. 2921. agricola, Jerd. India. 2922. palustris, Bechst.; Gould, B. E. pl. 109. C. & S. Europe. pratensis, Jaub. Egypt. 2923. dumetorum, Bl. India. montana, Sykes; arundinacea, Hodgs. 2924. fasciolata, G. R. Gr. Batchian I. fasciatus, Bl. 2925. insularis, Wall, Gilolo, Morty I. 2926. cantans, Tem. & Sehl. F. J. t. 19. Japan. 2927. gracilirostris, Hartl. Nat., Cape Town. 2928. brevipennis, Dohrn. Cape Verd Isl. S. Africa. 2929. rufescens, Blas. 2930. stentoria, Ehr.; Ibis, 1864, pl. 1. Damietta. macrorhyncha, Müll. 2931. cantillans, Tem. & Schl. F. J. t. 20. Japan, China. 2932. languida, Ehr. E. Africa.

2937. fumigata, Swinh. 2938. obscura, Heugl.

2936. Newtoni, Hartl.; Poll. & V. D. F. de Madag. t. 28. 1.

pallida, (Ehr.) Heugl.

2933. canturians, Swinh.

2935. aralensis, Eversm.

2934. minuta, Swinh.

778. b. ARUNDINAX, Bl. 1845. Phragmaticola, Bl. India, Malacca, 2939. aedon, Pall. S. China, E. Asia, olivacea, Bl. Andaman I. c. Calamonerpe, Boie, 1826, nec 1822. 779. Salicaria, Selby, 1833. 2940. arundinacea, Gm.; P. E. 581. 2; Naum. Vög. t. 81. 2; Europe. Gould, B. E. pl. 108. S. Africa, Natal. palustris, Crep.; strepera, V. salicaria, Gm. S. Africa. 2841. beaticula, V.; Lev. O. A. t. 121. 1. loquax, Boie. 2942. horticela, Naum. Vög. t. 370. 1. C. & S. Europe. obscurocapilla, Dubois; nigrifrons, Bechst.? arundinacea, \(\beta \), Blas. New S. Wales, 2943. australis, Gould; Lewin, B. N. H. pl. 18; Gould, B. A. iii. S. Australia. arundinaceus, Lewin. Bouru. 2944. fruticola, Naum. Vög. t. 370. 2. Europe. Amur R. 2945. bistrigiceps, Swinh. Maackii, Schrenck. S. China. 2946. sorghophila, Swinh. Himalayas. 2947. brunneipectus, Bl. d. Eparnetes, Reich. 1850. Calamoherpe, p., Bl. & Hartl, Reich, S. A. t. 57. f. . 2948. syrinx, Kittl. Mem. Ac. Pétersb. ii. t. 8; Voy. Pôle Sud, t. 20. 5. Carol. I., Ualau. e. PSAMATHIA, Hartl, 1868, 281. 2949. Annæ, Hartl. Pr. Z. S. 1868, pl. 2. Pelew I.

782. f. Dumeticola, Bl. 1845.

Horornis, p., Hodgs.

2950. affinis, Hodgs. Nepal. thoracica, Bl.

2951. flaviventris, Hodgs. 2952. fortipes, Hodgs.

g. Pseudoluscinia, 1838, et Lusciniopsis, 1841, Bp.

2953. luscinioides, Savi; Naum. Vög. t. 370. 3, 4; Gould, B.
 E. pl. 104.
 Savii, Bp.
 England.

754. h. Cettia, Bp. 1838.

Bradyptetus, p., Cab.

2954. sericea, Natt.; P. E. 655. 2; Gould, B. E. pl. 114, 115. S. Europe. cetti, Marm.; platina et fulvescens, V.; altisonans, Rüpp.

2955. bæticata, V.; Lev. O. A. t. 121. 2. Isabella, Boic; bæticula, G. R. Gr.

S. Africa.

2956. orientalis, Tristr.

Palestine.

2957. africana, Bp.

S. Africa.

2958. brevirostris, Sundev.

i. Bradyptetus, Sw. 1827.
 Bradypterus, G. R. Gr. 1840.

2959. cinnamomea, Rüpp. F. A. t. 42, 1.

Abyssinia.

2060. brachyptera, V.; Lev. O. A. t. 122. platyurus, Sw.; saltator, Boie.

S. Africa.

2961. sylvatica, Sundev.

S. Af., Kuruman.

786. j. Phlexis, Hartl. 1866.

2962. Victorini, Sundev.

S. Afr., Knysna.

2963. Layardi, *Hartl. Ibis*, 1866, pl. 6.

Natal, George, S. Africa.

787. k. Calamodus, Kaup, 1829.
 Calamodytes, p., Meyer.
 Muscipeta, Koch, 1815. Caricicola, Brehm, 1855.

2964. schœnobænus, L.; Naum. Vög. t. 82. 1; Gould, B. E. pl. 110. phragmitis, Bechst.

Europe. Egypt, Palestine.

2965. aquatica, Lath.; Descr. de l'Egypte, t. 13. 4; Naum. Vög, t. 82. 4, 5; Gould, B. E. pl. 111. 1. salicaria, Bechst.; paludicola, V.

C. & S. Europe.

2966. ? salicaria, Koch; Naum. Vög. t. 82. 2, 3. cariceti, Naum.; aquatica, p., Blas. striata, Brehm. Europe.

788. l. IDUNA, Keys. & B. 1841.

2967. caligata, Lieht.; Naum. Vög. t. 375. 2. salacaria, Pall. noc L.; soita, Eversm. "rama, Sykes," Bl.

C. & S.E.Europe. Russia, Siberia.

2968. fumigata, Swinh. caligata, Lieht.?

Amov.

789. m. Lusciniola, G. R. Gr. 1841.

2969. melanopogon, Tem.; Naum. Vög. t. 370. 3; Gould, B. E. pl. 111. 2.

Bonellii, Naum.; fuscescens, V.?

2970. lanceolata, Tem.

790. n. Potamodus

et Pottamodus, Kaup, 1829. Calamoherpe, Brehm, 1828, nec

Cettia, Ep. 1838. Bradypterus, Cab. 1850. Tiltria, Reich. 1850. Lusciniopsis, p., Blas. Calamodyta, G. R. Gr. 1848. Curruca, p., Sw.

2971. fluviatilis, Mey. & W.; Descr. de l'Egypte, t. 13.3; Gould, B. E. pl. 102.

stagnalis, Naum.

791. o. Locustella, Kaup, 1829. Sibillatrix, Macgill. 1839, nec Kaup, 1829.

Psithyrodus, Glog. 1842. Parnopia, Blas. 1862. Motacilla (Corydalis), Pall. 1831.

G. of B. i. pl. 49. f. 5; Reich. S. A. t. 49. f. .

2972. locustella, Penn.; P. E. 581. 3; Naum. Vog. t. 83. 2, 3; Gould, B. E. pl. 103. C. & S. Europe.

Ravi, Gould; næviæ, Bechst. fluviatilis, Naum.

2973. ochotensis, Middend. Sibir. Reise, t. 16. 7, 8.

japonica, Cass. 2974. certhiola, Pall.; Wern. Ic. Tem. M. t. ; Gould, B. E. pl. 105.

Rayii, Bl.

2975. rubescens. Bl.

2976. Hendersonii, Cass.

macropus, Swinh.; certhiola?, Bl.

p. TRIBURA, Hodgs. 1844. 792.

Locustella, p., Bl.

2977. luteoventris, Hodgs. affinis, G. R. Gr. & M. G. B. pl. 49. 1.

2978. squamiceps, Swinh.

Cauton.

793. AEDON, Boie, 1826.

Erythropygia, Smith, 1835. Agrobates, Sw. 1837. Aëdon, Strickl. 1841.

G. of B. i. p. 173, pl. 49. f. 2; Reich, S. A. t. 59. f.

2979. galactodes, Tem. P. C. 251. 1; Naum. Vög. t. 367. 1, 3; Gould, B. E. pl. 112.

rubiginosus. Meyer.

Europe, Spain. Palestine.

S. Europe.

S.E. Europe.

Siberia, Japan.

N. Asia, Heligol.

Ind., L. Bengal.

S. China.

S. China.

Nepal.

2980. familiaris, Ménétr.; Naum. Vog. t. 367, 2? galactodes. var. β, Blas. minor, Cab.	Athens, Persia. N. Africa. Abyssinia.
2981. leucophrys, V.; Lev. O. A. t. 118. pipiens, Steph. pectoralis, Smith, Ill. S. A. Z. pl. 49.	S. Africa.
2982. paena, Smith, Ill. S. A. Z. pl. 50.	S. Af., Kuruman,
2983. signata, Sundev.	Damaraland. S. Africa.
2984. leucoptera Rüpp. S. U. t. 15.	Shoa.
2985. sperata, <i>Gm.</i> ; <i>Lev. O. A.</i> t. 183. familiaris, <i>Steph</i> .	S. Africa.
2086. Galtoni, Strickl. sperata, var., Sundev.	Damaraland.
2987. sinuata, Sundev.	Cape of G. Ho.
 THAMNOBIA, Sw. 1831. Saxicoloïdes, Less. 1837. of B. i. p. 185, pl. 50, f. 6; Reich. S. A. t. 60, f. a. Thamnobia. 	
2988. fulicata, Lath.; P. E. 185. 1; Lev. O. A. t. 188. 2. ptygmatura, V.; leucopterus, Less.?	S. Africa.
2989. cambaiensis, Lath. erythrurus, Less.; fulicata, Tick.	S. Asia. India, Nepal.
2990. coryphæus, V.; Lev. O. A. t. 120.	S. Afr., C. Town.
2991. atrata, Sw.	Africa?
795. b. Pentholea, Cab. 1850.	
2992. frontalis, Sw.; Rüpp. S. U. &c. t. 17. albifrons, Rüpp.	W. Africa. Shoa.
796. c. —?	
Cercotrichas, <i>Cab.</i> 1850, <i>et p. Boie</i> , 1831. Mimus, 2 div., <i>Boie</i> , 1828. Sphenura, p., <i>Bp.</i> 1850.	
2993. podobe, Müll.; P. E. 354.	Nubia, Abyssin.
erythropterus, Gm.	W. Africa.
2904. luctuosa, Lafr. melanoptera, Ehrenb.	N.E. Africa.
797. d. TRANNOLEA, Cab. 1850.	
000= 11.1	Abyssinia.
cinnamomeiventris, p., Bp.	

2996. cinnamomeiventris, Lafr. Mag. de Zool. 1836, t. 56. S. Africa.

albiseapulata, p., Layard.

2997. cæsiogastra, Bp.

Abyssinia.

2998. Schimperi, Verr.

798.

е. Ресортека, Вр. 1853.

2999. lugubris, Müll.

Gaboon.

,,

799.

f. Parinia, Hartl. 1857.

3000. leucophæa, Hartl.

Subfam. III. Sylvianæ, Cab. 1847.

Luscininæ, p., et Sylvinæ, p., G. R. Gr. Philomelinæ, p., Sw. 1837.

SOO. SYLVIA (Lath. 1790) auct.

a. Thamnodus, Kaup, 1829.

Psoridus, Rafinq. 1815? Sylvia, 1838, et Pyrophthalma, 1841, Bp. Melizophilus, p., Cab.

G. of B. i. p. 173.

3001. melanocephala, Gm. P. C. 245. 3; Gould, B. E. pl. 129.

ruscicola, V.; ochrogenion, Linderm.

S. Europe. Egypt.

3002. Bowmani, Tristr.

Palestine.

501. b. Melizophilus, Leach, 1816. Thamnodus, p., Kaup.

3003. undata, Bodd.; P. E. 655. 1; Gould, B. E. pl. 129. provincialis, Gm.; dartfordiensis, Lath.

S.W. Europe.

3004. sarda, Marm.; P. C. 245; Gould, B. E. pl. 127.

Sardinia.

3005. nigricapilla, Cab.

ferruginea. V.

N.E. Africa.

802. c. Alsœcus, Kaup, 1829.

Alsoens, G. R. Gr. 1848.

3006. subalpina, Bon.; P. C. 6. 2, et 251. 2, 3; Gould, B. E. pl. 124.

leucopogon, Meyer; passerina, Tem. P. C. 24. 1. mystacea, Ménétr.

S. Europe. Egypt, Tangier.

3007. conspicillata, Marm.; P. C. 6.1; Gould, B. E. pl. 126. icterops, Ménétr.

S. Europe. Tangier, Palest.

3008. delicatula, *Hartl. Ibis*, 1859, pl. 10. 1. deserti, *Loche*; Doriæ, *De Fil.*

N. Africa. Persia.

3009. deserticola, Tristr.

Sahara.

3010. nana, Hempr. & Eh.

N.E. Africa.

803. d. ERYTHROLEUCA, Kaup, 1829. Stoparola, Bp.

3011. ? passerina, Gm.

804. e. Sterparola, Bp. 1841.

Staparola, G. R. Gr. 1848. Sylvia, V. 1816, nee Lath. Silvia, Audouin.

Philacantha, p., Glog.

G. of B. i. pl. 49. f. 4; Reich. S. A. t. 61. f. .

3012. cinerea, Bp.; P. E. 579. 3 et 581. 1; Naum. Vög. t. 78. 1, 2; Gould, B. E. pl. 125. 1. sylvia, L.; cineraria et fruticeti, Bechst.

3013. curruca, Lath.; P. E. 380.3; Naum. Vög. t. 77.1; Gould, B. E. pl. 125. 2.

sylvia, Pall.; garrula, Retz.

3014. affinis, Bl. cinerea, Jerd.

805.

806.

3015. ? lugens, Rüpp. F. A. t. 42. 2.

f. Sibilatrix, Kaup, 1829. Ficedula, Koch, 1816. Curruca, Flem. 1828? Sylvicola, Eyton, 183 ?, nec Sw. 1837. Phyllopneuste, p., Boie, 1828. Phyllopseuste, p., Meyer, 1815. Phyllopseustes, Glog. 1834.

3016. sylvicola, Lath.; P. C. 245. 3; Naum. Vög. t. 80. 2; Gould, B. E. pl. 131. 3.

g. Monachus, Kaup, 1829.

sibilatrix. Bechst.

Ficedula, Briss. 1760, nec Moehr. 1752. Sylvia (Curruca, p.), Meyer, 1815. Curruca, Koch, 1816, nec Bechst. 1802. Philomela, Sw. 1837. Epilais, p., Cab. 1851. Philacantha, p., Glog. 1834.

3017. atricapilla, L.; P. E. 580. 1, 2; Naum. Vog. t. 77. 2, 3; Gould, B. E. pl. 120. moschata, Gm.

3018. **Heinekeni**, Jard. & S. I. O. pl. 94. 1. atricapilla, var.

3019. Rüppellii, Tem. P. C. 245, 1; Gould, B. E. pl. 122. capistrata, Rüpp. Atl. t. 19.

3020. ruficapilla, Naum. Vog. t. 368. rubricapilla, Landb.; Naumani, Müll.

802. h. Adoptioneus, Kaup, 1829. Curruca, Brehm, 1828. Philacantha, p., Glog. Europe, Egypt. Nubia, Palestine.

Europe, Egypt. Palestine.

India.

Abyssinia.

C. & S. Europe.

Palestine.

C. & S. Europe. W. & N. Africa, Palestine. Madeira.

S.E. Eur., Greece. N. Africa.

Europe.

3021. orpheus, Tem. P. E. 579. 1; Naum. Vog. t. 76. 3, 4; Gould, B. E. pl. 119.

grisea, V.; curruca, Brehm.

S.W. Europe.
Arabia, Egypt,
Palestine.
India.

3022. **Jerdoni**, *Bl.*; *P. Z. S.* 1851, pl. 42. orphea, *Jerd.*; cucullatus, *Nichols*.

3023. crassirostris, Rüpp.

Syria.

SOS. i. Philacantha, Glog. 1834.

Nisoria, Bp. 1838. Adophoneus, p., Kaup. Adyphonus, Blas. 1862.

3024. nisoria, Bechst.; Naum. Vog. t. 76. 1, 2; Gould, B. E. pl. 128. undata, Bp.

C. Europe. Palestine.

509. j. Epilais, Kaup, 1829.

Adornis, G. R. Gr. 1841. Curruca, Sw. 1837. Philomela, p., Pall. Philacantha, p., Glog.

3025. hortensis, Gm.; P. E. 579. 2; Naum. Võg. t. 78. 3; Gould, B. E. pl. 121.

aedonia, V.; boriu!, Bodd. salicaria, L.?

Europe.

\$10. k. Chloropeta, A. Smith, 1847.

Ficedula (Chloropeta), Blasius, 1862. 3026. natalensis, Smith, Ill. S. A. Z. pl. 112, 2.

P. Natal.

3)27. olivetorum, Striekl.; Schl. B.jdr. Dicrk. Amst. 1848, t. 3; Gould, B. E. pl. 107; Des Murs, I. O. t. 58. 2.

S. Europe.

3028. elæica, Lind.; Schl. B'jdr. Dierk. Amst. 1848, t. . . 4; Des Murs, I. O. t. 58, 1. ambigua, Schl.; Preglii, Fr.

Greece.

3029. obscura, Smith, I. S. A. Z. pl. 112. 2.

Natal, Latakoo.

3030. mæsta, Hartl.

Gaboon.

3031. cinerascens, Selys. arigonis, Brehm.

S.W. Europe.

811. l. Asilus, Mochr. 1752, nee L. 1748.

Sylvia, 1822. Phylloscopus, 1826, et Phyllopneuste, Boie, 1828. Sylvia (Phyllopseustæ, p.), Meyer, 1815.

3032. trochilus, L.; P. E. 651. 1; Nauen. Vög. t. 80. 3; Schl. Bijdr. Dierk. Amst. 1848, t. . . 7; Gould, B. E. pl. 131. 1. flaviventris, V.; fitis, Koch. icterina, Tem.

Europe. Egypt, Nubia. W. India.

3033. Bonelli, U.; P. C. 124. 3; Naum. Vog. t. 369. 4; Sehl. Bijdr. Dierk. Amst. 1848, t. . . 6; Gould, B. E. pl. 134. Nattereri, Tem.; prasinopyga, Licht. montana, Brehm.

C. & S. Europe. W. & N. Africa. Palestine.

India, Tenass.

3034. rufa, Lath.; Nuum. Vog. t. 80, 4, t. 369, 2, 3; Sehl. Bijdr. Dierk. Amst. 1848, t 8; Gould, B. E. pl. 131, 2.	Europe.
abictina, Nils.; hypolais, Penn.	Egypt, Palest.
3035. Eversmanni, Bp. trochilus, var. β , Elas.; icterina, Eversm.	C. & E. Europe. Egypt.
3036. opaca, Rüpp.	Abyssinia.
3037. sylvestris, Brehm; Naum. Vög. t. 369. 1.	
3038. brevirostris, Strickl. tristis, p., Jard.	Asia Minor.
3039. viridula, Hempr. & Ehr.	N. Africa.
3040. umbrivirens, Rüpp. umbrinovirens!, G. R. Gr.	Abyssinia. W. Africa.
3041. Schwarzi, Radde.	E. Siberia.
M. PHYLLOPSEUSTE, Meyer, 1815. Asilus, Bechst. 1802. Muscipeta, p., Koch, 1816. Curruca, Boie, 1822. Hippolais, Brehm, 1828. Hypolais, Cab. 1850. Salicaria, De Fil. Sylvia, Sw. 1837. Phyllopneustes, Ep. 1838. Ficedula, Schl. 1848.	
3042. hypolais, L.; P. E. 581. 2; Naum, Vög. t. 80. 1; Sehl. Bijdr. Dierk. Amst. 1848, t 1; Gould, B. E. pl. 133. salicaria, Retz.; ambigua, Duraz. italica, De Fil.; icterina, Gerbe.	Europe.
3043. polyglotta, V.; Schl. Bijdr. Dierk. Amst. 1848, t 2; Des Murs, I. O. pl. 57. 1. hypolais, Gerbe.	S. Europe.
3044. pallida, Gerbe. cinerascens, Selys.	Algeria.
3045. icterina, I.; Gould, B. E. pl. 132; Des Murs, I. O. t. 57. 2. polyglotta, Selys.	S. Europe.
3046. Upcheri, Tristr.	Palestine.
3047. flavescens, G. R. Gr.	Batchian I.
3048. tristis, Bl. trochilus, Jerd.; brevirostris, Strickl.	India.
3049. lugubris, Bl. hippolais, Jerd.; flaveolus, G. R. Gr. xanthoguster, Hodgs.?	;; Sikkim.
3050. nitida, Lath. hippolais, p., Jerd.; Swainsoni, Hodgs.	S. India.
3051. fuscata , Bl. sibirica, Midd.; brunneus, Bl. "fulviventer, Hodgs." apud Bl.	Siberia, China. India.

3052. affinis, Tick.

Habrornis, Agass.

3053. indica, Jerd. griseola, Bl.	C. India.
3054. sylvicultrix, Swinh. javanica, Blas.	China.
3055. coronata, Tem. & Schl. F. J. t. 18.	Japan.
3056. magnirostris, Bl. indious et javanicus, Bl.; trochilus, Hodgs.	India.
3057. brunnea, Bl. fuscatus, juv., Jerd.	**
3058. montana, Bl.	,,
3059. tenellipes, Swinh.	China.
3060. xanthodryas, Swinh.	,,
3061. plumbeitarsa, Swinh. rufa, Schrenck; borealis?, Blas.	"
3062. presbytis, Müll.	Timor.
S13. n. Acanthopneuste, Blas. 1862.	
3063. borealis, Blas.; Middend. Reise, ii. t. 16. 1, 2, 3; Naum. Vög. t. 375. 1. Eversmanni, Midd.	N.E. Asia. Heligoland.
3064. validirostris, Jerd. borealis, Blas.?	Madras.
o. Reculoides, Bl. 1847. Phyllobasileus, Cab. 1850.	
	Danria. Himala., Burm.
Phyllobasileus, Cab. 1850. 3065. proregulus, Pall.	
Phyllobasileus, Cab. 1850. 3065. proregulus, Pall. chloronotus, Hodgs. 3066. inornata, Bl. proregulus, Keys. & Bl. et p. Jerd.	Himala., Burm.
Phyllobasileus, Cab. 1850. 3065. proregulus, Pall. chloronotus, Hodgs. 3066. inornata, Bl. proregulus, Keys. & Bl. et p. Jerd. nitidus, Hodgs.; modestus, Bl. 3067. superciliosa, Gm.; Naum. Vög. t. 378. 2, 3; Gould, B. E. pl. 149. modestus, Gould; proregulus, p., Pall.	Himala., Burm. India, Himala. N. Asia, Engl. Heligo., Germ.
Phyllobasileus, Cab. 1850. 3065. proregulus, Pall. chloronotus, Hodgs. 3066. inornata, Bl. proregulus, Keys. & Bl. et p. Jerd. nitidus, Hodgs.; modestus, Bl. 3067. superciliosa, Gm.; Naum. Vēg. t. 378. 2, 3; Gould, B. E. pl. 149. modestus, Gould; proregulus, p., Pall. cristatus, var., Newm. 3068. calendula, L.; Edw. B. pl. 254. 2; Wils. A. O. pl. 5. 3.	Himala., Burm. India, Himala. N. Asia, Engl. Heligo., Germ. China. N. Amer., R. Mt.
Phyllobasileus, Cab. 1850. 3065. proregulus, Pall. chloronotus, Hodgs. 3066. inornata, Bl. proregulus, Keys. & Bl. et p. Jerd. nitidus, Hodgs.; modestus, Bl. 3067. superciliosa, Gm.; Naum. Vög. t. 378. 2, 3; Gould, B. E. pl. 149. modestus, Gould; proregulus, p., Pall. cristatus, var., Newm. 3068. calendula, L.; Edw. B. pl. 254. 2; Wils. A. O. pl. 5. 3. rubincus, V.	Himala., Burm. India, Himala. N. Asia, Engl. Heligo., Germ. China. N. Amer., R.Mt. California.
Phyllobasileus, Cab. 1850. 3065. proregulus, Pall. chloronotus, Hodgs. 3066. inornata, El. proregulus, Keys. & Bl. et p. Jerd. nitidus, Hodgs.; modestus, Bl. 3067. superciliosa, Gm.; Naum. Vög. t. 378. 2, 3; Gould, B. E. pl. 149. modestus, Gould; proregulus, p., Pall. cristatus, var., Newm. 3068. calendula, L.; Edw. B. pl. 254. 2; Wils. A. O. pl. 5. 3. rubincus, V. 3069. viridipennis, Bl.	Himala., Burm. India, Himala. N. Asia, Engl. Heligo., Germ. China. N. Amer., R. Mt. California. Tenas., Sikkim.
Phyllobasileus, Cab. 1850. 3065. proregulus, Pall. chloronotus, Hodgs. 3066. inornata, Bl. proregulus, Keys. & Bl. et p. Jerd. nitidus, Hodgs.; modestus, Bl. 3067. superciliosa, Gm.; Naum. Vēg. t. 378. 2, 3; Gould, B. E. pl. 149. modestus, Gould; proregulus, p., Pall. cristatus, var., Newm. 3068. calendula, L.; Edw. B. pl. 254. 2; Wils. A. O. pl. 5. 3. rubincus, V. 3069. viridipennis, Bl. 3070. Cuvieri, Aud. B. A. pl.	Himala., Burm. India, Himala. N. Asia, Engl. Heligo., Germ. China. N. Amer., R. Mt. California. Tenas., Sikkim.

3072. erochroa, Hodgs.	Nepal, Sikkim.
pulchra, Hodgs.	Darjeeling.
3073. flaveola, Bl. lugubris, p., Moore.	India.
3074. viridana, Bl. rufa et affinis, Bl.; tenuiceps, Hodgs.	S. India.
3075. xanthoschistos, Hodgs. schisticeps, Bl.	Nepal.
3076. schisticeps, Hodgs. flavogularis, Bl.; melanops, Jerd.	"
3077. albogularis, Hodgs. albiventris, Jerd. & Bl.	,,,
3078. griseofrons, Hodgs.	22
3079. xanthogaster, Hodgs. lugubris, p., Jerd.	**
3080. trochiloides, Sundev.	Himalayas.
nitidus, Hodgs.?; reguloides, Bl.	Calcutta.
3081. magnirostris, <i>Bl.</i> trochilus ?, <i>Hodgs</i> .	India.
3082. poliogenys, Bl.	Nepal.
3083. castaneiceps, Hodgs.; G. R. Gr. & M. G. B. pl. 49. 2.	"
3084. affinis, Hodgs.	"
3085. occipitalis, Jerd.	Nellare.
3086. cantator, Tick.	Assam.
3087. trivirgata, Tem. Contr. Orn. 1849, pl.	Java, Sumatra.
3088. maculipennis, Bl.	Nepal or Sikkim.
3089. albosuperciliaris, Bl.	Cashmerc.
3090. superciliaris, Tick. & Bl.	Sikkim.
3091. flaviventris, Jerd. albigularis, Jerd. & Bl.; superciliaris, p., Bl.	Sikkim, Darjcel.
3092. viridipennis, Bl.	Tenas.,Bor.,Dar.
3093. Armandi, M. Edw. N. Arch. du Mus. i. t. 2. 1.	N. China.
\$17. r. Neornis, Hodgs. 1844.	
3094. flavolivacea, Hodgs. cacharensis, Hodgs.	Nepal.
3095. montana, Horsf.	Java.
3006. assimilis, <i>Hodgs</i> . brevicaudata, <i>Bl</i> .	Nepal.

S1S.

s. Horornis, Hodgs, 1844.

3097. fuliginiventris, Hodgs.

Nepal.

819.

t. Cryptolopha

et Seicercus, Sw. 1837. Calicipeta, Bl. 1844.

3098. Burkii, Burt.

India, Nepal.

auricapilla, Sw.; bilineata, Less. strigiceps, Hodgs.; arrogans, Sundev.

820.

u. Pindalus, Hartl. 1862.

3099. ruficapilla, Sundev.; Ibis, 1862, pl. 5.

Caffraria.

521. REGULUS, Cuv. 1799-1800.

Sylvia phyllopseustæ, p., Meyer, 1815.

G. of B. i. p. 174, pl. 49. f. 1; Reich. S. A. t. 62. f.

3100. cristatus, Koeh; Naum. Vog. t. 93. 1, 2; Gould, B. E. pl. 148. 1.

flavicapilla, Naum.; regulus, L. vulgaris, Steph.; crococephalus, Brehm.

C. & S. Europe.

3101. ignicapillus, Tem.; P. E. 652; Naum. Vog. t. 93. 4, 5, 6; Gould, B. E. pl. 148. 2.

pyrocephalus, Brehm; mystaceus, V.

Himalavas.

3102. himalayensis, Gould. cristatus, Bl.
3103. maderensis, V. Harc.

Madeira.

3104. satrapa, Lieht.; Bp. A. O. pl. 2. 4. cristatus, V.; tricolor, Nutt.

N. Amer., Rocky Mt., Vancou. I.

3105. surinamensis, Gould.

Surinam.

\$22. SERICORNIS, Gould, 1837.

G. of B. i. p. 188, pl. 51. f. 3; Reich. S. A. t. 59. f.

3106. frontalis, Vig. & H.; Gould, B. A. iii. pl. 49. parvulus, Gould.

New S. Wales. S. Australia.

3107. maculata, Gould, B. A. iii. pl. 51.

Australia.

3108. magnirostris, Gould, B. A. iii. pl. 52. magnirostra, Gould. New S. Wales.

3109. osculans, Gould, B. A. iii. pl. 48.

S. Australia.

3110. citreogularis, Gould, B. A. iii. pl. 46. barbata, Lath.?

New S. Wales.

3111. lævigaster, Gould, B. A. iii. pl. 50.

N. Australia.

3112. humilis, Gould, B. A. iii. pl. 47.

Tasmania.

823. ACANTHIZA, Vig. & H. 1825, nec Fisch. 1807. G. of B. i. p. 189.

a. Acanthiza.

3113. nana, Fig. & H.; Gould, B. A. iii. pl. 60. N. S. W., S. Aus.

3114. lineata, Gould, B. A. iii. pl. 61.

3115. pusilla, Lath.; White's Journ. pl. p. 257; Gould, B. A. iii. pl. 53. New S. Wales.

3116. diemenensis, Gould, B. A. iii. pl. 54.

Ewingii, Gould, B. A. iii. pl. 55; diemensis, Bp.

3117. inornata, Gould, B. A. iii. pl. 59. W.&S.Australia.

3118. magna, Gould, B. A. suppl. pl. Tasmania.

3119. flavolateralis, G. R. Gr. New Caledonia.

3120. macularia, Quoy & G. Voy. de l'Astrol. t. 10. 3.

2121. Buchanani, Vig. & H. Australia.

3122. uropygialis, Gould, B. A. iii. pl. 56. New S. Walcs.

3123. apicalis, Gould, B. A. iii. pl. 57. W. Australia.

3124. pyrrhopygia, Gould, B. A. iii. pl. 58. Australia.

824. b. Geobasileus, Cab. 1850.

3125. chrysorrhœa, Quoy & G. Voy. Astrol. t. 10. 2; Gould, B. A. iii. pl. 63. Austr., Tasman.

3126. reguloides, Vig. & H.; Gould, B. A. iii. pl. 62. N. S. W., S. Aus.

c. Gerrgone, Gould, 184 ?
 Psilopus, Gould, 1837, nec Poli, 1795.
 G. of B. i. pl. 51. f. 4; Reich, S. A. t. 59. f.

3127. albogularis, Gould, B. A. ii. pl. 97. New S. Wales. olivaceus, Gould? W. Australia.

3128. personata, Gould, B. A. suppl. pl. Cape York.

3129. flaviventris, G. R. Gr. Voy. Ereb. & Terr. pl. 4. 1. New Zealand.

3130. albofrontata, G. R. Gr. Voy. Ereb. & Terr. pl. 4. 2.

3131. chrysogaster, G. R. Gr. Aru, Mys., Waig.

3132. inornata, Wall. Timor.

3133. superciliosa, Wall.

3134. fusca, Gould, B. A. ii. pl. 98. New S. Wales.

3135. culicivora, Gould, B. A. ii. pl. 99. W. Australia.

3136. magnirostris, Gould, B. A. ii. pl. 100. N. Australia.

3137, lævigaster, Gould, B. A. ii. pl. 101.

3138. chloronotus, Gould, B. A. ii. pl. 102.

3139. modesta, Pelz.

3140. aucklandica, Pelz.

3141. igata, Quoy & G. Voy. Astrol. t. 11. 2.

3142. assimilis, Buller.

3143. palpebrosa, Wall.

3144. neglecta, Wall.

3145. Grayi, Wall. citrinella, G. R. Gr.

3146. sulphurea, Wall.

3147. ——? modesta, Cab.

3148. ? longirostris, Quoy & G. Voy. Astrol. t. 10. 4.

3149. brevirostris, Gould.

826. d. Pyrrholæmus, Gould, 1840.

Pyrrholamus, G. R. Gr. 1848. Pyrrholaimus, Reich. 1849. Reich. S. A. t. 59, f.

3150. brunnea, Gould, B. A. iii. pl. 68.

Norfolk I.

New Zealand.

,,

Aru I.

Waigiou, Mysol.

Ké.

Solor I., Flores, Borneo.

Luzou.

Australia.

New S. Wales.

S. &W.Australia.

Subfam. IV. Luscininæ.

827. LUSCINIA, L. 1735.

Motacilla, p., L., 1758-66. Sylvia, Scop. 1760. Ficedula, Klein, 1759. Fauvette, Cuv. 1797-98. Sylvia (Curruca), Meyer, 1815. Curruca, Bechst. 1802. Oitrus et Philomela, Rafing. 1815. Daulias, Boie, 1831. Philomela, Schy, 1833. Lusciola, Keys. & Bl. 1840. Erithacus (Philomela), Degl. 1849. G. of B. i. p. 172, pl. 49. f. 3; Reich. S. A. t. 61. f.

3151. vera, Sundev.; P. E. 615.2; Naum. Vög. t. 74.2; Gould, B. E. pl. 116. luscinia, L.; philomela, Bp.; aedon, Pall.

3152. philomela, Beehst.; Naum. Vög. t. 74. 1; Gould, B. E. pl. 117.

major, Br.; turdoides, Bl.

Europe, Egypt. W. Asia, E. Afr.

S. E. Europe. W. Africa, Asia.

\$28. RUTICILLA, Brehm, 1828.

Ficedula, Boie, 1826, nee Mochr. 1752. Phomicura, Sw. 1831. Sylvia, Flem. 1822. Sylvia (Vermivoræ), p., Meyer, 1815. G. of B. i. p. 180, pl. 50. f. 10; Reich. S. A. t. 60. f.

a. Ruticilla.

a. Ruticilla.	
3153. phœnicurus, L.; P. E. 351, 1, 2; Naum. Vög. t. 79, 1, 2; Gould, B. E. pl. 95. ruticilla et muraria, Sw. tithys, Hutt.	Europe, India. N. & W. Africa.
3154. tithys, Scop.; Edw. B. pl. 29; Naum. Vög. t. 79. 3, 4; Gould, B. E. pl. 96. erythaea, L.; gibraltariensis et atrata, Gm. Cairii, Degl.	C. & S. Europe. W. & N. Africa.
3155. semirufa, Hempr. & Ehr.	Palestine.
3156. erythroprocta, Gould, B. As. pl.	Erzeroom.
3157. mesoleuca, Ehr. marginella, Bp.; Bonapartei, V. Müll.	Seneg., Abyssin.
3158. Moussieri, Olph Gall.; Ibis, 1860, pl. 11.	Algeria.
3159. aurorea, Pall. Zoogr. t. 27; Schl. F. J. t. 21. Reevesi, Gr.	China, Japan, Assam, Him.M.
3160. leucoptera, Bl.	Jav., Malac., Tim.
3161. rufiventris, V.; Lev. O. A. t. 188. 1. leucoptera, Sw. atrata, Jard. & S. I. O. pl. 86. 3. indica, Bl.; nipalensis, Hodgs.	India.
3162. frontalis, Vig.; Gould, C. B. pl. 26. 1. tricolor, Hodgs.; melanura, Less.	N. India.
3163. cæruleocephala, Vig.; Gould, C. B. pl. 25. 2.	37
B164. schisticeps, Hodgs.	Nepal.
B165. Hodgsoni, Moore, Pr. Z. S. 1854, pl. 58. ruticilla, Hodgs.; Reevesi et erythrogastra, Bl.	29
3166. fuliginosa, Vig. plumbea, Gould; rubricauda et lineoventris, Hodgs.; simplex,	N T. J.
Less. B167. erythronota, Eversm.; Pall. Zoogr. App. t	N. India. Asia, Russia.
3168. pectoralis, Heugl.	Bahr el Abiad.
3169. rufogularis, <i>Moore</i> , <i>Pr. Z. S.</i> 1854, pl. 59.	N. India.
3170. Vigorsi, Moore, Pr. Z. S. 1854, pl. 60. erythrogastra Q, Jerd.	"
3171. nigrogularis, <i>Moore</i> , <i>Pr. Z. S.</i> 1854, pl. 61.	Nepal.
3172. phœnieuroïdes, Moore, Pr. Z. S. 1854, pl. 57.	N. India.
3173. arborea, Bp.	India.
b. Chaimarrornis, Hodgs. 1844.	
Chæmorrhous, Bp. Chæmarrhornis, Agass.	
B174. leucocephala, Vig.; Gould, C. B. pl. 26. 2.	Himalaya M.

3 3 3

\$30. c. Adelura, Bp. 1853.

Chemorrhous, Bp. 1856.

3175. erythrogastra, Güld. Nov. Comm. Petro. xix. t. 16, 17; Gould, B. As. pl.

tricolor et grandis, Gould. aurorea, var. ceraunia, Pall.

E. & S.E. Eur.

S31. d. LARVIVORA, Hodgs. 1837.

3176. cyanea, Hodgs. brunnea, Hodgs.; superciliaris, Jerd.

Nepal, Madras. Cevlon.

3177. gracilis, Swinhoe.

China, Malacca.

3178. sibilans, Swinh.

Macao.

\$32. *e.* CALLENE, 1847,

et Cinclidium, 1842, Bl. Jerdonia, Bl. 1855.

3179. frontalis, Bl. I. A. S. B. xii. pl. .

Nepal, Sikkim. Neilgherries.

3180. rufiveutris, El. major, Jerd.

3181. albiventris, Fairb. Pr. Z. S. 1867, pl. 39; Gould, B. As. pl.

Pulney Hills, S. India.

§33. NOTODELA, Less. 1831.

Muscisylvia, 1844, et Myiomela, 1846, Hodgs. G. of B. i. p. 178, pl. 50. f. 8; Reich. S. A. t. 60. f.

3182. leucura, Hodgs.

Himalayas.

3183. diana, Less. Bélang. Voy. t. 3.

Pegu.

I. of Formosa.

3184. montium, Swinh.

834. NEMURA, Hodgs. 1844. Nematura, Agass. Ianthia, Bl. 1847.

G. of B. i. p. 180, pl. 50. f. 7; Reich. S. A. t. 60. f.

a. NEMURA.

3185. cyanura, Pall.; F. J. t. 21. rufilata, Swinh.

Japan.

3186. rufilata, Hodgs.; Jard. Contr. Orn. 1850, pl. cyanura Q, Hodgs.; Tytleri, James.

Himalaya M.

3187. hyperythra, Bl.; Jard. Contr. Orn. 1849, pl.

Darjeeliug.

3188. Hodgsoni, Moore, Pr. Z. S. 1854, pl. 62.

Nepal.

\$35. b. Tarsiger, Hodgs. 1844.

3189. chrysæa, Hodgs.; Jard. Contr. Orn. 1850, pl.

Nepal, Sikkim.

3190. superciliaris, Hodgs.; Jard. Contr. Orn. 1849, pl. chrysæus, p., Hodgs.; flavolivacea, Hodgs.

c. Pogonocichla, Cab. 1847. 836.

Tarsiger, p., Bl.

3191. stellata, V.; Lev. O. A. t. 157.

S. Africa.

margaritata, Sundev. "cucullatus, Gould," Bl.

537. HODGSONIUS, Bp. 1850.

Bradibates, 1846 (nec Tsch. 1838), et Bradypetes, 1844 (nec G. R. Gr. 1840), Hodgs. Sylvania, Bl. 1847, nec Nutt. 1832.

G. of B. i. p. 181, pl. 50. f. 11; Reich, S. A. t. 60. f. .

3192. phœnicuroïdes, Hodgs.

Nepal.

838. ERYTHACUS, Cuv. 1799, 1800.

Dandalus, Boie, 1826. Sylvia (Vermivoræ), Meyer, 1815.

Sylvia (Humicolæ), Naum. Rubecula, Brehm, 1828. Ficedula, Boie, 1822.

Sialia, Selby, 1831, nec Sw. 1827.

Erythaca, Sw. 1831. Daudalus!, G. R. Gr. 1846.

Erythacus (Rubecula), Degl. 1849.

G. of B. i. p. 181, pl. 50. f. 13; Reich. S. A. t. 60. f.

3193. rubecula, L.; P. E. 360. 1; Naum. Vog. t. 75. 1, 2; Gould, B. E. pl. 98.

familiaris, Bl.

Europe. N.E. Africa.

Japan.

3194. akahige, Tem. P. C. 571; Schl. F. J. t. 21 B. 3195. komadori, Tem. P. C. 570; Schl. F. J. t. 21 c.

\$39. CYANECULA, Brehm, 1828.

Pandicilla, Bl. 1833.

Erithacus (Cyanecula), Degl. 1849.

G. of B. i. p. 182, pl. 50. f. 14; Reich. S. A. t. 60. f. .

a. Cyanecula.

3196. suecica, L.; P.E. 361. 2, et 610; Naum. Vög. t. 75. 3, 4, 5, & t. 366. 1-4; Gould, B. E. pl. 97.

cyanecula, Meyer.

C. Europe. N. Africa.

3197. ? leucocyana, Brehm; Naum. Vög. t. 364. 1, 2, & t. 365. 1, 2.

suecica, p., Altum; cyanecula, p., Wolf & Mey.

S. Europe. Egypt.

3198. cærulecula, Pall.; Kittl. Kupf. Vög. t. 17. 2. India.

suecica, B, Blas.; suecica, p., Bl. succicoides, Hodgs.; indica, Bl. eyane, Eversm.?; fastuosa, Less.

3199. major, Bp.

Abyssinia.

3200. ? Wolfii, Brehm; Naum. Vög. t. 364. 3, 4, & t. 365. 3, 4. succica, p., Bp.

S. Europe.

3201. dichrosterna, Cab.

N.E. Africa.

840. b. Calliope, Gould, 1836, nec Ogil. 1836. Accentor, Boic, 1826. Melodes, Keys. & Bl. 1840. Erithacus (Calliope), Degl. 1849. Reich, S. A. t. 60, f.

3202. camtschatkensis, Gm.; Lath. Syn. suppl. pl.; Gould, B. E. pl. 114. calliope, Pall.; Lathami, Gould.

N. Asia, France. India, Nepal, Philippine I. Himalayas.

3203. pectoralis, Gould, I. A. pl.

§41. GRANDALA, Hodgs. 1843. G. of B. i. p. 184, pl. 50. f. 3; Reich. S. A. t. 60. f.

3204. cælicolor, Hodgs.; G. R. Gr. & M. G. B. pl. 50; Gould, Nepal. B. As. pl. schistacea, Hodgs.

Subfam. V. Saxicolinæ, Sw. 1831.

Saxicolina, Via. 1825. Luscininæ et Erythacinæ, p., G. R. Gr.

\$42. SAXICOLA, Bechst. 1802.

Vitiflora, Leach, 1816. (Enanthe, V. 1816. Lucotoa, Würt. G. of B. i. p. 178, pl. 50. f. 9; Reich. S. A. t. 60. f.

a. Saxicola.

3205. cenanthe, L.; P. E. 554; Naum. Vög. t. 89. 1, 2; Gould, B. E. pl. 90. vitiflora, Pall.; cinerea, V.; rostrata, Ehr.?

Europe. Palestine?

3206. albicollis, V.; P. C. 275. 1; Naum. Vög. t. 376; Gould, B. E. pl. 92. rufescens, Blas.; aurita, Tem. xanthomelæna, Ehr.?

S.W. Europe.

3207. stapazina, L.; Edw. B. pl. 31.2; Naum. Vög. t. 90. 1, 2; Gould, B. E. pl. 91.

S. Europe.

3208. leucomela, Pall. Zoogr. t. 28; Gould, B. E. pl. 89. longirostris, pleschanka et melanoleuca, Gm.

S.E. Europe.

3209. capistrata, Gould, B. As. pl. leucomela, Jerd.

Hindostan.

3210. lugens, Licht.; P. C. 257. 3. lcucomela, Tem., et var. B, Blas. S.E. Europe. Africa.

3211. atrogularis, Bl.; Gould, B. As. pl. deserti, Jerd.

India, Sindh. Punjab. Egypt, Nubia.

3212. deserti, Rüpp.; P. C. 359. 2.

3213. pallida, Rüpp. Atl. t. 34. 1; P. C. 472. 1. Isabellina, Tem.

Nubia.

Q

3214. Stricklandii, Bp. albicans, Walhb.	Damaraland.
3215. lugubris, Rüpp. F. A. t. 28. 1.	Abyssinia.
3216. Isabellina, Rüpp. Atl. t. 34, 2. saltatris, Ménétr. squalida, Eversm.; saltator, Bp.; cenanthe, β, Blas.	Nubia, Abyss.
3217. philothamna, Tristr. Ibis, 1859, pl. 9.	Sahara.
3218. eurymelæna, Hempr. & Ehr. deserti, p., Hartl. & F.	S. Palestine.
3219. amphileuca, Hempr. & Ehr.	27
3220. libanotica, Hempr. & Ehr. saltator, p. ?, Bp.	"
3221. rufocinerea, Rüpp. F. A. t. 27.	Abyssinia.
3222. cenanthoides, Vig. cenanthe, p., Baird.	N.W. America. Canada.
3223. gutturalis, Licht, ; Bull. Sc. Mosc. 1850, t. 8, 2. salina, Eversm.	Russ., Afr., Asia.
3224. montana, Gould, B. As. pl. isabellina Q, Hartl.	Afghanistan.
3225. sordida, Rüpp. F. A. t. 26. 2.	Abyssinia.
3226. halophila, Tristr.	Sahara.
3227. homochroa, Tristr.	**
3228. moesta, Licht.	Egypt.
3229. castor, Hartl. cinerea, var., Tristr.	S. Africa.
3230. pollux, Hartl.	,,
3231. leucorrhoa, Gm.; P. E. 583. 2.	Senegal.
3232. rostrata, Hempr. & Ehr.	S. Palestine.
3233. leucuroides, Lafr. & Guér.; Ferr. & Gal. Voy. en Abyss. t.	Abyssinia.
3234. Arnotti, Tristr. Ibis, 1869, pl. 6.	S. Afr., Adam
3235. Atmorii, Tristr.	Kok's N. Land. Damaraland.
3236. ? Schlegelii, Wahlb.	**
3237. modesta, Tristr.	13
843. b. Campicola, Sw. 1827.	
3238. pileata, Gm.; Lev. O. A. t. 181, 182.	S. Africa.
imitatrix, V.; hottentotta, Gm. mimus, Forst.	
3239. Livingstonii, Tristr.	S. Africa, Tette.

monacha, Loche.

3261. cursoria, V.; Lev. O. A. t. 190.

226	HAND-LIST OF BIRDS.	
	ciata, Tem. P. C. 472. 2; Pr. Z. S. 1865, pl. 23. is, Hartl.	S. Africa.
3241. Bottæ,	Bp.	Africa.
844.	c. Cercomela, Bp. 1856.	
3242. melai asthenia	nura, Rüpp.; P. C. 257. 2. Bp.	Abyssinia. Coast of Red Sea
3243. fusca,	Bl.	N.W. India.
3244. lypura	, Ehr.	Palestine.
3245. erythra	ea, Ehr.	,,
3246. frenats albīgulas	ı, Heugl. ris, Rüpp. MS.; isabellina, juv., Rüpp.	N.E. Africa.
	ini, Hartl. & F. oïdes, Heugl.	23
845. Vitiflora, I	d. Dromolaea, Cab. 1850. Зоіе, 1826, nec Leach, 1816.	
	icola, V.; Lev. O. A. t. 185. , Boie; capensis, Sw.; leucomelana, Burch.?	S. Africa.
	ea, V.; Lev. O. A. t. 184. 2. ntii, Smith; tractrac, Bois.	"
3250. leucu pl. 88. cachinna	ra, Gm.; Descr. de l'Egypte, t. 5. 1; Gould, B. E. ons, Tem.	S. Europe. N. & W. Africa
3251. picata	a, Bl.; Gould, B. As. pl.	Sindh.
3252. mona gracilis,	cha, Rüpp.; P. C. 359. 1. Licht.	Nubia.
3253. leuco	pygia, Brehm.	Palestine.
_	cephala, Brchm. Loche; cursoria, V.?	Sahara.
B. As. pl.	oleuca, Strickl.; Jurd. Contr. Orn. 1849, pl.; Gould, Bl.; leucuroides, Jerd.	India.
3256. aquato	orialis, Hartl.	W. Africa.
3257. chryso	pygia, Defil.	Damavend.
3258. albipil	eata, Bocage.	Dombe, Angola
2359. incomp	pta, Licht.	S. Africa,
3260 ?		

N.E. Africa.

S. Africa.

N.E. Africa.

q 2

846. e. Aoricola, Verr. 1853.	
3262. infuscata, Smith, I. S. A. Z. pl. 28.	S. Africa.
8.17. f. Myrmecocichla, Cab. 1850.	
3263. formicivora, V.; Lev. O. A. t. 186, 187. leucoptera, Sw.	39
3264. æthiops, Licht.	Senegal.
3265. Quartini, Bp.	Abyssinia.
3266. melas, Licht.; Rüpp, Wirbl. t. 28. 2. melæna, Rüpp.	Shoa.
3267. nigra, V.; Lev. O. A. t. 189.	S. Africa.
8-18. g. Oreicola, <i>Bp.</i> 1853. Oreicola!, <i>Bp.</i>	
3268. pyrrhonota, V. caprata φ, Pucher.	Timor.
3269. melanoleuca, V.	,,
3270. luctuosa, Müll.	,,
3271. ? gutturalis, V.	**
3272. ? merula, <i>Quoy & G</i> .	New Ireland.
840. h. Rhodophila, Jerd. 1867.	
Oreicola, p.	
3273. Jerdoni , Bl.; Gould, B. As. pl. melanoleuca, Jerd.	Burmah.
850. PRATINCOLA, Koch, 1816.	
Praticola, Kaup, 1819. Curruca, Leach, 1816. Fruticicola, Macgill. 1839. Saxicola, Boie, 1822. Rubetra, G. R. Gr. 1840. Motacilla (Œnanthe), Pall. 1831. G. of B. i. p. 179, pl. 50. f. 12; Reich. S. A. t. 60. f.	
3274. rubicola, L.; P. E. 678. 1; Naum. Vög. t. 90. 3, 4, 5; Gould, B. E. pl. 94. maura, Pall.; muscipeta, Scop.	C. S. Europe. W. & N. Africa.
3275. rubetra, L.; P. E. 678. 2; Naum. Vög. t. 89. 3, 4; Gould, B. E. pl. 93.	Europe, N. & W. Africa.
3276. torquata, L.; Lev. O. A. t. 180. pastor, Cuv.; rubicola, var. capensis, V. sybilla, Cab.	S. Africa.
albofasciata, Rüpp. U. S. t. 16; borbonica, Bory de St. Vin.	
3277. ? sybilla, Gm. torquata, p., Hartl. & F.; maura, p., Tem.	Madagascar,

3278. ? Hemprichii, Ehrenb.

torquata, p., Hartl. & F.

3279. salax, Verr. olax, Strickl.

3280. arborea, Poll.

3281. atrata, Kelaart. 3282. caprata, L.; P. E. 235. 1, 2.

fruticola, Horsf.; bicolor et erythropygia, Sykes. atrata, Bl.; melanoleuca, Hodgs. sylvatica, Tick.

3283. indica. Bl.: Gould, B. As. pl. saturation, Hodgs.; rubicola, Sykes.

3284. insignis, Hodgs.

3285. leucura, Bl.; Gould, B. As. pl.

3286. ferrea, Hodgs.

3287. fervida, Gm.; P. E. 583. 1.

3288. senegalensis, L.

\$51. PETROICA, Sw. 1832.

Petroeca, Cab, 1850.

G. of B. i. p. 182, pl. 50. f. 15; Reich. S. A. t. 60. f.

a. Petroica.

3289. multicolor, Vig. & H.; Lath. Syn. pl. 100; Lewin, B. N. H. pl. 17; Gould, B. A. iii. pl. 3.

3290. Goodenovii, Vig. & H.; Jard. & S. I. O. pl. 8.2; Gould, B, A. iii. pl. 5.

3291. phœnicea, Gould, B. A. iii. pl. 6.

3292. erythrogastra, Gm.; Gould, B. A. iii. pl. 4. modesta et pulchella, Gould; multicolor, Gm.

3293, hypoleuca, G. R. Gr.

3294. pusilla, Peale, U. S. Expl. Exp. pl. 9. 4.

3295. similis, G. R. Gr.

3296. Fosteri, G. R. Gr. minutus. Forst.

852. b. ERYTHRODRYAS, Gould, 1842.

Reich, S. A. t. 60, f.

3297. rhodinogastra, Drap.; Zool. Journ. i. pl. 13; Gould, B. A. iii. pl. 1. Lathami, Vig.; rhodogastra, Lath.

3298. rosea, Gould, B. A. iii. pl. 2.

3299. ? coccinigastra, Lath. Syn. suppl. pl. 134.

W. Africa.

Madagascar.

Ceylon.

India.

Timor, Celebes.

India.

Nepal.

Sindh.

Himal., Bootan.

Senegal.

Australia, Van Diemen's Land.

Australia.

N. S. W., S. Aus., Van Diemen's L.

Norfolk I.

N. Guin., Mysol, Waigiou. Samoan I.

New Hebrides.

Botany Island.

Van Diemen's L. S. Australia.

New S. Wales.

North America.

Texas.

853. c. MELANODRYAS, Gould, 1863. 3300. cucullata, Lath.; Sw. Zool. Ill. pl. 43; Gould, B. A. iii. New S. Wales. pl. 7. bicolor, Sw. S. & W. Austr. N.W. Australia. 3301. picata, Gould. d. AMAURODRYAS, Gould, 1863. 854. 3302. vittata, Quoy & G. Voy. Astrol. t. 3. 2; Gould, B. A. Van Diemen's L. iii. pl. 8. fusca, Gould. 855. e. PŒCILODRYAS, Gould, 1863. 3303. cerviniventris, Gould, B. A. suppl. pl. N.W. Australia. 3304. superciliosa, Gould, B. A. iii. pl. 9. N. Australia. 856. f. Mylomoira, Reich. 1850. Reich. S. A. t. 67. f. . 3305. toitoi, Garn. Voy. Coqu. t. 15, 3. New Zealand. Chatham Isld. 3306. Dieffenbachii, G. R. Gr. Voy. Ereb. & Terr. pl. 6. 1. 3307. macrocephala, Gm.; Lath. Syn. pl. 55. New Zealand. minutus, Forst.; australis, Steph. Forsterorum, G. R. Gr. Var. Auckland I. g. Miro, Less. 1831. 857. Myioscopus, Reich. 1850. Reich. S. A. t. 67. f. . 3308. albifrons, Gm.; Voy. Ereb. & Terr. pl. 6. 2. New Zealand. South Island. ochrotarsus, Forst.; saxicolina, Licht. 3309. longipes, Garn. Voy. Coqu. t. 19. 1. New Zealand. North Island. novæ zealandiæ, Less. australis, Sparrm. M. C. t. 69? 858. DRYMODES, 1840, et Hylodes, 1841, Gould. G. of B. i. p. 183, pl. 50. f. 2; Reich. S. A. t. 60. f. 3310. brunneopygia, Gould, B. A. iii. pl. 10. S. & W. Austr. 3311. superciliaris, Gould, B. A. suppl. pl. Cape York. 859. SIALIA, Sw. 1827. Sialis, Lafr.

G. of B. i. p. 184, pl. 50. f. 5; Reich. S. A. t. 60. f. . 3312. Wilsonii, Sw.; P. E. 396; Wils. A. O. pl. 3. 5.

sialis, L.

azurea, V.; Lev. O. A. t. 158.

3313. mexicana, Sw.; Aud. B. A. ii. pl. 135. occidentalis, Towns. carulcicollis, Viq. Voy. Beechey, pl. 3.

W. of N. Amer. Rio Grande. Califor., Mexico.

3314. arctica, Rieh. & Sw. F. B. A. pl. 39; Aud. B. A. ii. pl. 136. macroptera, Baird.

Rocky Mts. Mexico, Califor.

860. ORIGMA, Gould, 1837.

Orygma, Des Murs, 1853. G. of B. i. p. 185, pl. 50. f. 4; Reich, S. A. t. 60. f.

3315. rubricata, Lath.; Lewin, B. N. H. pl. 16; Gould, B. A. iii. pl. 69. solitaria, Lewin,

New S. Wales.

Subfam. VI. Accentorinæ, G. R. Gr. 1840.

Sylvianæ, p., Sw. 1827. Parinæ, p., Sw. 1837. Saxicolinæ, p., Cab. 1847.

861. ACCENTOR, Beehst. 1802.

Prunella, V. 1816 (suppressed in 1818).
Laïscopus, Glog. 1842.
G. of B. i. p. 187, pl. 51. f. 1; Reich. S. A. t. 59. f.

a. ACCENTOR.

3316. alpinus, Gm.; P. E. 668. 2; Naum. Vög. t.92. 1, t. 378. 1; Gould, B. E. pl. 99.

montanus, Gm.; collaris, Seop. mauritanicus, Lath.

S. Europe.

3317. immaculatus, Hodgs.; Gould, B. As. pl. mollis, Bl.

3318. nipalensis, Hodgs.; Gould, B. As. pl. cacharensis, Hodgs.

Siberia, India.

Nepal.

..

3319. altaicus, Brandt; Gould, B. As. pl. himalayanus et variegata, Bl. alpinus, V.
3320. atrogularis, Brandt; Gould, B. As. pl.

Siberia. Simla.

3321. Huttoni, Moore. atrogularis, Hutt.

≤62. b. Spermolegus, Kaup, 1829.

3322. montanellus, Pall.; Naum. Vög. t. 92. 2.

N. Asia, Amurland, Vienna. W. Siberia.

3323. Temminckii, Brandt; Gould, B. E. pl. 101. montanellus, Tem.

SG3. c. Tharrhaleus, Kaup, 1829. Sylvia (Vermivoræ, p.), Meyer, 1815.

3324. modularis, L.; P. E. 615.1; Naum. Vög. t. 92. 3, 4; Gould, B. E. pl. 100.

Europe.

3225. strophiatus, Hodgs.; G. R. Gr. & M. G. B. pl. 51; Gould, E. As. pl.

Himalaya Mts.

3326. rubidus, Tem. & Schl. F. J. t. 32.

Japan.

3327. rubiculoides, Hodgs.

Nepal.

FAM. II. **PARIDÆ**, *Boie*, 1826. Ampelidæ, p., *Jerd*. 1863. Sylvidæ, p.

Subfam. I. **Parinæ**, *Bp*. 1838. Parianæ, *Sw*. 1831.

864. PARUS, L. 1735.

Sw. C. of B. f. 214, h, k; G. of B. i. p. 191.

a. Parus.

3328. major, L.; P. E. 3. 1; Naum. Vög. t. 94. 1; Gould, B. E. pl. 150. fringillago, Pall.

Europe.

3329. ater, L.; Naum. Vög. t. 94.2; Gould, B. E. pl. 155. 1. carbonarius, Pall.

3330. Ledouci, Malh.

Algeria, N. Afr.

3331. afer, Gm.; Lev. O. A. t. 138. cinerascens. V.

W. Africa.

3332. varius, Tem. & Schl. F. J. t. 35.

Japan.

3333. minor, Tem. & Schl. F. J. t. 33. 3334. cinnamomeiventris, Gould.

I. of Formosa.

3335. cinereus, V.; P. C. 287. 2; Lev. O. A. t. 139. 1; Gould, B. As. pl. atriceps, Horsf.; casius, Tick.

Himal., Ceylon. Java, Flores.

nipalensis et schistinotus, Hodgs.
3336. nuchalis, Jerd. Ill. Ind. Orn. pl. 46.

E. Ghats.

3337. monticolus, Vig.; Gould, C. B. pl. 29. 2; id. B. As. pl.

Himalayas.
India.

3338. elegans, Less. quadrivittatus, Lafr.

3339. semilarvatus, Salvad.

Himalayas.

3340. fuscus, V.; Lev. O. A. t. 139. 2.

---?

3341. commixus, Swinh.

Amoy.

3342. — ?; Gould, B. As. pl. minor, Gould.

.

3343. Atkinsoni, Jerd.

Sikkim.

Assam. 3344. Griffithii, Bl. Lof Formosa. 3345. insperatus, Swinh. 3346. viridescens, Swinh. Bokhara. 3347. bokharensis, Jaub. b. Pecile, Kaup, 1829. 865. Pœcila, G. R. Gr. 1847. Paecila, Bp. 1850. Poikilis, Blas. 1863. G. of B. i. pl. 52. f. 2; Reich, S. A. t. 62. f. . 3348. palustris, L.; Naum. Vog. t. 94. 4, t. 379. 4; Gould, B. Europe. E. pl. 155, 2. Siberia. fructiceti, Wallengr.?; atricapillus, Gm. N. Nurope. 3349. borealis, Selys; Naum. Vög. t. 379. 2. palustris, B, Blas. C. S. Europe. 3350. ? alpestris, Baill.; Naum. Vög. t. 379. 3. palustris, y, Blas. S.E. Eur., Dal-3351. lugubris, Natt.; Naum. Vög. t. 379. 1; Gould, B. E. pl. mat., Hungary. 151. 1. 3352. cinctus, Bodd.; P. E. 708. 3; Gould, B. E. pl. 151. 2. N.E. Europe. sibiricus, Gm.; japonicus, Steph.; lugubris, Zetterst. 3353. septentrionalis, Harr.; Cass. Ill. 1852, pl. 14. Missouri to Rocky Mts. E. of N. Amer. 3354. atricapillus, L.; Wils. A. O. pl. 8. 4. palustris, Nutt. N. Pacific coast 3355. occidentalis, Baird. of U.S. E. Mexico. 3356. meridionalis, Sclat. Pacific coast of 3357. montanus, Gamb. Journ. Ac. Phil. 1847, pl. 8. 1. U.S. 3358. rufescens, Towns,; Aud. B. Am. ii. pl. 129. sitchensis, Kittl. 3359. hudsonicus, Forst.; Aud. B. Am. ii. pl. 128. N.E. of N. Amer. N. Europe. 3360, ferrugineus, Lund; N. S. Fn. & Fl. Fenn. 1848, t. 1. 1. 3361. lapponicus, v. Wright; N. S. Fn. & Fl. Fenn. 1848, t. 1. 2. sibiricus, Nils. Kamschatka. 3362. kamschatkensis, Bp. S. Atl. States. 3363. carolinensis, Aud. B. A. ii. pl. 127. N. Europe. 3364. frigoris, Selys. c. Cyanistes, Kaup, 1829. 866. Cyanistis, Bp. 1853. 3365. cyaneus, Pall.; Mus. Carls. t. 25; Naum. Vog. t. 95.3; Siberia, E. C. Europe. Gould, B. E. pl. 153.

saebyensis, Sparrm.; kujacck, Gm.

B. E. pl. 154.

3366. cæruleus, L.; P. E. 3. 2; Naum. Vög. t. 95. 1, 2; Gould,

Europe, Asia Minor.

S. Africa.

3367. ultramarinus, Bp.; G. R. Gr. & M. G. B. pl. 52. N. Africa. cæruleus, B, Blas.; cæruleanus, Malh. numidicus et violaceus, Lev. teneriffæ, Less.? 867. d. Machlolophus, Cab. 1850. Darjeeling, Sik-3368. spilonotus, Bl.; Jard. Contr. Orn. 1852, pl. 1; Gould, kim. B. As. pl. xanthogenys, Bl. 3369. xanthogenys, Viq.; Gould, C. B. pl. 29.1; id. B. As. pl. N.W. Himal. aplonotus, Bl. 3370. Jerdoni, Bl.; Gould, B. As. pl. Neilgherries. xanthogenys, Jerd. N.W. Himalaya. 3371. melanolophus, Vig.; Gould, C. B. pl. 30. 2; id. B. As. pl. Moulmein. 3372. subviridis, Tick. 868. e. Lophophanes, Kaup, 1829. Parus, L. 1758. Reich, S. A. t. 62. f. . 3373. cristatus, L.; P. E. 502. 2; Naum. Vög. t. 94. 3; Gould, B. E. pl. 156. Europe. 3374. dichrous, Hodgs.; Gould, B. As. pl. Nepal. 3375. rufonuchalis, Bl.; Gould, B. As. pl. Simla. Sikkim. 3376. Beavani, Bl. 3377. rubidiventris, Bl.; Jard. Contr. Orn. 1852, pl. . Nepal. melanolophus, Hodgs. 3378. æmodius, Hodgs. 869. f. Baeolophus, Cab. 1850. Parus, L. 1766. Bacolophus, Bp. 1853. Lophophanes, p., Cass. 3379. bicolor, L.; Wils. A. O. pl. 8. 5. E. N. America. indicus, Sparrm. 3380. atricristatus, Cass. Ill. B. Calif. pl. 3; Journ. Ac. Phil. Calif., S. Rocky 1847, pl. 8. Mountains. 3381. inornatus, Gamb. Journ. Ac. Phil. 1847, pl. 8; Elliott, B. N. A. pl. 3. Calif., Rocky M. 3382. Wollweberi, Westerm.; Baird, B. N. A. pl. 53. 1. S. Rocky M. annexus, Cass. Pr. Ac. Phil. 1850, pl. 1. Texas. galeatus, Cab. 870. g. Melaniparus, Bp. 1850. Penthestes, Reich. 1850. Pentheres, Cab. 1850. Melanoparus, Verr. 1855.

3383. niger, V.; Lev. O. A. t. 137. 1.

luctuosus, Licht.

3384. leuconotus, Guér.; Rüpp. S. U. t. 18; Ferr. & Gal. Voy. Shoa. en Abyss. t. 9. 1. dorsatus, Rüpp. W. Africa. 3385. leucopterus, Sw. melanoleucus, Würt. Gaboon. 3386. funereus, Verr. 3387. leucomelas, Rüpp. F. Abyss. t. 37. 2. Abyssinia. leucopterus, p., Hartl. h. Melanochlora, Less. 1839. 871. Crataionyx, Eyton, 1839. Crataeonyx, Agass. Ptilobaphus, Reich. 1850. 3388. sultaneus, Hodgs.; Gould, B. As. pl. Nepal. 3389. flavocristatus, Lafr. Mag. de Zool. 1837, t. 80. Sumatra. Malacca. sumatranus, Less.; atra et flava, Eyton; sultanea, p., Jerd. i. Psaltria. Tem. 1832. 872. 3390. exilis, Tem. P. C. 600. 4; Gould, B. As. pl. Java. j. Psaltriparus, Bp. 1851. 873. 3391. melanotis, Hartl.; Baird, B. N. A. pl. 53. 3. E. Mexico. personatus, Bp.; melanotus, Sandb. Guatemala. Pac. coast of U.S. 3392. minimus, Towns.; Aud. B. Am. ii. pl. 130. 3393. plumbeus, Baird, B. A. pl. 33. 2. S. Rocky M. k. Auriparus, Baird, 1864. 874. Rio Grande. 3394. flavifrons, Sundev.; Baird, B. N. A. pl. 63. 2. ornatum, Lawr. 875. l. Orites, Moehr. 1752. Mocistura, Leach, 1816. Acredula, Koch, 1816. Paroides, Brehm, 1828. Megistura!, G. R. Gr. 1840. Ægithalus, Glog. 1842, nec Boie, 1822. Reich, S. A. t. 62. f. 3395. caudatus, L.; P. E. 502. 3; Naum. Vög. t. 95. 4, 5, 6; N. Eur., Amur, Gould, B. E. pl. 157. Siber., N. Brit. 3396. roseus, Bl. France, Lombar., Tuscany, on vagans, Leach; longicaudata, Macgill. Bosphorus. 3397. tephronotus, Günth. Ibis, 1865, pl. 4. On Bosphorus. 3398. trivirgatus, Tem. & Schl. F. J. t. 34. Japan. 3399. glaucogularis, Gould, B. As. pl. China.

Shangai.

3400. Swinhoii, Pelz. Reise Novara, t. 3. 1.

\$76. SUTHORA, 1838,

et Temnoris, 1841, et Hemirynchus, 1843, Hodgs. Paradoxornis, p., G. R. Gr. 1841. Sutora, Des Murs, 1853. G. of B. i. p. 192, pl. 52. f. 1; Reich. S. A. t. 62. f.

a. SUTHORA.

3401. nipalensis, Hodgs.; Gould, B. As. pl. upp. fig. Nepal. atrifrons, Hodgs.

3402. fulvifrons, Hodgs.; Gould, B. As. pl. nipalensis, p., Hodgs.

3403. poliotis, Bl.; Gould, B. As. pl. 2. low. fig. nipalensis, p., Gould; pictifrons, Hodgs.

3404. Webbiana, G. R. Gr. Pr. Z. S. 1852, pl. 49; Gould, B. As. pl. China.

3405. bulomachus, Swinh. Ibis, 1866, pl. 9.

I. of Formosa.

b. Chlenasicus, Bl. 1845.

Suthora, p., Bl. 1849. 3406. ruficeps, Bl.

Sikkim, Darjeel.

\$78. CERTHIPARUS, Lafr. 1842.

Certhioparus, Agass. G. of B. i. p. 193, pl. 52. f. 6; Reich, S. A. t. 62. f.

3407. novæ zealandiæ, Gm.; Voy. Ereb. & Terr. pl. 5. 1. New Zealand. urostigma, Forst.

3408. maculicaudus, G. R. Gr. Voy. Astrol. t. 11. 3. zealandicus, Quoy & G.

\$79. SPHENOSTOMA, Gould, 1837.

a. Sphenostoma.

G. of B. i. p. 194, pl. 52. f. 5; Reich. S. A. t. 62. f. .

3409. cristatum, Gould, B. A. iii. pl. 17.

E. & S. Australia.

880. b. Xeropihla, Gould, 1840.

3410. leucopsis, Gould, B. A. iii. pl. 67.

S. Australia.

SSI. PARISOMA. Sw. 1831.

Parosoma, Agass.

Sw. C. of B, f. 214, e, i; G. of B, i, p. 194, pl, 52, f, 3; Reich. S. A. t. 62. f. .

a. Parisoma.

3411. subcæruleum, V.; Lev. O. A. t. 126. erythropygia, Licht.; rufiventris, Sw.

S. Africa.

3412. Galinieri, Guér. & Lafr.; Ferr. & Gal. Voy. en Abyss. t. 13. E. Africa. frontale, Rüpp. S. U. t. 22. Abyssinia. 3413. Layardi, Hartl.

S. Africa.

3414. melanurum, Cass.

CammaR., W.Af.

882.

b. Ægithalopsis, Heine, 1859.

3415, olivascens, Cass.

W. Africa.

Subfam. II. Ægithalinæ, Reich. 1850.

883. ÆGITHALUS, Boie, 1822, et Vig. 1825.

Pendulinus, Brehm, 1828, nec V. 1816.

Paroides, Brehm, 1828 (Isis).

Sw. C. of B. f. 214, g; G. of B. i. p. 193, pl. 52, f. 4; Reich. S. A. t. 62, f.

a. ÆGITHALUS.

3416. pendulinus, L.; P. E. 618. 3, et 708. 1; Naum. Vog. t. 97; Gould, B. E. pl. 159.

S.E. Europe.

884.

b. Anthoscopus, Cab. 1850.

3417. minutus, Shaw; Lev. O. A. t. 134. Smithii, Jard.; anthophilus, Boie. pensilis, Hartl. S. Africa.

3418. capensis, Gm.; Sonn. Voy. t. 112.

3419. pensilis, Licht.

,,

3420. punctifrons, Sundev.

narbonensis, Gm.

Sennaar.

3421. parvulus, Würt. & Heugl. punctatus, Sundev.?

Djour.

3422. flavifrons, Cass. Pr. Ac. Phil. 1858, pl. 1. 1.

Gaboon.

SS5. c. ÆGITHALISCUS, Cab. 1850. Oritiscus, Bp. 1854. Bites, Sundev. 1857.

3423. erythrocephalus, Vig.; Gould, C. B. pl. 30. 1.

Himalaya M.

3424. leucogenys, Moore; Gould, B. As. pl.

Afghanistan.

3425. anophrys, Swinh.

Amoy.

3426. concinnus, Gould, B. As. pl.

China.

886. d. Cephalopyrus, *Bp.* 1853.

3427. flammiceps, Burt.; Jard. Contr. Orn. 1850, pl. 66. 2. sanguinifrons, Hay.

C. Asia. N.W. Himalaya.

887. e. Panurus, Koch, 1816.

Calamophilus, Leach, 1816. Mystacinus, 1822, et Ægythalus, 1826, Boie. Callimophilus, Selby, 1840. Hypenites, Glog. 1842.

Reich. S. A. t. 62. f. .

3428. biarmicus, L.; P. E. 618. 1, 2; Naum. Vög. t. 96; Gould, B. E. pl. 158.

C. S. Europe.

barbatus, Blas.; russicus, Gm.

3429. sibiricus, Bp.

Kamtschatka.

SSS. f. Sylviparus, Burt. 1835.

3430. modestus, Burt.

Himalaya. N. Ghats.

sericophrys, Hodgs.; minutus, Jerd.

889.

g. Acanthiparus, Gould, 1855.

3431. niveogularis, Gould, B. As. pl.

N. India.

3432. jouchistos, Hodgs.; Gould, B. As. pl. Nepal, Darjeel.

Subfam. III. Polioptilinæ, Selat. 1862.

800. POLIOPTILA, Sclat. 1854.

Culicivora, Sw. 1837, nec 1827, et p. G. R. Gr. 1848.Reich, S. A. t. 62. f.

3433. cærulea, L.; Edw. B. pl. 302; Wils. A. O. pl. 18. 5. cana, Gm.; leucogastra, Sclat.

Guiana.

N. Gran., Guat. Brazil.

3434. leucogastra, Max.; P. E. 704. 1; Sw. Z. S. pl. 57. atricapilla, Sw. dumicola, Ep.

Bolivia.

3436. superciliaris, Lawr.

Panama.

3437. **Buffoni**, *Sclat*.; *P. E.* 704. 1. cærulea, var., *Gm*.

3435. boliviana, Sclat. Pr. Z. S. 1852, pl. 47.

Cayenne. Bogota.

cærulea, var., Gm.
3438. dumicola. V.

Bolivia.

bivittata, Lafr.
3439. mexicana, Bp.

Mexico.

cærulea, p. ?, Baird.
3440. albiloris, Sclat. & S.

3441. Lembeyei, Gundl.

Guatemala. Cuba.

eærulea, p. ?

3442. plumbea, Baird, B. N. A. pl. 33. 1.

Colorado.

3443. nigriceps, Baird.

Mazatlan.

3444. ? bilineata, Licht.

Carthag., Esmer. Bahahoyo. R.Grande & Gila.

3445. melanura, Lawr.; Cass. Ill. pl. 27. atricapilla, Lawr.; mexicana, Cass.

FAM. III. CHAMÆADÆ, Baird, 1864.

Subfam. I. Chamæanæ, G. R. Gr.

891. CHAMÆA, Gamb. 1847.

3446. fasciata, Gamb. Journ. Ac. Phil. 1849, pl. 8. 3.

California.

FAM. IV. MNIOTILTIDÆ, Sclat. 1862.

Tanagridæ, p., Bp. Sylvicolidæ, Baird, 1864.

Subfam. I. Mniotiltinæ, G. R. Gr. 1848.

Sylvicolinæ, Bp. 1838.

892. MNIOTILTA, V. 1816.

Oxyglossus, Sw. 1827. Certhia, V. 1806.
Sw. C. of B. f. 132, a, 213, f, l; G. of B. i. p. 195, pl. 53. f. 1;
Reich. S. A. t. 61. f.

a. MNIOTILTA.

3447. varia, L.; Wils. A. O. pl. 19. 3; V. Gal. des Ois. t. 169. maculata, Wils.; borealis, Nutt. var. longirostris, Baird.

E. of U. States. Guatemala. West Indies.

\$93. b. Compsothlypis, Cab. 1850.

Sylvicola, Sw. 1827, nec Humph. 1797.
Chloris, Boie, 1826, nec Mochr. 1752.
Parula, Ep. 1838.
Ficedula, Des Murs, 1853.
Sw. C. of B. f. 213, m, 214, a, f.

3448. americana, L.; P. E. 731. 1, & 709. 1?; Wils. A. O. pl. E 28. 3; Aud. B. A. ii, pl. 91.

eques, Bodd.; ludoviciana, Gm. torquata, V.; pusilla, Wils.

E. of U. States, West Indies. Guatemala.

3449. pitiayumi, V.; P. C. 293. 1; Sw. Zool. Ill. pl. 139. brasiliana, Licht.; venusta, Tem.

Brazil.

3450. superciliosa, Hartl. mexicana, Licht.

Paragu., Trinid. Guatemala.

3451. inornata, Baird. brasiliana, Solat. & S.

plumbea, Sw.

Costa Rica.

3452. gutturalis, Cab.

Mexico.

3453. mexicana, *Bp*. superciliosa, p., *Baird*.

894. c. PROTONOTARIA, Baird, 1858.

3454. citrea, Bodd.; P. E. 704. 2; Wils. A. O. pl. 24. 3; Aud. S. Atlantic & Gulf States. B. A. ii. pl. 106.

protonotarius, Gm. auricollis, Gm.; Briss, Orn. iii, t. 26. 1.

W. Indies.

895. d. Helminthophaga, Cab. 1850.

Sw. C. of B. f. 132, b, 213, h, i.

3455. pinus, L.; Edw. B. pl. 277. 1; Wils. A. O. pl. 15. 4; Aud. E. of N. Amer. B. A. ii. pl. 111. solitaria, Wils.

3456. ruficapilla, Wils. A. O. pl. 27. 3; Fauna B. Am. pl. 42. 1. rubricapilla, Wils.; leucogastra, Shaw. nashvillei, V.; mexicana, Holb.

Greenland.

3457. celata, Say; Bp. A. O. pl. 5, 2; Aud. B. A. ii, pl. 112.

Mississippi to Pacif., N.Mex.

3458. peregrina, Wils. A. O. pl. 25. 2; Fauna B. Am. pl. 42. 2; Aud. B. A. ii. pl. 110.

tennessaei, V.; missuriensis, Max,?

E. of U. States.

3459. chrysoptera, L.; Edw. B. pl. 299; Wils. A. O. pl. 15.5; Bp. A. O. pl. 1. 3; Aud. B. A. ii. pl. 107. flavifrons, Gm.

E. of N. Amer., Bogota, Cuba. C. America.

3460. Bachmani, Aud. B. A. ii. pl. 108.

S.Atl.Stat., Cuba.

3461. virginiæ, Baird, B. N. A. pl. 79. 1. 3462. Luciæ, Coop.; Elliot, B. A. pl. 5.

S. Rocky M. Colorado R.

896. e. Helmitheros, Rafinq. 1819.

Hylophilus, Boie, 1826, nec Tem. 1823. Vermivora, Sw. 1827. Dacnis, Bp. 1828. Helinaia, Aud. 1839. Hemitheros, Aliq.

Helmitherus, Baird, 1864.

Sw. C. of B. f. 213, g. 3463. vermivora, Gm.; Edw. B. pl. 305; Wils. A. O. pl. 24. 4; Aud. B. A. ii. pl. 105.

pennsylvanica, Sw.; migratorius, Rafing. fulvicapilla, Sw.

E. of U. States, S.E. Mexico. Guatemala. Cuba, Florida.

3464. Swainsonii, Aud. B. A. ii. pl. 104.

S. Carolina, Georgia, Cuba.

897. f. Perissoglossus, Baird, 1864.

3465, tigrina, Gm.; Wils. A. O. pl. 54. 3; Aud. B. A. ii. pl. 85. E. of U. States. maritima, Wils. Cuba.

898. g. Dendroica, G. R. Gr. 1842.

Ficedula, Cuv. 1799, 1800, nec Moehr. 1752. Sylvicola, G. R. Gr. 1841, nec Sw. 1827.

Dendroeca, Agass.

Rhimamphus, Rafinq. 1815? Rhimamphus, G. R. Gr. 1848.

Reich, S. A. t. 61, f. .

3466. coronata, L.; Wils. A. O. pl. 17. 4, & 45. 3; Aud. B. A. ii. pl. 76.	
virginianus et canadensis, L .; umbra, cincta et pinguis, Gm . xanthopygia et xanthoroa, V .	E. of N. Amer. Puget's Sound.
3467. Audubonii, Towns.; Aud. B. A. ii. pl. 77.	W. of U. States.
3468. occidentalis, Towns.; Aud. B. A. ii. pl. 93. chrysopareia, Sclat.; niveiventris, Salv.	Calif., Guatem.
3469. Townsendii, Nutt.; Aud. B. A. ii. pl. 92.	N.W. America,
3470. nigrescens, Towns.; Aud. B. A. ii. pl. 94. Halseii, Giraud?	Mex., Guatem. W. America. N. Mexico.
3471. canadensis, L.; Wils. A. O. pl. 15.7; Aud. B. A. ii. pl. 95; Sagra, Cuba, t. 9. 1, 2.	E. of U. States.
cærulescens, $Gm.$; pusilla et leucoptera, $Wils.$ palustris, $Steph.$; macropus, $V.$ sphagnosa, $Bp.$; pannosa, $Gosse$, $Ill.$ pl. 37.	S. to W. Indies.
3472. Blackburniæ , <i>Gm.</i> ; <i>Wils. A. O.</i> pl. 23. 3, & 44. 3; <i>Aud. B. A.</i> ii. pl. 87.	E. of U. States.
parus, Wils.; lateralis, Steph.	Guat., West Indies, Bahamas.
chrysocephala et incana, Gm.?; melanorhoa, V.	Bogota.
3473. cærulea, Wils. A. O. pl. 17. 5, & 27. 2; Aud. B. A. ii. pl. 86. rara, Wils.; azurea, Steph.; bifasciata, Say. populorum, V.	E. of U. States.
3474. striata, Forst.; V. O. A. S. t. 75, 76; Wils, A. O. pl. 30.3; Aud. B. A. ii. pl. 78.	Cuba, Greenl.
3475. æstiva, Gm.; V. O. A. S. t. 95; Wils. A. O. pl. 15. 5; Aud. B. A. ii. pl. 89.	U. States.
carolinensis, $Lath.$; flava, $V.$; citrinella, $Wils$. Childreni et Rathbonia, $Aud.$; rubiginosa, $Pall.$ citrinus, $Rafinq.$? chryseolus, Bp .	Guatemala.
3476. maculosa, $Gm.$; $V.~O.~A.~S.$ t. 93; $Wils, A.~O.$ pl. 23. 3; $Aud.~B.~A.$ ii. pl. 96. magnolia, $Wils.$	E. of U. States. Cuba.
3477. palmarum, <i>Gm.</i> ; <i>V. O.A. S.</i> t. 73; <i>Wils. A. O.</i> pl. 28. 4; <i>Aud. B. A.</i> ii. pl. 90. petechia, <i>Wils.</i> ; ruficapilla, <i>Bp</i> .	E. of U. States. West Indies.
3478. dominica, L.; P. E. 686. 1; V. O. A. S. t. 72; Wils. A. O. pl. 12. 6. superciliosa, Bodd.; flavicollis et pensilis, Gm.	E. of U. States. Mex., W. Indies.
3479. olivacea, Giraud, B. Tex. pl. 7. 2; Cass. B. Tex. pl. 47. tæniata, Dubus.	Mexico.
3480. eoa, Gosse, Ill. B. of Jam. pl. 34.	Jamaica.
3481. Vicilloti, Cass. erythachorides, Baird; ruficeps, Cab.?	Panama, Mexico. New Granada,
3482. virens, Gm.; V. O. A. S. t. 93; Wils. A. O. pl. 27. 3; Aud. B. A. ii. pl. 84.	Costa Rica. N.Am., Cub., Heligol., Greenl., Guat., Mexico.

HAND-MIST OF BINDS.	~11
3483. castanea, Wils. A. O. pl. 14. 4, & pl. 23. 4; Aud. B. A. ii. pl. 80. autumnalis, Wils.	E. of U. States. Guatemala.
3484. pinus, Wils. A. O. pl. 19. 4; Aud. B. A. ii. pl. 82, id. O. B. pl. 3. Vigorsii, Aud.	E. of U. States,
3485. pennsylvanica, L .; Wils. A. O. pl. 14. 5; Aud. B. A. ii. pl. 81. icterocephala, $Lath$.	E.of U.S., Pana- ma, Guatema. Bahamas.
 3486. discolor, V. O. A. S. t. 98; Wils. A. O. pl. 25. 4; Aud. B. A. ii. pl. 97. minuta, Wils. 3487. pharetra, Gosse, I. B. Jam. pl. 38. 	Atlantic States. Cuba, St. Croix, Bahamas. Jamaica.
3488. aureola, Gould, Voy. Beagle, pl. 28.	Galapagos.
3489. Graciæ, Coues; Elliot, B. N. A. pl. 6.	Arizona.
3490. montana, Wils. A. O. pl. 44, 2; Aud. B. A. ii. pl. 98. tigrina, V. O. A. S. t. 94.	Virginia. St. Domingo.
0401 9 4 2 2 211 7 22 11	C7 171
3491. ? atricapilla, Landb.	Chili.
3492. Kirtlandii, Baird, Ann. L. N. Y. 1852, pl. 6; Cass. Ill. Calif. pl. 47.	N. Ohio, Baham.
3492. Kirtlandii, Baird, Ann. L. N. Y. 1852, pl. 6; Cass. Ill. Calif.	
3492. Kirtlandii, Baird, Ann. L. N. Y. 1852, pl. 6; Cass. Ill. Calif. pl. 47.	N. Ohio, Baham.
 3492. Kirtlandii, Baird, Ann. L. N. Y. 1852, pl. 6; Cass. Ill. Calif. pl. 47. 3493. carbonata, Aud. B. A. ii. pl. 109. 3494. chrysopareia, Sclat. § S. 3495. Gundlachi, Baird. 	N. Ohio, Baham. Kentucky.
 3492. Kirtlandii, Baird, Ann. L. N. Y. 1852, pl. 6; Cass. Ill. Calif. pl. 47. 3493. carbonata, Aud. B. A. ii. pl. 109. 3494. chrysopareia, Sclat. § S. 	N. Ohio, Baham. Kentucky. Guatemala.
 3492. Kirtlandii, Baird, Ann. L. N. Y. 1852, pl. 6; Cass. Ill. Calif. pl. 47. 3493. carbonata, Aud. B. A. ii. pl. 109. 3494. chrysopareia, Sclat. & S. 3495. Gundlachi, Baird. albicollis (Briss. Orn. iii. t. 26. 5) et chloroleuca (Briss. Orn. iii. t. 26. 2), Gm. ?? 	N. Ohio, Baham. Kentucky. Guatemala. Cuba.
3492. Kirtlandii, Baird, Ann. L. N. Y. 1852, pl. 6; Cass. Ill. Calif. pl. 47. 3493. carbonata, Aud. B. A. ii. pl. 109. 3494. chrysopareia, Sclat. § S. 3495. Gundlachi, Baird. albicollis (Briss. Orn. iii. t. 26. 5) et chloroleuca (Briss. Orn. iii. t. 26. 2), Gm.?? æstiva, Lemb. 3496. petechia, L.; Edw. B. pl. 256. 2. æstiva, Gosse. 3497. ——?, Baird.	N. Ohio, Baham. Kentucky. Guatemala. Cuba. St. Domingo.
 3492. Kirtlandii, Baird, Ann. L. N. Y. 1852, pl. 6; Cass. Ill. Calif. pl. 47. 3493. carbonata, Aud. B. A. ii. pl. 109. 3494. chrysopareia, Sclat. § S. 3495. Gundlachi, Baird.	N. Ohio, Baham. Kentucky. Guatemala. Cuba. St. Domingo. Jamaica.
3492. Kirtlandii, Baird, Ann. L. N. Y. 1852, pl. 6; Cass. Ill. Calif. pl. 47. 3493. carbonata, Aud. B. A. ii. pl. 109. 3494. chrysopareia, Sclat. § S. 3495. Gundlachi, Baird. albicollis (Briss. Orn. iii. t. 26. 5) et chloroleuca (Briss. Orn. iii. t. 26. 2), Gm. ?? æstiva, Lemb. 3496. petechia, L.; Edw. B. pl. 256. 2. æstiva, Gosse. 3497. —— ?, Baird. ruficapillus, Gm.; Briss. Orn. iii. t. 22. 4; erithachorides,	N. Ohio, Baham. Kentucky. Guatemala. Cuba. St. Domingo. Jamaica. Martinique.

3500. Adelaidæ, Baird.

Porto Rico.

^{* 899.} Thaumasioptera, Schiff. 1854. (Type unknown).

Subfam. II. Trichadinæ, G. R. Gr.

Geothlypinæ, Baird, 1864.

OOO. OPORORNIS, Baird, 1858.

3501. **formosa**, *Wils. A. O.* pl. 25, 3; *Aud. B. A.* ii. pl. 74. E. of U. States. equinoctialis, *V. O. A. S.* t. 81? Guat., Isthmus Panam., Cub.

3502. agilis, Wils. A. O. pl. 39. 4; Baird, B. N. A. pl. 79. 2; Aud. B. A. ii. pl. 99. E. of U. States. tephrocotis, Nutt.?

901. TRICHAS, Sw. 1827, nec Glog. 1827.

Geothlypis, Cab. 1847. G. of B. i. p. 197, pl. 53, f. 3; Reich. S. A. t. 61, f.

3503. marilandica, Wils.; P. E. 709, 2; Wils. A. O. pl. 6. 1; Aud. B. A. ii. pl. 102.

trichas, L.; mystaceus, Steph.
personatus, Sw.; Roscoe, Aud. O. B. pl. 24.
brachydactylus, Sw.

3504. velata, V. O. A. S. t. 74; Aud. B. A. ii. pl. 103. W. Indies. cucullata, Lath.; caniicapilla, Max. S. America. Delafieldii, Aud.; caniicephala, Less.

3505. Macgillivrayi, Aud. B. A. ii. pl. 100; Baird, B. N. A. Pacific coast of pl. 79. 4.

Tolmieei, Towns.; philadelphia, Aud.
Tolmiei, Nutt.; vegata, Licht.

3506. semiflava, Sclat.

3507. poliocephala, Baird. W. co. of Mex. equinoctialis, Sclat. & S.? Guatemala.

Ecuador.

3508. melanops, Baird.
 3509. philadelphia, Wils. A. O. pl. 14; Baird, B. N. A. pl. 79. 3; E. of U. States, C. Aud. B. A. ii, pl. 101.
 America.

Aud. B. A. ii. pl. 101.
America.
3510. speciosa, Sclat.
E. Mexico.

3511. æquinoctialis, Gm.; P. E. 685. 1; V. O. A. S. t. 81.

N.E of S. Amer.,
Cayen., Trin.

3512. formosa, Selat. Mexico.

3513. rostrata, *Bryant*, *Bost*, *Soc*. *N*, *H*. 1866, fig. p. 67. Bahamas.

Subfam. III. Setophaginæ, Baird, 1864.

902. SETOPHAGA, Sw. 1827.

Cetophaga, Less. 1828. Erythrosoma, Sw. 182?
Sylvania, Nutt. 1832.

Sw. C. of B. f. 133, h, e, 213, a, b; G. of B. i. p. 264, pl. 63. f. 4; Reich, S. A. t. 64, f.

a. Setophaga.

3514. ruticilla, L.;	V. O. A. S. t. 35, 36; Wils. A. O. pl. 6, 6.	N. America.
flavicauda, Gm.	•	

3515. picta, Sw. Zool. Ill. pl. 3; Baird, B. N. A. pl. 77, 2; Giraud, Texas B. pl. 6. 1. leucomus, Giraud; tricolor, Licht,

Mexico.

3516. multicolor, Ep.

3517. ? russeicauda, V. O. A. S. t. 71.

Penna.

3518. ? tricolor, Müll.; P. E. 391. 2. nigra, Bodd.; multicolor, Gm.

903. b. Myioborus, Baird, 1865.

3519. verticalis, Lafr.; D'Orb, Voy. A. M. t. 35. 1.

Bogota, Peru. Guatemala.

3520. flammea, Kaup, intermedia, Hartl.

Costa Rica.

3521. melanocephala, Tsch. F. P. t. 12.

Peru, Bolivia. Bogota, Quito.

3522. ruficoronata, Kaup.

Bogota.

3523. ornata, Boiss. flaveola, Lafr.; citreola, Licht.

3524. miniata, Sw.; Giraud, B. Tex. pl. 3. 2; Baird, B. N. A. pl. 58. 1. vulnerata, Wagl.; castanea, Less.; Derhami, Giraud.

Mexico.

larvata, Licht. 3525. aurantiaca, Baird.

Costa Rica.

3526. torquata, Baird.

3527. ——?, Baird.

Ecuador.

ruficoronata, Sclat. 3528. brunneiceps, Lafr.; D'Orb. Voy. A. M. t. 29. 3. virescens, Burm.

Bolivia.

3529. castaneocapilla, Cab. brunneiceps, p.

Guiana.

3530. leucomphomma, Kaup. ornata, p. ?, Baird.

Bogota.

904. c. Cardellina, Dubus, 1850.

3531. amicta, Dubus. rubrifrons, Giraud; erythropis, Licht. Mexico.

905. d. Ergaticus, Baird, 1865.

Cardellina, p., Baird.

R 2

3532. rubra, Sw.; Mag. de Zool. 1836, t. 54; Giraud, B. Tex. N. Mexico. pl. 4. 2. miniata, Lafr.; leucotis, Giraud. argyrotis, Licht. 3533. versicolor, Salv. Pr. Z. S. 1863, pl. 24. 1. Guatemala. 906. e. Wilsonia, Bp. 1838. Myiodioctes, Aud. 1839. Myioctonus, Cab. 1850. Cardellina, Dubus, 1850. Sw. C. of B. f. 133, d. 3534. mitrata, Gm.; V. O. A. S. t. 77; Wils. A. O. pl. 26.3; U. States. Aud. B. A. ii. pl. 71. cucullata, Wils.; Selbyi, Aud. O. B. pl. 9. Guatem., Cuba. 3535. pusilla, Wils. A. O. pl. 26. 4; Aud. B. A. ii. pl. 75. U. States, Russ. Amer., Mexic., Wilsonii, Bp.; petasodes, Licht.? Costa Rica. pileolata, Pall. 3536. canadensis, L.; Wils, A. O. pl. 26.2; Aud. B. A. ii. U. States. pl. 72. E. Mexico. pardalina, Bp.; nigricineta, Lafr. 3537. minuta, Wils. A. O. pl. 1. 5; Aud. B. A. ii. pl. 67. E. of U. States. pumilia, Nutt. N. of N. Amer. 3538. Bonapartei, Aud. B. A. ii. pl. 73; Faun. B. Am. pl. 47. canadensis, p. ?, Sw. & Baird. f. Euthlypis, Cab. 1850. 907. Phyllopneustes, p., Boie, 1828. Myiodioctes, p., Aud. Mexico, Guat. 3539. lachrymosa, Licht. q. Basileuterus, Cab. 1847. 908. Myiothlypis, Cab. 1850? N. of S. Amer. 3540. vermivora, V. Trinidad, Braz. auricapilla, Sw. 3541. leucoblepharum, V.; D'Orb. Voy. A. M. t. 12. 2. S. Braz., Parag. superciliosus, Sw.? Ecuador, Peru. 3542. bivittata, Lafr. tristriatus, Tsch.?; vermivorus, p. Peru, Ecuador. 3543. coronata, Tsch. F. P. t. 14. 1. 3544. culicivora, Bp.; Giraud, B. Tex. pl. 6. 2. Mexico, Guat. Costa Rica. Brasieri, Giraud.

Ecuador. 3546. semicervina, Sclat. Pr. Z. S. 1865, pl. 10. 1. Brazil. 3547. stragulata, Licht. rivularis, Max.?

3545. uropygialis, Sclat. Pr. Z. S. 1865, pl. 10. 2.

semicervinus, Lawr.

Braz. ?, Panama.

Demerara.

3548. chrysogastra, Tsch. Peru, Ecuador. 3549. hypoleuca, Cab. Brazil.

bivittatus, p.?, Baird.

3550. cinereicollis, Sclat. Pr. Z. S. 1865, pl. 9, 2, New Granada.

3551. mesoleuca, Sclat. Pr. Z. S. 1865, pl. 9. 1. 3552. viridicata, V. Bolivia. elegans, Lafr. Chiquiros.

3553. leucophrys, Natt. & Pelz. Brazil.

909. h. Idiotes, Baird, 1865.

Basileuterus, p., Bp.

3554. rufifrons, Sw. Mexico. aurigula, Licht.

3555. Delattrii, Bp. brunneiceps, Bp. Guatemala?

3556. Belii, Giraud, B. Tex. pl. 4. 1. Mexico.

chrysophrys, Sclat. Guatemala. 3557. mclanogenys, Baird. Costa Rica.

3558. mesochrysa, Sclat. Bogota.

Delattrii, Sclat. Costa Rica?

3559. griseiceps, Sclat. & S. Venezuela. i. Myiothlypis, Cab. 1850. 910.

Basileuterus, p., Sclat.

3560. flaveola, Baird. Paraguay. luteoviridis, Bp. ?; nigricristatus Q, Sclat.

3561. nigrocristata, Lafr. Quito, Bolivia. nigricapillus, Sclat.

FAM. V. MOTACILLIDÆ, Boie, 1826.

Subfam. I. Motacillinæ, Sw. 1831.

Motacillina, Vig. 1825.

911. MOTACILLA, L. 1735.

Pallenura, Pall. Motacilla (Ripariæ), Glog. 1834. G. of B. i. p. 203, pl. 54. f. 1; Reich. S. A. t. 59. f. .

a. MOTACILLA.

3562. alba, L.; P. E. 652. 1, 674. 1; Naum. Vög. t. 86; Gould, E. Eu., As. Min., B. E. pl. 143. N. Afr., Caffr., Green . Pales.

W. Afr., Gamb. 3563. ? gularis, Sw. alba, p., Hartl. & F. 3564. Yarrelli, Gould, B. E. pl. 141; Yarr. Br. B. ii. fig. p. 403; C. & N.W. Eur. Naum. Vog. t. 377. 1. alba, var. B, Blas. lugubris, V. 3565. lugubris, Pall.; Gould, E. E. pl. 142. N. Asia. alba, var. y, B/as.; Yarrellii, p., Bp.; leucoptera, Vig. Persia. albeola, var. lugens, Pall. 3566. japonica, Swinhoe. Japan. E. Asia. lugens, Sehl. F. J. t. 25. 3567. luzoniensis, Seop.; Sonn. Voy. 29. Ind., Ass., Phil.I. alboides, Hodgs.; leucopsis, Gould. Burmah, China. alba, var. paradoxa, Schrenck. 3568. Hodgsoni, G. R. Gr. Nepal. 3569. maderaspatana, Gm.; Lath. Hist. vi. pl. 54; Gould, India, Ceylon. *B.* As. pl. maderas, Steph.; variegata, Steph. Himalayas. picata, Frankl.

3570. dukhunensis, Sykes; Gould, B. As. pl. N.W. Prov. alba, p., Hartl. & F. Ceylon. 3571. personata, Gould, B. As. pl. Bengal?, Persia. dukhunensis, Jerd.

3572. Vaillantii, Cab.; Lev. O. A. t. 178; Kittl. Kupf. Vög. S. & W. Africa. t. 21. 2. vidua, var. major, Sundev.; capensis, p., Licht.

Aguimp, p., et Levaillantii!, Layard. 3573. capensis, L.; P. E. 28. 2; Lev. O. A. t. 177. afra, Gm.

3574. longicauda, Rüpp. F. A. t. 29. 2. vidna, Sundev.; capensis, Licht.; Lichstensteini, Cab.

3575. flaviventris, Verr.

3576. ocularis, Swinhoe; Kittl. Kupf. Vög. t. 21. 1. alba, var. lugens, Schrenck. albeola, var. kamtschatica, Pall.

3577. ? exrulescens, Lath. australis, Steph.; boarula, var. B, Lath.

912. b. Budytes, Cuv. 1817. Berdytes!, Flem. 1822. Budites!, *Boie*, 1822. Bodytes!, Costa, 1854. Motacilla dolichonyches, Glog. 1834. Reich. S. A. t. 59. f. .

3578. flava, L.; P. E. 674. 2; Edw. B. pl. 258; Naum. Vög. t. 88; Gould. R. E. pl. 146. boarula, L.; chrysogastra, Bechst.

Eur., N. & S. Afr.

S. & W. Indies,

S. Africa.

Natal.

Damaraland.

Abyss., Nubia.

Madagascar.

China, Formosa,

Amoor, Kamts.

New S. Wales?

E. Siberia.

neglecta, Gould; flava, var. 2. vulgaris, Sundev. fasciata, Brehm; Lindermayeri, C. Brehm.

3579. melanocephala, Licht.; Naum. Vög. t. 374; Rüpp. Atl. S.E. Europe, t. 33. N.E. Africa. flava, var. a, Schl.; flava, var. 5. africana, Sundev. Asia Minor.

3580. cinereocapilla, Savi; Naum. Vög. t. 373; Bp. F. It. t. 31, 2, borealis, var. B, Blas.; flava, var., Schl.

Feldeggi, Mich.; dalmatica, Bruch. flava, var. 4. dalmatica, Sundev.

3581. campestris, Pall.; Naum. Vög. t. 372. flavcola, var. B, Blas.; flava, p., Hartl. & F.

3582. Rayi, Bp.; Gould, B. E. pl. 145. flaveola, Tem.; flava, p., Hartl. & F.

3583. citreola, Pall.; Gould, B. E. pl. 144; Naum. Vog. t. 377. 2, 3, 4.

sheltobrischa, Lepeeh. citrinella, Pall.; aureicapilla, Less.

3584. citreoloides, Hodgs. citreola, Jerd.; "aureocapilla, V.," Bl.

calcaratus, Hodgs. 3585. viridis, Scop.

beema et melanocephala, Sykes. neglecta et flava, Jerd. dubius, fuliventris et schisticeps, Hodgs.

3586. flavescens, Shaw. flava, Horsf.; flava, var, B, Lath.

3587. ? nigricapilla, Bp. Fauna Pontica, t.2; Bull. S. Imp. Mosc. 1850, t. 8. 3. melanocephala, Savi; flava, var. 4. borealis, Sundev. atricapilla, Brehm.

3588. Kaleniczeneki, Andr. Bull. des Sc. de Mosc. 1842, t. 20. melanocephala, var. β, Blas.

3589. borealis, Sundev. flava, var. b, Blas.

3590. flaveola, Gould. flava, var. e, Blas.; flava, p., Hartl. & F.

3591. ophthalmica, Fl. Prev. & Des Murs; Lefebr. Voy. Abyss. t. 7 Abyssinia. (lunulata, on plate).

c. Calobates, Kaup, 1829. Motacilla, Pallenura, Pall. 1831.

3592. boarula, Penn.; P. E. 28. 1; Edw. B. pl. 259; Naum. Vog. t. 87; Gould, B. E. pl. 147. sulphurea, Bechst.; grisea, Müll. melanope, Pall.

Italy. Dalmatia.

E. Europe.

Europe.

W. Africa.

E. Europe.

Nepal. Andamans.

India.

Moluccas. Cel., Tim., Java.

Dalmatia, Sweden, Lapl.

E. & S.E. Eur.

N. Europe.

C. & W. Europe.

C. & S. Europe. N.E. Africa.

3593. bistrigata, Raffl.

sulphurea, Horsf.; javensis, Bp. boarula, p., Tem. & Schl.; viridis, p., Bp. flava, Viq.

Sumatra, Java.

Australia?

914. d. Limonidromus, Gould, 1862.

Nemoricola, Bl. 1847, nec Hodgs. 1837. Nemorivaga, Fitz. 1864.

3594. indica, Gm.; Lev. O. A. t. 179; Gould, B. As. pl. variegata, V.; thoracica, Müll. affinis, Tick.

India.
Malacca, Born.

915. GRALLINA, V. 1816.

Tanypus, Oppel, 1811, nec Meig. 1803. G. of B. i. p. 204, pl. 54. f. 5; Reich. S. A. t. 59. f.

3595. picata, Lath.; V. Gal. des Ois. t. 150; Gould, B. A. ii. pl. 54.

Australia.

cyanoleucus, Lath.; australis, Oppel. melanoleuca, V.

916. ENICURUS, Tem. 182 ?

Enicura, Less. 1839. Henicurus, Agass.
 Allocoturus, Van der Hoev. 1856.
 Sw. C. of B. f. 128; G. of B. i. p. 203, pl. 54, f. 6; Reich. S. A. t. 59, f.

3596. Leschenaultii, V.; P. C. 113. speciosa, Horsf.; Gal. des Ois. t. 145; coronatus, Tcm.

Java, Sumatra.

3597. velatus, Tem. P. C. 160. 3598. maculatus, Vig.; Gould, C. B. pl. 27, et B. As. pl.

Himalaya M.

3599. guttatus, Gould, B. As. pl.

Him. M., Sikk.

3600. immaculatus, Hodgs.

Nepal.

Java.

3601. schistaceus, Hodgs.

China.

3602. chinensis, Gould, B. As. pl. 3603. Scouleri, Vig.; Gould, B. As. pl.

Himalaya M.

heterurus, Hodgs. nigrifrons, Hodgs.

Sikkim.

3604. ruficapillus, Tem. P. C. 534.

Java, Sumatra.

3605. diadematus, Boie.

Sumatra.

3606. frontalis, Bl.

Malayan penin.

917. EPHTHIANURA,

et Epthianura, Gould, 1837. Cinura, Brehm, 1844. Cynura, Cab. 1847. Hephthænura, Reich 1850. G. of B. i. p. 205, pl. 54. f. 2; Reich, S. A. t. 60. f. 3607. albifrons, Jard. & S. Ill. Orn. pl. 56; Gould, B. A. iii. pl. 64. torquata, Brehm.

New S. Wales. S. & W. Aus.

3608. aurifrons, Gould, B. A. iii. pl. 65.

New S. Wales, S. Australia.

3609. tricolor, Gould, B. A. iii. pl. 66.

S. Australia. New S. Walcs.

Subfam. II. Enicocichlinæ, Sclat. 1862.

(Henicocichlinæ.)

918. ENICOCICHLA, G. R. Gr. 1840.

Seiurus, Sw. 1827. Siurus, Strickl. 1841. Senurus, Reich. 1849. Henicocichla, Agass. Exochocichla, Van der Hoev. 1856. G. of B. i. p. 188, pl. 51. f. 2; Reich. S. A. t. 58, f.

3610. noveboracensis, Gm.; P. E. 752. 1; Wils. A. O. pl. 22. 5.

East of U. S. Guatemala.

aquaticus, Wils.; tenuirostris, Sw. anthoides, V.; fuscescens, Gm. P'Herminieri, Less. sulfurascens, D'Orb. Sagra's Cuba, t. 6.

Cuba. Jamaica.

3611. Gossii, Bp.; Ill. B. of Jam. pl. 28. noveboracensis, Gosse & p. Baird.

E. of U. States. C. Amer., Jan.

3612. aurocapilla, L.; Edw. B. pl. 252; Wils. A. O. pl. 14. 2. coronatus, V.
3613. ludoviciana, Aud. B. A. pl. 19; Baird, B. N. A. pl. 80. 2.

E. of U. States.S. Mexico, Cuba,Jamaica.

Subfam. III. Anthinæ, Sclat. 1862.

919. ANTHUS, Bechst. 1802.

Alauda, 1 div., 111. 1811.

G. of B. i. p. 205; Reich. S. A. t. 58. f. , a-d.

motacilla, V. O. A. S. t. 65?; major, Cab.

a. ANTHUS.

3614. spinoletta, L.; P. E. 661. 2; Naum. Vög. t. 85. 2, 3, 4. aquaticus, Bechst.; montanus, Koch. Contellii, Aud.

C. & S. Europe. N.E. Africa. England.

3615. obscurus, Gm.; Naum. Vög. t. 371. 1, 2; Gould, B. E. pl. 138.

N. Eur., Eng.

rupestris, Nils.; campestris, Bew.; petrosa, Mont. montanus, Koch.

aquaticus, Selby; immutabilis, Degl.; aquaticus, β , Blas.

3616. Raalteni, Tem.

S. Africa.

3617. brachyurus, Sundev.

S. Africa,

N. & W. Africa.

3618. leucophrys, V. Gal. des Ois. t. 262.

rufescens, Tem.; rufus, V. graudior, Pall.?

Gmel.?

mosellana, obscura, lusitana, testacea, minor ct maculata,

00101 10 to 0101 10 to 0101 to	O. Hillos,
3619. ludovicianus, Gm.; Wils, A. O. pl. 89; Aud. B. pl. 140. rubra, Gm.; rufa, Wils.; rubens, Merr. pipiens, Aud.; pennsylvanica, Bonn. ? spinoletta, Bp. Reinhardtii, Holb.	A. iii. N. America. Heligoland. Greenland. Rocky M., B.Col.
3620. chii, V.; Spix, A. B. t. 76. 2. turdinus, Merr.	Brazil, Parag.
3621. correndera, V. variegata, p. ?, Lafr.	Paraguay. Falkland I.
3622. furcatus, Lafr.	Patag., Bolivia.
3623. scapularis, Lieht.	S. Africa.
3624. caffer, Sundev.	,,
3625. obtusipennis, Sundev. lineiventris, Sundev.	•1
3626. ? fuliginosus, Lcss.	Cape.
3627. Calthropæ, Layard.	S. Africa.
3628. fuscus, V.	Parag., Brazil.
3629. pœcilopterus, Max.	Brazil.
3630. paytensis, Less.	Brazil, Peru.
3631. breviunguis, <i>Spix</i> , <i>A. B.</i> t. 76. 1. furcatus, p., <i>G. R. Gr.</i>	Brazil. Trinidad.
920. b. Pediocorys, Baird, 1864.	
3632. bogotensis, Sclat. Proc. Z. S. 1855, pl. 101. rufescens, Lafr.	Bogota. Ecuador.
921. c. Notiocorys, Baird, 1864.	
3633. niger , Bodd.; P. E. 738. 1. rufa, Gm. (sp. 28); parvus, Lawr.	Brazil, B. Ayres. Panama, Peru.
variegatus, V.; chii, p., Aliq. sordidus, Less.	Chili,
922. d. Neocorys, Sclat. 1857.	
3634. Spraguei, Aud. B. Amer. vii. pl. 486. Sprangera, Bp.	Missouri. Saskatchewan.
923. e. Ageodroma, Sw. 1837.	
3635. campestris, Bechst.; P. E. 661. 2; Naum. Vög. t. 8 Gould, B. E. pl. 137.	S4. 1; C. & S. Europe.

3636. cinnamomeus, Rüpp.; Jerd. mariquensis, Smith; similis, Jerd.

3637. sordidus, Rüpp. F. A. t. 39, 1. Gouldii, Fras.; similis, p. Jerd.

3638. Gustavi, Swinh.

Amoy.

Abyssinia.

Abyssinia.

S. Africa, Natal.

924. f. Cincedium, Sundev. 1850.

3639. chloris, Licht.

925. g. Pipastes

ct Pippastes, Kaup, 1829. Dendronanthus, Bl. 1847. Dendranthus, Agass.

3640. plumatus, Müll.; P. E. 660. 1; Naum. Vög. t. 84. 2; Gould, B. E. pl. 139.

trivialis, Gm.; arborea, Beehst. spipola, Pall.; turdina, Scop. minor, Lath.

3641. agilis, Sykes; Gould, B. As. pl. maculatus, Bl.; arboreus, Hodgs.

3642. batchianensis, n. sp.? arborea, var., G. R. Gr.

3643. montanus, Bl. rufescens, Jerd.

3644. Blackistoni, Swinh.

"aquaticus, Schrenck," Swinh.

Europe.
Japan.
N.W. Provinces.
Nepal.

India, S. China. Amoor, Japan.

Batchian I.

Neilgherries.

China. Kamtschatka.

926. h. Spipola, Leach, 1816.

Megistina, V. 1816. Leimoniptera, Kaup, 1829. Limonoptera, Agass. Anthus, Bl. 1848.

3645. pratensis, L.; P. E. 660. 2; Naum. Vög. t. 84. 3; Gould, B. E. pl. 136.

trivialis, Mont.; sepiarius, V. Berthelotii, Bolle; Stromei, Lath. ignotus, Gm.; tristis, Baill.

3646. cervinus, Pall.; Descr. de l'Egypte, t. 5, 6; Gould, B. E. pl. 140.

pratensis, Eversm.; rufigularis, Brehm. Cecilii, Audouin; pratensis rufigularis, Schl.

3647. rosaceus, Hodgs.

cervinus, Hodgs.; aquaticus, Bl. axillaris, Gould; pratensis, hortulanus et pelopus, Hodgs.; rufosuperciliaris, Bl.

3648. ? japonicus, Schl.; Tem. & Schl. F. J. t. 24. pratensis japonicus, Tem. & Schl. cervinus, p., Swinh.

N.E. Europe. Asia, N. Africa.

Europe.

Greenland.

Madeira.

Himalaya M. S. China, Bur.

Andamans, I. of Formosa, Japan. N. China, Amoor.

i. Corydalla, Vig. 1825. 927. Corydilla, Sw. Cichlops, Hodgs. 1844. Reich, S. A. t. 58. f. . 3649. Richardi, V.; P. C. 101; Naum. Vog. t. 371. 3, 4; Gould, S. Eur., Africa. B. E. pl. 135. macronyx, Glog.; longipes, Holb. India, England. rupestris, Ménétr. Him., Malayana, Cevlon. China. 3650. ? chinensis, Bp. infuscatus, Bl.; Richardi, p., Swinh. Amov. 3651. rufulus, V. Gal. des Ois. t. 161. India, Assam. agilis, Jerd.; pallescens, Sundev. Burmah. ubiquitarius, Hodgs. 3652. striolatus, Bl. India. thermophilus et rufescens, Hodgs. Malacca. 3653. malayensis, Eyton. rufula, p., Jerd. Timor, Lombock. 3654. medius, Wall. 3655. Hasseltii, Tem. Borneo. 3656. australis, V.; Gould, B. A. iii. pl. 73. Australia. Van Diemen's L. pallescens, Vig. & H. Auckland I. 3657. aucklandicus, G. R. Gr. novæ zealandiæ, p., G. R. Gr. New Zealand. 3658. novæ zealandiæ, Gm. littorea, Forst. Java, Sumatra. 3659. ? euonyx, Cab. pratensis, Raffl.; malayensis, Bl. rufulus, p., Bl. New Zealand. 3660. Grayi, Bp.; Portl. Voy. pl. 37. novæ zealandiæ, var. β, Lath. j. MACRONYX, Sw. 1827. 928. Macronix, Bp. 1831. S. Africa. 3661. capensis, L.; P. E. 504. 2; Lev. O. A. t. 198. flavicollis. V. 3662. croceus, V.; Jard. & S. I. O. pl. 22; Lev. O. A. t. 196. flavigastra, Sw.; flaviventris, Bp. flavicollis, Bianc. 3663. flavicollis, Rüpp. F. A. t. 38. 1. Abyssinia, Natal. 3664. Ameliæ, Tarr.; G. R. Gr. & M. G. B. pl. 54.

929.

3665. striolatus, Heugl.

k. ---?

Heterura, Hodgs. 1841, nec Sieb. 1837. Cynchlorhamphus, Jard.

3666. sylvanus, Hodgs.; Jard. Contr. Orn. 1848, pl.

Himalaya M.

N.E. Africa.

Natal.

Eur., Dal., Italy, Japan, China,

FAM. VI. TURDIDÆ, G. R. Gr. 1840.

Merulidæ, Boie, 1826.

Subfam. I. Turdinæ, Bp. 1831.

Merulina et Cossyphina, Vig. 1825.

930. TURDUS, L. 1735.

Ixocossyphus, Kaup, 1829. Turdula, Webb et Berth. 1836–46. G. of B. i. p. 218, pl. 56, f. 5; Reich. S. A. t. 53, f.

a. Turdus.

3667. viscivorus, L.; P. E. 489; Naum. Vög. t. 66, 1; Gould, B. E. pl. 77. N. & C. Europe,

3668. Hodgsoni, Lafr. Nepal, Kumaon. viscivorus, Hodgs. N.W. Him.

931. b. Psophocichla, Heraug. 1860.

3669. strepitans, Smith, I. S. A. Z. pl. 37. S. Africa. letsitsirupa, Smith; erassirostris, Licht,

3670. guttatus, Vig.; Smith, I. S. A. Z. pl. 39.

3671. simensis, *Rüpp. F. A.* t. 29. 1. N.E. Africa. strepitans, p., *Bp*.

932. c. Arceuthornis, Kaup, 1829.

3672. Gurneyi, Hartl. Ibis, 1864, pl. 9.

3673. pilaris, L.; P. E. 490; Naum. Vög. t. 67. 2; Gould, B. E. pl. 76.

N. & C. Europe. calandrotte, Müll.; musicus, Pall.

3674. Naumanni, Tem.; Naum. Vög. t. 68. 1, et t. 358; Ibis, 1862, pl. 10. dubius, Bp.; ruficollis, var., Pall.

Amoor.

3675. fuscatus, Pall.; P. C. 514; Naum. Vög.t. 68. 2, et t. 359.

obscurus, Gm.; eunomus, Tem.
Naumanni, Tem. & Schl.

3676. Davidianus, M.-Edw. N. China.

933. d. Hylocichla, Baird, 1864.

Turdus, Kaup, 1829. Merula, p., Sw.

Playfairi, Bl.

3677. musicus, L.; P. E. 406; Naum, Vog. t. 66, 2; Gould, B. E. pl. 78, 1. Eur., N.E. Afr.

3695. Hancii, Swinh.

254 HAND-LIST OF BIRDS.	
3678. iliacus, L.; P. E. 51; Naum. Vög. t. 67. 1; Gould, B. E. pl. 78. 2. mauris, Müll. var. a, illuminus, Naum. Vög. t. 356.	N. Europe. N.W. Himalaya. Greenland.
3679. mustelinus, Gm.; Wils. A. O. pl. 11. melodus, Wils.; densus, Bp.	E. of U. States. Cuba, Honduras.
3680. nanus, Aud. B. A. iii. pl. 147.	W. of N. Amer.
3681. fuscescens, Steph; Wils. A. O. pl. 43. mustelinus, Wils.; Wilsoni, Bp.; minor, Gm.?	E. of N. Amer. Cuba, Panama.
3682. Swainsoni, Cab.; Wils. A. O. pl. 43, 2. solitarius, Wils. (fig.); Wilsoni, Sw. olivaceus, Giraud; obsoletus, Lawr, minutus, Lafr. carolinus, Müll. ?; P. E. 556. 2?; brunneus, Bodd.?	E. of N. Amer. Mexico, Peru. Greenland. Belgium, Italy Bogota.
3683. ustulatus, Nutt.; Baird, B. N. A. pl. 81. 1. cestulatus!, Nutt.	Oregon, Columbia R.
3684. Pallasii, Cab.; Aud. B. A. iii. pl. 146.	E.of N.Am., Ger.
soltarius, Wils.; minor, Ep. guttatus, Cab.; minimus, Seligm.	Cuba.
3685. Anduboni, $Baird$. silens, Sw .	S. Mex., Roc. M.
3686. Aliciæ, Baird, B. N. A. pl. 81. 2.	Mississippi, Missou., Labr.
934. e. Oreocincia, Gould, 1857. Turdulus, Hodgs. 1844. Reich. S. A. t. 53. f.	
3687. varius, Pall.; Naum. Vög. t. 354; Gould, B. E. pl. 81. aurea, Holl.; squamatus, Brehm. Whitei, Eyton; lunulatus, Blas.	Germ., Heligol. England,France. Japan.
3688. malayanus, Sundev.; Horsf. Zool. Res. pl. varius, Horsf.; Horsfieldii, Bp.	Java.
3689. Iunulatus, Lath.; Gould, B. A. iv. pl. 7. varius, Vig. & H.; novæ hollandiæ et macrorhynchus, Gould.	New S. Wales. Van Diemen's L.
3690. mollissimus, Bl.; Naum. Vög. t. 353. rostratus et oreoeincloides, Hodgs. Hodgsoni, Homey. et p. Bp.	Himalaya M.
3691. dauma, Lath. parvirostris, Gould; varius, Jerd.	India.
3692. nilgiriensis, Bl. varius, Jerd.; "imbricata, Layard," Bl.	Neilgherries.
3693. spilopterus, Bl.	Ceylon.
3694. inframarginatus, Bl.	Andaman I.

I. of Formosa.

935. f. Anthocincla, Bl. 1862.

3696. Phayrei, *Bl*.

936. g. Merula, Leach, 1816, nec Mochr. 1752.

Turdus, L. 1744.

Sw. C. of B. f. 122; Reich. S. A. t. 53. f.

3697. merula, L.; P. E. 2 et 555; Naum. Vög. t. 71; Gould,

B. E. pl. 72.

vulgaris, Ray. var. syriaca, Tristr.

3698, simillimis, Jerd.

3699. unicolor, Gould, B. As. pl.

3700. boulboul, Lath.; Gould, C. B. pl. 14, et B. As. pl. pœeilopterus, Vig.

3701. nigropileus, Lafr.

brachypus, Bl.; simillimis, p.?, Bp.
3702. castaneus, Gould; G.R. Gr. & M. G.B. pl. 56; Gould,

collaris, Sorel.; nivcicollis, Hodgs.

B. As. pl. rubroeanus, Hodgs.

3703. sinensis, Cuv. mandarina, Bp.

3704. albocinctus, Royle, Ill. Him. Bot. pl. 8.3; Gould, B.As. pl. Himalaya M.

albicollis, Royle.

3705. javanicus, Horsf.
coneolor, Tem.

fumidus, Müll.; Schlegelii, Selat. 3706. hypopyrrhus, Hartl. nigrierissus. Schiff.

3707. badius, Lath.; White's Voy. pl. p. 157.

3708. poliocephalus, Lath.; Jurd. & S. I. O. pl. 37. nestor, Gould.

3709. xanthopus, Forst.

3710. vanikorensis, Quoy & G. Voy. Astrol. t. 7. 2.

3711. vinitinctus, Gould.

3712. candianus, Bl. 3713. ulietensis, Gm.

badius, Forst.

3714. dactylopterus, Bp.

937. h. Cichloselys, Bp. 1853.

3715. cardis, Tem.; P. C. 518; Sehl. F. J. t. 29, 30. dissimilis, Bl.

Tounghoo.

Europe. Egypt.

Palestine.
Neilgherries.

Cashmere.

Cashmere.

Himalaya M.

.

India.

,,

China.

Java, Sumatra. Borneo, Timor.

Java.

Borneo.
Australia.

Norfolk Island.

New Caledonia.

I. of Vanikoro,

Samoan I. Lord Howe's I.

Ceylon.

Society I.

Syria.

Japan.

256	HAND-LIST OF BIRDS.	
3716. Wardii , Jerd. I. Ind melanoleuca, Hartl. micropus et picaoides, I	•	India.
3717. Kinnisii, Kelaart.		Ceylon.
3718. sibiricus, Gm.; Na leucocilla, Pall.; atrocy auroreus φ, Pall.	nem. Vög. t. 363; Schl. F. J. t. 31. aneus, Homey.	N. Asia. Germany.
3719. mutabilis, Tem. leucocilla, Hartl.; sibir	icus, p., Tem.	Java.
938. <i>i.</i> Thoraco Copsichus, <i>Kaup</i> , 1829, <i>ne</i> <i>Reich. S. A.</i> t. 53. f	ocincla, <i>Reich</i> . 1850. ee Wagl. 1827.	
3720. torquatus, <i>L.</i> ; <i>P. E</i> 3; <i>Gould</i> , <i>B. E.</i> pl. 73. europæus, <i>Müll</i> .	. 171, 172 ; Naum. Vög. t. 70 & t. 361.	Europe.
939. ј. Сили	oides, Kaup, 1829.	
3721. atrogularis, Tem.; B. E. pl. 75. dubius, Bechst.; Bechst leucogaster, Bl.	Naum. Vög. t. 69, et 361. 1, 2; Gould, teinii, Naum.	N. Asia. Germany, Him.
3722. ruficollis, Pall.; Na erythrura, Hodgs.	um. Vög. t. 360; Gould, B. As. pl.	N. Asia, Heligol. Himalayas.
3723. pallidus, Gm.; P. 6 daulias, Tem.	7. 515; Sehl. F. J. t. 26.	N. Asia, Italy. I. of Formosa.
3724. chrysolaus, Tem. I	P. C. 537; Sehl. F. J. t. 28.	Japan, China,
3725. olivaceus, L.; Lev. ochrogaster, Sparrm.	O. A. t. 98, 99, 100.	I. of Formosa. Africa, Abyss. Lombardy.
3726. pelios, <i>Bp</i> . icterorhynchus, <i>Württ</i> .		C. Asia?
3727. libonyanus, Smith,	I. S. A. Z. pl. 38.	S. Africa.
3728. rufulus , <i>Drap</i> . modestus, <i>Eyton</i> ; javan	icus, Bl.	Malacca.
3729. dissimilis, Bl. hyperythrus, Bl.		Bengal.
3730. protomomelas, Cab.		Himalayas.
3731. olivacinus, Bp .		S. Africa.
3732. olivaceofuscus, Hartl.	Abh. d. Nat. ver. in Hamb. ii, t. 3.	I, of St. Thomas.
3733. Smithii, <i>Ep.</i> ; <i>Smith</i> , obscura, <i>Smith</i> .	I. S. A. Z. pl. 36.	S. Africa.
3734. hortulorum, Selat.		S. China.

3735. Cabanisi, Bp.	Caffraria.
3736. Deckeni, Cab.; Decken, Reisen, iii. t. 1.	E. Africa.
3737. Goudoti, Verr. N. Arch. du Mus. i. t. 5. 2.	Madagasear.
Planesticus, Bp. 1853. Turdus, b, Sclat. Reich. S. A. t. 53. f.	
3738. phæopygus, Cab.; Pr. Z. S. 1867, pl. 29; Selat. & S. Exot. Orn. pl. 75. jamaicensis, Jard.; Poiteauii, p., Less.	Cayenne, Brazil.
3739. jamaicensis, Gm.; Gosse, Ill. B. Jam. pl. 24. capucinus, Hartl.; leucophthalma, Hill. Lereboulleti, Ep.	Jamaica.
3740. gymnophthalmus, Cab.; Sclat. & S. Exot. Orn. pl. 76. nudigenis, Lafr.; gymnopsis, Tem.	Venezuela.
3741. Grayi , Bp. tristis, Sw. ?; helvolus, Licht. luridus, Bp.	Mexico. Guatemala. Costa Rica.
3742. leucomelas, V.; Sclat. & S. Exot. Orn. pl. 72. amaurochalinus, Cab.; Poitcaui, p., Less. albiventer ♀, Spix, A. B. t. 69. 2. erotopezus, Burm.; ignobilis, Sclat.; olivaceus, Lafr.; rufiventris ♀, D'Orb.	Paraguay. Brazil.
3743. albiventer, Spix, A. B. t. 63. f. 1; Sclat. & S. Exot. Orn. pl. 74. ephippialis et albiventris, Sclat.; humilis, Licht.	Cayenne, Brazil. Ecuador.
3744. cæsius, Bp. Grayii, p., Selat.	Panama.
3745. rufiventris, V.; Spix, A. B. t. 68. chochi, V.; rufiventer, Spix.	S.E. Brazil.
3746. falklandicus, Quoy & G. magellanicus, King; maluinarum, Licht.	Falkland I. Chili, Hermit I.
3747. migratorius, L.; P. E. 556. 1; Wils. A. O. pl. 2; Naum. Vög. t. 362. canadensis, Müll.	U. States. Mex., Germany,
3748. flavirostris, Sw. rufopalliatus, Lafr.; palliatus, Bp.?	W. Mexico.
3749. leucauchen, Sclat.	Guatemala.
3750. albicollis, V.; Sclat. & S. Exot. Orn. pl. 71.	Brazil.
3751. assimilis, Cab. tristis, Cab.	Mexico, Guatem.
3752. crotopezus, V.; Spix, A. B. t. 70; Sclat. & S. Exot. Orn. pl. 73. albicollis, Spix.	Brazil.
3753. fulviventris, Sclat.	New Granada.

Costa Rica. 3754. plebejus, Cab. W. Peru. 3755, serranus, Tsch. 3756. confinis, Baird. CapeJuan Lucas. E. Brazil. 3757. fumigatus, Licht. ferrugineus, Max. l. Hesperocichla, Baird, 1864. 9.11. 3758. nævius, Gm.; V. O. A. S. t. 66; Faun. B. Amer. pl. 38. N. & N.W.Amer. meruloides, Rich. & Sw.; atricollis, V. m. Rhodinocichla, Hartl. 1853. Cichlalopia, Bp. 1853. Cichalopia, Sclat. 1854. Cichlolopia, G. R. Gr. 1855. 3759. roseus, Less. Ill. de Zool. t. 5; Pr. Z. S. 1850, pl. 32. Venezuela. vulpinus, Hartl. 943. n. Semimerula, Sclat. 1861. Hodoiporus, p., Reich. Turdus, c, Sclat. 3760. gigas, Fras.; Sclat. & S. Ex. Orn. pl. 70. N. Gran., Ecuad. 3761. fuscater, Lafr.; D' Orb. Voy. A. M. t. 9. 1. Bolivia, Peru. 3762. chiguanco, Lafr.; D' Orb. Voy. A. M. t. 9. 2. Peru, Ecuador. Costa Rica. 3763. nigrescens, Cab. 3764. subcinereus, Sclat. Chiliana. 0, --- ? 944. Merula, Sclat. 1862. Turdus, d, Sclat. Semimerula, p., Baird. Cichlopsis, G. R. Gr. nec Cab. 3765, aurantius, Gm.; Gosse, Ill. B. Jam. pl. 23. Jamaica. leucogenys, Lath.; saltator, Hill. 3766. rufitorques, Hartl.; Dubus, E. O. t. 19, 20. Guatemala. 3767. xanthoscelus, Jard. Contr. Orn. 1847, pl. 1. Tobago. 3768. atrosericeus, Lafr. Venez., Ecuador. 3769, infuscatus, Lafr. Jalapa, Guatem. 3770. olivater, Lafr. 3771. pinicola, Sclat. Cat. of A. B. pl. 1. Jalapa. pœcilopterus, Licht. 3772. obsoletus, Laur. N. Gran., Verag. p. Mylocichla, Schiff. 1853. 945. 3773. flavipes, V.; Spix, A. B. t. 67.2. S.E. Brazil.

carbonarius, Licht.; ardosiacus, Cuv.

4046.

q. Melanoptila, Sclat. 1857.

Honduras.

3774. glabrirostris, Sclat. Pk. Z. S. 1857, p. 275 (caput).

HAND-LIST OF BIRDS.	200
947. r. Catharus, Bp. 1850.	
Ancpsia, p. !, Reich.	
3775. melpomene, Cab.	
aurantiirostris, Sclat.	S. Mexico, Guat. Costa Rica.
3776. occidentalis, Sclat.	W. Mexico.
3777. griseiceps, Salv.	Veragua.
3778. aurantiirostris, Hartl.; Jard. Contr. Orn. pl. 72.	Venezuela.
immaculatus, Ep.	
3779. Frantzii, Cab.	Costa Rica, Guat.
3780. gracilirostris, Salv.	Costa Rica.
948. s. Malacocichla, Gould, 1854.	
Catharus, b, Solat.	
3781. dryas, Gould, Pr. Z. S. 1854, pl. 75.	Guatemala.
3782. fuscater, Lafr.	N. Gran., Ecaud.
3783. maculatus, Sclat.	Rio Napo, Ecuad.
3784. mexicanus, Bp .	Mex.,Costa Rica, Guatemala.
949. t. Margarops, Sclat. 1859.	
Cichlalopia, <i>Bp.</i> 1857 nec 1853. Colluricincla, p., <i>Gould</i> .	
3785. fuscatus, V. O. A. S. t. 57 bis.	St. Domingo.
fusca, Gould.	St. Croix.
3786. densirostris, V.	Guadeloupe.
3787. mentanus, Lafr.	19
einereus, I.; squamatus, Cuv.	
950. <i>u.</i> Cichluerminia, Bp. 1853.	
3788. l'Herminierii, Lafr.	I. of Guadeloupe.
Bonapartei, Sclat.	
951. v. Nesocichla, Gould, 1855.	
3789. eremita, Gould.	Trist, d'Aeunha.
952. w. Geocichia, Kuhl, 182 ?	
Merula, p., Sw.	
3790. citrinus, Lath.	India.
Macei, V.; lividus, Tick.; rubccula, M'Clell. albonotatus, Cuv.; turdoides, Hodgs.	
diomonata, Cate, turdouce, 110aye.	

3791. rubecula, Gould. citrinus, Tem. P. C. 445.

eitrinus, p., G. R. Gr.

3792. cyanotus, Jard. & S. Ill. Orn. pl. 46.

Iudia.

Java. Sumatra.

3793. Peronii, V.; Arch. du Mus. vii. t. 19. Sunda Islands rubiginosa, Müll.; novæ hollandiæ, Less. 3794. interpres, Kuhl; P. C. 458. Java, Sumatra. "avensis, Gr.," Bl. 3795. erythronotus, Sclat. Celebes. 3796. unicolor, Tick. Himalayas. homochroa, Hodgs. 3797. albiceps, Swinhoe, Ibis, 1866, pl. 5. I. of Formosa. 3798. innotatus, Bl. Nicobar I. Malacca. albogularis, Bl.? x. Chamætylas, Heine, 1859. 953. Geocichla, p., Cass. W. Africa. 3799. compsonotus, Cass. y. Monticola, 1822, et 954. Petrocossyphus, 1826, Boie. Reich, S. A. t. 53, f. . 3800. saxatilis, L.; P. E. 562; Naum. Vog. t. 73; Gould, B. C& S.E. Europe. E. pl. 86. infaustus, Gm.; montana, Koch. N. & W. Africa. 3801. rupestris, V.; Lev. O. A. t. 101, 102. S. Africa. rupicola, Licht.; rocar, Steph. montana, Sw. 3802. explorator, V.; Lev. O. A. t. 103. perspicax, Shaw; brevipes, Waterh. Damaraland. 3803. erythropterus, G. R. Gr. Ternate, Gilolo. affinis, p., Bl. 3804. philippensis, Müll.; P. E. 339. Philippine I. eremita, Gm. z. ---- ? 955. Petrocossyphus, Boie, 1828. Petrocincla, Sykes. 3805. cyanus, L.; P. E. 250; Naum. Vög. t. 72; Gould, B. E. S. Europe. N. Africa. solitarius, Lath.; azureus, Lebr. 3806. pandoo, Sykes.

India.

Philippine I.

Celebes, Java. China.

maal, Sykes; longirostris et affinis, Bl.

3807. solitarius, Müll.; P. E. 636 et 564. 2.

manilla et olivaceus, Bodd.

cyaneus, p.

manillensis, Gm. cyaneus, var. d, Bl.

956.

aa. Petrophila, Sw. 1837.

Orocetes, G. R. Gr. 1840. Orocetes, Agass. Reich, S. A. t. 53, f.

3808. cinclorhynchus, Vig.; Gould, C. B. pl. 19. cyanocephala, Sw.; aurantiventer, Less. melanotus, Dubus. Himalayas.

3809. erythrogaster, Vig.; Gould, C. B. pl. 13. rufiventris, Jard. & S.; ferrugineoventris, Less.

Pekin.

3810. gularis, Swinh. Ibis, 1863, pl. 3.

957. ZOOTHERA, Vig. 1831.

G. of B. i. p. 217, pl. 56. f. 4; Reich. S. A. t. 57. f.

a. ZOOTHERA.

3811. monticola, Vig.; Gould, C. B. pl. 22. rostratus, Hodgs.

Himalaya M.

3812. marginata, Bl. marmorata!, G. R. Gr. Aracan. Khasia Hills.

958. b. Andromedon, Tem. 1838. Myiophaga, p., Less. 1831.

3813. andromedon, Tem. P. C. 392.

Java, Lombock, Timor.

959. c. Cichlopasser, Bp. 1853.

3814. terrestris, Kittl. Mém. Ac. St. Pétersb. 1831, t. 18.

1. of Bonin.

960. MIMUS, Boie, 1826.

 Orphcus, Sw. 1827. Mimetes, Glog. 1842. Calandria, Des Murs. Orphæus, Stein. 1839. Leucomimus, Bryant, 1866.
 G. of B. i. p. 220, pl. 56. f. 1; Reich. S. A. t. 53. f.

a. Minus.

3815. polyglottus, L.; Wils. A. O. pl. 10. 1. leucopterus, Vig.

var. portoricensis, Bryant. var. bahamensis, Bryant.

N. Amer., Jama. Mexico. Porto Rico. Inagria, Baha.

3816. orpheus, L.; Edw. B. pl. 78.; V. O. A. S. t. 68.

Jamaica. British Guiana.

3817. gilvus, V. O. A. S. t. 68 bis.

Paraguay.

3818. **triurus**, *V*. tricaudatus, *Lafr*.

3819. calandria, Lafr.; D'Orb. Voy. A. M. t. 10. 2. orpheus, Gould; saturninus, Max.

S. Brazil.

3820. ? modulator, Gould. calandria, p., G. R. Gr.

3821. megalopterus, Lawr. columbianus, Cab.; gilyus, Jard.

New Granada.

E. of N. Amer. Panama, Cuba,

Germany.

3822. leucospilos, v. Pelz. peruvianus, Peale; longicaudatus, p. ?, Selat.	Chili.
3823. thenca, Mol.; D'Orb. Voy. A. M. t. 10, 3. australis, Less.	22
3824. dorsalis, Lafr.; D'Orb. Voy. A. M. t. 11. f. 1.	Bolivia.
3825. patagonicus, Lafr.; D'Orb. Voy. A. M. t. 11. f. 2.	Patagonia.
3826. dominicus , <i>L. P. E.</i> 558. 1. merle, <i>Müll.</i> ; orpheus, p., <i>Baird</i> .	St. Domingo.
3827. trifasciatus, Gould, Voy. Beagle, pl. 16.	Gala., Charles I.
3828. melanotis, Gould, Voy. Beagle, pl. 18.	Galapa., Chat. I.
3829. parvulus, Gould, Voy. Beagle, pl. 17. melanotis, p.?, Bp.	Galapa., Albe. I.
3830. Hillii, March. orpheus, Hill.	Jamaica.
3831. lividus, <i>Licht.</i> ; <i>Spix</i> , <i>A. B.</i> t. 71. 2. orpheus, <i>Spix</i> .	S.E. Brazil.
3832. longicaudatus, Tsch. F. P. t. 15. 2.	E. Peru.
3833. thilius, Mol.	Chili.
3834. Gundlachii, Cab.	Cuba.
3835. gracilis, Cab.	Guat., Hond., Costa Rica.
D61. b. Scotiomimus, Bryant, 1866.	
3836. bahamensis, Bryant.	Bahama I.
962. c. Oroscoptes, Baird, 1858.	
3837. montanus, Towns.; Aud. B. A. ii. pl. 139.	Rocky M., Mex.
963. d. Melanotis, Bp. 1850.	
3838. cærulescens, Sw.; P. C. 498.	S. Mexico.
melanotis, <i>Tem</i> . erythrophthalmus, <i>Licht</i> .?	·
3839. hypoleucus, <i>Hartl</i> . albiventris, <i>Lafr</i> .	Guatemala.
 964. e. Spodesilaura, Reich. 1850. Myioturdus, p., Sundev. 1835. Galeoscoptes, Cab. 1850. Felivox, Bp. 1854. Reich. S. A. t. 53. f. 	

3840. carolinensis, L.; Wils. A. O. pl. 20. 3; Voy. Cuba, t. 7; Naum. Vög. t. 384. 1.

lividus, Wils.; felivox, V.

965. f. Mimocichla, Schat. 1861.

3841. rubripes, Tem. P. C. 409; Voy. Cuba, t. 4.

Cuba.

3842, schistacea, Baird.

966. q. Mimoritta, Bryant, 1864.

Mimocitta, Newt. Galcoscoptes, b, Sclat.

3843. plumbeus, L. 1758; P. E. 560. 1; V. O. A. M. t. 58. Bahama.

3844. ardosiacea, V. St. Domingo. plumbeus, L. 1766. Porto Rico.

var. portoricensis, Bryant.

967. h. Harporhynchus, Cab. 1847.

Toxostoma, Wagl. 1831, nec Rafing. 1815. Harpes, Gamb. 1847, ncc Goldf. 1839.

Mimus, Reich. 1850. Reich, S. A. t. 53. f.

3845. curvirostris, Sw.; P. C. 441; Baird, B. N. A. pl. 51. Mexico, Texas. vetula, Wagl.; turdinus, Tcm.

3846. redivivus, Gamb.; Pér. Voy. Atl t. 37; Cass. B. Calif. pl. 42. California.

3847. Lecontei, Lawr.; Baird, B. N. A. pl. 50.

3848. crissalis, Henry; Baird, B. N. A. pl. 82. S. Rocky M.

3849. ocellatus, Sclat. Pr. Z. S. 1862, pl. 3. S. Mexico.

3850. cinereus, Xantus; Elliot, B. of N. A. pl. Low. California.

968. i. METHRIOPTERUS, Reich, 1850.

Mimus, Boic, 1828. Toxostoma, Cab. 1847. Reich, S. A. t. 55. f.

3851. rufus, L.; P. E. 645; Wils. A. O. pl. 14. 1; Naum. Vog. E. of N. Amer., t. 384. 2. Heligoland.

3852. longirostris, Lafr. Mag. de Zool. 1839, t. 1; Baird, B. N. A. pl. 52. E. Mexico.

969. CINCLOCERTHIA, G. R. Gr. 1840.

Stenorhynchus, Gould, 1835, nec Meig. 1823.

L'Herminierus, Less. 1843? G. of B. i. p. 134, pl. 41. f. 3; Reich. S. A. t. 37. f. .

a. Cinclocerthia.

3853. ruficauda, Gould; Sclat. & Salv. Exot. Orn. pl. 10. Nevis, Guade. tremulus, Lafr.

guadeloupensis et infaustus, Lers.?

3854. gutturalis, Lafr.; Sclat. & S. Ex. Orn. pl. 12. Martinique.

3855. macrorhyncha, Sclat. & S. Ex. Orn. pl. 11. St. Lucia. malacorhyneha!. Hartl.

972.

D. b. Ramphocinclus, Lafr. 1843.Legriccinclus, Less. 1847. Cinclops, Bp. 1854.

3856. brachyurus, V. cinclops et melanoleucus, Bp.

St. Lucia, Murt. Guadeloupe.

971. MYIOPHONEUS, Tem. 182 ?

Myiophonus, *Bp.* 1850. Myophonus, *Vig.* 1825. *G. of B.* i. p. 214, pl. 55. f. 8; *Reich. S. A.* t. 53. f.

3857. flavirostris, Horsf.; P. C. 170. metallicus, Tem.

Java, Sumatra.

Himalaya M.

3858. Temminckii, Vig.; Gould, C. B. pl. 21.

3859. cæruleus, Scop. China.

nitidus, Gr.; brevirostris, Lafr.

I. of Formosa.

3860. insularis, Gould, B. As. pl. .

et Myiophaga, Less. 1831. Myiophoneus, Boie, 1826.

3861. cyaneus, Horsf.; P. C. 194. glaucina, Tem.

Java.

3862. Horsfieldii, Vig.; Gould, C. B. pl. 20.

S. & W. India.

923. CHÆTOPS, Sw. 1831.

Argya, p., Less. Argya, Des Murs. G. of B. p. 217, pl. 56. f. 3; Reich. S. A. t. 55. f.

3863. frenatus, Tem. P. C. 385. Burchellii, Sw. S. Africa. Caledon.

3864. aurantius, Layard.

S. Afr., Graaff R.

3865. Grayii, Sharpe, Pr. Z. S. 1869, pl. .

Damaraland.

974. BESSONORNIS, Smith, 184 ?

Cossypha, Vig. 1825. Dessonornis, Smith, 1836. Gossypha, Less. 1828. Dessornis, Cab. 1850. Cassypha, Agass. Dessornis, De Fil. 1863 or 1864. G. of B. i. p. 220, pl. 56. f. 2; Reich. S. A. t. 53. f.

3866. bicolor, Sparrm.; Lev. O. A. t. 104; Sw. I. Z. pl. 179. reclamator, V.; vociferans, Sw. dichroa, Gm.; revocator, Tem.; melanotis, Less.

S. Africa.

3867. ? natalensis, Smith, I. S. A. Z. pl. 60. vociferans, p., Gurn.

S. Africa, Natal.

3868. caffra, V.; Lev. O. A. t. 111.
phonicurus, Gm.; superciliosa, Sparrm. (?)
pectoralis, Shaw; superciliaris, Licht.

S. Africa.

3869, Isabellæ, G. R. Gr.

Cameroons.

3870. albicapilla, V.	W. Africa.
albiceps, Cuv.; leucoceps, Sw.	
3871. verticalis, Hartl.; B. of W. Afr. pl. 32. albicapilla, Sw.; Swainsoni, Bp. monachus, Heugl.	***
3872. pyrrhopygia, Hartl.	,,
3873. poensis, Strickl.; Fras. Zool. Typ. pl	,,
3874. gutturalis, Guér.; Ferr. & Gal. Voy. en Abyss. t. 5. albigularis, v. Pelz.; Ibis, 1867, pl. 1. Filoti, De Fil. ♀; Finota, Aliq.	Palestine.
3875. semirufa, Rüpp. Wirb. t. 21. nigrocapilla, Guér.	Abyssinia.
3876. humeralis, Smith, I. S. A. Z. pl. 48.	S. Africa.
3877. eyanocampter, Cab.	W. Africa.
3878. diademata, Cab.	,, .
3879. intermedia, Cab.; Decken, Reisen, t. 12.	E. Africa.
3880. Heuglinii, Heugl. Orn. N. O. Afr. t. 13.	Keren.
3881. Bocagei, Hartl. & F.	Bogosland.
3882. ? auraticollis, V.; Lev. O. A. t. 119.	

975. COPSYCHUS, Wagl. 1827.

3883. ? melanictera, V.; Lev. O. A. t. 117.

aurigularis, Voigt.

australasiæ, Shaw.

Gryllivora, Sw. 1831. Lalage, Boie, 1828 nec 1826. Dahila, 1836, et Polypeira, 1841, Hodgs. G. of B. i. p. 177, pl. 50. f. 1; Reich. S. A. t. 60. f.

a. Copsychus.

3884. saularis, L .; E	dw. B. pl. 181; Gould, B. As. pl.	India.
intermedia, Jerd.;	docilis, Hodgs.; melanoleuca, Less. Two Cent. & a quart. f. 46, a?	Tenasscrim.

3885. amœnus, Horsf.; Sw. Two Cent. & a quart. f. 46, c?. Java. brevirostris, Sw.?; saularis, p., G. R. Gr. pluto, Tem.; Schl. Handl. Dierk. t. 2. 19. Borneo, Labuan. chaly bæus et leucopterus, Cuv.

3886. mindanensis, Gm.; P. E. 627. 1; Gould, B. As. pl.; Philippine I., Sw. Two Cent. & a quart. f. 46, b.
saularis, p.
musicus, Raffl.; intermedia et rosea, Sw.
Siam.
Sumatra.

3887. luzoniensis, Kittl. Kupf. Vög. t. 11. 2. Philippine I.

Madagascar.

3888. pica, v. Pelz.; Poll. & V. D. F. de Madag. t. 29.

3889. ceylonensis, Sclat. brevirostris, Bl.

Ccylon.

3890. imerina, Hartl. melanura, Lafr.

Madagascar.

3891. ?? suratensis, Gm.

3892. ?? pectoralis, Steph.; Lev. O. A. t. 110.

b. Cercotrichas, Boie, 1831. 976.

Kittacinela, Gould, 1836. Cittacinela, Agass.

3893. macrourus, Gm.; Lath. Syn. pl. 39; Lev. O. A. t. 114. India, Ccylon. longicauda, Sw.; tricolor, V.

3894. suavis, Sclat.; Gould, B. As. pl.

S. Borneo.

3895. auricularis, Swinh. Ibis, 1866, pl. 4.

I. of Formosa.

3896. Stricklandii, Dillw. N. H. Labuan, pl.

Labuan.

c. Gervaisia, Bp. 1853. 977.

3897. albispecularis, Eyd. & Gerv. Mag. de Zool. 1836, t. 64, 65. Madagascar.

3898. sechellarum, A. Newt. Ibis, 1865, pl. 8.

· Seychelles.

FAM. VII. HYDROBATIDÆ, G. R. Gr.

Cinclidæ, *Bp.* 1850.

Subfam. I. Hydrobatinæ, G. R. Gr.

Cinclinæ, Cab. 1847.

938. HYDROBATA, V. 1816.

Cinclus, Bechst, 1802, nec Moehr, 1752. Aquatilis, Mont. 1813.

G. of B. i. p. 215, pl. 55. f. 1; Reich. S. A. t. 52. f. 3899. cinclus, Gm.; P. E. 940; Gould, B. E. pl. 83.

C. & S. Europe.

aquaticus, Bechst.; europæus, Steph. gularis, Lath.

3900. albicollis, V.

Switz., Lebanon.

bicolor, V.; aquaticus, Tristr. aquaticus, var. rufiventris et albiventris, Hempr. & Ehr. meridionalis, rufipectoralis, et rupestris, Brehm.

3901. melanogastra, Tem.; Gould, B. E. pl. 84. agnaticus, var. B. Blas.; cinclus, L.

septentrionalis et peregrinus, Brehm.

W. Europe.

3902. asiatica, Sw.; Gould, C. B. pl. 24; B. As. pl.

tenuirostris, Gould. Pallasii, Viq.

N. India.

maculatus, Hodgs.

E. Siberia, Heli-

Veragua.

3903. cashmiriensis, Gould, B. As. pl. Cashmere, Thicinclus, Adams. Cashmere, Thibet, Persia.

3904. sordida, Gould, B. As. pl. Cashniere.

3905. mexicana, Sw.; Bp. A. O. pl. 16. 1. RockyM., N.Am. pallasii, Bp.; americanus, Rich.; unicolor, Bp. Mortoni, Towns.; Townsendii, Aud.

3906. leuconota, Sclat. Cat. of A. B. pl. 2. New Granada. leucocephalus, Lafr. Ecuador.
 3907. leucogaster, Eversm.; Gould, B. As. pl. W. Siberia.

aquaticus, var. γ , Blas.; cinclus, var., Pall. aquaticus, p., Schl.

3908. Pallasii, Tem.; Gould, B. E. pl. 85; Schl. Handl. Dierk. t. 2. 23.

t. 2.23. goland. cinclus, var., Pall.; aquaticus, var. δ, Blas. Japan.

3909. marila, Swinh.

Pallasi, Gould & Swinh.

I. of Formosa.

3910. leucocephala, Tsch. F. P. t. 15. 1. Peru, Bolivia.

FAM. VIII. **EUPETIDÆ**, G. R. Gr. Cinclidæ, p., et Mesitidæ, Bp. 1850.

Subfam. I. Eupetinæ, Bp. 1850.

979. EUPETES, Tem. 182 ?
G. of B. i. p. 207, pl. 55. f. 7; Reich. S. A. t. 52. f.

a. EUPETES.

3912. macrocorcus, Tem. P. C. 516. Sumatra.

980. b. Ajax, Less. 1837.

3913. ajax, Tem. P. C. 58.

typicus, Less.

3911. ardesiaca, Salv. Ibis, 1867, pl. 2.

3914. cærulescens, Tem. P. C. 574. New Guinea.

Subfam. II. Mesitinæ, Bp. 1850.

MESITES, I. Geoffr. 1838.
 Mesœnas, Reich. Mesitornis, Ep. 1855.
 G. of B. iii. p. 491, pl. 124, 3; Reich. S. A. t. 24, f.

3915. variegata, I. Geoffr.; Des Murs, I. O. t. 11, 12. Madagascar, unicolor, Des Murs.

FAM. IX. PYCNONOTIDÆ, Bl. 1849.

Brachypodidæ, Cab. 1851.

Subfam. I. Pycnonotinæ, G. R. Gr. 1840.

Brachypodinæ, Sw. 1831. Ixodinæ, Bl. 1849. Dicrurina, p., Vig. 1825.

982. MICROSCELIS, G. R. Gr. 1840.

Galgulus, Reich. 1850, nec Briss. 1760. G. of B. i. p. 235, pl. 59. f. 4; Reich. S. A. t. 54. f. .

a. Microscelis.

3916. amaurotis, Tem. P. C. 497; Schl. F. J. t. 31 B. squamiceps, Kittl. Mém. Ac. Pétersb. 1835, t. 16; Kupf. Vög. t. 12.1.

Japan.

3917. philippensis, Gm.; Kittl. Kupf. Vög. t. 12. 2.

I. of Bonin. Philippine I.

3918. melanoleucus, Gr.

China.

983. b. Microtarsus, Eyton, 1839.

Microscelis, 1850, et Ixocherus, 1853, Bp. Macroscelis, Bl. 1849.

3919. melanoleucus, Eyton. vidua et sylvestris, Tem.; tristis, Bl.

Malacca. Sumat., Borneo.

3920. Blanfordi, Jerd. familiaris, Bl.

Thayetmyo. Upper Burmah.

3921. olivaceus, Moore.

Malacca.

984. c. Trachycomus, Cab. 1851. Pienonotus, Bp. 1850.

3922. ochrocephalus, Gm.; Brown, Ill. Zool. pl. 22; P. C. 136. crispiceps, Bl.; zeylanicus, Gm.?

Java, Sumatra. Pinang.

985. PYCNONOTUS, Kuhl, 1826.

Brachypus, Sw. 1824, nec Mcy. 1815. Hæmatornis, Sw. 1831. Ixos, Strickl. 1841. Picnonotus, G. R. Gr. 1840.

Sw. C. of B. f. 205, h; G. of B. i. p. 237; Reich. S. A. t. 54. f.

a. Pycnonorus.

3923. tristis, Müll.; P. E. 317.

Egypt, Arabia.

capensis, var., Lath.; nigricans, V. Levaillantii, Tem.; xanthopygius, Ehrenb.

3924. capensis, L.; Briss. Orn. ii. t. 27. 3; Lev. O. A. t. 105. S. Africa.

3925. arsinoë, Licht. Egypt, Arabia.

N. Africa. 3926. barbatus, Desfon.

obscurus, Tem.; lugubris, Less. Spain.

Philippines?

W. Africa. 3927. ashanteus, Bp. 3928. xanthopygos, Hempr. & Ehr. Palestine. Vallombrosæ, Bp.; xanthopygius, Tristr. 3929. flavicollis, Sw. W. Afr., Gambia, Sierra Leone. 3930. cafer, L.; P. E. 563. 1; Lev. O. A. t. 107. 1. S. Africa. hæmorrhoa, Gm.; Brown, Ill. Zool. pl. 31. 1; fuscus, Müll. 3931. aurigaster, V.; Lev. O. A. t. 107. 2. ,, ? 3932, tricolor, Hartl. Angola. aurigaster, Hartl.? 3933. flaviventris, Tick.; Gr. I. Ind. Z. pl. 35. 1. Nepal, Bootan, Pegu. melanocephalus, Gr.; plumifera, Gould. 3934. xantholæmus, Jerd. I. Ind. Orn. pl. 35. E. Ghat. 3935. brunneus, Bl. Malacca. 3936. leucogrammicus, Müll. Sumatra. b. Rubigula, Bl. 1845. Brachypus, Sw. 1831, nec 1824. Sphagias, Cab. 1851. Sw. C. of B. f. 208, a. 3937. dispar, Horsf.; P. C. 137. Java, Sumatra. 3938. gularis, Gould; Jerd. Ill. Ind. Orn. pl. 37. Madras. rubineus, Jerd. 987. c. Meropizus, Bp. 1854. Pycnonotus, p., et Rubigula, p., Bl. 3939. atricapillus, V.; Lev. O. A. t. 140. 1. Ceylon. nigricapilla, Drap.; aberrans, Bl. mouachus, G. R. Gr.; monacus, Bp. melanictera (Gm.), Walden; gularis, Kelaart. 988. d. Kelaartia, Bl. (apud Jerd.). 3940. penicillatus, Bl. Ceylon, Mysore. 989. e. Crocopsis, Reich. 1850. Hæmatornis, p., Sw. Reich. S. A. t. 54. f. . 3941. bimaculatus, Horsf.; Less. C. de Zool. t. 75. Java. 990. f. Ixos, Tem. Ixus, Nitzsch, 1840. Loidorusa, Reich, 1850.

Lœdorusa, Cab. 1851.

psidii, Gm.

G. of B. i. pl. 59. f. 3; Reich. S. A. t. 54. f. . . 3942. goiavier, Scop.; Sonn. Voy, t. 28.

3943. analis, Horsf. psidii, Tem.; goiavier, Striekl.

Java.

3944. luteolus, Less. flavirictus, Strickl.; virescens, Tick. Tickellii, Bl. India, Ceylon.

3945. Susanii, Müll.

Sumat., Borneo.

3946. flavescens, Bl.

Khasia Hills.

3947. Finlaysoni, Strickl.

Pegu, Tenass.

3948. sinensis, Gm.; Mag. de Zool. 1836, t. 66; Voy. Favor. t. 14. occipitalis, Less.; palmarum, Tem.

S. China, Isl. of Formosa.

3949. Gourdini, Homb. & Jacq. Voy. Pôle Sud, t. 14. 1. Yonrdini!, G. R. Gr. Borneo.

3950. inornatus, Kuhl.

3951. simplex, Less. plumosus, Bl.

Sumatra.

3952. Fisquetii, Eyd. & Gerv. Voy. Bonite, t. 5.

Malabar.

3953. —— ? simplex, Kuhl.

Sumatra.

991. g. Alcurus, Hodgs, 1843.

3954. striatus, Bl. nipalensis, Hodgs.

Himalayas. Nepal, Darjeel.

992. h. Hemixus, Hodgs. 1845.
 Hemipus, Hodgs. 1846. Hemixos, Hodgs. et Bl. 1845.
 3955. flavala, Hodgs.; G. R. Gr. & M. G. B. pl. 59.

Nanal Postan

993. i. —?

Nepal, Bootan.

Brachypus, Cab. 1851. Hæmatornis, p., Sw. Reieh. S. A. t. 54. f.

3956. chrysorrhoides, Lafr. cafer, Sykes: pusillus et pseudocafer, Bl. var. intermedius, Hay; hæmorrhous, auet. nigropileus, Jerd. atricapillus, Jerd. India.

Nepal.

3957. pygmæus, Hodgs. eafer (p., Lath.), M·Clell.; bengalensis, Bl. N.W. Provinces, Burmah. China.

3958. crocorrhous, Striekl.; Brown, Ill. pl. 31, 2. hæmorrhous, Horsf.; aurigaster, p., Cab. chrysorrhœus, Lath. S. Burmah. Java, Sumatra.

994. j. Eurtilosus, Reich. 1850.
Reich. S. A. t. 54. f. .

HAND-LIST OF BIRDS.	271
3959. euptilosus, Jard. & S. I. O. pl. 3. eutilosus, Jerd.	Malaeea.
995. k. Отосомрял, Cab. 1851. Copsychus, p., Wagl. 1827. Ixos, Bp. 1850.	
3960. jocosus, L.; P. E. 508?; Dixon, Voy. pl. p. 360. cristata, Gm.; ehinensis, Osb. erythrotis, Sw.	China,
3961. pyrrhotis, Hodgs. joeosa, Jerd.	Nepal.
3962. fuscocaudatus, Gould.	S. India.
3963. erythrotis, Bp.	Java.
3964. leucogenys, Gr. I. In. Z. pl. 35. 3. plumigerus, Lafr.; cristatus, Burn.	Nepal, Bootan.
3965. leucotis, Gould.	India, Persia.
3966. tigus, <i>Müll</i> .	Sumatra.
3967. emeria, Shaw, Nat, Misc. pl. 645. montieola, M [*] Clell.; jocosa, p., Jerd.	Bengal. Nepal.
3068. tympanistrigus, Müll. eristatellus, Tem.	Sumatra.
996. l. Spizixos, Bl. 1845.	
3969. canifrons, Bl.; Gould, B. As. pl.	Khasia Hills,
3970. semitorques, Swinhoe; Gould, B. As. pl.	Afghanistan. I. of Formosa, Foochow.
997. <i>m.</i> IXIDIA, 1846, <i>et</i> Ixodia, 1845, <i>Bl.</i>	
3971. cyaniventris, Bl. aureum, Eyton; poliopsis, Müll.	Malaeca. Sumatra, Tenass.
998. n. Brachypodius, Bl. 1845. Prosecusa, Reich. 1850. Ixos, p., Tem. Reich. S. A. t. 54. f.	
3972. melanocephalus, Gm.; Lath. Syn. pl. 6; P. C. 147. atriceps, Tem.	Java, Sumatra.
3973. ? metallicus, Eyton.	Malaeea.

3974. squamatus, Tem. P. E. 453. 2. Tiperah Hills. 3975. einereoventris, Bl. 3976. poliocephalus, Jerd. I. Ind. Orn. pl. 31. Malabar.

Java.

o. "Apalopteron, Schiff.," Bp. 1853. 999.

melanocephalus, p., Bl.

3977. familiaris, Kittl. Mém. Ac. St. Pétersb. 1835, t. 13. Isle of Bonin.

Subfam. II. Phyllornithinæ, Cab. 1847. Brachypodinæ, p., Sw. 1837.

1000. PHYLLASTREPHUS, Sw. 1831.

Brachypus, p., Sw. 1831. Phyllostrephus, Agass. Phyllotrophus, Sundev. Phyllostrophus, Bp. 1854. Phyllostrophus, Cass. 1855.

Sw. C. of B. f. 205, a, b; G. of B. i. p. 238, pl. 59. f. 6.

3978. capensis, Sw.; Lev. O. A. t. 112. 1. terrestris, Sw.

3979. scnegallus, Müll.; P. E. 563. 2. lugubris, Bodd.; senegalensis, Gm.

1001. HYPSIPETES, Vig. 1831.

G. of B. i. p. 237, pl. 59, f. 1; Reich, S. A. t. 54, f.

a. Hypsipetes.

3980. psaroides, Vig.; Gould, C. B. pl. 10.

3981. ganeesa, Sykes; Jard. & S. I. O. pl. 2.

3982. **M'Clellandii**, Horsf. viridis, Hodgs.

3983. neilgheriensis, Jerd. ganeesa, p., Bl.; nilgiriensis, Bl.

3984. virescens, Tem. P. C. 382. 1.

3985. malaccensis, Bl.

3986. nicobariensis, Moore; Reise Novara, t. 3. 2. virescens, Bl.

3987. nigerrima, Gould, B. As. pl.

3988. Tickellii, Bl.

3989. concolor, Bl. psaroides, Horsf.

3990. Holki, Swinh.

3991. niveiceps, Swinh.

3992. gularis, Cuv.; Arch. du Mus. vii. pl. 18. philippensis, Strickl.

1002. b. Ixocincla, Bl. 1845.

Anepsia, Reich. 1850. Reich, S. A. t. 54. f. .

3993. madagascariensis, Müll.; P. E. 557. 2. ourovang, Gm.

S. Africa.

Senegal.

Himalayas.

Decean.

Bootan, Nepal.

Dootan, Nepar.

Neilgherries, Ceylon, Java, Sumatra.

Malac., Borneo. Nicobars.

I. of Formosa.
Tenasserim.

"

Assam. Foochow.

Swatow.

China.

Philippine I.

Madagascar. Mohilla. 3994. borbonica, Gm.; Briss. Orn. ii. t. 24, 3.

I. of Bourbon. atricilla, Cuv.

3995. olivacea, Jard. & S. I. O. pl. 168. Mauritius.
3996. crassirostris, E. Newt. Seychelles.

1003. c. Tylas, Hartl. 1862.

3997. Edwardi, Hartl. Pr. Z. S. 1862, pl. 18; N. Arch. du Mus. i. t. 5. 2. Madagascar. Goudoti, Verr.; madagascariensis, Grandid. MS.

1004. SIBIA, 1839,

et Alcopus, 1841, Hodgs.
Heterophasia, 1842, et Actinodura, 184 ?, Bl.
G. of B. i. p. 238, pl. 59. f. 2.

a. Sibia.

3998. picaoides, Hodgs. Nepal, Sikkim. cuculoides, Bl.; cuculopsis!, Jerd. Bootan.

1005. b. Malacias, Cab. 1851.

3999. capistrata, Vig. Himalayas. melanocephalum, Royle.

4000. gracilis, M·Clell. Assam.
4001. nigriceps, Hodgs. Nepal.

4002. melanoleuca, Bl. Tenasserim. picata, Tick.

4003. ? auricularis, Swinh. Ibis, 1866, pl. 4. I. of Formosa.

1006. CRINIGER, Tem.

Trichas, Glog. 1827, nec Sw. 1827.
Trichophorus, Tem. 1838, nec Serv. 1834.
Trichoxos, Hartl. nec Less.
Alcopus, Hodgs. Tricophorus, Cass. 1855.
Sw. C. of B. f. 38, 123, 207, a, b; G. of B. i. p. 235, pl. 59. f. 5; Reich. S. A. t. 54. f.

a. Criniger.

4004. tephrogenys, Jard. & S. I. O. pl. 127. W. Af., Gambia, gularis, Sw. Sierra Leone.

4005. icterinus, Bp. W. Af., Ashanti.

4006. simplex, Tem.

Ashanti.

4007. notatus. Cass. Journ. Ac. Phil. 1862. pl. 22. 2.

Moonda River.

4007. notatus, Cass. Journ. Ac. Phil. 1862, pl. 22. 2. Moonda River. 4008. tricolor, Cass. Muni River.

4009. canicapillus, Hartl. W.Afr., Gambia.

4010. chloronotus, Cass. Journ. Ac. Phil. 1862, pl. 22. 1. Camma.
4011. flavicollis, Sw. W. Africa.

4012. tephrolæmus, G. R. Gr. Cameroon.

 \mathbf{T}

4013. flaviventris, Smith, I. S. A. Z. pl. 59.

1008. c. Beopogon, Heine, 1860.

4035. indicator, Verr. leucurus, Cass.

4036. nivosus, Tem.

4014. cinerascens, Hartl.

S. Africa.

Ashanti.

W. Africa.

W. Af., Ashanti.

4015. flaveolus, Gould. xanthogaster, Hodgs.	Himalayas. Bootan, Nepal.
4016. gularis, Horsf. rufocaudatus, Eyton.	Java.
4017. gutturalis, Müll.	Sumat., Borneo.
4018. affinis, Homb. & Jacq. Voy. Pôle Sud, t. 15. 1. sulphurascens, Tem.; flavicauda, Bp.	Ceram, Amboina.
4019. longirostris, Wall.	Sula.
4020. mysticalis, Wall.	Bouru.
4021. chloris, Finsch. simplex, Wall.; flavicauda, p., G. R. Gr.	Batchian, Gilolo. Morty, Sula.
4022. phaiocephalus, Hartl. Cantori, Moore. caniceps, Lafr.	Malacca.
4023. ictericus, Strickl. indicus, Jerd.	India, Ceylon.
4024. barbatus, Tem. P. C. 88. strigilatus, Sw.	W. Africa.
4025. olivaceus, Sw. Class. of B. f. 207, b (bill).	**
4026. poliocephalus, Tem.	"
4027. eximius, Hartl.	Dabocrom.
4028. sulphuratus, <i>Müll.</i> sulphureus, <i>Tem.</i>	Borneo.
4029. striolatus, Müll.	Sumatra.
4030. ? criniger, Less.	>>
4031. ochraceus, Moore.	Tenasserim.
4032. minutus, Hartl.	Malacca.
4033. Charlottæ, Finsch.	Borneo, Sumatr.
1007. b. Ixonotus, Verr. 1851.	
4034. guttatus, Verr.	W. Af., Gaboon.

1009. d. Pyrrhurus, Cass. 1859. Gambia. 4037. pallescens, Hartl. 4038. scandens, Sw. B, W, Afr, i. pl. 30. Moonda R. 4039. leucopleurus, Cass. 1010. e. Tricuites, Heine, 1860. 4040. serinus, Verr. Gaboon. xanthogaster, Cass. 1011. f. Hypotrichas, Heine, 1860. 4041. calurus, Cass. Journ. Ac. Phil. 1862, pl. 22. 3. ,, 1012. g. Xenocichla, Hartl. 1857. Dasycephala, p., Sw. Trichophorus, p., Hartl. Bleda, Bp. 1857. W. Africa. 4042. syndactylus, Sw. 1013. h. Bernieria, Bp. 1854. Macrosphenus, p., Cass. Tatare, p., Poll. & V. D. Rhamphocœnus, Less. Madagascar. 4043. minor, Bp. viridis, p., Cass. 4044. madagascariensis, Gm. viridis, Less.; major, Bp. 1014. i. Macrosphenus, Cass. 1859. 4045. flavicans, Cass. W. Af., Camma. 1015. j. Trichophoropsis, Bp. 1853. Borneo. 4046. typus, Bp. Bemmeleni, Finsch; pulverulentus, p.?, Bp. 4047. pulverulentus, Müll. Sumatra. 1016. k. IOLE, Bl. 1844. 4048. olivaceus, Bl. Malacea. Aracan, Malacca. 4049. viridescens, Bl. Tenasserim. virescens, Bl. 4050. viridis, Bp. Borneo. Java Sumatra. 4051, virescens, Tem.

I. SETORNIS, Less. 1839.

1017.

4052. criniger, Hay. sericea, Müll.

Malacca.

1018. ANDROPADUS, Sw. 1841.

Polyodon, Lafr. 1832, nec Lacép. 1798.

Brachypus, p., Sw. 1831.

Pycnonotus, p., Boie, 1828.

Sw. C. of B. f. 28, c, 205, g; G. of B. i. p. 236, pl. 59, f. 7; Reich. S. A. t. 54, f. .

4053. importunus, V.; Lev. O. A. t. 106. 2.

clamosus, Steph.; vocifer et familiaris, Sw. brachypodioides, Jard.

W. Africa. 4054. gracilirostris, Strickl.

4055. latirostris, Strickl.

4056, virens, Cass.

4057. curvirostris, Cass.

Ashanti. 4058, erythropterus, G. R. Gr.

4059. flavescens, Hartl.

4060. insularis, Hartl. 4061. oleaginis, Peters. Zanzibar, Tette.

S. Africa.

Madagascar.

Mozambique.

1019. YUHINA, 1836,

et Polydon, 1841, Hodgs. Juhina, Reich. 1850.

Odonterus, Cab. 1851.

G. of B. i. p. 198, pl. 53. f. 5; Reich. S. A. t. 61, f.

a. Yunina.

Darjeeling. 4062. gularis, Hodgs.

4063. nigrimentum, Hodgs. Nepal, Sikkim.

4064. occipitalis, Hodgs.; Gould, B. As. pl. Himalayas.

b. Ixulus, Hodgs. 1844. 1020.

4065. flavicollis, Hodgs.; Gould, B. As. pl. Darjeeling.

4066. occipitalis, Hodgs.; Gould, B. As. pl. Khasia Hills.

4067, castaneiceps, Moore; Gould, B. As. pl.

Burmah. 4068. striata, Bl. Tenasserim. nanus, Tick.

c. Myzornis, Hodgs. 1843. T021.

4069. pyrrhoura, Hodgs.; G. R. Gr. & M. G. B. pl. 53; Gould, Nepal, Sikkim. B. As. pl.

1022. PHYLLORNIS, Boie, 183 ?

Chloropsis, Jard. & S. 183 ?

Sw. C. of B. f. 206, d; G. of B. i. p. 124, pl. 39. f. 6; Reich, S. A. t. 35. f. .

4070. javensis, Horsf.; Jard. Ill. Orn. pl. 100 & 7; Gould, B. As, pl.	Java.
cochinchinensis, var., Raffl.; viridis, Horsf.	oava.
Sonneratii, Jard.; Mulleri, Tem. gampsorhynchus, Jard. & S.; zosterops, Vig.	

4071. cyanopogon, Tem. P. C. 512. 1; Gould, B. As. pl. Sumatra. cochinchinensis, Raffl.; mystacalis, Sw. moluccensis, Gr.; malabaricus, p., Bl.

4072. Jerdoni, Bl.; Hard. I. Ind. Zool. pl. 43; Gould, B. As. pl. India. gampsorhnychus, Tick.; eæsmarhynchos, Tick. cochinsinensis, Jerd.

4073. Hodgsoni, G. R. Gr.; Gould, B. As. pl. Himalayas. aurifrons, Bl.; malabaricus, Jard.

4074. icterocephala, Tem. P. C. 512. 2. Sumatra. malabaricus, Tem.

4075. **Hardwickii**, Jard.; Deless. Voy. Ind. t. 7; Gould, B. As. pl. Himalayas. currirostris, Sw.; auriventris, Deless. cyanopterus, Hodgs.; chrysogaster, M*Clell.

4076. media, Müll. Sumatra.
4077. venusta, Tem.

4078. aurifrons, Tem. P. C. 484. 1. India. malabaricus, p., Jard.

4079. malabarica, Gm. Acad. der Wissensch. 1856, t. 2. 1; Gould, B. As. pl. India. frontalis, Natt. & Pelz.; aurifrons, Sykes.

4080. cochinchinensis, Gm.; P. E. 643. 3. Sumatra, Java, Borneo.

Subfam. III. Crateropodinæ, Sw. 1837.

Timalinæ, p., G. R. Gr. Malurinæ, p., et Troglodytinæ, p., Cab. 1847.

1023. POMATORHINUS, Horsf. 1820.

Pomathorrhinus, *Bp.* 1831. *G. of B.* i. p. 228.

a. Pomatoriinus.

4081. montanus, Horsf. Zool. Res. Jav. pl. Java.

4082. erythrogenys, Vig.; Gould, C. B. pl. 55. Himalaya. ferrugilatus, Horsf.

4083. leucogaster, Gould. N.W. Himalaya. olivaccus. Bl.

4084. Horsfieldii, Sykes; Des Murs, I. O. t. 22.

As. pl.

4085. ruficollis, Hodgs. S.E. Himalaya. 4086. schisticeps, Hodgs. Himalaya. montanus, M'Clell. Ceylon. 4087. melanurus, Bl. 4088. musicus, Swinh. Ibis, 1863, pl. 6. I. of Formosa. 4089. erythrocnemis, Gould, B. As. pl. S.E. Himal., Dar. 4090. ferruginosus, Bl. 4091. bornensis, Cab. Borneo. montanus, Müll. Khasia Hills. 4092. McClellandii, Bl. 4093. rubiginosus, Bl. 4094. albogularis, Bl. Tenasserim. 4095. Tickellii, Bl. 4096, stridulus, Swinh. Foochow. 1024. b. Pomatostomus, Cab. 1850. Pomatorhinus, Viq. 1831. G. of B. i. pl. 57. f. 5; Reich. S. A. t. 57. f. . 4097. temporalis, Vig. & H.; Gould, B. A. iv. pl. 20. New S. Wales. trivirgatus, Tem.; frivolus, Lath.? N. Australia. 4098. rubeculus, Gould, B. A. iv. pl. 21. Australia. 4099. superciliosus, Vig. & H.; Gould, B. A. iv. pl. 22. 4100. Geoffroyi, Less. Voy. Coqu. t. 29. 2. New Guinea. Isidori, Less. Waig., Mysol. S. Australia. 4101. ruficeps, Hartl.; Gould, B. A. suppl. pl. 1025. c. Merulanthus, El. 1861. 4102. Phayrei, Bl. Assam. d. Orthorninus, Bl. 1844. 1026. 4103. hypoleucos, Bl.; G. R. Gr. & M. G. B. pl. 57. Aracan. albicollis, Horsf. e. Pterorhinus, Swinhoe, 1868. 1027. Pekin. 4104. Davidi, Swinhoe. f. Xiphorhamphus, Bl. 1843. 1028. Xiphirhynchus, Bl. 1842, nec Sw. 1827. Xiphorhynchus, Agass. 4105. superciliaris, Bl.; Jerd. 1. In. Orn. pl. 49; Gould, B.

Sikkim.

1029. MALACOCIRCUS, Sw. 1832.

Malacocercus, Strickl. 1841.

G. of B. i. pl. 57. f. 7; Reich. S. A. t. 55. f. .

a. Malacocircus.

4106. griseus, Lath.; Jerd. Ill. Ind. Orn. pl. 19. affinis, Jerd.

Carnatic.

4107. malabaricus, Jerd. Somervillei et orientalis, Jerd. India.

4108. terricolor, Hodgs.
benegalensis, Bl.; griseus, Hodgs.
canorus, p., Horsf. & M.

>1

4109. striatus, Sw. Zool. Ill. n. s. pl. 127.

Ceylon.

4110. cinereifrons, Bl.4111. Somervillei, Sykes.Sykesii, Jerd.

Bombay.

1030. b. Argya, Less. 1831.

4112. Malcolmi, Sykes; Gr. I. Ind. Z. pl. 36. 1; Fras. Zool.

Argia, Agass. Sphenura, Bp. 1830. Malcolmia, Bl. 1856.

Typ. pl. albifrons, Gr.

S. India.

4113. acaciæ, Rüpp. Atl. t. 8.

Nubia, Egypt.

4114. squamiceps, Rüpp. Atl. t. 12. Rüppellii, Less.

Arabia.

1031. c. Chatarrilea, Bl. 1856.

4115. gularis, Bl.

Burmah.

4116. caudatus, Dum. chatarrhæa, Frankl. isabellinus, Sw.

Behar, India.

4117. ? Huttoni, Bl. caudata, p., Jerd.

4118. Earlei, Bl. geochrous, Hodgs.

Nepal.

4119. chalybeus, Bp.

Palestine.

4120. rubiginosus, Rüpp. S. U. t. 19.

Schoa.

1032. d. LAYARDIA, Bl. 1856

4121. subrufus, Jerd. pæcilorhyncha, Lafr.

Malabar.

4122. rufescens, Bl.

Ceylon.

4142. Hartlaubi, Bocage.

4143, affinis, Boeage.

1033. e. Acanthoptila, Bl. 1856. 4123. nipalensis, Hodgs. leucotis et pellotis, Hodgs.	Nepal.
1034. CINCLOSOMA, Vig. & Horsf. 1825. G. of B. i. p. 224, pl. 57. f. 11; Reich. S. A. t. 55. f.	
4124. punctatum, Lath.; Shaw, Z. of N. H. pl. 9; Gould, B. A. iv. pl. 4.	N. S. Wales, Van Die. L., S.Aus.
4125. castanotum, Gould, B. A. iv. pl. 5. castaneonotum, Gould.	S. & W. Austr.
4126. cinnamomeum, Gould, B. A. iv. pl. 6.	S. Australia.
4127. castaneothorax, Gould, Pr. Z. S. 1848, pl. 6.	New S. Wales.
1035. CRATEROPUS, Sw. 1831. Cratopus!, Jard. G. of B. i. p. 224, pl. 57. f. 4; Reich. S. A. t. 55. f.	
a. Crateropus.	
4128. Reinwardtii , Sw. Zool. Ill. pl. 80. melanocephalus, Cuv.	W. Africa.
4129. bicolor, Jard.; Smith, I. S. A. Z. pl.	S. Africa.
4130. atripennis, Sw . capuzinus, $Less$.	W. Africa.
4131. platycircus, Sw. testaceus, Tem.	,,
4132. leucopygius, Rüpp. E. A. t. 30. 1.	Abyssinia.
4133. plebejus , Rüpp. Atl. t. 23. cinereus, Heugl.	W. Africa. Kordofan.
4134. leucocephalus, Rüpp. Atl. t. 4.	Abyss., Sennaar,
4135. limbatus, Harr.	White Nile. Schoa.
4136. fulvus, Desfont.; Exp. S. de l'Alg. t. 9 bis. 1. numidica, Levaill.	Algiers.
4137. Swainsoni, Smith.	S. Africa.
4138. gymnogenys, <i>Hartl</i> .	Angola.
4139. Salvadorii, Defil.	Persia.
4140. rufescens, Heugl.	N.E. Africa.
4141. ? sabara, Loche, R. et M. de Z. 1858, t. 11. 2.	Algiers.

W. Africa.

1036. b. Ischyropous, Reich. 1850. Reich. S. A. t. 55. f.

4144. Jardinii, Smith. I. S. A. Z. pl. 6.

S. Africa.

4145. melanops, Hartl.

Damaraland.

1037. e. Hypergerus, Reich. 1850. Hypochloreus, Cab. 1850.

Crateropus, 1840, et Moho, p., Less. Reich. S. A. t. 54, f.

4146. atriceps, Less.; Sw. B. of W. Afr. pl. 31. orioloïdes, Sw.

W. Africa.

1038. d. Cichladusa, Peters, 1863.

Bradyornis, p., Hartl.

4147. arquatus, Peters; Ibis, 1868, pl. 9. 1. Spekei, Hartl.

Mozambique.

4148. guttatus, Heugl.; Ibis, 1868, pl. 9. 2.

N.E. Afr., White Nile.

4149. ruficaudus, Hartl.

Gaboon.

1039. GARRULAX, Less. 1831.

Garrulaxis, *Lafr.* 1840. Garrularix !, *G. R. Gr.* 1846. Crateropus, p., *Sw. G. of B.* i. p. 225; *Reich. S. A.* t. 55. f.

a. GARRULAX.

4150. Belangeri, Less. Voy. Bélang. t. 4.

Tenasser., Pegu.

4151. Diardi, Less.

Cochin China.

4152. leucolophus, Hardw.; Gould, C. B. pl. 18.

Himalayas.

4153. chinensis, Scop.; Sonn. Voy. t. 107; Lev. Rolliers, t. 43. China. shanhu et melanopis, Gm.; leucogenys, Bl. auritus, Daud.

4154. perspicillatus, Gm.; P. E. 604.

4155. albogularis, Gould. albigula, Hodys.

'' Himalayas. Nepal.

4156. pectoralis, Gould. grisaure, Hodgs.; melanotis, var., Bl. Himalayas.

4157. moniliger, Hodgs.
pectoralis, M. Clell.; M. Clellandi, Bl.

S.E. Assam.

pectorans, M. Ciett.; M. C

Sumatra.

4158. lugubris, Müll.

Sumatri

4159. bicolor, Müll. coronatus, v. Krel.

4160. rufifrons, Less. Voy. Bélang. t. 5. perspicillatus, Tem.; ruficeps, Sw.? India.

HAND-LIST OF BIRDS. 282 I. of Formosa. 4161. ruficeps, Gould, B. As. pl. Samatra. 4162. palliatus, Müll. Amoy. 4163. sannio, Swinh. Assam. 4164. uropygialis, Cab. pectoralis, p., Jerd. Moulmein. 4165. strepitans, Tick. Tenasserim. 4166. poliogenys, Bl. Sumatra. 4167. rubiginosus, Bl. 4168. poliocephalus, Bl. b. IANTHOCINCLA, Gould. 1040. G. of B. i. pl. 57. f. 1, 2. Nepal, Sikkim. 4169. ocellatus, Vig.; Gould, C. B. pl. 15. Himalaya.

4170. rufigularis, Gould. rufimenta, Hodgs.

41". cærulatus, Hodgs. 4172. ruficollis, Jard. & S. I. O. pl. 21. lunaris, M'Clell.

4173. mitratus, Müll. Tijdschr. v. Nat. 1835, t. 5. 3.

4174. pœcilorhynchus, Gould, B. As. pl.

c. THAMNOCATAPHUS, Tick. 1849. 1041. 4175. picatus, Tick.

d. Gampsorhynchus, Bl. 1844. 1042. Mesogenea, Hodgs. MS. Thamnocataphus, p., Tick.

4176. rufulus, Bl. senilis, Tick:

1043. TROCHALOPTERON, Hodgs. 1844. Trochalopterum, Agass. G. of B. i. p. 225; Reich. S. A. t. 55. f. .

4177. squamatum, Gould; Jard. & S. I. O. pl. 4. melanura, Hodgs.

4178. phœniceum, Gould, I. A. pl. puniceus, Bl.

4179. subunicolor, Hodgs.

1044. PTEROCYCLUS, G. R. Gr. 1846. Trochalopteron, p., Jerd. G. of B. i. p. 226, pl. 57, f. 3; Reich. S. A. t. 55, f.

S.E. Himalaya. Himalaya.

Sumatra. I. of Formosa.

Darjeeling.

Nepal. Sikkim.

Darjeeling.

S.E. Himalaya.

Darjeeling.

a. Pterocyclus.

4180. erythrocephalus, Vig.; Gould, C. B. pl. 17. N.W. Himalaya.

4181. variegatus, Vig.; Gould, C. B. pl. 18. Nepal, Simla. Abcillei, Less.

4182. chrysopterus, Gould. Himalayas. erythropterus, Hodgs.

4183. affinis, Hodgs. S.E. Himalaya.

4184. cachinnans, Jerd. Madr. Journ. 1839, pl. 13. Nielgherries. Lafresnayi, Del.; Delesserti, Lafr.

4185. Fairbanki, Blanf. I. As. S. B. 1869, pl. 17^a. S. India.

4186. setifer, Hodgs. Nepal, Bootan. imbricatus, Bl.; lineatus, p., Bp.

4187. lineatus, Vig. Sikkim, Nepal.

4188. gularis, M^cClell.; Gould, B. As. pl. Khasia Hills.

4191. merulinus, Bl.

Darjeeling?

4192. melanostigmus, Bl.

Tenasserim.

1045. b. "Leucodioptron, Schiff.," Bp. 1853.

4193. cancrus, L.; Edw. B. pl. 184; Albin, B. iii. pl. 19; Briss.

Orn. ii. t. 23. 1.

China.

sinensis et faustus, L.

4194. taivanus, Swinhoe. I. of Formosa.

1046. ACTINODURA, Gould, 1836.

Leiocinela, Bl. 1843. Ixops, Hodgs. 1843. Actinura et Liocinela, Agass. G. of B. i. p. 226, pl. 57. f. 9; Reich. S. A. t. 55. f.

4195. Egertoni, Gould; Fras. Z. T. pl.; Gould, B. As. pl. Nepal, Darjeel. plumosa, Gould; rufifrons, Hodgs.

4196. nipalensis, Gould, B. As. pl. S.E. Himalaya.

1047. PELLORNEUM, Sw. 1831.

Cinclidia, Gould, 1837, nec Hübn. 1816.
Hemipteron, Hodgs. 1844.
Sw. C. of B. f. 210; G. of B. i. p. 227, pl. 57. f. 8; Reich. S. A. t. 53. f.

4197. ruficeps, Sw.
dumeticola, Tick.; punctata, Gould.
olivaceum, Jerd.?

Iudia.
Nepal.

4198. fuscocapillum, Bl.

4199. Tickellii, El.

Ceylon.

Tenasscrim.

1048. TURNAGRA, Less. 1837.

Keropia, G. R. Gr. 1840. Ceropia, Agass. Otagon, Bp. 1850. Sturnagra, Bl.

G. of B. i. p. 227, pl. 57. f. 12; Reich. S. A. t. 55. f.

a. Turnagra.

4200. turdus, Forst.; Voy. l'Astrol. t. 7. 1. erassirostris, Gm.; eapensis, Sparrm. malaria, Quoy & G.; ferruginea, V.?

N. Zeal., S. Isl.

4201. tanagra, Schl. 4202. Hectori, Buller.

New Zealand. N. Zcal., N. Isl.

b. Grammatoptila, Reich. 1850. 1049. Keropia, Bp. 1850, et p. G. R. Gr.

Reich. S. A. t. 85, f.

Kittasoma, Bl. 1855.

N. India.

4203. striata, Vig.; Gould, C. B. pl. 37.

1050. PSOPHODES, Vig. & H. 1826. Timalia, p., et Phosphodes, Sw. 1837. Timalia, p., Sw. G. of B. i. p. 128, pl. 38. f. 6; Reich, S. A. t. 35. f.

4204. crepitans, Lath.; Jard. & S. I. O. pl. 60; Gould, B. A. S.E. Australia. iii. pl. 15.

auritus et olivaceus, Lath. gularis, Wagl.; Abeillei, Less.

4205. nigrogularis, Gould, B. A. iii. pl. 16.

W. Australia.

FAM. X. DICRURIDÆ, Bl. 1849.

Subfam. I. Dicrurinæ, Sw. 1837.

Dicrurina, Vig. 1825. Edolianæ, p., et Oriolinæ, p., 1831, Sw. Dicrourinæ et Pyenonotinæ, p., Cab. 1847.

1051. DICRURUS, V. 1816.

Bhuchanga, Hodgs, 1837. Dicrourus, Glog. 1842.

Balicassius, Bp. 1854.

Sw. C. of B. f. 204; G. of B. i. p. 287.

a. Dierurus.

4206. balicassius, L.; P. E. 603.

viridescens, Gould; furcatus, Wagl. afer, Licht.

Philippine 1.

Cevlon. Assam, Burmah.

4207. annectans, Hodgs. bluthang, Hodgs.; affinis et balicassius, Bl. furcatus, Bp.	Assam, Burmah. Malacca.
4208. ambcinensis, G. R. Gr.	Amboin., Ceram.
4200. bracteatus, Gould, B. A. ii. pl. 82. balicassius, Vig. & H.	New S. Wales. N. Australia.
4210. carbonarius, Müll.	N. Guin., Waig., Mysol.
4211. assimilis, G. R. Gr.	Aru.
4212. bimaensis, Tem. 4213. densus, Tem. balicassius, Müll.	Cele., Sumbava, Lomb., Flores. Timor.
4214. pectoralis, Wall.	Sula.
4215. cæruleus, Müll.; Lev. O. A. t. 172. cærulescens, Lath.; fingah, Shaw.	India.
4216. leucophæus, V.; Lev. O. A. t. 170. ceylonensis, Steph.; cineraceus, Bl. cinereus, Bl.	Ceylon? Malacca.
4217. furcatus, Gm. leucopygialis, Bl.	,,
4218. leucogenis, Wald.	Pinang.
4219. megalornis, G. R. Gr.	Kei.
4220. atroewruleus, G. R. Gr. 4221. picinus, Müll.	Batch., Gilolo, Celebes. Sumatra.
4222. andamanensis, Tytl.	Andamans.
4223. lophorinus, V.; Lev. O. A. t. 173. edoliformis, Bl.; balicassius, p., Lath.	Ceylon.
4224. leucops, Wald.	Celebes.
4225. leucogaster, V.; Lev. O. A. t. 171. albiventer, Steph.	Java.
4226. comice, Less. cincraceus, var., Less.	New Ireland,
1052. b. ——? Dicrourus, Bp. 1854.	
4227. albirictus, Hodgs. As. Res. xviii. pl. macrocereus, Bl.; balicassius, p., Lath. balicassius, Sykes.	India, Nepal. Ceylon, Assam. Burmah.
4228. longicaudatus, Hay.	India, Nepal.

macrocercus, Jerd.; pyrrhops, Hodgs. cineraceus, G. R. Gr.; intermedius, Bl.

4229. macrocercus, V.; Lev. O. A. t. 174. Java. longus, Tem.; biloba, Licht. forficatus, Horsf.

4230. Waldeni, Poll. & V. D. F. de Madag. t. 23.
forficatus, Sciat.?

Mayotte.

4231. himalayanus, Tytl. Waldeni, Beav.? Himalayas.

1053. c. Musicus, Reich. 1850.

Dicrourus, Cab. 1851. Reich, S. A. t. 88. f.

4232. musicus, V.; Lev. O. A. t. 167. emarginata, Licht.

S. Africa.

4233. modestus, Hartl. Abh. d. Naturw. Ver. in Hamb. t. 4. W. Africa. ashantensis, Tem.

4234. atripennis, Sw.

4235. coracinus, Verr.

Gaboon. W. Africa.

4236. divaricatus, Licht.

canipennis, Sw.; mystaceus, p., Bp. fugax, Peters.

Tette, Inhambane. Abyssinia.

4237. lugubris, Ehrenb. Sym. Phys. t. 8. 3. divaricatus, p., Hartl.4238. ? mystaceus, V.; Lev. O. A. t. 169.

S. Africa.

d. EDDLIUS, Cuv. 1817.
 Drongus, Rafing. 1815? Drongo, Reich. 1850.
 Lanius, L. 1766. Hedolius, Agass.
 Reich. S. A. t. 81. f.

4239. forficatus, L.; P. E. 189; Lev. O. A. t. 166; Gal. des Ois. t. 141? cristatus, V.

Madagascar.

1055. e. Dissemurus, Glog. 1842.

Edolius, Sundev. 1835. G. of B. i. pl. 70. f. 5; Reich. S. A. t. 88. f.

4240. malabaricus, Lath.; Sonn. Voy. t. 111. platurus, p., V.; cristatellus, Bl. grandis, Horsf.

India, Malabar. Tenasserim. Moalmaza.

4241. brachyphorus, Tem.; Schl. Handb. Dierk. t. 2. 24. brachypterus, Schl.

Borneo.

4242. malabaroides, Hodgs.; Lath. Hist. B. pl. 108. grandis, Gould; malabaricus, p., Lath. retifer et paradiscus, Jerd.; paradiscus, var., Bl. orisse et dentirostris, Bl.; bengalensis, Hay?

India, Himala. Tenasserim. Assam, Burmah.

4243. formosus, Cab.

Java, Banda.

4244. singularis, n. sp.?

Malabar.

4245. platurus, V.; Lev. O. A. t. 175. setifer (retifer), Tem.; malabaricus, Cuv paradiseus, p., Bl.

Java.

malayensis, Bl.
4246. paradiseus, L.

Malacca. Siam.

malabaricus, p., Lath.; platurus, p., V. rangoonensis, Gould; Jard. & S. I. O. pl. 38.

Burmah.

4247. affinis, Tytl.

Andamans.

1056. f. Dicranostreptus, Reich. 1850. Reich. S. A. t. 88. f.

4248. megarhynchus, Quoy & G. Voy. Astrol. t. 6. mezorhynchus, Jerd.

New Guinea. New Ireland.

1057. BHRINGA, 1837,

et Melisseus, 1841, Hodgs. G. of B. i. p. 287, pl. 70. f. 2; Reich. S. A. t. 88. f.

4249. remifer, Tem. P. C. 178. malabaricus, p., Less.

Java, Sumatra.

4250. tectirostris, Hodgs. remifer, p., Hodgs.; rangoonsis, Horsf.

Himalayas.
Assam, Burmah,
Tenas., Malay.

1058. CHIBIA, 1837,

ct Cometes, 1841, Hodgs. Criniger, Tick.
Trichometopus, Cab. 1851. Corvus, p., L. 1766.
G. of B. i. p. 287, pl. 70. f. 6; Reich. S. A. t. 88. f.

4251. hottentottus, L.; P. E. 226? barbatus, Gr.; Crishna, Gould. splendens, Tick.; casia, Hodgs. criniger, Jerd. India, Himala.
Assam.

4252. brevirostris, Cab.

China.

1059. CHAPTIA, 1837.

et Propopterus, 1841, Hodgs. G. of B. i. p. 287, pl. 70, f. 7; Reich. S. A. t. 88, f.

æratus, Steph. muscipetoïdes, Hodgs.

4253. ænea, V.; Lev. O. A. t. 176.

Bengal.
Malabar coast.
Himalayas.

4254. malayensis, Hay.

Malacca.

4255. brauniana, Swinhoc.

I. of Formosa.

1060. MELÆNORNIS, G. R. Gr. 1840.

Melasoma, Sw. 1837.
Bradvornis p. Sunde

Bradyornis, p., Sundev. 1850.

Sw. C. of B. f. 204, d; G. of B. i. p. 288, pl. 70. f. 4; Reich. S. A. t. 88, f.

a. MELENORNIS.

4256. edolioïdes, Sw. B. of W. Afr. pl. 29.

W. Africa.

4257. Ludwigii, Smith, I. S. Afr. Z. pl. 34.

S. Africa.

1061. b. Melanopepla, Cab. 1850. Bradyornis, p., Sundev. 1850.

4258. pammelæna, Stanl. atronitens, Licht.; pammelina, Horsf. & M. lugubris, Müll.

ınclas, Heugl.; nigerrima, Würt.

Africa.

1062. c. Bradornis, Smith, 1847. Bradyornis, Sundev. 1850.

4259. mariquensis, Smith, I. S. A. Z. pl. 113.

S. Africa.

4260. major, Smith.

4261. ? simplex, Sunder.

edoloïdes, p., Cab.

Caffraria.

4262. chocolatina, Rüpp. S. U. t. 14. fumigata, Guér.; pallida, Müll.

N.E. Africa.

1063. d. Sigelus, Cab. 1850. Bradyornis, p., Hartl. 1859.

4263. silens, Shaw; Lev. O. A. t. 74. leucomelas et vittatus, Sundev. incompta, Lieht.

S. Africa.

4264. senegalensis, Hartl.

W. Africa.

4265. tænioptera, Sundev. silens, p.?

S. Africa.

Subfam. II. Ireninæ, G. R. Gr.

1064. IRENA, Horsf. 1820.

Irene, Boie, 1826.

G. of B. i. p. 288, pl. 70. f. 3; Reich, S. A. t. 53. f. .

4266. puella, Lath. indica, Hay.

India.

Tenasser., Siam.

4267. malayensis, Horsf. Zool. Res. pl.; P. C. 70, 225, 426. puella, Horsf.; cyanea, Begbie.

Java, Sumatra. Malacca.

4268. cyanogastra, Vig.; G. R. Gr. & M. G. B. pl. 70.

Philippine I.

. FAM. XI. ARTAMIDÆ, Bl. 1849.

Subfam. I. Artaminæ, Bp. 1850.

Oriolinæ, p., Cab. 1847. Dierurina, p., Vig. 1825. Dierurina, p., Sw. 1837.

1065. ARTAMUS, V. 1816.

Ocypterus et Oxipterus, Cuv. 1817. Leptopteryx, Horsf.

Sw. C. of B, f. 204, b, c; G, of B, i, p, 285, pl. 70, f. 1; Reich. S. A. t. 88, f. .

a. Artamus.

4269. leucorhynchos, Gm.; P. E. 9.1; V. Gal. des Ois. t. 144. Philippine I. melaleuca, Waql.; dominicanus, Gm.

4270. fuscus, V.; Ann. du Mus. iv. t. 7. 1. rufiventer, Valene.; leneorhynchus, Jerd. India.

4271. perspicillatus, Tem.

Timor.

4272. monachus, Tem.

Celebes, Sula.

4273. leucogaster, Valenc. Ann. du Mus. iv. t. 7. 2; Kittl. Kupf. Vög. t. 30. 1. leueorhynchus, Horsf.

Java, Moluccas. Timor.

4274. sordidus, Lath.; Ann. du Mus. iv. t. 8, 2; Kittl. Kupf. Vog. t. 30, 2; Gould, B. A. ii. pl. 27, tenebrosus, Lath.; albovittatus, Cuv. lineatus, I'.

Australia. Tasmania.

4275. cinereus, V.; Ann. du Mus. iv. t. 9, 2; Gould, B. A. ii. pl. 29.

W. & N. Australia, Timor.

4276. albiventris, Gould, B. A. ii. pl. 30.

N. Australia.

4277. personatus, Gould, B. A. ii. pl. 31. 4278. superciliosus, Gould, B. A. ii, pl. 32.

S. & W. Austral. New S. Wales, S.

4279. leucopygialis, Gould, B. A. ii, pl. 33.

Australia. New S. Wales, S. & N. Australia. New Caledonia.

4280. melancleucus, Forst. Berardi, Bp.?; leucorhynchus, p., G. R. Gr. melaleuca, p., Wagl.

Fiji Islands.

4281. mentalis, Jard.; Ann. & Mag. N. H. 1845, pl. 8; Voy. Pôle Sud, t. 9. 1. vitiensis, Homb. & Jacq.

4282. papuensis, Tem.

New Guin., Aru, Mys., Timor. Int. of Australia.

4283. melanops, Gould. 4284. Arnouxi, Bp.

New Caledonia.

ľ

1066.

b. ---

Oxypterus, Bp. 1854. Reich. S. A. t. 88. f. .

4285. minor, V.; Ann. du Mus. iv. t. 9. 1; Gould, B. A. ii. pl. 28. fuscatus, Valenc.

New S. Wales. Timor, Moluc.

1067.

c. ----?

Leptopterus, Bp. 1854. Artamia, p., Schl. & Poll.

4286. chabert!, Müll.; P. E. 32. 2; Poll. & V. D. F. de Madag. t. 27, 1. Madagascar. violaceus, Bodd.; viridis, Gm.

1068.

d. —?

Artamia, Lafr. nec I. Geoffr. 1832. Leptopteryx, p., Wagl.

4287. viridis, Müll.; P. E. 374. leucocephalos, Gm.

hirundinaceus, Sw.?

4288. rufus, L.; P. E. 298. 2; Poll. & V. D. F. de Madag. t. 26. leucocephala \mathfrak{P} , Bp.

1069.

e. Cyanolanius, Bp. 1854.

4289. bicolor, L.; P. E. 298. 1; Poll. & V. D. F. de Madag. t. 24, 1-4. madagascarina, L.

1020.

f. Anais, Less. 1840.

G. of B. i. p. 286.

4290. Clemenciæ, Less.

Borneo (?)

1071. ORIOLIA, I. Geoffr. 1838.

Artamia, p., Schl. & Poll.

G. of B. i. p. 233, pl. 58. f. 4; Reich, S. A. t. 56. f.

4291. Bernieri, I. Geoffr. Mag. de Zool. 1839, t. 4; Poll. & V. D. F. de Madag. t. 25. Madagascar.

1072. PSEUDOCHELIDON, Hartl. 1861.

4292. eurystomina, Hartl.; Ibis, 1861, pl. 11.

W. Africa.

1073. ANALCIPUS, Sw. 1831.

Artamia, I. Geoffr. 1832. Philocarpus, Müll. 1835. Psarophalus, Jard. & S. 1839. Analciopus, Agass. Erythrolanius, Less. 1840. Oriolus, p., G. R. Gr.

Sw. C. of B. f. 203; S. A. f. .

4293. sanguinolentus, Tem. P. C. 499.

cruenta, Wagl.; rubripectus, Less.

4294. Traillii, Vig.; Gould, C. B. pl. 35.

4295. ardens, Swinh. Ibis, 1862, pl. 13.

Java, Sumatra.

Borneo.

Himalaya.

I. of Formosa.

FAM. XII. ORIOLIDÆ, Boie, 1826.

Subfam. I. Oriolinæ, Sw. 1831.

Oriolina, Vig.

1074. SPHECOTHERES, V. 1816.

Sphecotera, 1816, et Sphecothera, 1825, V.
 Pienorhamphus, v. Rosenb. 1866.
 G. of B. i. p. 231, pl. 58. f. 3; Reieh. S. A. t. 56. f.

4296. viridis, V.; Quoy & G.Voy. Uran. t. 21; Gal. des Ois. t. 147. Timor. grisca, p., Less.; asturinus, p., Geoffr.; virescens, V.

4297. maxillaris, Lath.; Jard. & S. I. O. pl. 79; Gould, B. A. iv. pl. 15.

virescens, Jard. & S.; viridis et Viellotii, Vig. & H. australis et canicollis, Sw. asturinus, Geoffr.; grisca, Less.

4298. flaviventris, Gould, B. A. suppl. pl. cucullatus, v. Rosenb.

Australia.

1025. ORIOLUS, L. 1766.

Turdus, L. 1748. Coracias, L. Galbula, Scop. 1777. Oriolus, p., Lath. 1794. G. of B. i. p. 231.

a. ORIOLUS.

4299. galbula, L.; P. E. 26; Naum. Vog. t. 61; Gould, B. E. pl. 71. oriolus, Scop.

C. & S. Europe. W.&S.Af., Mad., Egypt & Nubia. India.

4300. kundoo, Sykes.

galbula, Sykes; aureus, Jerd. galbuloïdes, Gould.

1076. b. ——?

Galbula, Bp. 1854.

4301. auratus, V.; Lev. O. A. t. 260; V. Gal. des Ois. t. 83. S. & W. Africa. bicolor, Tem.; chryscos, Heugl. icterus, Würt.

4302. notatus, Peters.

Tette.

1077. e. Broderipus, Bp. 1854.

Euchlorites, Heine, 1859. Oriolus, c. Hippocrepides, Bp. G. of B. i. pl. 58. f. 2; Reich. S. A. t. 56. f.

4303. Broderipi, Bp. Pr. Z. S. 1850, pl. 18. refulgens, Bp.; sumbawensis. Schl.

Sumbava, Lomboek.Flores.

29E H	AND-LIST OF BIRDS.	
4304. hippocrepis, Wagl.; P coronatus, Sw.; cochinchin indicus, p., Heine; chinens	ensis, Horsf.	Java, Sumatra.
4305. chinensis, L.; G. R. G aerorhynchus, Vig.	r. & M. G. B. pl. 58.	Manilla.
4306. macrourus, Bl.		Nicobars.
4307. indicus, Jerd. I. In. O. chinensis, Jerd.; maculatus		India, Tenasser. I. of For., China.
4308. tenuirostris, Bl.		Burmah.
4309. frontalis, Wall. Pr. Z. S	S. 1862, pl. 40.	Sula.
4310. ? Horsfieldii, <i>Bp</i> . galbula, <i>Horsf.</i> ; indicus, p.	, Heine; chinensis, p., Cab.	Java.
4311. andamanensis, <i>Tytl</i> . Horsfieldi, p.?, <i>Bl</i> .		Andamans.
1078. d. Baruff	erus, Bp. 1854.	
4312. intermedius, Tem . Baruffii, Bp .	•	W. Africa.
4313. moloxita, Rüpp. F. A. monachus, p., Cab.	t. 12. 1.	E. Africa.
4314. larvatus, Lieht.; Lev. coudougnan, Tem.; capens monachus, Wagl.; radiatus melanocephallus, var., V. arundinarius, Burch.?	is, Sw.	S. Africa.
4315. nigripennis, Verr.		W. Afr., Gaboon.
4316. brachyrhynchus, Sw.		W. Africa.
4317. monachus, Gm.		
4318. personatus. Heugl. larvatus, p., Heugl.; brach	yrhynchus, Schl.	N.E. Africa.
1079. <i>e.</i>	?	
4319. melanocephalus, L.; madaraspatanus, Frankl. M·Coshii, Tick.; Hodgson		Bengal, Nepal.
4320. ceylonensis , <i>Bp</i> . melauocephalus, <i>Bl</i> .		Ceylon. Malabar.
4321. philippensis, Gr.		Philippine I.

1080. f. Xanthonotus, Bp. 1854.
4322. xanthonotus, Horsf. Zool. Res. Jav. pl.; P. C. 214. Java. leucogaster, Reinw.; castanopterus, Bl.

1081. g. Mimeta, Vig. & Horsf. 1826.

Mimetes, King, 1827. Oriolus, p., Sw.

4323. viridis, Lath.; Jard. & S. I. O. pl. 61; Gould, B. A. iv. pl. 13.

New S. Wales.

sagittata, Lath.; variegatus, V. meruloïdes, Viq. & H.

4324. flavocinctus, Vig. & H.; Gould, B. A. iv. pl. 14.

N. Australia.

4325. Mülleri, Bp. viridissimus. Tem.

New Guinea. Aru, Timor.

4326. striatus, Quoy & G. Voy. Astrol. t. 9. 2. melanotis, Müll,

New Guinea. Waigiou, Mysol.

4327. variegatus, Cuv. viridifusca, Heine.

Timor.

4328. virescens, Tem. chloris, Müll.

4329. phæochromus, G. R. Gr.

E. Gilolo.

4330. affinis, Gould.

Port Essington.

4331. Forsteni, Bp.

Ceram.

1082. h. Xanthomelus, Bp. 1854.

Oriolus, p., Sw.

4332. aureus, L.; Edw. B. pl. 112; V. O. D. t. 11. 10. flavofulva, L.; aurantiaca, Shaw. paradiseus, Sw.

New Guinea. Waigiou.

Subfam. II. Ptilonorhynchinæ, G. R. Gr. 1846. Coraciana, p., Vig. 1825.

1083. SERICULUS, Sw. 1825.

G. of B. i. p. 232, pl. 58, f. 1; Reich, S. A. t. 56, f.

4333. melinus, Lath.; Lewin, B. N. H. pl. 1; Gould, B. A. iv. pl. 12.

New S. Wales.

chrysocephala, Lewin; regens, Wagl. regius, Tem.; magnirostris, Gould; mellinus, Cab. atricapilla, Lath.

4334. Rawnsleyi, Diggles, Austr. Orn. pl. .

Australia.

1084. PTILONORHYNCHUS, Kuhl, 1820.

Ptelenorhynchus, Tem. 1822. Kitta, Less. 1828.

Ptylonorhynchus, Boie. Ptilorhynchus, Cab. 1847.

Sw. C. of B. f. 17, 241; G. of B. ii. p. 324, pl. 80, f. 7; Reich. S. A. t. 56, f.

a. PTILONORHYNCHUS.

4335. holosericeus, Kuhl; P.C. 395, 422; Gould, B.A. iv. pl. 10. New S. Wales. squamulosus, Ill.; violaceus, V. MacLeayii, Lath.

1085. b. Ailuroedus, Cab. 1851. Allureodus, Bp. 1853. Chlorokitta, Kaup.

4336. crassirostris, Payk. N. Act. Ac. Upsal, 1815, vii. t. 10; P. C. 396; Gould, B. A. iv. pl. Smithii, Vig. & H.; viridis, V.

4337. buccoïdes, Tem. P. C. 575.

virescens, Tem.

N. Guin., Salwat. 4338. melanotis, G. R. Gr. Aru I.

1086. CHLAMYDERA, Gould, 1840.

Calodera, Gould, 1836, nec Naum. 1830. Callidera et Chlamydodera, Agass. G. of B. ii. p. 325, pl. 80, f. 3; Reich. S. A. t. 56, f.

4339. nuchalis, Jard. & S. I. O. pl. 103; Gould, B. A. iv. pl. 9. N. Australia.

4340. maculata, Gould, B. A. iv. pl. 8.

S. Australia. 4341. guttata, Gould, B. A. suppl. pl. N.W. Australia.

4342. cerviniventris, Gould, B. A. suppl. pl. Cape York.

FAM. XIII. **PITTIDÆ**, Bp. 1850.

Brachvuridæ, Bl. 1849.

Subfam. I. Pittinæ, Bp. 1850. Hypocnemidinæ, Cab. 1847.

1082. PITTA, V. 1816.

Turdus, p., Ill. 1811. Citta, Wagl. 1827.Myothera, Cuv. 1817. Coloburis, Cab. & H. 1859. Brachyurus, Thunb. 1821, et Bp. 1850, nec Fisch. 1814. Sw. C. of B. f. 127; G. of B. i. p. 213; Reich. S. A. t. 52. f.

a. Pitta.

4343. coronata, Müll.; P. E. 258. "brachyura, L.," Cab.; bengalensis, Gm. brachyura, Tem.; abdominalis, Wagl.

Moluccas. Timor? triostegus, Sparrm. M. C. t. 84.

4344 moluccensis, Müll.; Schl. Vog. Ned. Ind. t. 4. 1. evanoptera, Tem. P. C. 218; malaccensis, Bl. macrourus fasciatus, Bodd. ?; P. E. 257. hippocrepis, Wagl.

Java, Sumatra. Borneo.

,,

E. co. of Austra.,

Amboina.

4345. concinna, Gould; Mag. de Zool. 1857, t. 11; Schl. Vog. Lombock, Flores. Ned. Ind. t. 3. 1. Sumbawa. Mathildæ, Verr.; Vigorsii, Bp. 4346. Vigorsii, Gould, B. A. iv. pl. 2; Schl. Vog. Ned. Ind. t. 3. 4. brachyura, Viq. 4347. strepitans, Tem. P. C. 333. Australia. versicolor, Sw. Sula Islands. 4348. crassirostris, Wall. irena ?, Elliot. W. Africa. 4349. angolensis, V.; Des Murs, I. O. t. 46. pulik, Fras. 4350. malaccensis, Scop.; Sonn. Voy. t. 110. superciliaris, Wagl. 4351, maculata, Tem. India. malaccensis, var., Schl. 4352. brachyura, Gm.; P. E. 591; Schl. Vog. Ned Ind. t. 3.2, 3. Timor. irena, Tem. & Schl.; elegans, Tem. Japan. 4353. nympha, Schl, F. J. t. suppl. A. 4354. megarhyncha, Schl. De Dierk. fig. p. 131; id. Vog. Ned. Bangka. Ind. t. 4. 2. I, of Formosa. 4355, oreas, Swinh. Cape York. 4356, simillima, Gould. 1088. b. Melanopitta, Bp. 1854. Malacca. 4357. cucullata, Hartl. Ann. N. H. 1844, pl. 20. rhodogastra, Hodgs.; nigricollis, Bl. Nepal. malaccensis, Müll. & Schl. 4358. novæ guineæ, Schl. Vog. Ned. Ind. t. 2. 4. New Guinea. atricapilla, Quoy & G. Voy. Astrol. t. 8. 3. Aru, Salwatti. 4359. sordida, Müll.; P. E. 89; Schl. Vog. Ned. Ind. t. 2. 3, 4. Philippine I. atricapilla, Cuv.; philippensis, V. Timor, Borneo. melanocephala, Wagl.; brevicauda, Bodd. macrorhyncha, Gr. 4360. sanghirana, Schl. I. of Sanghir. New Guinea. 4361. papuensis, Schl. 4362. leucoptera, Elliot. Ceylon (?). atricapilla, p. ?, Elliot. 4363. Forsteni, Müll.; Schl. Bijdr. tot de Dierk. 1854, t. 2; id. Vog. Ned. Ind. t. 2. 1. Celebes.

melanocephala, Forst.

4364. Mülleri, Bp.; Elliot, Pittidæ, pl. 26.

atricapilla, Müll. & Schl.; Muelleri, Cab. & H.

4365. bangkana, Schl. Vog. Ned. Ind. t. 2. 5. Bangka. 1089. c. Hydrornis, Hodgs. Heleornis, 1844, et Paludicola, 1837 (nec Wagl. 1830), Hodgs. Brachyurus, p., 1850, ct Gigantipitta, 1854, Bp. 4366. nipalensis, Hodgs.; Gould, B. As. pl. S.E. Himalaya. nuchalis, Bl. 4367. cyanea, Bl.; G. R.Gr. & M.G. B. pl. 55; Gould, B. As. pl. Himalayas. uipalensis, juv. ?, Bl.; gigas, Bl. 4368. cærulea, Raffl.; P. C. 217. Java, Sumatra. gigas, Tem. 4369. maxima, Forst.; Schl. Voy. Ned. Ind. t. 1. 4; Bijdr. tot de Dierk. 1854, t. 1; Schl. Handl. Dierk. t. 11. 21. Gilolo, Batchian. 1090. d. Phenicocichla, Cab. & H. 1859. 4370. granatina, Tem. P. C. 506. Borneo. coccinea, Eyton. 1091. e. Eucicula, Reich. 1850. Pitta, 1850, et Eucycla, 1854, Bp. G. of B. i. pl. 55. f. 3; Reich. S. A. t. 52. f. 4371. guajana, Müll.; P. E. 355; V. Gal. des Ois. t. 153; Schl. Vog. Ned. Ind. t. 6. 1, 2, 3. Malacca. cyanurus, Gm.; affinis, Horsf. Java. 4372. elegans, Tem.; Voy. Bon. t. 3; Schl. Vog. Ned. Ind. t. 6. 5. Sumatra. irena, Tem.; Boschi, Müll. & Schl. Malacca. "hyans," Jerd. 4373. Schwaneri, Tem.; Schl. Vog. Ned. Ind. t. 6. 4; Gould, B. Borneo. As. pl. f. IRIDIPITTA, Bp. 1854. 1092. 4374. Baudii, Müll. & Schl. Verh. Nat. Gesch. t. 2; id. Vog. Ned. Ind. t. 5, 1, 2. 4375. iris, Gould, B. A. iv. pl. 3. N. Australia. q. Екчтнеорітта, Вр. 1854. 1093. N.Gui., Aru, Sal., 4376. Macklotii, Tem. P. C. 547; Schl. Vog. Ned. Ind. t. 4. 3; N.E. Aus. Diggles, Orn. Austr. pl. ? 4377. celebensis, Forst.; Schl. Vog. Ned. Ind. t. 4. 4. Celebes. Forsteni, Tem. Philippine I. 4378. erythrogaster, Cuv.; P. C. 212. 4379. venusta, Müll.; P. C. 590. Sumatra.

4380. cyanonota, G. R. Gr.; Elliot, Pittidæ, pl. 20.

4381. rufiventris, Heine; Elliot, Pittidæ, pl. 19.

inornata, G. R. Gr.

Ternate.

Batchian.

Gilolo.

4382. rubrinucha, Wall.; Elliot, Pittidæ, pl. 18.

Bourn.

1094. PHILEPITTA, I. Geoffr. 1838.

Brissonia, *Hartl.* 1861. Buddinghia, *Poll. MS*. *G. of B.* i. p. 214, pl. 55, f. 4; *Reich. S. A.* t. 56, f.

4383. castanea, Müll.; P. E. 530, 2; Schl. & Poll. F. de Madag. t. 31, 1, 2, 3.

Madagascar.

jala, Bodd.; nigerrimus, Gm.; saui jala, Lath. sericea, I. Geoff. Mag. de Zool. 1839, t. 8; Des Murs, I. O. t. 32.

Geoffwari, Des Murs, I. O. 33.

Geoffroyi, Des Murs, I. O. 33. Isidori, Des Murs; aterrima, Hartl.

4384. Schlegeli, Poll. F. de Madag. t. 32.

N.E. Madagasc.

FAM. XIV. FORMICARIIDÆ, Sclat. 1858.

Myiotheridæ, *Boie*, 1826. Eriodoridæ, 1847, *et* Hypoenemididæ, 1859, *Cab*.

Subfam. I. Formicariinæ, G. R. Gr. 1840.

Myiotherinæ, Sw. 1831, et Cab. 1847. Hypocnemidinæ, Cab. 1847.

1095. GRALLARIA, J. 1816.

Myioturdus, 1826, et Myiotrichas, 1831, Boie. Colobathris, Glog. 1842. G. of B. i. p. 212, pl. 55. f. 13; Reich. S. A. t. 52. f.

a. Grallaria.

4385. varia, Bodd.; P. E. 702; V. Gal. des Ois. t. 154. rex, Gm.; grallarius, Lath.; fusca, V.

Cayenne.

4386. imperator, Lafr.

rex, Max.; grallaria, Licht.; imperatrix, Cab. & H.

S.E. Brazil.

4387. guatimalensis, Prev. Voy. Venus, t. 2.

Guatemala.

4388. squamigera, Prev. Voy. Venus, t. 1.

New Granada.

4389. modesta, Sclat. Pr. Z. S. 1855, pl. 94.

4390. mcnticola, Lafr.; Des Murs, I. O. t. 53.

Panama.

4391. perspicillata, Laur.

Panama.

4392, hypoleuca, Sclat.

New Granada.

4393. gigantéa, Lawr.

Ecuador.

4394. macularia, Tem.

British Guiana.

4395. ochroleuca, Max.

S.E, Brazil, E. Ecuador.

New Granada.

4396. fulviventris, Sclat.	Rio Napo.
4397. quitensis, Less.	Quito.
4398. mexicana, Sclat. guatemalensis, p., Sclat.	S. Mexico.
4399. nuchalis, Sclat.	Rio Napo.
4400. regulus, Sclat.	Ecuador.
4401. dives, Salv.	Costa Rica.
4402. fuscatra, Lafr.	Bogota.
1096. b. Codonistris, Glog. 1842. Grallaria, p., Sclat.	
4403. brevicauda, Bodd.; P. E. 706. 1. tinniens, Gm.	Cayenne. Ecu., Rio Napo.
1097. c. Grallaricula, Selat. 1858. Pr. Z. S. 1858, f. 2, p. 283.	
4404. flavirostris, Sclat.	Ecuad., N. Gran.
4405. nana, <i>Lafr</i> .	New Granada.
4406. loricata, Sclat.	Venezuela.
4407. ferrugineipectus, Sclat.	**
4408. costariensis, Lawr.	Costa Rica.
1008. d. Hypsibemon, Cab. 1847. Hipsibemon, Bp. 1850. Grallaria, p., Sclat. Reich. S. A. t. 52. f.	
4409. ruficapilla, Lafr.	N. Gran., Ecuad.
4410. rufula, Lafr.	New Granada.
1099. ε. Ριττασομά, Cass. 1860.	
4411. Michleri, Cass. Pr. Ac. Phil. 1864, pl. 3.	Panama.
1100. f. Спамеда, Vig. 1825. Chemæza, Less. 1839. Chamæzosa, Cab. 1847. Reich. S. A. t. 52. f.	
4412. campanisona, Licht.; Jard. & S. I. O. pl. 11. brevicaudus, V.; Mém. Ac. S. N. St. Pétersb. 1835, t. 1; meruloïdes, Vig. marginatus, Max.; strigilata, Cuv.	S.E. Brazil.
4413. olivacea, Tsch.	E. Peru, Venez.,
4414. nobilis, Gould.	New Granada. E. Peru,
	37 (7)

4415. molissima, Selat. Pr. Z. S. 1855, pl. 96.

4416. turdina, Cab. & H.

Columbia.

4417. ruficauda, Cab. & H.

--- ?

1101. FORMICARIUS, Bodd. 1783.

Myrmornis, Herm. 1783. Myrmecophaga, Lacép. 1800–1801, nec L. 1740. Formicicapa, Daud.? Myiothera, Ill. 1811. Myrmothera, V. 1816. Myrmecothera, Agass. Myocinela, Sw. 1837. Myiocinela, G. R. Gr. 1846. Malurio, Less. 1839. G. of B. i. p. 210; Reich. S. A. t. 52. f. .

a. FORMICARIUS.

4418. cayanensis, Bodd.; P. E. 821 et 703. 1. Cay., B. Guiana. colma, et var. B, Gm. N. & S.E. Brazil. tetema, Ill.; fuscicapilla, I. ruficeps, Spix, A. B. t. 72. 1.

4419. nigrifrons, Gould.

4420. analis, Lafr.; D' Orb. Voy. A. M. t. 6*. 1.

4121. moniliger, Sclat.

4422. Hoffmanni, Cab.

4423. rufipectus, Salv. Pr. Z. S. 1866, pl. 8.

4424. crissalis, Cab.

N.Gran., E.Peru.

Boliv., Cayenne, Trin., Ecuad.

Costa Rica, Pan-Veragua.

S. Mexico.

Trin., Cayenne, Para.

Boliv., Rio Napo.

Upper Amazon.

S. America.

1102. b. Phlegopsis, Reich. 1850.

Phlogopsis, Sclat. 1861. Reich, S. A. t. 57, f. .

4425. nigromaculatus, Lafr.; D'Orb. Voy. A. M. t. 6. 2.

4426. erythropterus, Gould.

4427. trivittatus. Sclat. erythroptera ♀, Pclz.

4428. Macleannani, Lawr.; Sclat. & Salv. Exot. Orn. pl. 9.

1103. с. Rhopoterpe, Cab. 1847.

Urotomus, Sw.? Reich. S. A. t. 52. f. .

4429. torquatus, Bodd.; P. E. 700. 1. formicivorus, Gm.; palikour, Ménétr.

1104. d. Myrmelastes, Sclat. 1858.

4430. plumbeus, Sclat. Pr. Z. S. 1858, pl. 143. hyperythrus, Gould.

4431. nigerrimus, Sclat.

4432. corvinus, Lawr.

Upper Amazon.

Panama.

Cavenne.

Panama.

1105. e. Gymnocichla, Sclat. 1858.

4433. nudiceps, Cass. Pr. Ac. Phil. v. pl. 6.

rufigularis ct ferruginea, Lawr.

4434. chiroleucus, Sclat. & S. nudiceps, Lawr.

New Granada.

Panama

Costa Rica.

1106. f. Heterocnemis, Sclat. 1855.

Holocnemis, Strickl, 1844, nec Schill, 1829. Reich, S. A. t. 52, f. .

4435. lineatus, Gm.; Edw. B. pl. 346; P. E. 823. 1; Jard Contr. Orn. 1849, pl. 18. 1. nævius, Gm.; flammatus, Strickl. Ann. N. H. xiii. pl. 3.

Surinam, Guiana. Cayenne.

Bogota.

4436. marginatus, Sclat.

Brazil.

4437. albiventris. Pclz. 4438. simplex, Sclat.

Surinam.

1102. q. Hypocnemis, Cab. 1847.

Hypocnemus, G. R. Gr. 1849. Reich, S. A. t. 52, f.

margaritacea, Licht.

4439. cantator, Bodd.; P. E. 700. 2; Spix, A. B. t. 40. 2. Cayenne. tintinnabulatus, Gm. campanella, Lath.; striatus, Spix.

4440, pœcilonotus, Cuv.; Cab. Orn. Not. t. 4. 2.

British Guiana. New Granada.

4441. argentatus, Des M.; Casteln. Voy. t. 17. 2.

Upper Amazon. Brazil.

4442. striativentris, Salvad.

TIOS. h. Мукмовокия, Cab. & H. 1859. Hypocnemis, b. Myrmoborus, Sclat.

4443. myiotherinus, Spix, A. B. t. 42. 1. thamnophiloides, Voigt. melanolæma, Sclat. Pr. Z. S. 1854, pl. 72. 2. ardesiaca, Max.

New Granada. Bogota, E. Peru.

4444. melanostictus, Sclat. Pr. Z. S. 1854, pl. 73.

E. Peru.

4115. elegans, Sclat.

New Granada.

4446. leucophrys, Tsch. F. P. t. 11. 2. myiotherina Q, Spix, A. B. t. 42. 2.

E.Peru. N.Gran. British Guiana.

4447. schistaceus, Sclat.

Upper Amazon, Rio Javarri. New Granada.

4448. erythrophrys, Sclat. Pr. Z. S. 1854, pl. 72. 1. angustirostris, Cab.

4449. melanopogon, Sclat.

E. Peru.

S.E. Brazil.

4450. nævius, Gm.; P. E. 823, 2; Casteln, Voy. t. 17, 3, punctulata, Des Murs.	Venezuela. Upper Amazon.
4451. Theresæ, Des Murs, Castel. Voy. t. 16. 2.	Rio Javarri.
4452. nævioïdes, Lafr.	Pan., Mosquito,
4453. flavescens, Natt. & Sc.	Ecu., Costa Ric. Amazon.
4454. hemileucus, Sclat. & S.	R. Ucayali.
4455. melanura, Sclat. & S.	22
4456. obscurus, Cab. & II.	Cayenne.
4457. hypoxanthus, Sclat. Pr. Z. S. 1868, pl. 43.	Upper Amazon.
4458. lugubris, Ill.	Guiana.
4459. maculicauda, Pelz.	Brazil.
4460. margaritiferus, Pelz.	,,
4461. striativentris, Salvad.	Cayenne.
 i. Myrmeciza, G. R. Gr. 1841. Drymophila, Sw. 1824, nec Tem. Myrmonax, Cab. 1847. G. of B. i. pl. 55. f. 6; Reich. S. A. t. 52. f. 	
4462. loricatus, Licht. Ménétr. Mém. l'Ac. Pétersb. 1835, t. 4. 1, 2. leucopus, Sw.; Yarrellii, Leadb.? squamosa, Natt. & Polz.?	S.E. Brazil.
4463. ruficaudus, Max. marginata, Salvad.; loricata, p., G. R. Gr.	***
4464. hemimelænus, Sclat. guttatus, Lafr.	Bolivia,
4465. ferrugineus, Müll.; P. C. 560. 2. cinnamomeus, Gm.; albicollis, V.	Cayenne. British Guiana.
4466. longipes, V.; Sw. Zool. Ill. pl. 23. castanea, Licht.; grallaria, Sw.	Venez., Trinid. New Granada.
4467. immaculatus, Selat. § 8. exul, $Lawr$.	Panama.
4468, exsul, Sclat.	Ecuador.
4469. læmostictus, Salv.	Costa Rica.
4470. stictopterus, Lawr.	"
4471. rufigularis, Lawr. ferruginea, Lawr.	New Granada.
1110. j. Corythopis, Sunder. 1835. Reich, S. A. t. 52, f.	

4472. calcarata, Max.

Delalandii, Less.

4473. anthoides, Cuv.

Cavenne.

4474. nigricineta, Lafr.; D'Orb. Voy. A. M. t. 6. 3. calcarata, p., Pelz.

4475. torquata, Tseh.

Peru.

1111. PITHYS, V. 1816.

Manikup!, Desm. 1805. Pythis, Boie, 1826. Pitys, Agass. Dasycephala, p., Sw. 1831. Dasyptilops, Cab. 1859. Reich. S. A. t. 52. f.

a. Pituys.

4476. albifrons, Gm.; P. E. 707. 1; V. Gal. des Ois. t. 129. leucops, V.

Cayenne. New Granada.

4477. cristata, Natt. & Pelz.

Rio Vaupe.

1112. b. Gymnopithys, Schiff. 1854.
Anolops, Cab. & H. 1859. Pithys, b. Gymnopithys, Sclat. 1862.

4478. leucaspis, Selat. Pr. Z. S. 1854, pl. 70.

New Granada, E. Peru, R. Negro. Panama.

4479. bicolor, Lawr. leucaspis, Lawr.

Cayenne.

pectoralis, *Lath.*; rufigularis, *Selat.*4481. griseiventris, *Pelz.*

4480. rufagula, Bodd.; P. E. 644. 2.

Brazil.

1113. CONOPOPHAGA, V. 1816.

Myagrus, *Boie*, 1826. Myioturdus, p., *Max*. Conopophagus, *G. R. Gr.* 1840. Conophaga, *Lafr*. 1846. Sw. C. of B. f. 228, a; G. of B. i. p. 255, pl. 63. f. 14; *Reich*. S. A. t. 52. f.

4482. aurita, Gm.; P. E. 822; Gal. des Ois. t. 127. leucotis, Gm.

Cayenne.

4483. lineata, Max.; Mém. Ac. Pétersb. 1835, t. 14. 1. vulgaris, Ménétr.

S.E. Brazil.

4484. melanops, V.; Sw. B. of Braz. pl. 72, 73; $M\'{e}m.$ Ac. $P\'{e}tersb.$ 1835, t. 14. 2, & t. 15. 1.

perspicillata, Lieht.; ruficeps, Sw. nigrogenys, Less.; dorsalis, Ménétr.

4485. torrida, Selat.

Ecuad., Mexico, Chamicurros.

4486. castaneiceps, Sclat. ardesiaca, Tsch.

4487. peruviana, Des M.; Casteln. Voy. t. 16. 1.

U. Amaz., Ecua.

4488. ardesiaca, Lafr.

Bolivia.

4489. melanogaster, Ménêtr. Mêm. Ac. St. Pétersb. t. 15, 2. Brazil.

4490. cucullata, Sclat. Pr. Z. S. 1866, pl. 119. New Granada.

4491. gutturalis, Sclat.

4492. Maximiliani, Cab. & H. Brazil. perspicillatus, Max.

Subfam. II. Formicivorinæ, Sclat. 1858.

Eriodorinæ, Cab. 1847.

1114. FORMICIVORA, Sw. 1824.

Eridora, Glog. 1827? Formicivora, a, Sclat. Myrmecophila, Fitz. 1864. G. of B. i. p. 211, pl. 55. f. 9; Reich. S. A. t. 52. f. .

a. Formicivora.

4493. grisea, Bodd.; P. E. 643. 1; Spix, A. B. t. 41. 1. Cayenne, Para. nigricollis, Sw.; leucophrys, Licht. deluzæ, Ménétr. Mém. Ac. St. Pétersh. 1835, t. 5. 2.

4494. rufatra, Lafr.

S.E. Brazil. grisea Q, Spix, A. B. t. 40. 1. superciliaris, Max.; rufater, Lafr.

4495, intermedia, Licht. leucophrys, Bp.

guttata, Less.

variegata, Such.

New Granada. 4496. virgata, Laur. Panama.

4497. schisticolor, Lawr. 4498. melanogaster, Natt. & Pelz.

4499. leucophthalma, Pelz.

4500. ruficauda, Natt. & Pelz. Brazil.

4501. Lafresnayana, D' Orb. Voy. A. M. t. 6. 1. 4502. --- ?

1115. b. Ellipura, Cab. 1847. Tænidiura, Reich. 1850. Formicivora, b. Ellipura, Sclat.

Reich. S. A. t. 52. f. . 4503. ferruginea, Licht.; P. C. 132. 3.

4504. caudata, Sclat. Pr. Z. S. 1854, pl. 74.

4505. malura, Tem.; P. C. 353. 1, 2. melanoleuchos, V.?

4506. squamata, Licht.; Mém. Ac. Pétersb. 1835. t. 5. 1. maculata, Sw.

S.E. Brazil.

Trinidad.

Costa Rica.

Bahia.

Bolivia.

Brazil.

New Granada.

S.E. Brazil.

HAND-LIST OF BIRDS,	
4507. Genei, De Fil.	S.E. Brazil.
4508. striata, Spix, A. B. t. 40. 2. malura ♀, Ménétr.	
4509. erythrocerca, Sclat. Pr. Z. S. 1858, pl. 142.	Brazil?
4510. rufa, Max.; Ménétr. Mém. Ac. St. Pétersb. t. 9. 1.	S.E. Brazil.
1116. c. Microrhopias, Sclat. 1860. Formicivora, c. Microrhopias, Sclat. 1862.	
4511. quixensis, Corn. rufiventris, Corn.	Ecuador. Rio Napo.
4512. callinota, Sclat. Pr. Z. S. 1855, pl. 96.	New Granada.
4513. Boucardü, Sclat. Cat. A. B. pl. 16. quixensis, Lawr.	Mex., Vera Paz
4514. strigilata, Max.; Sclat. & S. Exot. Orn. pl.	S.E. Brazil.
4515. consobrina, Sclat.	Ecuador.
4516. cinerascens, Sclat.	E. Peru.
4517. bicolor, Natt. & Pelz.	Brazil.
1117. d. TERENURA, Cab. & H. 1859. Leptorhynchus, p., Ménétr.	
4518. maculata, Max.; Mém. Ac. St. Pétersb. 1835, t. 10. 2. striolatus, Ménétr.; vittata, V.?	S.E. Brazil.
4519. caloptera, Solat.	Ecuador.
4520. melanoleuca, Natt. & Pelz.	Brazil.
1118. e. Psilorhamphus, Sclat. 1854. Leptorhynchus, Ménétr. 1835, nec Guér. 1826.	
4521. guttata, Ménétr. Mém. Ac. St. Pétersb. 1835, t. 10. 1.	"
1119. f. Cercomacra, Sclat. 1858.	
4522. cærulescens, V.; Ménétr. Mém. Ac. St. Pétersb. 1835, t. 6. 1, 2.	27
4523. cinerascens, Sclat. cærulescens?, Sclat.	Rio Napo.
4524. tyrannina, Sclat. Pr. Z. S. 1855, pl. 98.	Vera Paz, Boliv. Honduras.
4525. nigricans, Sclat.	New Granada.
4526. maculosa, Sclat.	Esmeraldas.
4527. napensis, Sclat. cinerascens, Sclat.	R. Napo. Cayenne.
4528. approximans, Pelz.	Brazil.

S.E.Braz., Boliv.

Brazil. X

4529. atrothorax, Bodd.; P. E. 701. 2. Cayen., Bolivia. alapi, Gm.; atricapilla, V.? 4530. mclanura, Ménétr. Mém. Ac. St. Pétersb. 1835, t. 8, 1, 2. Brazil. atrothorax, p. ??, Sclat. 4531. ruficauda, Pelz. 4532. melanaria, Ménétr. Mém. Ac. St. Pétersb. 1835, t. 9, 2, nigricans, p. ??, Sclat. 1120. g. Pyriglena, Cab. 1847. Reich, S. A. t. 52. f. . 4533. leucoptera, V.; Sw. Zool. Ill. pl. 27; Mém. Ac. St. Pétersb. t. 7. 1, 2. S.E. Brazil. notodelos, Cuv.; domicella, Licht.; melanura, Strickl. trifasciata, Sw.; palliatus, Less.? leuconota, Spix, A. B. i. 72. 2. 4534. Ellisiana, Sclat. Pr. Z. S. 1855, pl. 100. New Granada. 4535. serva, Sclat. Rio Napo. 4536. atra, Sw.; Spix, A. B. ii. t. 39. 2. Brazil, Peru. leuconotus, Spix; maura, Ménétr.? 4537. maculicaudis, Sclat. Trinidad. 4538. picea, Cab. Peru. atra, Tsch. Esmeraldas. 1121. h. Percnostola, Cab. & H. 1859. Thamnophilus, c, Sclat. Pr. Z. S. 1867, fig. p. 980. 4539. rufa, Bodd.; P. E. 644. 1; Pr. Z. S. 1855, pl. 81. Cavenne. funebris, Licht.?; rufifrons, Gm. cæsius, Sclat.; leucostigma, Natt. & Lafr. 4540. fortis, Sclat. & S. Pr. Z. S. 1867, pl. 45 (funebris on plate). E. Peru. 4541. minor, Pelz. Rio Negro. 4542. nigrescens, Cab. & H. Cayenne. 1122. i. Herpsilochmus, Cab. 1847. Reich. S. A. t. 52. f . 4543. pectoralis, Sclat. Brazil. 4544. rufimarginata, Tem. P. C. 132. 1; Ranz. Elem. di Orn. t. 18, 2. S.E. Brazil. variegata et scapularis, Licht. & Max.

4545. pileata, Licht.

4546. atricapilla, Natt. & Pelz.

4547. longirostris, Natt. & Pelz. Brazil. 4548, dorsimaculata, Natt. & Pelz. 1123. j. Myrmotherula, Sclat. 1858. Myrmotherium, Cab. & H. 1859. 4549. pygmæa, Gm.; P. E. 831, 2. Cavenne. minuta, D' Orb. ? : pusilla, Cuv. Bolivia. 4550. surinamensis, Gm.; Lath. Syn. pl. 62; Pr. Z. S. 1858, pl. 141. 1. Cavenne. quadrivittata, Cab. British Guiana. Rio Napo. 4551. multostriata, Sclat. Pr. Z. S. 1858, pl. 141, 2, 3. Upper Amazon. 4552, albigula, Laur. Panama. 4553. minuta, Licht, & Pelz, Rio Negro? 1124. k. Rhopias, Cab. & H. 1859. Myrmotherula, b. Rhopias, Sclat. 4554. gularis, Spix, A. B. t. 41. 2; Mém. Ac. Pétersb. 1835, t. 2. 2. S.E. Brazil. cinerea, Max. 4555. guttata, V. Gal. des Ois, t. 155. Cavenne. pœciloptera, Cuv. 4556, hæmatonota, Sclat. E. Peru. 4557. ornata, Sclat. Cat. of A. B. pl. 15. New Granada. 4558, erythrura, Sclat. Rio Napo. 55), fa' viventris, Lawr, gularis, Lawr. BR25. l. Myrmophila, Cab. & H. 1859. Myrmotherula, c. Myrmophila, Sclat. 4560. brevicauda, Sw. S.E. Brazil. minor, Salvad.; axillaris, p., Ménétr.; cirrhatus, p., G. R. Gr. 4561. urosticta, Sclat. Pr. Z. S. 1857, pl. 126. 1. Brazil. 4562. Menetriesi, D' Orb. Bolivia, E. Peru. Cayenne, Trinid. 4563. axillaris, V.; P. E. 643. 2? fuliginosa, p., Licht.; cirrhatus, p., G. R. Gr. Upper Amazon. 4564. erythronota, Hartl. S.E. Brazil. 4565. Hauxwelli, Sclat. Pr. Z. S. 1857, pl. 126, 2, E. Peru. 4566, melæna, Sclat. New Granada.

> Cayenne, Surinam, E. Peru.

Brazil.

4567. cinereiventris, Sclat. & S.

4568, melanogaster, Spix, A. B. t. 43, 1,

fuliginosa, Licht.; axillaris, Burm. cirrhatus, p., G. R. Gr.; axillaris, p., Ménétr.

4569. unicolor, Ménétr. Mém. Ac. 8t. Pétersb. 1835, t. 2. 1. fuliginosus, var., Licht.

New Granada.

4570. assimilis, Pelz.

Brazil, R. Negro, R. Amazon. Bahia.

4571. luctuosa, Tem. & Pelz.

Rio Negro.

4572. longipennis, Pelz.

1126. RAMPHOCÆNUS, V. 1818.

Acontistes, Sundev 1835. Scolopacinus, Bp. 1837. Rhamphocœnus, G. R. Gr. 1847. Rhamphocænus, Cab. 1847.
 G. of B. i. p. 157, pl. 47. f. 8; Reich, S. A. t. 57. f.

4573. melanurus, V.; Gal. des Ois. t. 128; Sw. Zool, Ill. pl. 140. Brazil. longirostris, Licht.; rectirostris, Sw. gladiator, Max.

4574. rufiventris, Bp.; Gr. & M. G. B. i. pl. 47. 2.

Coban.

4575. einereiventris, Selat. Pr. Z. S. 1855, pl. 87.

New Granada.

4576. semitorquatus, Lawr.

4577. Sanctæ Marthæ, Sclat.

4578, collaris, Natt. & Pelz.

Rio Negro.

Subfam. III. Thamnophilinæ, Sw. 1831.

Thamnophilina, Vig. 1825, Eriodorinæ, p., Cab. 1847.

1127. THAMNOPHILUS, F. 1816.

Batara, Tem. 1820. Tamnophilus, Bp. 1831.
 Thamnophilus, div. ĉ, Selat. 1858. Thamnophilus, f, Selat. 1862.
 G. of B. i. p. 297.

a. Thampophilus.

4579. doliatus, L.; Edw. B. pl. 226; P. E. 297, 2; Lev. O. A. t. 77, 2? ruhiginosus, Lath.

N. of S. America. Peru.

4580. capistratus, Less.; Spix, A. B. t. 35, 2, & 38, 1, radiatus, Spix, doliatus, p., G. R. Gr.; radiosus!, G. R. Gr.

Brazil.

4581. tenuipunctatus, Lafr.

New Granada

4582. palliatus, Livht.; Spix, A. B. t. 33; Sw. B. Braz. pl. 65.
66. lineatus, Spix; fasciatus et badius, Sw.; vestitus, Cuv.

S.E. Brazil.

4583. multistriatus, Lafr.

New Granada, Paraguay,

4584. radiatus, V. albicans. Lafr.

Bolivia, X 2 4585. nigrieristatus, Lawr.

4586. nigriceps, Selat.

Panama. New Granada.

4587. affinis, Cab. & H.

doliatus, p., Sclat.; doliatus et affinis, Lawr.

Xalapa.

4588. tenuifasciatus, Lawr.4589. nigrescens, Lawr.

Rio Napo. Venezuela.

b. Batara, Less. 1831, ct Selat. 1858.
 Tamnophilus, Tem. 1820. Thamnophilus, Sw. 1837.

Thamnarchus, Cab. & H. 1859. Reich. S. A. t. 71. f.

4590. cinereus, V.; Zool. Journ. i. pl. 7, 8; Voy. Uranie, t. 18, 19; Mikan, Del. Flor. et Faun. Bras. t.

S.E. Brazil.

rufus et cristatellus, V. undulatus, Mikan; Vigorsii, Such. gigas, Sw.; striata, Quoy & G.

1129. c. Nisius, Reich, 1850.

Lochites, Cab. & H. 1859. Thamnophilus, a. Nisius, Sclat. 1862. Reich. S. A. t. 71. f.

4591. Leachii, Such; Jard. & S. I. O. pl. 41. ruficeps, Such; funebris, Cuv.

4592. severus, Licht.; Jard. & S. I. O. pl. 21. lineatus, V.?; niger et Swainsoni, Such. othello, Less. C. Z. t. 19.

viridis, V.; lunulatus, Cuv.

Cayenne. B. Guiana.

4594. unduliger, Pelz.

Brazil.

1130. d. Hypaedaleus, Cab. & H. 1859.

4593. fuliginosus, Gould; Less. Tr. d' Orn. t. 45, 2.

Thamnophilus, a. Nisius, p., Sclat. 1858. Thamnophilus, b. Hypaedaleus, Sclat. 1862.

Sw. C. of B. f. 117?; G. of B. i. pl. 72.f. 2; Reich. S. A. t. 71. f.

4595. guttatus, V.; Spix, A. B. t. 35, 1; Zool, Journ, i. pl. 6. suppl.

meleager, Licht.; maculatus, Cuv. meleagris!, G. R. Gr.

1131. e. TARABA, Less. 1831.

Diallactes, Reich. 1850.
Thamnophilus, b, Sclat. 1858. Thamnophilus, c. Tabara, Sclat. 1862.

Reich. S. A. t. 71. f. . .

4596. major, V.; Spix, A. B. t. 32. stagurus, Max.; albiventer, Spix. bicolor et einnamomeus, Sw. magnus, Less.; albiventris!, G. R. Gr. N. of S. Amer. Peru,

4597. melanurus, <i>Gould</i> , <i>Pr. Z. S.</i> 1855, pl. 83. major, <i>Tsch</i> .	S. & C. Amer.
4598. transandeanus, Sclat.	Guayaquil.
4599. corvinus, Gould; Spix, A. B. t. 39, 1. melanoceps, Spix; melanocephalus, Cab. & H.	E. Peru. Ecuad., Ucayali.
4600. melanothorax, Sclat.	S. America.
4601. hyperythrus, Gould.	Upper Amazon,
4602. luctuosus, Licht.; Archiv. Mus. t. 17. 1. mclas, Cuv.	Low. Ucayali. E. Peru.
4603. melanocrissus, Sclat. melanurus, Sclat.	Vera Paz.
4604. Hollandi, Lawr.	Nicaragua.
4605. Borbæ, Pelz.	R. Madeira.
4606. cinereoniger, Pclz.	R. Napo.
4607. Tschudii, Pelz.	R. Madeira.
4608. moestus, Pelz.	Cayenne.
1132. f. ——? Thamnophilus, c, Sclat. 1858. Thamnophilus, c. Tabara, p., Sclat. 1862.	
4609. immaculatus, Lafr. "Campterii, G. R. Gr.," Sclat.	New Granada. Ecuador.
4010. æthiops, Sclat.	E. Ecuador.
4611. Bridgesi, Sclat.	Chiriqui.
4612. punctatus, Cab.	Costa Rica.
1133. g. Krionotus, Cab. & H. 1859. Thamnopilus, div. β, Sclat. 1858. Thamnophilus, d. Erionotus, Sclat. 1862.	
4613. nigrocinereus, Sclat. Pr. Z. S. 1855, pl. 81.	N. Brazil.
4614. cayanensis, Müll.; Leach, Zool. Misc. pl. 17; Lev. O. A. t. 77. 1. nævius, Gm.; punctatus, Shaw. cærulescens, Lafr.; amazonicus, Lawr. albonotatus, Spix, A. B. t. 37. 2 & t. 38. 2?	Cayenne. N. Brazil. New Granada.
4615. ambiguus, Sw. nævius, V.; nigricans, Max. ferrugineus, Sw.?; alveolus, Cuv.	S.E. Brazil.
4616. pileatus, Sw. maculatus, Lafr.; ventralis, Sclat. cærulescens, Cab.; auratus, V.	*1
LOTH C. L. C. L. W. C.	

4617. amazonicus, Selat. Pr. Z. S. 1858, pl. 139, 1, 2. Brazil.

ruficollis, Spix, A. B. t. 37. 1.

off manufacture and a second	
4618. capitalis, Sclat.	Rio Napo.
4619. strigilatus, Spix, A. B. t. 36. 1.	*1
4620. murinus (Natt.), Sclat. & S.	Cay., E. Peru.
4621. sticturus, Pelz.	Brazil.
4622. cinerciceps, Pelz.	**
4623. einereinucha, Pelz.	Rio Negro.
4624. stietocephalus, Pelz.	Brazil.
4625. punctuliger, Polz.	**
4626. polionotus, Pelz.	11
4627. saturninus, Natt.	11
4628, incertus, Pelz,	19
1134. h. Hylolophus, Cab. & H. 1859.	
Thamnophilus, div. γ, Sclat. 1858. Thamnophilus, c. Hylolophus, Sclat. 1862.	
4629. canadensis, L.; V. O. A. S. t. 48, 49. atricapillus et cirrhatus. Gm.; pilcatus, Lath. cristatus, Max.	Cayenne, Trinidad.
4630. albinuchalis, Sclut.	Guayaquil, Isl. of Puna.
4631. pulchellus, Cab.	Carthagena.
4632. cristatus, Max.; Arch. du Mus. vii. t. 17. 2. pœcilurus, Cuv.	Brazil,
4633. leucanchen, Sclat. Pr. Z. S. 1855, pl. 79.	E. Peru.
4634. melanonotus, Sclat. Pr. Z. S. 1855, pl. 80.	New Granada.
4635. aspersiventer, Lafr.; D'Orb. Voy. A. M. t. 4. 1, 2. aspersiventris, Sclat, schistaceus?, D'Orb.	Bolivia,
11:35. i. Rhopocharis, Cab. & H. 1859.	
Thamnophilus, g. Rhopocharis, Sclat. 1862.	
4636. torquatus, Sw.	S.E. Brazil.
scalaris, Max .; atropileus, $Lafr$. pectoralis, $8w$.	Bolivia.
4637. ruficapillus, V. argentinus, Cab. & H.?; torquatus, p.?, Sclat,	Monte Video.
11:36. <i>j.</i> Русорті д <i>A, Cab.</i> 1859. Pygiptila, <i>Sclat.</i> 1858.	
4638. maculipennis, Sclat. stellaris, Sclat.	Upper Amazon. Rio Napo.

4639. margaritata, Sclat. Pr. Z. S. 1854, pl. 70.

E. Peru.

1137. k. Cymbilaimus, G. R. Gr. 1840. Cymbolæmus, Cab. § II. 1859.	
4640. lineatus, Leach, Zool. Misc. pl. 6.	Cayenne, Upper
1138. l. Dysithamus, Cab. 1847. Dasythamnus, Burm. 1856. Reich. S. A. t. 71. f.	Amaz., Ecua.
4641. guttulatus, Licht.; P. C. 179. 1, 2. strictothorax, Tem.; guttatus, G. R. Gr.	S.E. Brazil. Bolivia.
4642. mentalis, Tem. P. C. 179, 3, poliocephala, Max. olivaceus, Tsch. F. P. t. 11, 1?	S.E. Br., E. Per. Bolivia.
4643. semicinereus, Selat. Pr. Z. S. 1855, pl. 97, 147.	New Granada.
4644. xanthopterus, Burm.	S.E. Brazil.
4645. plumbeus, <i>Max.</i> stellaris, <i>Spix</i> , <i>A. B.</i> t. 36, 2, 3,	"
4646. leucostictus, Sclat. Pr. Z. S. 1858, pl. 140.	Ecuador.
4647. schistaceus, D'Orb. Voy. A. M. t. 5. 1. fuliginosus, Lafr.	Bolivia, Brazil. Ecuador.
4648. unicolor, Selat.	Pallatanga.
4649. striaticeps, Lawr.	Costa Rica.
4650. rufiventris, Lawr.	Panama.
4651. ? affinis, <i>Pelz</i> .	Brazil.
4652. puncticeps, Salv.	Veragua.
4653. ardesiacus, Sclat. schistaceus, p., Sclat.	Rio Napo.
11:39. m. Thamnomanes, Cab. 1847. Reich. S. A, t. 71. f.	
4654. cæsius, Licht.; P. C. 17, 1, 2,	S.E. Braz., Boliv.
4655. glaucus, Cab.	Cayenne, Brazil. Rio Napo?
1140. n. Thampistes, Sclat. & S. 1860.	Rio Napo:
4656. anabatinus, Sclat. & S.	Vera Paz.
4657. æquatorialis, Sclat.	Rio Napo.
11.41. o. Neoctantes, Sclat. 1868. Xenops, p., ct Pteroptochus, p., Pelz. Proc. Z. S. 1868, fig. p. 572.	
4658. niger, Natt. & Polz.	Rio Negro.
1142. p. Biatas, Cab. 1859. Biastes, Reich. 1853, nec Panz. 1806.	

4659. nigropectus, Lafr. Rev. de Zool. 1850, t. 1.

Brazil.

FAM. XV. ÆGITHINIDÆ, G. R. Gr.

Liotrichidæ, Cab. 1847.

Subfam. I. Leiothrichinæ, Sw. 1831.

Timalinæ!, p., Cab. 1847. Pachycephalinæ, p., et Formicariinæ, p., G. R. Gr. 1840.

1143. BRACHYPTERYX, Horsf. 1820.

Goldana, G. R. Gr. 1840. Formicivora, p., Ménétr. Alcippe, p., Bl. G. of B. i. 209, pl. 55, f. 11; Reich, S. A. t. 52, f.

a. Brachypteryx,

4660. montana, Horsf.

Java.

4661, albifrons, Boie.

4662. cruralis, Bl.

Nepal, Sikkim.

homochroa, Hodgs.; aurifrons, Jerd. & B.

4663. nipalensis, Hodgs.

Darjeel., Nepal, Sikkim. Java.

4604. sepiaria, Horsf.; P. C. 448. 1. leucophrys, Tem.; olivaceum, Strickl.

4665, rufifrons, Jerd, & Bl.

Darjeeling.

4666. hyperythra, Jerd. & Bl.

99

1144. b. Drymochares, Gould, 1868. Brachypteryx, p., Gould.

4667. stellatus, Gould, B. As. pl.

Sikkim.

1145. c. Kelaartia, Bl. 1855.

4668. **Palliseri,** Kelaart. Palisseri!, Jerd.

Ceylon.

d. Microcercus, Fitz. 1864. Brachypteryx, p., Kuhl. Microura, p., Bp.

4669. lepturus, Kuhl.

Java.

1142. LEIOTHRIX, Sw. 1831.

Furcuria, Less. 1831.
Bahila, 1838, et Calipyga, 1841, Hodgs.
Leioptrix, Less. 1839. Liothrix, Strickl. 1841.
Callipyga, Agass.
Sw. C. of B. f. 215; G. of B. i. p. 269, pl. 66, f. 2; Reich. S. A.

t. 70. f. .

a. Leiothrix.

4670. Iutea, Scop.; P. C. 287. 1. sinensis, Gm.; furcatus, Tem. China. ·

4671. callipyga, Hodgs.; Gould, B. As. pl. Inteus, p., Bl.

Nepal.

114%.

b. Mesia, 1838,

et Philacalyx, 1841, et Fringilloparus, 1844, Hodgs. Philocalyx, Bl. 1842.

4672. argentauris, Hodgs.; Gould, B. As. pl.

Darjeeling.

1149.

et Hemiparus, 1841, et Ioropus, 1844, Hodgs. Alcippe, p., Bl. Reich. S. A. t. 67. f.

4673. cyanouroptera, Hodgs.; Gould, B. As. pl. lepida, M. Clell.

Himalavas.

4674. strigula, Hodgs.; Mag. de Zool. 1846, t. 19; Gould, B. As. pl.

c. Siva. 1838.

variegata, Deless, Sour, Voy, t. 8. feliciæ, Less. ?; chrysocephala, James.

4675. nipalensis, Hodgs.

Nepal.

1150. d. MINLA, 1838, et Proparus, 1841, et Certhiparus, 1844, Hodgs.

4676. ignotineta, Hodgs.

Himalayas.

ornata, M'Clell. 4677. castaneiceps, Hodgs.

Nepal. Sikkim.

4678. cinerea, Bl.

1151.

e. ---? Proparus, Hodgs. 1844, nec 1841.

4679. vinipectus, Hodgs.

Nepal.

4680. chrysotis, Hodgs. chrysopterus et leucotis, Bl.? chrysæus, Hodgs.

Sikkim. Nepal.

f. Muscitrea, Bl. 1847. 1152.

4681. cinerea, Bl.

Aracan.

1153, PTERUTHIUS, Sw. 1831.

Ptererythius, Strickl. 1841. Pterythrius, Cab. 1847. Allotrius, Reich. 1850. Sw. C. of B. f. 216; G. of B. i. p. 270, pl. 66, f. 3; Reich. S. A. t. 69, f.

a. Pteruthius.

4682. erythropterus, Vig.; Gould, C. B. pl. 11; id. B. As. pl. Himalayas.

4683. rufiventer, Bl.; G. R. Gr. & M. G. B. pl. 66; Gould, B. As. pl. (rufiventris! on pl.).

4684. flaviscapis, Tem. P. C. 589. f. 1. flavipennis, Kuhl.

Darjeeling.

Java, Sumatra.

1154. b. —.

Allotrius, Boie, 1835.

4685. ænobarbus, Tem. P. C. 589. f. 2.

Java.

4686. melanotis, Hodgs.; Gould, B. As. pl. enobarbus, p., Jerd.

Nepal, Sikkim. Bootan.

4687. **xanthochloris**, Hodgs.; Gould, B. As. pl. anobarbus \mathcal{Q} , Jerd.

Nepal.
Tenasserim.

4688. æralatus, Tick.

1155. CUTIA, 1836,

et Heterornis, 1841, Hodgs. G. of B. iii, app. p. 15, suppl. pl. 186, f. 6; Reich. S. A. t. 80, f.

a. Cutia.

4689. nipalensis, Hodgs.; Gould, B. As. pl.

Nepal, Bootan.

1156.

b. Leioptila, Bl. 1847.

Darjeeling.

4690. annectans, Bl.

4691. nigricapillus, V.; Lev. O. A. t. 108. cucullatus, Ill.

1157. LIOPTILUS, Cab. 1850.

S. Africa.

Subfam. II. Ægithininæ, G. R. Gr.

Cossyphina, p., Vig. 1825. Timalinæ, G. R. Gr. 1841. Napodinæ, Cab. 1851.

1158. TIMALIA, Horsf. 1820.

Napodes, Cab. 1850.

Thimalia, Vig.

G. of B. i. p. 229; Reich. S. A. t. 55. f. 2?

a. Timalia.

4692. pileata, Horsf. Zool. Res. Jav. pl. 1.

Java.

4693. nigricollis, Tem. P. C. 594. 2.

Borneo.

erythronotus, Bl.; nigrogularis, Eyton.

Java, Sumatra.

4694. maculata, Tem. P. C. 593. 1. pectoralis, Bl.; squamatum, Eyton.

4695. acutirostris, Eyton. Sunda I. pyrrhophæa, Hartl.; pyrrhoptera. Boie. erythroptera, Bl.; pirrhoptera!, Bp. 4696. poliocephala, Tem. P. C. 593. 2. Java, Sumatra. 4697. leucotis, Strickl. Contr. Orn. 1848, pl. Java. 4698. grammicephala, Kuhl; P. C. 448. 3. grammiceps, Tem. 4699. striolata, Müll. Sumatra 4700. quadristriata, Bl. --- ? 4701. bicolor, Bl. Malacca? 1159. b. Timalides, Bl. 1855. Sw. C, of B. f. 124. 4702. thoracica, Tem. P. C. 76. Java, Sumatra. 1160. c. Dumetia, Bl. 1849. Pellorneum, p., Bl. 1849. 4703. albogularis, Bl.; Gould, B. As. pl. S. Ind., Bengal, Madras. hyperythra, Jerd. Ceylon. 4704. ? bivittatus, Müll. Timor. 4705. hyperythra, Frankl. Mag. de Zool. 1835, t. 40; Gould, B. C. India. As. pl. - d. Schenicola, Bl. 1844. 1161. Splicenicola!, G. R. Gr. 1855. 4706. platyura, Jerd. Neilgherries. 1162. e. Stachyris, Hodgs. 1844. Stachyrhis, Agass. Cilathora et Strachyris, Hodgs, 1844. Strachyrhis, Agass. 4707. nigriceps, Hodgs. S.E. Himalaya. 4708. pyrops, Hodgs.; Gould, B. As. pl. Sikkim, Nepal. pyrrhops, Hodgs.; chrysaa, Adams. 4709. chrysæa, Hodgs. S.E. Himalaya. 4710. ruficeps, Bl. Nepal, Assam. pileata, M. Clell. 4711. larvata, Müll. Sumatra. 4712. præcognitus, Swinh. I. of Formosa,

f. Errornis, Hodgs. 1844.

Noun!

1163.

Herpornis, Agass.
4713. xanthochlora, Hodys.

xantholeuca, Hodgs.

g. Pyctoris, 1844, 1164.

et Chrysomma, 18 ?, Hodgs. Pyctorhis, Agass. Pictorhis, Jerd.

4714. sinensis, Gm.; Jard. & S. I. O. pl. 111; Mag. de Zool. India. 1835, t. 39.

hypoleuca, Frankl. bicolor, Lafr.; Horsfieldii, Jard. & S. rufifrons, Hodgs.

4715. longirostris, Hodgs.

Verreuxii, Tick.? 4716. altirostris, Jerd.

1165. h. Mixornis, Hodgs. 1844.

4717. gularis, Horsf. Zool. Res. Jav. pl. 2; Voy. Pôle Sud, Java. t. 19. 2.

4718. rubricapilla, Tiek.

chloris et ruficeps, Hodgs. 4719. javanica, Cab.

gularis, Bp.

4720. sumatrana, Bp. gularis, Raffl.

4721. bornensis, Bp.

4722. flavicollis, Müll.

4723, similis, Bl. 4724. melanothorax, Tem. P. C. 185. 2. poliopsis, Boie.

1166. ÆGITHINA, V. 1816 (suppressed in 1818), et Sw. 1837.

Egithalus!, Sw. 1837. Iora, Horsf. 1820. Brachypus, p., Sw. 1831. Sw. C. of B. f. 206, a, e, 214, b; G. of B. i. p. 199, pl. 53. f. 4; Reich, S. A. t. 61. f. .

4725. tiphia, L.; Edw. B. pl. 79. leucoptera, V.; subviridis, Tick.

4726. zeylonica, Gm.; Brown, Ill. pl. 15. 2; Lev. O. A. t. 141. melanops, Sw.; tiphia, Jerd.; multicolor, cingalensis ct melanictera, Gm. quadricolor, I.; meliceps, Horsf.

tiphia, var. nigra, Sundev.

4727. scapularis, Horsf. Zool. Res. pl. viridissima, Tcm.; tiphia, Vig.

4728. viridis, Tem.

4729. Lafresnayi, Hartl. M. de Z. 1845, t. 60. innotata, Bl.

Nepal.

Upper Burmah.

Himalayas.

Java.

Sumatra.

Borneo. Java.

Sumatra.

Java.

India.

India, Ceylon.

Java, Borneo. Sumatra.

Borneo.

Aracan.

1167. MALACOPTERON, Eyton, 1839.

Malacopterum, Agass. G. of B. i. p. 208, pl. 55. f. 12; Reich. S. A. t. 52. f.

a. Malacopteron.

4730. magnum, Eyton. pileata, Müll.; majus, Bl. Sumatra, Borneo.

4731. cinereum, Eyton. coronata, Müll.; mugnum, Bl.

Malacca.

1168.

b. Kenopia, Bl. 1855.

4732. leucostigma, Müll. striata, Bl.; maculatus, Eyton.

Borneo, Malac.

1169.

c. Alcippe, Bl. 1844.

Setaria, Bl. 1844, nec Oken, 1815.

4733. affine, Bl. atricapilla, Müll.

Malacca, Borneo. Sumatra.

4734. nigrifrons, Bl.

Ceylon.

1,011 111611110110, 200

India.

4735. atriceps, Jerd. 4736. Morrisonia, Swinh.

I. of Formosa.

4737. brunneum, Gould, B. As. pl.

,,

4738. monacha, G. R. Gr. murina, Tem,?

Aru, N. Guinea. Waigiou, Ceram.

4739. albigularis, Bl. fuscipes, Lafr.

Malacca.

4740. poiocephala, Jerd.

Malabar.

Aracan.

4741. phayrei, Bl.

Java.

4742. dumetoria, Cab. 4743. solitarium, Cab.

Sumatra.

4744. magnirostris, Moore.

Malacca.

4745. Cantori, Moore.

Pinang.

4746. murinum, Tem.

New Guinea.

4740. murinum, 1em.

1170. MACRONUS, Jard. § S. 182 ?
Macronous, Bl. 1849. Brachypteryx, p., Sw.
G. of B. i. p. 209, pl. 55, f. 10; Reich, S. A. t. 55, f.

a. MACRONUS.

4747. ptilosus, Jard. & S. I. O. pl. 150. trichorrhos, Tem. P. C. 594. 1. trichorrhis!, G. R. Gr.

Java, Sumatra Borneo.

4748. leucotis, Strickl. Contr. Orn. 1848, pl.

Manilla.

1121.

b. CACOPITTA, Bp. 1850.

####. D. CACOPITTA, Bp. 1850.	
4749. loricatus, Müll.	Java, Sumatra.
4750. atrigularis, Bp. margaritacea, Tem.	Borneo.
4751. lepidopleurus, Tem.	Java, Sumatra.
4752. perspicillatus, Tem.	31
4753. leucogrammicus, Tem.	Borneo.
1172. с. Такнаятома, 1842, et Malacocinela, 1845, Bl.	
4754. rostratus, Bl.	Malacca.
4755. Abbotii, Bl.	Nepal, Aracan.
4756. rubinus, Tem.	Sumatra.
4757. pyrrhogenys, Tem. P. C. 442. 2. pyrrogenys!. Tem.	Java, Borneo.
4758. pyca, Boie.	Java, Sumatra.
4759. mystacalis, Tem.	Sumatra.
4760. olivaceus. Bl.	Malacca.
4761. concretus, Müll. hypoides, Tem.	Borneo.
4762. rufifrons. Licht.	Java, Sumatra.
4763. celebensis, Strickl, Contr. Orn. 1849, pl.	Celebes.
1173. d. Napothera, Boie, 1835. Reich, S. A. t. 52, f.	
4764. bicolor, Less. ferruginosum, Bl.; rubicauda. Müll.	Sumatra. Borneo.
4765. euryzonus, Müll.	Borneo.
4766. ruficapillus, Pucher, Voy. Pôle Sud, t. 19. 1. lepidocephala, Homb. & J. squamifrons, Pucher.	,, Sumatra.
4767. lepidocephalus, Müll.	Java, Sumatra.
4768, pyrrhopterus, Boie.	Java.
1174. с. Drymocataphus, Bl. 1849.	

4769. capistratoides, Tem.; Jard. Contr. Orn. 1849. pl.

4770. poliogenys, Müll.; Jard. Contr. Orn. 1849, pl.

malaccensis. Hartl.; poliogenis. Strickl.

nigrocapitata, Fyton.

Borneo.

Malacca.

Sumatra, Java.

4771. umbratilis, Müll.; Jard. Contr. Orn. 1849, pl. Borneo.

4772. fuscocapillus, Bl. Ceylon.

4773. capistratus, Tem, P. C. 185. 1. Java.

4774. epilepidotus, Tem. P. C. 448. 2. Java, Sumatra.

4775. barbatus, Cab. Sunda I.

1125. f. Turdinus, Bl. 1844.

4776. macrodactylus, Strickl. Malacea. albogularis, Hartl.

4777. brevicaudatus. Bl. Tenasserim.

4778. guttatus, *Bl.*4779. crispifrous, *Bl.*

1176. g. Trichixos, Less. 1839.

Turdirostrum, Hay, 1844. Turdirostris, Bl. 1849. Bessethera, Cab. 1850.

4780. pyrropygus, Less. Borneo. pyrrhonota, Tem.; pyrrhomelanura, Müll.

1177. ALETHE, Cass. 1859.

Napothera, p., Hartl.

superciliaris, Hay.

a. Alethe.

4781. castanea, Cass. Journ. Ac. Phil. 1862, pl. 23. W. Africa.

4782. maculicauda, Hartl. Ashanti.

4783. striaticollis. Hartl. Gaboon.

1178. b. Illadorsis, Heine, 1859.

Turdirostris, p., Cass.

4784. fulvescens, Cass. W. Africa.

FAM. XVI. MUSCICAPIDÆ, Vig. 1825.

Subfam. I. Muscicapinæ, Sw. 1831.

Hypocnemidinæ, p., et Platyrhynchinæ, p., Cab. 1847.

1179. PELTOPS, Wagl. 1829.

Erolla, Less. 1831. Platystomus, Sw. 1837. G. of B. i. p. 66, pl. 22, f. 2; Reich. S. A. t. 34, f.

4785. Blainvillii, Garn. Voy. Coqu. t. 19, 2; Sw. Nat. Libr. x. pl. 29.

New Gui., Waig.

1150. MONARCHA, Vig. & H. 1826.

Drymophila, Tem. 182 ? Monacha, Sw. 1837.

G. of B. i. p. 260, pl. 63. f. 1; Reich. S. A. t. 69. f.

a. Monarcha.

4786. carinata, Vig. & H.; Sw. Zool. Ill. pl. 147; P. C. 418. 2; Gould, B. A. ii. pl. 95.

4787. cinerascens, Tem. P. C. 430. 2.

4788. inornata, Garn. Voy. Coqu. t. 16. 2. carinata, p., G. R. Gr.

4789. guttula, Garn. Voy. Coqu. t. 16. guttata, G. R. Gr.

4790. griseogularis, G. R. Gr.

4791. leucura, G. R. Gr.

4792. leucotis, Gould, B. A. suppl. pl.

4793. castaneiventris, Verr.

4794. alecto, Tem. P. C. 430. 1.

4795. fulviventris, Hartl.

4796. dichroa, G. R. Gr.

1181. b. Symposiachrus, Bp. 1854.

4797. trivirgata, Tem. P. C. 481. 1.

4798. Gouldi, G. R. Gr.; Gould, B. A. ii. pl. 96. trivirgata, Gould.

4799. bimaculata, G. R. Gr.

4800. nigrimentum, G. R. Gr.

4801. lcricata, Wall.; Pr. Z. S. 1863, pl. 6.

4802. melanoptera, G. R. Gr.

4803, albiventris, Gould.

1182. c. Arses, Less. 1831.

Monacha, Reich.?

Sw. C. of B. f. 145; Reich. S. A. t. 64. f. .

4804. telescophthalma, Garn. & L. Voy. Coqu. t. 18. 1. enado, Less. Voy. Coqu. t. 15. 2.

4805. chrysomela, Garn. & L. Voy. Coqu. t. 18. 2; Nat. Libr. Flyc. pl. 14.

Var.

Timor.
Timor, Sula,
Ternate, Gil.

New S. Wales,

New Guinea. Aru.

New Gui., Aru, Waig., Mysol.

Aru.

Ké.

Louisiade.

Samoan Islands

Molucca, Celeb.,

Timor. Echiquier group.

New Guinea.

Timor.

New S. Wales. Tasmania.

Batchian.

Amboina. Bouru.

Bouru. Louisiade.

37 1

Cape York.

New Guin., Arn.

Mysol.

New Guin., Aru, New Ireland. Waigiou, Mysol,

Maigiou, Mys Salwatti. IISS. d. OPHRYZONE, Rams. 1868.

4806. Kaupi, Gould, B. A. suppl. pl.

N.E. Australia Queensland. c. Pomarea, Bp. 1854,

4807. nigra, Sparrm. M. C. t. 23; Voy. Coqu. t. 17. Society, Tonga I. atra, Forst.; lutea, Gm. pomarea, Less.; maupitiensis, Garn.

4808. Mendozæ, Hartl. Marquesas. nigra, var., Forst,

1185. f. Metabolus, Bp. 1854.

4809. rugensis, Homb. & J. Voy. Pôle Sud, t. 13. Carolina I.

4810. Godeffroyii, Hartl. Pr. Z. S. 1867. pl. 38. Yap of Hogoleu group.

1186. MUSCICAPA, Briss, 1760, nee L. 1766, Butalis, Boie, 1826 et 1828.

Muscicapa, 3 div., Sundev. Sw. C. of B. f. 229, g; G. of B. i. p. 262.

a. Muscicapa.

4811. griseola, L.; P. E. 565. 1; Naum. Vog. t. 64. 1; Gould, B. E. pl. 65. Europe. ficedula, L.

4812. ? africana, Bp. griseola, Verr.

1184.

4813. cærulescens, Hartl. Natal.

4814. hypogrammica, G. R. Gr. griscosticta, Swinh. griseola, var. daurica, Pall.

Ceram, Morty. Gilolo, Batch., Celeb., Form. 4815. chocolatina, Rüpp. S. U. t. 20. Abyssinia.

fumigata, Guér.; Ferr. & Gal. Voy. en Abyss. t. 7.

4816. gularis, Tem. & Schl. F. J. t. 16. Japan. 4817. lugens, Hartl.

Angola. 4818. helianthea, Wall. Cclebes.

4819. ? madagascariensis, Grandid. Madagascar,

4820. luteola, Pall.; Middendr. Sibir. Reis. ii. t. 17. 1-3.

1187. b. HEDYMELA, Sundev. 1846.

Butalis, G. R. Gr. 1840. Muscicapa, Kaup, 1829. G. of B. i. pl. 63. f. 9; Reich. S. A. t. 64. f. .

4821. atricapilla, L.; P. E. 668, 1; Naum. Veg. t. 64, 2, 3, 4; Gould, B. E. pl. 63. 1.

maculata, Müll.; ficedula, Gm. muscipeta, Beehst.; luctuosa, Scop. C. Europe.

Siberia.

S. & W. Africa.

4822. collaris, Bechst.; Naum. Vög. t. 65, 1, 2; Gould, B. E. pl. 63, 2.	S.E. Europe.	
albicollis, $Tem.$; streptophora, V . atricapilla, var. β , Gm .		
4823. epulata, Cass.	Mooda River.	
4824. comitata, Cass.	Muni River.	
4825. speculigera, Selys.		
4826. Riisii, Hartl.	Λ guapim.	
4827. modesta, Hartl.	Gaboon.	
4828. picata, Sw.	W. Africa.	
4829. Cassinii, Heine.	>>	
4830. aquatica, Heugl. Orn. N. O. Afr. t. 16. 2.	Djour.	
4831. melanura, Heugl.	C. Africa.	
4832. infusenta, Cass.	W. Africa.	
1188. c. Muscicapula, Bl. 1843.		
4833. superciliaris, Jerd.	S. India.	
4834. hemileucura, Hodgs.; Contr. Orn. 1848, pl. superciliaris, p., Bl.	Nepal.	
4835. albogularis, Bl. ciliaris, Hodgs.; superciliaris, p., Bl.	73	
4836. æstigma, Hodgs.	"	
4837. sapphira, Tick.; Jerd. I. Ind. Orn. pl. 32. saphira!, G. R. Gr.	Nepal, Sikkim	1.
1189. d. Alseonax, Cab. 1850.		
4838. undulata, V.; Lev. O. A. t. 156. adusta, Boie; fuscula, Sundev.	S. Africa. Mauritius (!).	
1190. e. Erythrosterna, Bp. 1838. Erythrosternia, Reich. 1850. Synornis, Hodgs. 1844. Syornis, Agass. Reich. S. A. t. 67, f.		
4839. parva, Bechst.; Naum. Vog. t. 65.3; Gould, B. E. pl. 6 minuta, Tem. & Schl.	4. S.E. & C. Eu: England.	r.
4840. leucura , <i>Gm</i> . albicilla, <i>Pall</i> .; joulaimus, <i>Hodgs</i> . parva, <i>Sundev</i> .; Tytleri, <i>James</i> .? rubeeuloides, <i>Sykes</i> .	India.	
4841. maculata, Tick.	S.E. Himala	•
leucochista, Hodgs.; melanoleuca, Bl.	Aracan, Tens	
4842. acórnaus, Hodgs. leucura, p. ?; acormus et poonensis, Hodgs.	Nepal, E. Hi	m.

4843. pusilla, Bl. acornaus, p., Bl. C. India.

4844. solitaris, Müll. solitaria, Bp.

Sumatra.

4845. rufigularis, Kuhl. rufigula, Kuhl.

Java.

f. NEWTONIA, Poll. 1866. 1191. Erythrosterna, p., A. Newt.

4846. brunneicauda, A. Newt.; Poll. & V. D. F. Madag. t. 18. 3. Madagascar.

1192. g. Zanthopygia, 1847, et Xanthopygia, 1849, Bl. Charidylas, Bp. 1854. Choredhyla, Jerd. 1862.

4847. tricolor, Hartl.

Malacca. lencophrys, Bl.; zanthopygia, Hay. China. 4848. narcissina, Tem. P. C. 577. 1; F. J t. 17, c. Japan.

chrysophrys, Bl. China. hylocharis, Tem. & S. F. J. t. 17, Q.

i. Pycnosphys, 1850.

TIOR. h. Hemipus, Hodgs. 1844. Lanaria, Bl. 184 ?

4849. picata, Sykes. hirundinacea, Jerd.; tyrannides, Tick. capitalis, M'Clell.; picæcolor, Hodgs.

S. India. Nepal, Ceylon.

et Pycnophrys, 1849, Strickl. 4850, grammiceps, Verr.; Contr. Orn. 1849, pl.

Java.

1195. j. Hyliota, Sw. 1827. Sw. C, of B. f. 229, h; Reich, S. A. t. 64, f. . .

4851. flavigaster, Sw. Flyc. pl. 28.

W. Africa.

4852, violacea, Verr.

1194.

Gaboon.

1196. k. Erythrocercus, Hartl. 1857.

4853. M. Callii, Cuss. Mooda River.

4854. - n. sp.? Zambesi.

1197. 1. MICROCA, Gould, 1841. Micraeca, Aliq. Reich, S. A. t. 67. f. .

4855. fascicans, Lath.; Gould, B. A. ii. pl. 93. macroptera, Vig. & H. leucophæa, Lath.? platyrhyncha, Quoy & G. Voy. Astrol. t. 11, 1? New S. Wales. S. Australia.

4856. assimilis, Gould. W. Australia.

4857. flavigaster, Gould, B. A. ii. pl. 94; Voy. Pôle Sud, t. 12*. 5. N. Australia.

4858. flavovirescens, G. R. Gr. N. Guin., Mysol,

Waigiou, Aru.

New Guinea.

4859. ? conspicillata, G. R. Gr. New Guinea.

4860. superciliosa, Wall. Timor.

1198. m. Artomyias, Verr. 1854.

Artemyias, Verr.

4861. fuliginosus, Verr. W. Africa. infuscata, Cass,

1199. HEMICHELIDON, Hodgs. 1844.

G. of B. i. p. 262, pl. 63. f. 13; Reich. S. A. t. 64. f.

4862. sibiricus, Gm.

fuscedula, Pall.; fuliginosus, Hodgs. China, Nepal.

3. forruginous, Hodgs. Himalaya.

China, Ceylon.

Sumat., S. India.

Ceylon, Japan.

W. Africa.

4863. ferrugineus, Hodgs. rufescens, Jerd.; rufilata, Swinh. mutui, Layard.

4864. latirostris, Raffl.

poonensis, Sykes (?)
ponticerianus, Licht.; cinereoalba, Schl.

4865. terricolor, Hodgs. Himalayas.

1200. SMITHORNIS, Bp. 1850.

Phrynorhamphus, Kaup, 1851.

a. Smithornis.

4866. capensis, Smith, I. S. A. Z. pl. S. Africa.

4867. rufolateralis, G. R. Gr. Pr. Z. S. 1864, pl. 16.

1201. b. Megabias, Verr. 1854.

4868. tricolor, Elliot. Gaboon. flammulatus, Verr.

1202. c. Cassinia, Hartl.

4869. Fraseri, Striekl. Fernando Po.

4870. rubicunda, Hartl. Gaboon.

1203. d. Bias, Less. 1831.

4871. musica, V. W. Africa. flavipes, Sw.

1204. COCHOA, 1836,

et Prosorinia, 1841, Hodgs. G. of B. i. p. 280, pl. 68, f. 6; Reich, S. A. t. 89, f. а. Соснол.

4872. purpurea, Hodgs.; Gould, B. As. pl. Hodgsoni, Bl. Nepal.

4873. viridis, Hodgs.; G. R. Gr. & M. G. B. pl. 68; Gould, B. As. pl.

1205. b. Xenogenys, Cab. 1850.

Orcias, Tem. 1838, nec Kaup, 1829. Oreas, G. R. Gr. 1846, nec Desm. 1804.

4874. azurea, Tem. P. C. 274.

Java, Sumatra, Banda,

1206. NILTAVA, 1837,

et Chaitaris, 1841, Hodgs. Chaitairis, Bl, 1843. G. of B. i. p. 263.

a. NILTAVA.

4875. sundara, Hodgs.; Gould, B. As. pl. sordidus, Hodgs.; fastuosa, Less.

Himalayas.

4876. Macgrigoriæ, Burt.; Gould, B. As. pl. fuligiventer et auricularis, Hodgs.; signata, M*Clell.

Bootan.

1207. b. Bainopus, Hodgs, 1844.

Baenopus, *Agass*. G. of B. i. pl. 63. f. 4.

4877. grandis, Bl.; Gould, B. As. pl. irenoides, Hodgs.

E. Himalayas.

1208. c. Cyornis, Bl. 1843.

Cynornis, G. R. Gr. 1846.

4878. rubeculoides, Vig.; Gould, C. B. pl. 25. 1. brevipes, Hodgs.; rubecola, Sw.

Himalayas.

4879. banyumas, Horsf. Zool. Res. Jav. pl. ; P. C. 226. Jarufigastra, Raffl.; cantatrix, Tem. Tytlerii, James.

Java, Sumatra.

4880. **Jerdoni**, G. R. Gr.

banyumas, p., Bl.

Madras, Behar, Deccan.

4881. **hyacinthina**, *Tem. P. C.* 30. hyacintha!, *G. R. Gr.*

C. India.

Timor.

4882. **Tickelliæ**, Bl. byacintha, Tiek.; elegans, p., Bl.

Neilgherries.

4883. pallipes, Jerd.

Himalayas. Kumaon, Car-

4884. ruficauda, Sw. aqualicauda, Bl.; rubecula, p., Jerd.

natic.

1214.

4902. moniliger, Hodgs.

fuligiventer, Hodgs.; gularis, B1.

4885. elegans, Tem, P. C. 596. 2.	Sumatra.
rubeculoides, p., Bl. Var.	Pegu, Tenasser.
4886. unicolor, Bl.	Sikkim.
4887. rufigula, Wall.	Celebes.
4888. rufifrons, Wall.	Borneo.
4889. vivida, Swinhoe.	I. of Formosa.
4890. magnirostris, Bl.	Darjeeling.
1209. d. Ochromela, Bl. 1847.	
4891. nigrorufa , <i>Jerd</i> . rufula, <i>Lafr</i> .	Neilgherries. Ceylon.
1210. <i>e.</i> Cyanoptila, <i>Bl.</i> 1847. Hypothymis, <i>Bp.</i> 1851, <i>nec Boie</i> , 1826.	
4892. cyanomelana, Tem. P. C. 470; Schl. F. J. t. 17 p. gularis, Tem.; cyanomelanura, Bl. bella, Hay; melanoleuca, Schl.	China. Japan.
1211. f. Eumyias, Cab. 1850.	
4893. indigo, Horsf. Zool. Res. Jav. pl. cærulea, Bp.	Java.
1212. g. Stoporala, 1847, et Stoparola, 1849, Bl. Glaucomyias, Cab. 1850.	
4894. melanops, Vig.; Gould, C. B. pl. 6.	India.
4895. thalassina, Sw. melanops, p., G. R. Gr.; lapis, Less.?	"
4896. thalassoides, Cab . thalassina, Bp .	Sumatra.
4897. ceylonensis, n. sp.? melanops, <i>Layard</i> .	Ceylon.
4898. spilonota, n. sp.?	Nepal.
4899. albicaudata, Jerd. I. Ind. Orn. pl. 14.	Madras.
1213. h. Siphia, 1837, et Dimorpha, 1841, Hodgs. Menetica, Cab. 1866.	
4900. strophiata, Hodgs.	Nepal, Bootan.
4901. hyperythra, Cab.	Ceylon.

i. Anthipes, Bl. 1847.

Nepal.

1215. j. Nitidula, Bl. 1861.

4903. Hodgsoni, Moore, Pr. Z. S. 1854, pl. 62. Darjeeling. Campbellii, Jerd. & Bl. Sikkim.

1216. k. DIGENEA, Hodgs. 1844.

4904. superciliaris, Bl. Darjeeling. hyperythra et rubecula, Bl. rubrocyanea et leucocyanea, Hodgs.

4905. — ? Nep., Mussoorce. tricolor, Hodgs.

4906. leucomelanura, Hodgs. Beng., Nep., Darj.

4907. tricolor, Kuhl.
rupestris, Müll.

4908. erythaca, Bl. & Jerd. Sikkim, Darjeel.
4909. innexa, Swinhoe. I. of Formosa,

Subfam, II. Myiagrinæ, Cab. 1850.

Muscicapinæ, p., Sw. 1837.

1217. SEISURA, Vig. & Horsf. 1826.

Sisura, *Strickl*. 1841. *G. of B*. i. p. 260.

a. Seisura.

4910. inquieta, Lath.; Sw. Flyc. pl. 12; Gould, B. A. ii. pl. 87. Australia. muscicola et dubius, Lath. volitans. Lath.

1218. b. Piezorhynchus, Gould, 1840.

Peizorhynchus, Aliq.

G. of B. i. pl. 63. f. 3; Reich. S. A. t. 64. f. .

4911. nitida, Gould, B. A. ii. pl. 88. Port Essington.

4912. rufolateralis, G. R. Gr. Waig., Mys., Aru.

4913. chalybeocephala, Garn. Voy. Coqu. t. 15. 2. New Ireland. lucida, G. R. Gr. New Guinea.

4914. nitens, G. R. Gr. Batch., Tern., Gil.

1219. MYIAGRA, Vig. & Horsf. 1826.

Myiagria, Agass.
Sw. C. of B. f. 229, b, c, d, e; G. of B. i. p. 261, pl. 63. f. 2;
Reich, S. A. t. 67. f.

a. MYLAGRA.

4915. rubecula, Lath.; Gould, B. A. ii. pl. 89. New S. Wales. rubeculoides et plumbea. Vig. & H.

lencogaster, Bl. ruficollis et rubecula, V.?

4916. nitida, Gould, B. A. ii. pl. 91; Voy. Pôle Sud, t. 12*. 4. New S. Wales. cyanoleuca, V.?; rubecula, G. R. Gr. Tasmania.

4917. concinna, Gould, B. A. ii. pl. 90.

N. Australia. grisea, Pucher. Voy. Pôle Sud, t. 12*. 3.

4918. latirostris, Gould, B. A. ii. pl. 92. A. Austr., Aru.

Timor.

W. Africa.

4919. rufigula, Wall.

4920. galeata, G. R. Gr.

Batchian, Amboina, Ceram.
4921. manadensis, Quoy & G. Voy, Astrol. t. 3.3,

Celebes.

4922. viridinitens, G. R. Gr. Loyalty I.

4923. melanura, G. R. Gr. New Hebrides.

4924. caledonica, *Bp.* New Caledonia. perspicillata, *G. R. Gr.*

4925. modesta, G. R. Gr. New Ireland.

4926. albiventris, Peale, U. S. Expl. Exp. pl. 27. 3. Samoan I. rubecula, Cass.

4927. erythrops, Hartl. Pelew I.

4928. Tytleri, Beav. Andamans.

4929. oceanica, Homb. & Jaeq. Voy. Pôle Sud, t. 12*. 1, 2. Caroline I. albiventris, p.?, Finsch & H.

1220. b. ---?

Hypothymis, Boie, 1826 & 1828, nee Tem. Hypothimus!, G. R. Gr. 1846. Muscicapa, 2 div., Sundev. 1835. Muscylva, p., Less.

4930. azurea, Bodd.; P. E. 666. 1; Lev. O. A. t. 153. 1, 2. India. cærulea, Gm.; occipitalis, Vig. cæruleocephala, Sykes; torquata, Sw.

4931. puella, Wall. Celebes.

4932. — ? Sula. puella, p., *Wall*.

1221. c. Elminia, Bp. 1854.

4933. longicauda, Sw. Flye. pl. 25.

carulea, Hartl.
longicauda, minor, Heugl. Orn, N. O. Afr. t. 15.

N.E. Africa.

4934. teresita, Antin. C. Africa.
Alexine, Heugl.

1222. d. Muscitodus, Homb. & J. 1844.

Platygnathus, Hartl. 1852.

4935. rufiventris, Elliot; Finsch & H. F. Centralp. t. 9, 2, 3. Feejec. vanicorensis, Peale.

4936. vanikorensis, Quoy & G. Voy. Astrol. t. 5. 1. castaneiventris, p.?, Finsch & H.

I. of Vanikoro.

1223. e. Machaerirhynchus, Gould, 1850.

4937. flaviventer, Gould, Pr. Z. S. 1850, pl. 33; id. B. A. suppl. pl.

Cape York,

4938. xanthogenys, G. R. Gr.

Aru.

4939. albifrons, G. R. Gr. Pr. Z. S. 1861, pl. 43. 1.

Mysol, Waigion.

1224. PLATYSTEIRA, Jurd. & Selby, 182 ?

Platystira, Strickl. 1841. Platystera, Sw. 1837.

Sw. C. of B. f. 148, 228, e; G. of B. i. p. 256, pl. 63. f. 10; Reich, S. A. t. 64. f.

a. Platysteira.

4940. cyanea, Müll.; P. E. 567. 3; Sw. Flyc. pl. 22. melanoptera, Gm.; collaris, Lath.

W. Africa.

lobata, Sw.; melanoleucus, V. Desmarestii, Jard. & S. I. O. pl. 9.

S. Africa.

4941. capensis, L.; P. E. 572; Lev. O. A. t. 160. pristinaria, V.; thoracica et molitor, Licht.; pulsator, Steph. torquata, var., Lath.; strepitans, Licht.

W. Africa. Abyssinia.

4942. senegalensis, L.; P. E. 567. 1. velatus, V.; succincta, Licht. spurca, Müll.; torquata, Antin. ? nitida, Müll.; P. E. 567. 2.

Gaboon.

4943. minima, Verr. 4944. peltata, Sundev.

Caffraria.

1225. b. Batis. I

b. Batis, Boie, 1831.

4945. pririt, V.; Lev. O. A. t. 161. strepitans, Licht.; senegalensis, Less. molitor, Hahn; melanoleuca, Licht. W. Africa.

4946. ? affinis, Wahlb,

Damaraland.

1226. с. Dуарногориуга, *Вр.* 1854.

Agromiyias, Heine, 1860.

4947. leucopygialis, Fras. Zool. Typ. pl. 34. W. Africa. castanea, Fras. brevicauda, Sw. ?

d. Myiophila, Hartl. 1857. 1227.

Stiphromyias, Heine, 1860.

4948. concreta, Tem.

Guinea, W. Afr.

e. Lanioturdus, Waterh. 1838. 1228.

Moquinus, Bp. 1855.

4949. torquata, Waterh.; Rev. et Mag. de Zool. 1855, t. albicauda, Strickl.

Damaraland.

1229. f. Stenostira, Cab. 1850.

Empidivora, Reich, 1850. Muscylva, Less. 1837, nec 1831. Reich, S. A. t. 68. f. .

4950. scita, V.; Lev. O. A. t. 154; Sw. Flyc. pl. 21. longipes, Sw.; tenella, Licht.

S. Africa.

4951. plumbea, Verr.; Heugl. Orn. N. O. Afr. t. 17.

W. Africa.

4952. semipartita, Rüpp. F. A. t. 40. 1.

Abys., Kordofan.

1230. RHIPIDURA, Vig. & Horsf. 1825.

Rhipidicidura, Boie.

G. of B. i. p. 259, pl. 63. f. 8; Reich. S. A. t. 64. f.

a. Rhipidura.

4953. flabellifera, Gm.; Lath. Syn. pl. 49; Voy. Pôle Sud, t. 11. 4. albiscapa, Cass.

New Zealand.

4954. melanura, G. R. Gr.

fuliginosa, Sparrm. M. C. t. 47?; deserti, Gm.? tristis, Hombr. & Jacq. Voy. Pôle Sud, t. 11. 5.

4955. albiscapa, Gould, B. A. ii. pl. 83; Sw. Nat. Libr. Flyc. pl. 10.

flabellifera, Vig. & Horsf. ventilabrum, var., Forst.

Aus., V.D. Land. New Caledonia. New Hebrides.

4956. rufifrons, Lath.; Lewin, B. N. H. pl. 13; Gould, B. A. ii. pl. 84.

4957. dryas, Gould.

N.W. Australia.

4958, isura, Gould, B. A. ii. pl. 85. setosa, p.?

N. & N.W. Aus.

4959. assimilis, G. R. Gr.

Kei Island.

4960. maculipectus, G. R. Gr. maculipennis!, G. R. Gr.

Aru.

4961. guttata, Tem.

Borneo.

4962. phœnicura, Müll.

Java, Sumatra.

albigularis. Less.

4963. diluta, Wall.	Flores.
4964. setcsa, Quoy & G. Voy. Astrol. t. 4. 4. gularis, Müll. & S.	New Ireland. N. Guin., Mysol.
4965. rufiventris, V.; Arch. du Mus. vii. t. 20. 2. oelirogastra, Müll. & S.	Timor.
4966. caniceps, Cuss.	Philippine I.
4967. bouruensis, Wall.	Bouru.
4968. semicollaris, Müll. & S.	Timor.
4969. perlata, Müll.	Sumatra.
4970. threnothorax, Müll. & S.	New Guinea.
4971. Pelzelni, G. R. Gr. assimilis, Pelz.	Norfolk I.
4972. Preissi, Cab.	W. Australia.
4973. nebulosa, Peale, U. S. Expl. Exp. pl. 9. f. 2.	Navigator's I.
4974. pectoralis, Homb. & Jacq. Voy. Pôle Sud, t. 11. 3.	I. of Vanikoro, Marian I.? Pelew I.
4975. lepida, <i>Hartl</i> . 4976. ——?	
rufiventris, Müll. & S.	New Guinea.
4977. hyperythra, G. R. Gr.	Aru I.
4978. rhombifer, Cab.	Sunda I.
4979. squamata, Müll. & S.	Banda.
4980. longicauda, Wall.	Sumatra.
4981. cinerea, Wall.	Ceram.
4982. torrida, Wall. Pr. Z. S. 1865, pl. 38.	Ternate.
4983. collaris, Less.	Timor.
1231. b. Leucocirca, Sw. 1838. Leucocerca, Strickl. 1841. Leucocircus, Jerd. Muscivora, Less. 1831, nec Cuv.	
4984. fuscoventris, Frankl.; Arch. du Mus. t. 20. 1. sannio, Sundev.; albigularis, Less. albigula, Hodgs.; albicollis, V.?	Nepal, India.
4985. albofrontata, Frankl.; Jerd. I. Ind. Orn. pl. 2. aureola, Less.	India.
4986. pectoralis, Jerd. leucogaster, Cuv.; fuscoventris, Sykes.	Neilgherries.
4987. euryura, Müll.	Borneo.
4988. compressirostris, Bl.	Ceylon.

4989. nigritorquis, Vig.; Mém. Ac. St. Pétersb. 1835, t. 6? Luzon. bambusæ, Kittl.

4990, ? ochracca, Sparrm. M. C. t. 22. ----?

4991. javanica, Sparrm. M. C. t. 75. Java. umbellata, Sundev.

1232. c. Muscylva, Homb. & J. Monarcha, p., Finsch & H.

4992. Lessoni, G. R. Gr.; Voy. Pôle Sud, t. 11. 2. cincrea, Peale.

Fiji Islands.

New Ireland.

1233. d. Sauloprocta, Cab. 1850.

4993. motacilloides, Vig. & H.; Gould, B. A. ii. pl. 86. S. Australia.

4994. picata, Gould. N. Australia.

4995. melanoleuca, Quoy & G. Voy. Astrol. t. 4. 3. New Ircland.

4996. atripennis, G. R. Gr. Aru, Waigiou,

Mysol, Salwat. 4997. mimoides, Müll. Batchian, Terna... Gilo., Amboin.

motacilloides, p., Pucher. ---?

4999. laticauda, Sw. Flyc. pl. 11.

e. Chelidorynx, 1844. et Chelidorhynx, 1843, Hodgs.

N. India. 5000. hypoxantha, Bl. chrysoschistus, Hodgs.

f. ---? 1235.

4998, ? tricolor, V.

Myialestes, Reich. 1850. Cryptolopha, Sw. 1843, nec 1837. Reich, S. A, t. 67. f.

5001. cinereocapilla, V.; Sw. Zool. Ill. pl. 13; id. Flyc. pl. 23. India. Himalayas. poiocephala et ceylonensis, Sw.

1236. TCHITREA, Less. 1831.

Muscicapa, Less. 1766, nee Briss. 1760. Muscipeta, 2 div., Cuv. 1817. Trepsiphone, Cab. 1850, nec Glog. 1827. Thiltrea, Less. 1837. Sw. C. of B. f. 229, f; G. of B. i. p. 259, pl. 63, f. 6; Reich, S. A. t. 67. f.

a. Tchitrea.

5002. paradisi, L.; Edw. B. pl. 113; P. E. 234. 2; Lev. O. A. t. 144, 145, 146; Gould, B. As. pl.; Jerd. Ill. I. O. pl. 7. India. indica, Sykes; castanea, Tem. P. E. 234. 1.

5003. affinis, Hay; Schl. De Dierk. fig. p. 147. Malacca. Java. paradisi, Sehl.

5004. rufiventer , Sw. B. W. Afr. pl. 4. casamansa, Less.	W. Africa.
5005. melanogastra, Sw. senegalensis, Less.?	29
5006. melampyra, Verr. melanogastra, p., Hartl, & F.	Gaboon,
5007. Duchaillui, Cass. Journ. Ac. Phil. 1860, pl. 50. 1, 2. melanogastra, p., Hartl. & F.	W. Africa.
5008. Ferreti, Guér.; Ferr. & Gal. Voy. en Abyss. t. 8. 1, 2. melanogastra, Rüpp., et p. Hartl. & F.	E. Africa.
5009. atrochalybea, Thoms.	W. Af., Fern. Po,
5010. viridis, Müll.; Lev. O. A. t. 142, 143.	St. Thomas. E. Africa.
cristata, Gm.; castanea, Tem.? perspicillata, Sw.	W. Africa.
5011. flaviventris, Verr. tricolor, Fras.	"
5012. princeps, Tem. P. C. 584. principalis, Tem. & S. F. J. t. 17. E.	Japan, Corea.
5013. Incei, Gould, B. As. pl. principalis, p., Jerd.	N. China.
5014. nigriceps, Tem.	W. Africa.
5015. ?leucogaster, Sw. Flye. pl. 24. paradisi, p., Bl.	India.
5016. torquata, Gm.; Lev. O. A. t. 150. capensis, Kuhl; pectoralis, Sw. ? melanoleuca, V.	S. Africa.
5017. speciosa, Cass. Journ. Ac. Phil. 1860, pl. 50. 3.	W. Africa.
5018. Smithii, Fras.	22
5019. mutata, Gm.; P. E. 248, 2; Lev. O. A. t. 148; Poll. & V. D. F. de Madag. t. 20, 21. bicolor, Sw.; Gaimardii et pretiosa, Less.	Madag., I. Mayotte, I. Bourb.
5020. caudata, Müll.; P. E. 248. 1; Lev. O. A. t. 147. viridescens, Bodd.; holosericea, Tem. rufa, Sw.; mutata, p., Newt. & Hartl. & F.	S. Africa. Madagascar.
5021. Spekei, Hartl. mutata, p., Hartl. & F.	E. Africa.
5022. bourbonnensis, Müll.; P. E. 573. 1; Schl. & Poll. F. de	Nr. 50
Madag. t. 22. borbonica, Gm.	Mauritius. Madagasear.
5023. corvina, E. Newt.	
occo, coryma, E. Wewe.	Seychelles,

5024. atrocaudatus, Eyton. atriceps, Bl.

Malacea.

b. Xeocephalus, Bp. 1854. 1237.

5025. rufa, G. R. Gr. & M. G. B. pl 64.

Philippine I.

1238. c. PHILENTOMA, Eyton, 1845.

5026. pyrrhoptera, Tem. P. C. 596. 1. plumosa, Bl.; castaneum, Eyton.

Malacea.

5027. velata, Tem. P. C. 334. pectoralis, Hay; eresia, Less.

5028, unicolor, Bl.

Borneo.

d. Trochocercus, Cab. 1850. 1239.

5029. cyanomelas, V.; Lev. O. A. t. 151. scapularis, Steph.

S. Africa.

5030. nitens, Cass. Journ. Ac. Phil. 1860, pl. 50. 4.

W. Africa.

1240. e. Todopsis, Bp. 1854.

5031. cyanocephala, Quoy & G. Voy. Astrol. t. 5.4; Voy. Pôle Sud, t. 20. 2. caruleoccphala, G. R. Gr.

New Guinea.

5032. Bonapartei, G. R. Gr. Pr. Z. S. 1858, pl. 134. cyanocephala, p., G. R. Gr.

Aru.

5033. Wallacei, G. R. Gr. Pr. Z. S. 1861, pl. 43. 2.

Mysol.

5034. Gravi, Wall. 5035. ? scricyanea, Rosenb. N.W. of N. Gui., Aru. New Guinea.

Subfam, III. Campephaginæ, G. R. Gr. 1840. Campephagina, Vig. 1825. Ceblephyrinæ, Sw. 1831.

1241. PERICROCOTUS, 1826,

et Phœnicornis, 1827, Eoie.

Acis, Less. 1831.

G. of B. i. p. 281, pl. 69. f. 3; Reich. S. A. t. 68. f. .

5036. flammeus, Forst.; P. C. 263; Sw. Zool. Ill. pl. 52; Gould, B. As. pl. elegans, M. Clell.

India, Ceylon.

5037. speciosus, Lath.; Gould, C. B. pl. 7; id. B. As. pl. princeps, Vig.

Him. to C. Ind.

5038. brevirostris, Vig.; Gould, C. B. pl. 8.

India, IIim. Assam, Aracan.

affinis, Horsf.; miniatus, Sw.

5039. reseus, V.; Gould, B. As. pl. India, Aracan. sordidus, Hodgs.; rubricinetus, Bl. 5040. peregrinus, L.; Sparrm. M. C. t. 48-50; Gould, B. As. pl. India, Burmah. coccineus et malabarica, Gm. Andamans. cinnamomea, L.; indicus, Sparrm. 5041. solaris, Bl.; Gould, B. As. pl. Sikkim. affinis Q, M. Clell. 5042. erythropygius, Jerd.; Jard. Contr. Orn. 1847, pl. India. speciosus, var. B, Lath. 5043. albifrons, Jerd. Upper Burmalı. 5044. rutilus, Gould. Pegu. 5045. miniatus, Tem. P. C. 156, 1, 2, Java. 5046. ardens, Boie. Sumatra. 5047. xanthogaster, Raffl. Sumatra, Java, flammea, Horsf. 5048. flagrans, Boie. Sumatra, Bor. minuta, Tem. 5049. exul, Wall. Lombock. 5050. cinereus, Lafr.; Gould, B. As. pl. China modestus, Strickl. Philippine I. 5051. griseigularis, Gould, B. As. pl. I. of Formosa. 5052. elegans, M. Clell. Assam, Burmah. 5053. modestus, Boie. Sumatra. 5054. igneus, Bl. Contr. Orn. 1849, pl. Malacca. minutus, Strickl. 5055, andamanensis, Tytl. Andamans. 5056, cantonensis, Swinhoe. Canton. 5057. sordidus. Swinhoe. Amoy.

1242. CAMPEPHAGA, V. 1816.

Campophaga, Agass. Ceblepyrus, Bp. 1850. Lanicterus, Less. 1838. G. of P. i. p. 283; Reich, S. A. t. 68. f.

a. Camperhaga,

5058. nigra, Lev. O. A. t. 164, 165; Sw. Zool. Ill. pl. 179.
S. & W. Africa.
flava, V.; atrata et labrosa, Swains, atra, Swainsoni et xantbornoïdes, Less,

5059. quiscalina, Finseh.

Fantce C.

1243. b. Cyrtes, Reich. 1850.

Cercotrichas, Boie, 1831.

Campephaga, Sw. 1837, et Hartl.

Sw. C. of B. f. 204, e; Reich. S. A. t. 68. f .

5060. phœnicea, Lath.; P. C. 71; Sw. B. W. Afr. pl. 27, 28. S.W. & E. Afr. phœnicopterus et flava, Tem.; dubia, Shaw.

5061. melanoxantha, *Lieht*. phœnicea, p., *Rüpp*.

Natal.

1244. c. Lobotos, Reich. 1850.

Lanicterus, p., Less.

Reich. S. A. t. 54. f. , & Q.

5062. lobata, Tem. P. C. 279, 280. Temminekii, Hartl. Angola.

1245. d. Graucalus, Cuv. 1817.

Ceblephyris, Tem. 1820. Ceblepyris, Sw. 1837. Coracina, p., V. 1816. Coracina, Cab. 1851. Sw. C. of B. f. 115; Reich. S. A. t. 68. f.

5063. magnirestris, Forst.

Gilolo.

5064. melanops, Lath.; Lev. O. de Par. t. 30; Gould, B. A. ii. pl. 35. melanotis, Gould.

Australia.

5065. parvirostris, Gould, Syn. of A. B. pl. . 1.

Van Dieman's L.

5066. personata, Müll.

Timor, Flores.

5067. mentalis, Vig. & H.; Gould, B. A. ii. pl. 56. robustus, Lath.?

New S. Wales.

5068. rex-pineti, Swinhoe.

I. of Formosa.

India.

5069. Macei, Less. papuensis, Sykes; nipalensis, Hodgs. Layardi, Bl.

5070. **Dussumieri**, Less. Voy. Pôle Sud, t. 8. 1. fasciata, p., Bp.; macei, p., Pucher.

Philippine I.

5071. javensis, Horsf. papuensis, Tem.

Java, Sumatra.

5072. Jardinii, Rüpp.; Jard. & S. Ill. Orn. pl. 114; Gould, B. A. ii. pl. 60. tennirostris, Jard. & Selby.

New S. Wales. N. Australia.

5073. ceramensis, Bp.

Ceram.

5074. leucopygia, Bp.

Celebes.

5075. melanolcra, G. R. Gr.

Batch., Ternate, Mysol, Aru.

HAND-LIST OF BIRDS,	337
5076. striata, Bodd.; P. E. 629. novæ guineæ, Gm.; fasciata, F. plumbea, Wagl.; lineatus, Less.	New Guinea? Sumatra.
5077. ? sumatrensis, Müll.	1)
5078. hypoleuca, Gould, B. A. ii. pl. 57.	N. Aus., N. Gui.,
5079. Swainsoni, Gould, B. A. ii. pl. 58. lineatus, Sw.	Aru ? N. S. W., N. Aus. Ceram.
5080. lagunensis, Ep .	Philippines.
5081. Temminckii, Müll. & S.	Celebes, Sula.
5082. papuensis, Gm.; P. E. 630. albiventris, Wagl.	New Guinea. Moluceas.
5083. Desgrazii, Pucher. Voy. Pôle Sud, t. 7. 1. papuensis, p. ?, Hartl.: affinis, Rüpp. ?	New Guinea.
5084. atriceps, Müll. & S.	Celebes, Ceram.
5085. larvata, Mill. & S.	Java, New Gui.
5086. pusilla, <i>Bl</i> .	Ceylon.
5087. melanogenys, Homb. & J. Voy. Pôle Sud, t. 8. 2.	Timor.
5088. —— ? melanotis, <i>G. R. Gr.</i>	Bateh., Gilolo. Sula.
5089. concreta, Hartl.	Borneo.
1246. e. Gazzola el Gazola, 1850, Bp.	
5090. caledonica, Gm . cinereus, $Forst$.; cæsius, Cuv . papuensis, p., G . R . Gr .	New Caledonia, New Hebrides.

papuensis, p., G. R. Gr. 1247. f. Artamides, Hartl. 1864.

5091. bicolor, Tem. P. C. 278.

Banda, Celebes, Sumatra. 1248. g. Ptiladera, Pucher, 1853.

Campephaga, p., Hartl. 5092. Boyeri, G. R. Gr.; Voy. Pôle Sud, t. 9. 3.

New Guinea 1249. h. Pteropodocys, Gould, 1846,

Reich, S. A. t. 68. f. . 5093. phasianella, Gould, B. A. ii. pl. 59. New S. Wales. maxima, Rüpp. Orn. Misc. t. 3. S. & W. Austral.

1250. i. Edolisoma, Pucher, 1853. Eucampophaga, Fitz. 1864. Campephaga, Bp. 1850. Edoliisoma, Sclut.

5094. melas, Müll. & S.; Voy. Pôle Sud, t. 10	. 2.
cinnamomea, Müll. & S.; Marescotii, G. I. melan, Sclat.; melena, Hartl.	Gr.

5095. schisticeps, G. R. Gr.; Voy. Pôle Sud, t. 10. 1.

5096. plumbea, Müll. & S.

5097. morio, Müll. & S.

5098. marginata, Wall.

5099. melanolæma, n. sp.?

5100. aterrima, Bl. cærulescens \mathfrak{P} , Bl.

5101. cæruleogrisea, G. R. Gr.

5102. amboinensis, Hartl.

5103. analis, Verr. & Murs.

1251. j. Volvocivora, Hodgs. 1837.

5104. fimbriata, Tem. P. C. 249, 250. culminatus, Hay; javensis, p., Rüpp.

5105. melaschistos, Hodgs. lugubris, Sundev.; silens, Tick. fimbriata, Bl.; carbonarius, Less. "cinerea, Bl.," Swinhoe; javensis, p., Rüpp.

5106. Sykesii, Strickl. canus et fimbriatus, Sykes.

5107. avensis, Bl. melanopterus, Bl.; ardosiacus, Less.?

5108. Schierbrandi, Pelz. Reise Novara, t. 2. 1.

5109. melanura, Hartl.

5110. vidua, Hartl.

5111. melanopterus, Rüpp. Orn. Misc. t. 2. 1. lugubris, p. ?, Hartl.

1252. k. ——?

Micropus, Sw. 1837, nec Wolf & Mey. 1810. Microscelis, p., G. R. Gr. Brachypus, p., Sw. 1831. Prosecusa, Cab. 1851, et p. Reich. 1850. Sw. C. of B. f. 205, c, d, 206, c.

5112. chalcocephala, Tem. P. C. 453. 1.

1253. l. LALAGE, Boie, 1826. Erueivora, Sw. 1831. Reich. S. A. t. 68. f. New Guinea. Mysol.

N. Guin., Mysol.

N. Guin., Timor, Mysol. Celebes.

Bouru.

Celebes.

Philippines.

Aru.

Amboina.

New Caledonia.

Java, Malacca.

India.

Burmah.

,,

Borneo.

India.

Java.

Aracan?

"N.Holland"(?)

z 2

HAND-LIST OF BIRDS.	1)00
5113. terat, Bodd.; P. E. 273. 3. orientalis, Gm.; striga, Horsf. dominicus!, Müll.; leucophæa, V. humeraloïdes, Less.	Java, Sumatra.
5114. aurea, Tem. P. C. 382. 2; Voy. Pôle Sud, t. 10. 3.	Timor, Celebes,
5115. leucomela, Vig. & H.; Gould, B. A. ii. pl. 62.	Moluccas. New S. Wales.
5116. humeralis, Gould, B. A. ii. pl. 63.	Australia.
5117. rufiventris, Pucher.; Gould, B. A. ii. pl. 61. karu, Gould.	N. Australia.
5118. timorensis, Müll. & S. Sueuri, V.; orientalis, p., Less.	Timor.
5119. karu, Less.; Voy. Coqu. t. 12. leucomela, p., Rüpp.	New Guinea. New Ireland.
5120. polygrammica, G. R. Gr.	Aru.
5121. atrovirens, G. R. Gr.	Mysol.
5122. nævia, Forst. & Gm.	New Caledonia.
5123. pacifica, Gm. karu, Quoy & G.	Tonga.
5124. maculosa, Peale. terat, Cass.; orientalis, p Hartl.	Feejee. Samoan I.
5125. leucopygialis, n. sp. orientalis, p., Müll.	Celebes.
5126. Sloetii, Schl.	New Guinea.
5127. nycthemera, Tem.	Borneo.
5128. Montrosieri, Verr. & Murs.	New Caledonia.
1254. m. Pseudolalage, Bl. 1861. Lalage, p., Hartl.	
5129. melanictera, Bl. "melanoleuca, Bl." Hartl.	Philippine I.
1255. n. Symmorphus, Gould, 1837.	
5130. leucopygia, Gould. longicaudatus, Pelz.	New S. Wales. Norfolk Island.
o. Oxynotus et Acanthinotus, 1831, Sw. Acanthonotus, Agass. Schetba, Less. 1831. Reich. S. A. t. 89. f. 5131. runivener, Cuv.; Voy. Uranie, t. 17; Ibis, 1866, pl. 7.	Madagascar. Mauritius,
ferrugineus, Quoy & G .; cinereus, Less. typicus, $Hartl$.	Mauritius,
	1 2

5132. Newtoni, Poll. Ibis, 1866, pl. 8.

Réunion.

1257. p. Ceblepyris, Cuv. 1817. G. of B. i. pl. 69. f. 2.

5133. cæsia, Licht.; Lev. O. A. t. 162, 163; Gal. des Ois. t. 130. S. Africa. cana, Cuv.; Levaillantii, Tem.

5134. pectoralis, Jard, & S. I. O. pl. 57. niveoventer, Less.; cinerascens, Tem.

W. & E. Africa.

5135. cinerea, Müll.; Briss, Orn. ii. t. 36, 1; P. E. 541. kinki, Bodd.; cana, Gm. madagascariensis, Verr.

Madagascar.

5136. frenatus, Heugl.

C. Africa.

1258. q. Cyanograucalus, Hartl. 1861.

5137. azurea, Cass.

W. Afr., Sierra Leone.

FAM. XVII. TYRANNIDÆ, Cab. 1850-51.

Laniadæ, p., Vig. 1825.

Subfam. I. Attilinæ, Sclat. 1862.

1259. ATTILA, Less. 1831.

Dasycephala, Sw. 1831. Tamnolanius, p., Less. Dasycephala et Dasyopsis, Reich. 1850. G. of B. i. 208, pl. 55, f. 2; Reich. S. A. t. 52, f.

a. Attila.

5138. cinereus, Gm.; Briss. Orn. app. t. 3. 3; Spix, A. B. t. 26. 2 rufus, I.

Cavenne, Brazil.

5139. brasiliensis, Less. uropygiata, Max.; uropygialis, Bp. Brazil.

5140. thamnophiloides, Spix, A. B. t. 26. 1.

Cayenne.

5141. spadiceus, Gm. rufescens, Sw.; uropygialis, Cab.

Mexico. Guatemala.

5142. citrinopygus, Bp. citreopygia, Sclat.

E. Peru.

5143. citriniventris, Sclat.

Bolivia.

5144, bolivianus, Lafr. rufescens, Lafr.

5145. Sclateri, Lawr. spadicea, Laur.

Veragua.

5146. torridus, Sclat. flammulatus, Lafr.?

Ecuador.

5147. validus, Pelz.

Brazil.

5148. rufigularis, Pelz.

5149. phænicurus, Natt. & Pelz.

,, Cavenne.

5150. ? unirufus, Cuv.

1260.

b. Casiornis, Bp. 1855.

5151. rubra, V.; Casteln. Voy. t. 18. 1.

Brazil.

hæmatodes, *Licht.*; thamnophiloïdes, *Nordm.* rufula, *Hartl.*; typus, *Des Murs.* rutilus, p., *G. R. Gr.*; rufus, *V. & D'Orb.*

Guiana.

5152. rutilus, Less.

Subfam. II. Tæniopterinæ, G. R. Gr. 1841.

Tyranninæ, p., Vig. 1825. Fluvicolinæ, Sw. 1837. Alectrurinæ, 1847, et Motacillinæ, G. R. Gr.

1261. AGRIORNIS, Gould, 1838.

Tamnolanius, Less. 1839. Dasycephala, p., G. R. Gr. 1841.Thamnolanius, Agass.Reich, S. A. t. 64, f.

a. AGRIORNIS.

5153. livida, Kittl. Vög. v. Chili, t. 1. gutturalis, Gerv. Voy. Fav. t. 11. chilensis, Less.

Chili.

5154. microptera, Gould, Voy. Beagle, pl. 12. striata, Gould.

Patagonia.

5155. maritima, Lafr.; Voy. Beagle, pl. 13. leucura, Gould.

Patag., C. Chili.

5156. insolens, Sclat. & S.5157. andecola, D' Orb.

Tinta, Peru. Bolivia.

gutturalis, p., Lafr.
5158. solitaria, Sclat.

Chimborazo. Ecuador.

5159. albicauda, Ph. & L.

Peru.

5160. montana, Lafr.

Bolivia.

5161. — ?

Ecuador.

andicola, Sclat.

1262. b. Myiotheretes, Reich.

Ixoreus (Bp.), Sclat. Reich. S. A. t. 64. f. 5162. rufiventris, V.; Voy. Beagle, pl. 11; D' Orb. Voy. t. 39. 2. variegata, Lafr. ferrugineus, Less.

La Plata. Chili. Patagonia.

5163. erythropygia, Sclat. Pr. Z. S. 1851, pl. 41.

5164. striaticollis, Sclat. Pr. Z. S. 1851, pl. 42. rufiventris, Lafr. & D' Orb. Voy. A. M. t. 32. 3. "erythropygius, Lafr. & D' Orb.," Sclat.

Chimborazo. Equador.

Bolivia, Peru.

5165. rubetra, Burm.

Bolivia, Pampa.

1263. TÆNIOPTERA, Bp. 1825.

Tyrannus, 3 div., V. 1816. Peposaza, 1826, et Xolmis, 1828, Boie. Nengetus, 1827, et Blechropus, 1837, Sw. Orsipus, Nordm. 1835. Pepoasa, Less. 1837. Pepoaza, Lafr. 1838. Pepoaza et Pepoazoa, Stein. 1839. G. of B. i. p. 241, pl. 61. f. 1; Reich. S. A. t. 64. f.

a. Tænioptera.

5166. nengeta, L.; Edw. B. pl. 318; Spix, A. B. t. 24; Sw. Flyc. pl. 8. cinereus et pepoaza, V.

Braz., R. Grande, Boliv., Argent. La Plata.

polyglotta, Licht.; tænioptera, Bp. 5167. velata, Licht.; Spix, A. B. t. 22.

5168. dominicana, V.; Voy. Beagle, pl. 10. Azaræ, Gould; picata, Cuv.

Brazil, Bolivia. Braz., Argentina. Urag., La Plata.

5169. coronata, V. vittigera, Lieht. 5170. albogrisea, Less. dominicana, p., Lafr. Paraguay. Santa Fé. Brazil. New Granada

Patagonia.

5171. murina, Lafr.

1264. b. Hemipenthica, Cab. & H. 1859.

5172. irupero, V.; Spix, A. B. t. 29. 1. mœsta, Licht.; nivea, Spix.

Paraguay, Brazil. Argent., Urag.

5173. niveicolor, n. sp.? irupero, juv.?

--- ?

5174. albirostris, n. sp.?

Chili.

e. Pyrope, Cab. & H. 1859. 1265.

5175. pyrope, Kittl. Vög. Chili, t. 10. Kittlitzi, Cab.

Chili, Chiloe. Terra del Fuego.

d. Оситноёса, Cab. 1847. 1266. Ochtheca, Bp. 1850. Ochthocea!, G. R. Gr.

Reich, S. A. t. 64. f. . 5176. œnanthoides, Lafr.; D'Orb. Voy. A. M. t. 38. 2.

Bolivia.

Bogota.

5177, fumicolor, Selat. Pr. Z. S. 1856, pl. 117.

New Granada. 5178. Lessoni, Sclat. rufipectus, Less. Ecuador. 5179. citrinifrons, Sclat. Rio Napo. 5180. albidiema, Lafr. Bogota. 5181. cinnamomeiventris, Lafr. 19 e. Ochthodleta, Cab. & H. 1859. New Granada. 5182. fumigata, Boie. Ecuador. Boissoneauii, Ep. 1268. f. Mecocerculus, Sclat. 1862. 5183. stictoptera, Sclat. Pr. Z. S. 1858, pl. 146. 2. 5184. rufipectoralis, Lafr.; D'Orb. Voy. A. M. t. 37. 2. Bolivia. Bolivia, Peru. 5185. leucophrys, Lafr.; D'Orb. Voy. A. M. t. 38. 1. New Granada. 5186. diadema, Hartl. fuscicapilla, Lafr. 5187. gratiosa, Sclat. Equador. Venezuela. 5188. setophagoïdes, Bp. leucophrys, p., Sclat. 5189. rufipectus, Lafr. New Granada. 1269. g. SAYORNIS, Bp. 1854. Theromyias, Cab. & H. 1859. 5190. pallida, Sw. B. Br. pl. 70; Faun. B. Amer. pl. 45; Aud. Arctic America. B. A. i. pl. 59. Saya, Bp.; Sayii, Sw.; Sayi, Cab. & H. Mex., Rocky Ms. 1270. h, Aulanax, Cab. 1856. Sayornis, p., Sclat. 5191. nigricans, Sw. B. Br. pl. 69; Aud. B. A. i. pl. 60. Mexico, Calif. semiatra, Viq. Guatemala. 5192. aquatica, Sclat. & S. C. America. 5193. latirostris, Cab. & H. ? nigricans, p., Cab. & S. ? cineracea, Sclat. Ecu., Venezuela. S. Martha. 5194. cineracea, Lafr. 1271. FLUVICOLA, Sw. 1827.

Entomophagus, Max. 1831. Xolmis, Sundev. 1836. Xolmus, Sw. Suiriri, Des Murs, 1853. Myiophila, Reich. 1850. G. of B. i. p. 242, pl. 61. f. 3; Reich. S. A. t. 64. f.

a. Fluvicola.

5195. climazura, V.; Spix, A. B. t. 31, a; Sw. Z. I. pl. 47. Brazil. nengeta, Licht.; mystacea, Max.

mystax, Spix; cursoria, Sw. pseudogilla, Less.; climacura, Cab. & H.

5196. **pica**, Bodd.; Edw. B. pl. 348. 1; P. E. 566. 3. bicolor et var. β, Gm.; P. E. 675. 1.

Cayenne. Guiana.

5197. albiventer, Spix, A. B. t. 30. 1. albiventris, Sclat.; bicolor, Lafr. pica, p., G. R. Gr.

Brazil, Bolivia.

5198. atripennis, Sclat.

Ecuador.

1272. b. Suiriri, Lafr. 1837.

Satrapa, Strickl. 1844. Suiriria, Reich. 1850. Sisopygis, Cab. & H. 1859. Reich. S. A. t. 65, f.

5199. icterophrys, V.; Tsh. F. P. t. 8. 2. chrysochloris, Max.; Cinchoneti, Tsch.

Para., R.Grande. Boliv. Argentina, Peru.

1273. c. Knipolegus, Boie, 1826.

Cnipolegus, Strickl. 1841. Blechropus, Sw. 1843. Reich. S. A. t. 64. f.

5200. comata, Licht.; Spix, A. B. t. 27; Sw. Flyc. pl. 7. Brazil. galeata, Spix; lophotes, Boie. cristatus, Sw.

1274.

d. Ada, Less. 1831.

5201. nigerrima, V.; Spix, A. B. t. 28. 1, ♀. galeata ♀, Spix; rufogularis, Less. Lafresnayi, Kaup.

1275.

c. Sericoptila

et Sericoptilia, Schiff. 1854. Cnipolegus, p., Kaup.

5202. cyanirostris, V.; G. R. Gr. & M. G. B. pl. 61. Brazil, Paraguay. ruficapilla, V.; analis et ater, Licht. hypoleucoptera, Ménétr.

5203. unicolor, Kaup. eyanirostris, Lafr.

Argentine Rep.

5204. **aterrima**, Kaup. nigerrima, Lafr.

Bolivia.

32

11

5205. anthraeina, Cab.

1276. ARUNDINICOLA, Lafr. 1839.

Platyrhynchus, *Glog.* 1842. Dixiphia, *Reich.* 1850. *G. of B.* i. p. 243, pl. 61, f. 2; *Reich. S. A.* t. 64, f. 5206. leucocephala, L.; Spix, A. B. t. 29, 2. dominicana, p., Spix; leucocapilla, Less. monacha, Sw.; Lev. O. A. t. 159. Brazil, Argent. Bolivia.

5207. dominicana, *Spix*, *A. B.* t. 30. 2. leucocephala, *Max*.

Brazil.

1277. ALECTRURUS, V. 1816.

Xenurus, Boie, 1826.
Gallita, V. 1818. Alecturus!, Sw. 1837.
Alectorurus, Glog. 1842. Alectrura, Reich. 1850.
G. of B. i. p. 243, pl. 61. f. 5; Reich. S. A. t. 64. f.

a. Alectrurus.

5208. tricolor, V. Gal. des Ois, t. 132; Sw. Flye. pl. 6; P. C. 155. Brazil, Bolivia. alector, Lieht.; alectrura, V. Argentina. gallus, Glog.; Azaræ, Sw.

1278. b. Yetapa, Less. 1831.

Psalidura, Glog. 1842. Alecturus et Alectura, Sw. 1837.

5209. guirayetapa, V. Gal. des Ois. t. 131; P. C. 286, 296. Brazil, Parag. psalura, Max.; risora, V. Arg., La Plata.

1279. LICHENOPS, Comm. 17 ?

Perspicilla, Sw. 1837. Ada, p., Less. Sw. C. of B. f. 11; G. of B.i. p. 242, pl. 61, f. 7; Reich. S. A. t. 64, f.

5210. perspicillata, Gm.; Sw. Flyc. pl. 9; Voy. Beagle, pl. 9.
 S. Brazil.
 nigricans, V.; Commersonii, Less.
 leucoptera, Sw.; erythroptera, Gould.
 Boliv., Argent.
 La Plata, Patag.

1280. GUBERNETES, Such, 1825.

Cybertes, Agass. Cybernetes, Sclat. G. of B. i. p. 243, pl. 61. f. 4; Reich, S. A. t. 70. f.

a. Gubernetes.

5211. yetapa, V.; Spix, A. B. t. 17; Zool. Journ. ii. pl. 4. Brazil, Bolivia. bellulus, V.; yiperu, Licht. Cunninghami, Such. forfeatus, Sw. Flyc. pl. 5; longicauda, Spix.

1281. b. Muscipipra, Less. 1831.

Milvulus, Reich. 1850. Ietiniscus, Cab. 1859. Reich, S. A. t. 68. f.

5212. vetula, v. Olf.; Jard. & S. I. O. pl. 42; Spix, A. B. t. 18. Brazil. longipes et longipennis, Sw.; pullata, Bp.; "longicauda, Spix," Selat.

1282. COPURUS, Strickl. 1841.

Coparus, Agass.

Sw. C. of B. f. 149; G. of B. i. p. 244, pl. 61. f. 6; Reich, S. A. 1.54. i.

5213. colonus, V.; Spix, A. B. t. 14; Lath, Hist. B. vi. pl. 102. Brazil. platurus, V.; colon, Steph. leucocilla, Hahn; monachus, Licht. filicauda, Spix.

5214. leuconotus, Lafr. "New Granada. fuscicapillus, Sclat. ","

5215. pœcilonotus, Cab. Guiana. leuconotus, p., Sclat.

5216, funebris, Cab. Minas Geraes.

1283. MACHETORNIS, G. R. Gr. 1841.

Chrysolophus, Sw. 1837, nec Gr. 1833. G. of B, i. p. 245, pl. 60. f. 4.

5217. rixosa, V.; Spix, A. B. t. 23 Braz., Argentina.
joazeiro, Spix; miles, Max.
ambulans, Sw.
Bolivia.

1284. MUSCISAXICOLA, Lafr. 1837.

Ptionura, Gould, 1841. Ptyonura, Reich. 1850. G. of B. i. p. 202, pl. 54. f. 7; Reich. S. A. t. 59. f.

5218. rufivertex, Lafr.; D'Orb. Voy. A. M. t. 40. 2. Bolivia, Peru.

Chili.

5219. flavinucha, Lafr. flavivertex, Phil. & L.

5220. **mentalis**, Lafr.; D'Orb. Voy. t. 40. 1. Bolivia, Chili, chilensis, Hartl. Peru, Patago.

chilensis, Hartl. Peru, Patago 5221. Macloviana, Garn. Falkland I.

5222. fluviatilis, Sclat. & S.

R. Ucayali.
5223. albifrons, Tsch. F. P. t. 12. 2.

Peru.

5224. cinerea, Phil. & L. Chili.

5225. nigrifrons, Phil. & L.

5226. maculirostris, Lafr.; D'Orb. Voy. A. M. t. 41, 2. Boli., Chili, Ecua.

5227. alpina, Jard. Contr. Orn. 1849, pl. 21. Chimborazo. albifrons, p., Sclat.

5228. rubricapilla, Ph. & L. Pr. Z. S. 1867, pl. 46. Chili.

5229. albilora, Lafr. Chili, Peru. rubricapilla, p. ?, Sclat. & S.

5230. albimentum, Lafr.

5231. brunnea, Gould. Patagonia.

5232. frontalis, Burm. Mendoza.

5233. capistrata, Burm. Ebenda, Mendoz.

1285. LESSONIA, Sw. 1831.

Centrites, 1841, et Centrophanes, 1845, Cab.

Auchmalea, Reich. 1850.

G. of B. i. p. 201, pl. 54. f. 4; Reich. S. A. t. 59. f., et pl. 64. f.

5234. nigra, Bodd.; P. E. 738, 2; Mag. de Zool. 1836, t. 67. rufa, Gm.; fulva, Lath.; erythronotus, Merr. dorsalis, King; variegatus, Edy. & Gerv.

Paraguay. W. Peru.

5235. orcas, Sclat. & S.

Tinta.

1286. MUSCIGRALLA, Lafr. 1837.

Ochthites, Cab. 1844.

Lepturus, Peale.

G. of B. i. p. 202, pl. 54. f. 8; Reich. S. A. t. 59. f.

a. Muscigralla.

5236. brevicauda, Lafr.; D'Orb. Voy. A. M. t. 39. 1. Peru.

1287. b. Philotherus, Kaup, 1851. "Hydrozetetes, Schiff.," Bp. 1854?

5237. rivularis, Max.

Brazil.

Subfam. III. Platyrhynchinæ, Sclat. 1862.

Todinæ, p., Cab. 1847. Muscicapinæ, p., G. R. Gr. 1840.

1288. PLATYRHYNCHUS, Desm. 1805.

Platyrhynchos, V. 1816.

Sw. C. of B. f. 147, 228, b; G. of B. i. p. 255, pl. 63. f. 15; Reich. S. A. t. 67. f.

5238. mystaceus, V.; P. C. 12. 2; Sw. Zool. Ill. pl. 17.

5239. albogularis, Sclat. Ecuador. 5240. cancrominus, Sclat. Vera Paz.

cancroma, Sclat.

5241. coronatus, Sclat. Cat. of A. B. pl. 17.

5242. superciliaris, Lawr. Panama.

cancroma, Laur.

5243. rostratus, Lath.; Pall. Spic. t. 3, c; Gal. des Ois. t. 126. Brazil. platyrhynchus, Pall.; fuscus, V. leucoryphus, Max.

5244. flavigularis, Sclat.

Bogota.

Equador.

1289. TODIROSTRUM, Less. 1831.

Muscipeta, Tem. 1820. Triccus, Cab. 1845.

Todirhamphus, Kaup, 1851.

G. of B. i. p. 257, pl. 63. f. 12; Reich. S. A. t. 67. f.

a. Todirostrum.

5245. cinereum, L.; Edw. B. pl. 262; Desm. Tod. t. 68.
melanoxantha, Sparrm. M. C. t. 97.
melanocephalus, Spix, A. B. t. 9. 2; Sw. Flyc. pl. 18.
Brazil, Trinidad.
V. Paz, N. Gran.
Bolivia.

5246. maculatum, Desm. Tod. t. 80. cinereus, Spix, A. B. t. 10. 1.	Mexico, Cayenne
5247. poliocephulum, Max. flavifrons, Lafr.	Brazil.
5248. nigriceps, Sclat. Pr. Z. S. 1855, pl. 84. 1.	S. Martha.
5249. picatum, Sclat.	Rio Napo.
5250. schistaceiceps, Sclat. Cat. of A. B. pl. 18. 2.	Oaxaca.
5251. chrysocrotaphum, Strickl.; Contr. Orn. 1850, pl. 46	e. E. Peru.
5252. ruficeps, Kaup; Contr. Orn. 1850, pl. 85. 2. multicolor, Strickl.	Bogota.
5253. capitale, Sclat. Pr. Z. S. 1857, pl. 125.	Rio Napo.
5254. Sclateri, Cub. & H.	Peru.
5255. Illigeri, Cab. & H. nigriceps, Ill.	Para.
5256. calopterum, Sclat. Pr. Z. S. 1857, pl. 125. 1.	R. Napo.
5257. griseum, Desm. Tad. t.	
5258. guttatum, Polz.	Brazil.
1290. b. Oncostoma, Sclat. 1862.	
5259. cinereigulare, Schat. Cat. of A. B. pl. 18. 1.	Cordova,Oaxaca
5260. olivaceum, Lawr.	Panama.
1291. c. ——? Euscarthmus, p. Reich. S. A. t. 66. f. ?	
5261. gularis, Tem. P. C. 167. 1. rufilatum, Hartl.; plumbeiceps, Lafr.	Brazil. Bolivia.
5262. granadense, Hartl. Contr. Orn. 1850, pl. 85. pectorale, Kaup.	Bogota.
5263. squamicristatum , <i>Lafr</i> . squamæcrista, <i>Lafr</i> .	Ecuador.
5264. gracilipes, Sclat.	Bogota.
5265. nidipendulum, Max.	Brazil.
5266. fumifrons, <i>Hartl.</i> crinitus, <i>Burm.</i>	,,
5267. limbatum, <i>Cab.</i> & <i>H</i> .	13
5268. furcatum, Lafr.	,,
5269. orbitatum, Max. palpebrosum, Lafr.	"

Brazil.

Mendoza. 5270. cinereum, Burm. 5271. ? sylvia, Desm. Tod. t. 69. Bahia. 5272. striaticollis, Lafr. orbitatus, p.? 5273. ? margaritaceiventer, Lafr.; D' Orb, Voy. A. M. t. 33. 3, 4. Brazil 5274. latirostris, Pelz. 5275. senex, Pelz. 5276. inornatum, Pelz. 5277. zosterops, Pelz. 5278. impigrum, Selat. & S. Pr. Z. S. 1868, pl. 13. 1. Venezu., Bogota. 1292. d. Muscylva, Less. 1831. 5279. leucogaster (Less. ex Mus. Par.). Cayenne. e. ORCHEILUS, Cab. 1845. 1293. Orchilus, Reich, 1850. Reich. S. A. t. 65. f. . 5280. auricularis, V.; Sw. Flyc. pl, 19. Brazil. cinereicollis, Max.; melanotis, Cuv.; megacephalus, Sw. 5281. pileatum, Tsch. F. P. t. 9, 1. Peru. 5282, rufipes, Tsch. 5283. ecaudatus, Lafr.; D'Orb. Voy. A. M. t. 33. 2. Bolivia. 1294. f. Colopterus, Cab. 1845. Reich, S. A. t. 66. f. . Carthagena. 5284. pilaris, Cab. Not. Orn. t. 5. 4; Pr. Z. S. 1857, pl. 125, 2. New Granada. exile, Sclat. 5285, cristatum, Cab. Not. Orn. t. 5, 2, Guiana. g. — ? 1295. Vermivora, Less. 1831, nec Meyer, 1822. Todirostrum, p., et Colopterus, p., Sclat. 5286. galeatum, Bodd. Amazons. cristatus, Müll.; P. E. 391. 1; Pr. Z. S. 1855, pl. 84. 2. Cayenne. spicifer, Lafr. h. Musciphaga, Less. 1831. Dumecola, Sw. 1831. Dumicola, Agass. Hemitriceus, Cab. & H. 1859.

Sw. C. of B. f. 213, c, d. 5287. diops, Tem P. C. 144. 1.

vilis, Burm.

5288. ruficanda, Sw.

5289. caniceps, Sw. B. Braz. pl. 49.

Cayenne.

1297. i. Phylloscartes, Cab. & H. 1859.

5290. ventralis, Natt.; P. C. 275. 2.

Brazil, Bolivia.

5291. flavocinereum, Burm.

Mendoza.

1298. EUSCARTHMUS, Max. 1831.

Lepturus, Sw. 1837, nec Moehr. 1752. Leptocercus, Cab. 1845, nec Hübn. 1816.

Hapalocercus, Cab. 1847.

Sw. C. of B. f. 228, d; G. of B. i. p. 251; Reich. S. A. t. 67, f. .

a. Euscarthmus.

5292. meloryphus, Max.; Sw. Flyc. pl. 20.

ruficeps et fulviceps, Sw.

Bahia.

5293. ruficapillus, V.

5294. helviventer, Cab.

helviventris!, G. R. Gr.

Antilles.

1299. b. ——?

Myiosympotes, Reich. 1850. Hapalocercus, p., Cab.

Reich. S. A. t. 65. f. .

5295. flaviventris, Lafr.; D'Orb. Voy. A. M. t. 36. 1.

Paraguay, Monte Video, Chili.

5296. citreolus, Landb.5297. rufomarginatus, Pelz.

Chili. Brazil.

1300. c. Culicivora, Sw. 1827, nec 1837.

Hapalura, Cab. 1847. Sternura, Cuv. 1829.

Reich. S. A. t. 67. f. .

5298. stenura, Tem. P. C. 167. 3.

1301. d. Habrura, Cab. & H. 1859.

Polystictus, Reich. 1850. Hapalura, p., Cab. Reich, S. A. t. 67. f.

5299. minimus, Gould, Voy. Beagle, pl. 15.

Monte Video.

1302. e. Pogonotriccus, Cab. & H. 1859.

5300. eximius, Tem. P. C. 144. 2.

Brazil.

1303. f. Leptotriccus, Cab. & H. 1859.

5301. sylvicola, Licht.

5302: superciliaris, Sclat. & S. Veragua.

1304. q. Stigmatura, Sclat. & S. 1866.

5303. budytoides, Lafr.; D' Orb. Voy. A. M. t. 36. 2.

Boliv., L. Ucaya.

1305. h. Serpophaga, Gould, 1838.

5307. ruficeps, Lafr. Mag. de Zool, 1844, t. 91.

Serphophaga, Agass.

5304. subcristatus, V.; P. C. 167. 2. straminea, Natt.; cristata, Lafr. albocoronata, Gould.

5305. cinereus, Strickl.

5306. nigricans, V.

5308. parvirostris, Gould.

5309. hypoleucus, Sclat.

5310. pectoralis, V. superciliaris, Max.

5311. verticatus, Burm.

5312. Gavmardii, D' Orb. "albicilla, V.," Lafr.

5313. angustirostris, Lafr.

130G. i. Anairetes, Reich. 1850.

Anæretes, Cab. & H. 1859.

G. of B. i. pl. 60. f. 2; Reich, S. A. t. 66. f. . et pl. 62. f. .

5314. parulus, Kittl. Mém. Ac. St. Pétersb. 1851, t. 9. Bloxhami, Gr.; plumulosus, Peale.

5315. fernandezensis, n. sp. ? 5316. albocristatus, Vigors; D' Orb. Voy. A. M. t. 37. 1.

elegans, Less.; reguloïdes, Lafr.

5317. agilis, Sclat. Pr. Z. S. 1856, pl. 118.

Chili.

New Granada.

1307. CYANOTIS

et Cyanotus, Sw. 1837. Tachuris, Lafr. 1837.

G. of B. i. p. 175, pl. 49, f. 6; Reich, S. A. t. 62, f.

5318. rubrigastra, V.; Gal. des Ois. t. 166; Schl. De Dierk. fig. p. 159; Gay, Voy. Chili, t.

Azaræ, Licht.; Byronensis, Gr.; omnicolor, V. Vicilloti, Leadb.; multicolor, Bp.

Subfam, IV. Elaininæ, Cab. 1859.

Vireoinæ, p., 1840, et Muscicapinæ, 1841, G. R. Gr. Tyranninæ, p., Cab. 1847.

1305. ELAINIA, Sundev. 1835.

Elania, G. R. Gr. 1841, Elainia, Reich. 1850.

Braz., R. Grande. Boliv., Argentina.

La Plata.

Brazil, Sta. Fé.

Paraguay. Bogota.

Chili, Bolivia. Ucavali.

Paraguay.

Parana

Bolivia.

,,

Chili, Bolivia. Patagonia, Terra

del Fuego. Juan Fernandez. Peru, Chili,

Elænia, 1844, et Elænea, 1847, Cab. Paroides, Less. 1837, nec Koch. 1816. Muscicapara, D' Orb. 1840.

G. of B. i. p. 250, pl. 60. f. 7; Reich. S. A. t. 65. f.

a. Elainia.

5319. pagana, Licht.; Spix, A. B. t. 16. 1. Cayenne, Brazil. brevirostris, Spir; albiceps, Lafr. Bolivia, Peru. Maxmiliani, Kaup.

5320. subpagana, Selat. & S.

5321. subplacens, Sclat.

5322. griseogularis, Sclat. Pr. Z. S. 1858, pl. 146. 1. albiceps, p., Gould.

5323. pallatangæ, Sclat. Pr. Z. S. 1861, pl. 41.

5324. placens, Sclat. Ibis, 1859, pl. 4. 2. implacens, Sclat.

5325. cotta, Gosse, Ill. B. of Jam. pl. 45.

5326. fallax, Sclat.

5327. Rissii, Sclat. martinica, Cass.

5328. chiriquensis, Laur.

5329. Frantzii, Lawr.

5330. modesta, Tsch. albiceps, Bp.

5331. mesolenca, Cab. & H.

5332. semipagana, Sclat.

5333. arenarum, Salv.

5334. semiflava, Lawr.

5335, incomta, Cab. 5336, lencophrys, Cab.

5337. brevirostris, Lafr.

5338, stramineoventris, Lafr.

5339, rufiventris, Cab.

5340. rustica, Licht. obscura, Lafr.; Guillemini, D'Orb.

5341. viridiflava, Tsch. F. P. t. 9. 2.

5342. elegans, Pelz. caniceps, Sclat.

5343. spectabilis, Pelz.

5344. cristata, Pelz.

5345. albivertex, Pelz.

Guat., Costa Ric.

Pallatanga.

Chili.

Pallatanga. Cordova. Ecuador, Peru.

Jamaica.

St. Thomas. Barbadoes.

Chiriqui.

Costa Rica. Pern, Chili.

Rio Grande.

Bahahovo. Costa Rica.

New Granada.

Carthagena.

Argentina.

Bolivia.

S. Braz., Arg. R.

Pern.

Brazil.

5346. parvirostris, Pelz.	Brazil.
5347. cinerea, Pelz.	27
5348. ruficeps, Pelz.	21
5349. bivittata, Lafr.	
5350. affinis, Lund.	
5351. littoralis, Natt. & Pelz.	13
1309. b. "Myiozeta, Schiff.," Bp. 1854. Myiozetetes, Sclat. 1859.	
5352. cayanensis, L.; P. E. 569. 2. leucocephala, Müll.; cayennensis, Tem.	Trinidad. Cayenne.
5353. columbianus, Cab. & H. cayennensis, Sclat.	Bogota. Ecuador.
5354. texensis, Giraud, B. Texas, pl. 1. cayennensis, Sw.	Mexico. Costa Rica.
5355. sulphurea, Spix, A. B. t. 20. peruviana, Lafr.	Upper Amazon.
5356. similis, Spix, A. B. t. 25. trivirgata, Max.; cayennensis. Lafr. superciliosa, p., Bp.; miles, Burm.	Brazil. Peru.
5357. granadensis, Lawr.	Bogota.
5358. guianensis, Cab . $\&$ H . cayennensis, Cab .	Bogota, Ecuador
5359. icterophrys, Heine.	Porto Cabello.
5360. marginata, Lawr.	Panama.
5361. flava, V. O. A. S. t. 41. cayanensis, p., G. R. Gr.	Haiti,
1310. c. Legatus, Sclat. 1859.	
5362. albicollis, V.; P. E. 832. 2. legatus, Licht.; citrina, Max. circumcinetus, Sw. Dr. pl. 50.	Brazil Paraguny. Bolivia.
5363. variegata, Sclat.	Mex., C. Amer.,
1311. d. Sublegatus, Sclat. & S. 1868.	Costa Rica.
5364. glabra, Solat. & S. Pr. Z. S. 1868, pl. 13, 2.	Venezuela.
1312. · e. Empidagra, Cab. & H. 1859.	
Suiriri, D' Orb. 1839.	
5365. suiriri, V.; Voy. Beagle, pl. 14. albescens, Gould.	Paraguay. Monte Video.
5366. brevirostris, Tsch.	Peru.

1313. f. "Myiocapta, Schiff.," Bp. 1854.

5367. asilus, Schiff.

1314. g. Rhynchocyclus, Cab. & H. 1859.
Cyclorhynchus, Sundev. 1835, nec Kaup, 1829.
Reich. S. A. t. 65, f.

5368. æquinoctialis, Sclat.

5369. olivacea, Tem. P. C. 12. 1. sulphurescens Q, Spix, A. B. t. 12. 2.

5370. sulphurescens, Spix, A. B. t. 12. 1. nuchalis, Max.

5371. brevirostris, Cab. griseimentalis, Lawr.

5372. cinereiceps, Sclat.

5373. flaviventer, Spix, A. B. t. 15. 1. flaviventris, Max.

5374. fulvipectus, Sclat.

5375, subbrunnea, Sclat.

5376. flavo-olivacea, Lawr. sulphurescens?, Sclat.

5377. mesorhyncha, Cab.

5378. poliocephala, Licht.

5379. assimilis, Pelz.

1315. h. Ramphotrigon, Bp. 1854.

Rhynchocyclus, p., Sclat.

5380. ruficauda, Spix, A. B. t. 11. 2.

1316. i. Myiacleptes, Reich. 1850.

Conopias, Cab. & H. 1859. Reich, S. A. t. 67. f.

5381. **superciliosa**, Sw. Dr. 46. similis, p., G. R. Gr.

1317. j. Mionectes, Cab. 1844.

Anomalopterus, Schiff.? Paroides, Less. 1831? Reich. S. A. t. 65. f.

5382. striaticollis, *Lafr.*; *D'Orb. Voy. A. M.* t. 35. 2. poliocephalus, *Tsch. F. P.* t. 10. 1.

Ecuador.

Brazil.

Xalapa. Santa Fé.

Oaxaca, Vera Paz.

Bahia.

Ecuador.

Panama.

Guatemala.

Brazil.

Cayenne.

Brazil.

Bolivia, Bogota. Ecuador, Peru.

k. "PIPROMORPHA, Schiff.," Bp. 1854. Mionectes, b, Sclat.

5383. oleaginea, Licht. chloronotis, Cuv.; chloronotus, D' Orb.

5384. assimilis, Sclat.

oleaginea, Sclat. 5385. rufiventris, Lafr.

1319. l. Leptopogon, Cab. 1844. Reich, S. A. t. 65, f. . .

5386. amaurocephala, Tsch.

5387. superciliaris, Cab.; Tsch. F. P. t. 10. 2.

5388. pileata, Cab. amaurocephalus, Sclat.?

5389. poliocephala, Cab.

5390. erythrops, Sclat. 5391. pœcilotis, Sclat.

5392. flavovirens, Lawr.

5393. peruviana, Sclat. & S.

1320. m. Capsiempis, Cab. & H. 1859.

5394. flaveola, Licht.; Sw. Dr. 48. modesta, Sw.; flaviventer, p., G. R. Gr. ranunculacea, Licht.

1321. n. Phyllomyias, Cab. & H. 1859.

5395. brevirostris, Spix, A. B. t. 15. 2; P. C. 275. 3. asilus, Max.; virescens, Natt. olivacea, Lafr.; boliviana, D'Orb.

5396. griseocapilla, Lafr.; Pr. Z. S. 1861, pl. 36. 2.

5397, semifusca, Sclat.; Pr. Z. S. 1861, pl. 36, 1.

5398. Burmeisteri, Cab. brevirostris. Burm.

5399, subviridis, Natt. & Pelz.

5400. livida, Tom. & Pelz.

1322. o. Ornitiiion, Hartl. 1853. Ornithium, Cab. & H. 1859.

5401. inerme, Hartl. minutus, Gm.?

Guiana, Peru. SantaFé, Bolivia.

Coban. Mexico?

Brazil.

Rio Napo.

Mexico, C. Amer. Guatemala.

New Granada.

Bogota.

New Granada. E. Peru.

Brazil.

S. Martha.

Brazil.

 2×2

1323. p. Myiophanistes, Reich. 1850. Myiopatis, Cab. & H. 1859.

Eupsilostoma, Sclat. 1860. Reich. S. A. t. 65. f.

5402. obsoleta, Tem. P. C. 275. 1. murina, Max.

Brazil, Bolivia.

5403. pusilla, Cab, & H.

Carthag., Trin.

5404. incanescens, Max. murinus, Spix, A. B. t. 16, 2? Brazil.

5405. ——? pusillum, Sclat. Ecuador.

1324. q. Camptostoma, Sclat. 1857.

5406. imberbe, Sclat. Pr. Z. S. 1857, fig. p. 203; id. Ibis, 1859, pl. 14, 1.

Mexico, Trin.

5407. flaviventre, Sclat. & S. imberbe, Laur.

Panama.

1325. r. Tyrannulus, V. 1816. Reich, S. A. t. 66, f. .

5408. elata, Lath.; P. E. 708.2; Spix, A. B. t. 8^a. 2; V. Gal. dcs Ois. t. 71.

Brazil. Vera Paz.

5409. semiflava, Sclat. 5410. flavifrons, Cab, & H. 5411. brunneicapilla, Lawr.

New Granada. Panama.

1326. s. Tyranniscus, Cab. & H. 1859.

5412. flavidifrons, Sclat.

Equador.

5413. chrysops, Sclat. 5414. vilissima, Sclat. & S. Ibis, 1859, pl. 4. 1.

Vera Paz.

5415. parva, Lawr.

Panama. New Granada.

5416. nigricapilla, Lafr. 5417. cinereiceps, Sclat.

Pallatanga, Sta.

Fé, Veragna.

5418. gracilipes, Sclat. & S.

E. Peru.

1327. PITANGUS, Sw. 1827.

Tyrannus, V. 1816, nec Cuv.

Muscicapa, Tem. 1820. Saurophagus, Sw. 1831. Muscipeta, Flem. 1822. Apolites, Sundev. 1836.

Sw. C. of B. f. 16; G. of B. i. p. 246, pl. 60, f. 3; Reich. S. A. t. 66. f.

a. Pitangus.

5419. sulphuratus, L.; P. E. 249, 296; V. O. A. t. 47.

Brazil, Bolivia.

lencogaster, Bodd.; flavus, Gm. magnanimus, V.

Argentina.

Costa Rica.

5420. bellicosus, V. Brazil, Bolivia. sulphuratus, D' Orb. bolivianus, Lafr 5421. caudifasciatus, D'Orb. Voy. Cuba, t. 12; Gosse, Ill. Jam. B. pl. 44. Cuba, Jamaica. 5422. lictor, Licht.; G. R. Gr. & M. G. B. pl. 62. Brazil. flavus, Thunb.; cavaneusis, Max. pusillus, Sw.; Swainsoni, Gould? 5423. rufipennis, Lafr. Trinidad. erythropterus, Kaup. 5424. Maximiliani, Cab. & H. Brazil. pitangua, Max.; sulphuratus, Burm. 5425. Derbianus, Kaup; Pr. Z. S. 1851, pl. 36. Mexico sulphuratus, Sw.; guatimaleusis, Lafr. 5426. albovittatus, Lawr. Panama. 5427. Taylori, Sclat. Porto Rico. 5428. bahamensis, Bryant, Bahamas. caudifasciatus, p., Bryant. 5429, parvus, Pelz. Brazil. 1328. b. Sirystes, Cab. & H. 1859. Tyrannula, p., Sw. 5430. sibilator, V. sibilans, Licht. 1329. c. Myiodynastes, Bp. 1854. Tyrannula, Sw. 1837, nec 1827. 5431. luteiventris, Sclat. Mexico. audax, Sclat.; luteiventer, Bp. Costa Rica. 5432. solitarius, V. Brazil, Peru. audax, Sw. Bolivia. 5433. maculatus, Müll.; P. E. 453. 2. Cayen., Tobago. audax, Gm.; regius, Thunb. Venez., Trin. 5434, nobilis, Sclat. N.Gran., Ecuad., Veragua. 1330. d. Hypermitres, Cab. 1861. Myiodynastes, p., Sclat. Megarhynchus, p., Cab. & H. 5435. chrysocephalus, Tsch. F. P. t. 8. 1. Peru, Ven., Bog., Pallatanga. 5436. atrifrons, Sclat. Guayaquil.

5437. superciliosus, Lawr.

chrysocephalus, p. ?, Salv. hemichrysus, Cab. ? 1331. e. Kaupornis, Bp. 1854.

Myiarchus, p., Cab.

5438. stolidus, Gosse, Ill. Jam. B. pl. 42.

crinitus, p., Striekl. var. lucaysiensis, Bryant. var. dominicensis, Bryant. var. bahamensis, Bryant.

var. bahamensis, Bryant. var. Sagræ, Gundl.; Phæbe, D'Orb. Jamaica.

Bahamas. St. Domingo. Bahama I. Cuba.

Subfam. V. Tyranninæ, Sw. 1831.

Tyrannina (Sw.), Vig. 1825.

1332. MEGARHYNCHUS, Thunb. 1824.

Scaphorhynchus, Max. 1831.
Tyrannus, Cuv. 1817.
Platyrhynchos, Tem. 1820, nec Desm. 1805.
Megastoma, Sw. 1837, nec Kirby, 1825.
G. of B. i. p. 245, pl. 60. f. 6; Reich. S. A. t. 66. f.

5439. pitangua, L.; P. E. 212. carnivorus, V.; sulphuratus, Max.

carmvorus, V.; surphuratus, Maa flaviceps, ruficeps et atriceps, Sw. 5440. mexicanus, Lafr.

5441. chrysogaster, Sclat.

Brazil.

Mexico, Guat., Costa Rica. Ecuador.

1333. MUSCIVORA, Cuv. 1799-1800.

Moucherolles, Cuv. 1797-98. Todus, Bonn. 1790, nec L. 1766.
Onychorhynchus, Fisch. 1814.
Muscipeta, Cuv. 1817, nec Koch, 1816.
Trepsiphone, Glog. 1827.
Megalophus, Sw. 1837.
Sw. C. of B. f. 13; G. of B. i. p. 257, pl. 63. f. 5; Reich. S. A. t. 67. f.

a. Muscivora.

5442. cristata, Bodd.; Naturf. xvii. t. 1. Castelnaudi, Dev.

5443. Swainsoni, Pelz.; Sw. Dr. 51, 52.

regia, Max. regius, Sw. Flye. pl. 15.

5444. mexicana, Sclat.

5445. occidentalis, Sclat.5446. coronata, Müll.; P. E. 289.

regia, Gm.

1334.

Guiana, Peru.

S.E. Brazil.

Mexico, Guat.

Ecuador. Cayenne.

b. HIRUNDINEA, Lafr. 1837.

Phoneutria, Reieh. 1850.

5447. bellicosa, V.; Ibis, 1869, pl. 5. 1. ferrugineus, Cab.

Peru, Brazil. Parag., Bogota.

Rio Napo.

Venezuela.

5448. ferruginea, Gm.; Ibis, 1869, pl. 5. 2. Cayenne. S.E. Brazil. 5449. rupestris, Max.; Ibis, 1869, pl. 5. 3. hirundinaceus, Spix, A. B. t. 13. 1. ferruginea, Burm.; pyrrhophæus, V.? **1335.** MYIOBIUS, G. R. Gr. 1838. Tyrannula, Sw. 1827, nec (us) V. 1816. Platyrhynchus, Spix, 1824, ncc Desm. 1805. G. of B. i. p. 248; Reich. S. A. t. 67. f. . a. Myjobius. 5450. xanthopygius, Spix, A. B. t. 9. 1. Brazil. barbatus, Sw. Zool. Ill. pl. 116. 5451. sulphureipygius, Sclat. Mexico. eitrinopygus, Cab. & H. 5452. villosus, Sclat. R. Napo. Guiana, Ecuad. 5453. barbatus, Gm.; P. E. 830. Costa Riea. 5454. capitalis, Salv. 5455. atricauda, Lawr. Panama. barbatus, Lawr. 5456, rufescens, Salvad.; Pr. Z. S. 1866, pl. 11. 1. Brazil. Nationi, Sclat. Peru, Lima. New Granada. 5457. latirostris, Verr. 1336. b. Planchesia, Bp. 1859. 5458. arausiaca, Müll.; P. E. 574. 1. Cavenne. fusca, Bodd.; fuliginosa, Gm. c. Cephalanius, Bp. 1854. 1337. 5459. superciliosus, Gm. d. Capnixus, Bp. 1854. 1338. 5460, fumigatus, Lafr. Bolivia. 1339. e. Cariornis, Bp. 1854. Pyrrhomyias, Cab. & H. 1859. G. of B. i. pl. 60. f. 1. 5461. cinnamomeus, Lafr.; D'Orb. Voy. A. M. t. 34. 1. New Granada. Vieillotii, Lafr.; pyrrhopterus, Hartl. Bolivia. 5462. ornatus, Lafr. Pr. Z. S. 1854, pl. 66. 2. Bogota. 5463. erythrurus, Licht.; Cab. Orn. Not. t. 5. 1. Ecuador. cinnamomea, Lawr.

5464. phœnicurus, Sclat. Pr. Z. S. 1854, pl. 66. 1.

Heinei, Cab. & H.; vieillotides, Sclat.

5465. vieillctioides, Lafr.

Bogota. 5466, bellus, Sclat. 5467. flavicans, Sclat. 5468. pulcher, Sclat. Pr. Z. S. 1866, pl. 11. 2. Ecuador. f. Myjophobus, Reich. 1850. 1340. Reich, S. A. t. 67. f. . 5469. fasciatus, Müll.; P. E. 574. 3; Spix, A. B. t. 11. 2; Sw. Brazil, Bolivia. C. of B. pl. 53. nævia, Bodd.; virgata, Gm. chrysoceps, Spix; flammiceps, Tem. P. C. 144. 3. auriceps, Gould; ferruginea, Sw. rufolineata, Cuv. Esmeralda. 5470. crypterythrus, Sclat. Ecuador. 5471, cryptoxanthus, Sclat. 5472. pœcilurus, Sclat. Bogota. Brazil. 5473. pœcilocercus, Pelz. 1341. g. Empidochanes, Sclat. 1862. Myiophobus, Cab. & H. nec Reich. 5474. pileatus, Müll.; P. E. 574. 2. Braz., L. Amaz. oliva, Bodd.; agilis, Gm. bimaculata, Lafr. Brazil. 5475. fuscatus, Max. 5476. Euleri, Cab. Cantagallo. Carthagena. 5477. albirostris, Cab. Buenos Ayres. 5478. argentinus, Cab. Rio Janeiro. 5479. fringillaris, Licht. 1342. PYROCEPHALUS, Gould, 1838. Tyrannus, 4 div., Sundev. 1836. G, of B. i. p. 249, pl. 60, f. 8; Reich, S. A. t. 65, f. a. Pyrocephalus. 5480. rubineus, Bodd.; P. E. 675. 1; Nat. Misc. pl. 569; Cass. B. Cal. pl. 17. Trinidad, Braz. R. Grande, Mex. coronata, Gm. 5481. mexicanus, Sclat.; Cass. B. of Calif. pl. 18. Mexico. coronatus, Sw.; rubineus, Cass. nanus, Woodh. La Plata. 5482. parvirostris, Gould, Voy. Beagle, pl. 6. coronatus et strigilata, Max. 5483. obscurus, Gould. Lima, Peru. atropurpureus, Cab. ?; rubineus, p., Sclat. & S.

Galapagos I.

5484. nanus, Gould, Voy. Beagle, pl. 7.

5485. dubius, Gould.

Costa Rica.

New Granada.

5486, occidentalis, Sclat. W. co. of N. Am. nanus, Sclat. 1343. b. MITREPHORUS, Sclat. 1859. 5487. phæocercus, Sclat. Ibis, 1859, pl. 14. 2. Cordova, V. Paz. affinis. Sw.? 5488. cinnamomeus, Sw.; Giraud, B. of Texas, pl. 2. 2. Mexico. fulvifrons, Giraud. rubicunda, Licht. pallescens ct pygmæus, Coucs. Arizona. 5489. aurantiiventris. Lawr. Costa Rica. 1344. c. Empidonax, Cab. 1855. 5490. pusillus, Sw. & Rich. Faun. B.-Am. pl. 46. 1; Aud. B. A. E. of U. States. i. pl. 66. Mexico. 5491. minimus, Baird; Aud. B. A. vii. pl. 491. Penns., C. Amer. 5492. acadicus, Gm.; Wils. A. O. pl. 13. 3; Aud. B. A. i. pl. 62. E. of U. States. querula, Wils.; virescens, V.? Bolivia. 5493. flaviventris, Baird; Aud. B. A. vii. pl. 490. E. of U. States. pusilla, Penn. difficilis, Baird, B. N. A. pl. 76. 2. 5494. Bairdii, Sclat. C. America. 5495. ? hypoxanthus, Baird. Vera Paz flaviventris, p., Sclat. 5496. magnirostris, Gould, Voy. Beagle, pl. 8. 5497. albigularis, Sclat. & Salv. C. America. 5498. griseigularis, Lawr. New Granada. Bairdii, Lawr. 5499. Hammondii, De Vesey; Baird, B. N. A. pl. 76. 1. N. W. Bound Fort Tejon. 5500. Wrightii, Baird, B. N. A. pl. 49. 3. Calif., Texas. obscurus, Baird. 5501. obscurns, Sw. Mexico. virens, p.?, G. R. Gr. 5502. bahamensis, Bryant. Bahama. 5503. flavescens, Lawr. Costa Rica. 5504. pectoralis, Lawr. Panama. 5505. Cabanisi, Léot. Trinidad. 1345. d. Contorus, Cab. 1855. Tyrannula, p., Sw. 5506. virens, L.; V. O. A. S. t. 39; Wils. A. O. pl. 13.5; Aud. U. States, Mex.,

B. A. i. pl. 64.

querula, V.; rapax, Wils.; obscura, Sw.

5507. borealis, Sw.; Faun. B.-Am. pl. 35; Aud. B. A. i. pl. 58. Calif., Mexico. Greenland. Cooperi et inornata, Nutt. Rocky Mts. 5508. mesoleucus, Sclat. Cooperi, p., Cab.?; borealis, p., Sclat. 5509. pertinax, Cab. & H.; Elliot, B. N. A. pl. Xalapa. borealis, Sclat. 5510. Richardsoni, Sw. Faun. B.-Am. pl. 45. low. fig.; Aud. Mexico, Guatem. B. A. i. pl. 61. New Granada. sordidulus, Sclat.; atra, p., G. R. Gr. Bogota, Ecuador. 5511. bogotensis, Bp. Costa Rica. 5512. plebeius, Cab. & H. Richardsoni, p., Sclat. 5513. lugubris, Lawr. 5514. brachytarsus, Sclat. Mexico. E. of U. States. 5515. Traillii, Aud. B. A. i. pl. 65. S. Mexico. virens. Aud. е. Syrichtha, Вр. 1854. 1346. Myiochanes, Cab. & H. 1859. Contopus, p., Cab. Columbia. 5516. ardesiacus, Lafr. Brazil. 5517. cinereus, Spix, A. B. t. 13. 2. Ecuador. curtipes, Sw. Dr. pl. 54; cana, Cuv. sibilator, p., G. R. Gr. f. Myionax, Cab. & H. 1859. 1347. Myiarchus, a, Cab. & H. 1859. Tyrranula, p., Sw. 5518. crinitus. L.; Wils. A. O. pl. 13. 2; V. O. A. S. t. 45; N. America, Costa Rica. Aud. B. A. i. pl. 57. virginea, Müll.; ludoviciana, Gm. Parag., Argent. irritabilis, V. 5519. mexicanus, Kaup; Baird, B. N. A. pl. 5. Mexico. cinerascens, Lawr. 5520. validus, Cab. Jamaica.

crinitus, Gosse; Gossii, Ep.
5521. Cooperi, Kaup.
Mex., Guatemala.

5521. Cooperi, Kaup.

Mex., Guatemat

5522. erythrocercus, Sclat.

Venezuela.

crinitus, p., Hartl.; irritabilis, p., Bp. Dominica. ferox \mathcal{E} , \mathcal{E}

1348. g. Onychopterus, Reich. 1850. Myopatis, Cab. ? Myiarchus, p., Cab. & H. Reich. S. A. t. 65. f.

5523. tuberculifer, Lafr.; D'Orb. Voy. A. M. t. 32, 1, 2. Bolivia.

1349. h. Mylarchus, Cab. 1844.	
Despotina, Kaup, 1851.	
5524. Swainsoni, Cab. & H. ferox, Sw.	Bolivia, Brazil. Peruv. Andes.
5525. Lawrencei, Giraud, B. Texas, pl. 2; Baird, B. N. A. pl. 47. 3. rufomarginatus, Cab. & H. mexicanus, Sclat.	N.E. Mexico. Costa Rica?
5526. nigriceps, Solut.	Ecuador.
5527. tyrannulus, Müll.; P. E. 571. 1. aurora, Bodd.; ferox, Gm.; flaviventris, Steph.	Para, Bogota. Trinid., Tobago.
5528. gracilirostris, Pelz.	Brazil.
5529. nigricapillus, Cab. Lawrencei, Cab.	Costa Rica.
5530. phwocephalus, Selat.	Ecuador.
5531. panamensis, Lawr.	Panama.
5532. venezuclensis, Lawr.	Venezuela.
5533. fasciatus, Landb.	Mendoza.
5534. cantans, Pelz.	Brazil.
5535. tricolor, Natt. & Pelz.	1)
1350. i. Blacicus, Cab. 1855.	
5536. tristis, Gosse, B. of Jam. pl. 41.	Jamaica.
5537. pallidus, Gosse, B. of Jam. pl. 40. cerviniventris, Salvad.	,,
5538. caribæus, D'Orb. var. hispaniolensis, Bryant.	Cuba, Bahamas.
1351. j. Empidias, Cab. & H. 1859. Tyrannula, Sw. 1831, nec 1827. Myiobius, G. R. Gr. 1847, nec 1838. Aulanax, p., Cab. 1856.	
5539. fuscus, Gm.; Wils. A. O. pl. 13. 4; V. O. A. S. t. 40; Catesby, Car. pl. 53; Aud. B. A. i. pl. 63.	E. of N. Amer.

1352. k. Empidonomus, Cab. & H. 1859.

Tyrannus, Reich. 1850. Reich. S. A. t. 66. f. .

atra, Gm.

5540. varius, V.; Spix, A. B. t. 31. rufina, Spix; ruficauda, Max. leucotis. Sw.; Tschudii, Hartl.

nuneiola, Wils.; Phœbe, Lath.

Brazil. R. Grande.

Mexico.

1353. TYRANNUS, Cuv. 1799-1800.

Tyrans, Cuv. 1797-98. Drymonax, Glog. 1827. Tyrannus, 2 div., Sundev. 1837. Muscicapa, Aud. 1838. G. of B. i. p. 246.

a. Tyrannus.

5541. carolinensis, Gm.; V. O. A. S. t. 44; P. E. 676; Wils.
A. O. pl. 13; V. Gal. des Ois. t. 133; Aud. B. A. i. pl. 56.
tyrannus, L.; rex, Bartr.; pipiri et intrepidus, V.
animosa, Licht.; leucogaster, Steph.
tyrannus, var. carolinensis et ludovicianus, Gm.

5542. aurantio-atro-cristatus, Lafr. ynca, Licht.; inca, Sclat.

Bolivia.

5543. niveigularis, Sclat.5544. antillarum, Bryant.

Ecuador.

5545. ? auroflammus, Burm. inca, p.?, Pelz.

Porto Rico. Mendoza.

5546. Bairdi, Gamb.

California.

1354. b. Dioctes, Reich. 1850.

Tyrannus, p. ?, Cab. & H. Reich. S. A. t. 66. f. .

Mexico.

5547. pyrrholæma, Reieh.

1355.

Satellus, Reich. 1850? Tyrannus, Burm. 1850.
Reich. S. A. t. 66. f. .

5548. melancholicus, V.; Spix, A. B. t. 19; Baird, B. of N. A. pl. 49. 2. despotes, Lieht.; furcata, Spix.

despotes, Licht.; furcata, Spix.
erudelis, Sw.; albogularis, Burm.

5549. satrapa, Licht.
melancholicus, Cab.

Brazil, Argent.
Bolivia.
Guiana.
Carac., C. Rica.

c. Laphyctes, Reich. 1850 et Cab. & H. 1859.

5550. vociferans, Sw.; Ann. Lyc. N. Y. 1852, pl. 3. 2; Baird, B. of N. A. pl. 48.
Cassinii, Lawr.; verticalis, p., G. R. Gr.

Mexico.

Paraguay.

5551. verticalis, Say; Bp. A. O. pl. 11; Aud. B. A. i. pl. 54.

W. of N. Amer., California, N.E. Mexico.

5552. Couchii, Baird. 5553. apolites, Cab.

----?

5554. albogularis, Pelz.

Brazil.

1356. d. ? Satellus, Reich. 1859.

Laphyctes, p., Cab. & H. 1859. Reich. S. A. t. 66. f.

5555. ? satelles, Licht. vociferans, p., Sclat.

Mexico.

1357. e. Melittarchus, Cab. 1855.

5556. crassirostris, Sw. Mexico.

5557. dominicensis, Gm.; P. E. 537; Aud. B. A. i. pl. 55. Haita, Cuba. tyrannus, var. dominicensis, Gm.; griseus et matutinus, V. Jamaica.

tiriri, Tem.

5558. magnirostris, Cab.; D'Orb. Voy. Caba, t. 13. Cuba. matutinus, p., V.; nigriceps, p., Cab.

5559. ? rostratus, Sclat. Trinidad.
magnirostris, Sclat. Guiana.

5560. ? sulphuraceus, Hartl. Cuba.

1:358. MILVULUS, Sw. 1827.

Tyrannus, V. 1807, et Sundev. 1835.
Despotes, Reich. 1850.
Muscivoru, G. R. Gr. 1840, nee Cuv.
G. of B. i. p. , pl. 60, f. 5; Reich. S. A. t. 66, f.

5561. tyrannus, L.; P. E. 571. 2; Bp. A. O. pl. 1. 1; V. O. Mex., Bolivia, Costa Rica. savana, V.; monachus, Hartl.

5562. violentus, V. Brazil, Para.

tyrannus, Max.; phœnoleuca, V.; nunciolus, Steph.; savana, Sw.

5563. forficatus, Gm.; P. E. 677; Ep. A. O. pl. 2. 1. Mexico, C. Rica. mcxicanus, Steph.

5564. rufitorques, Hartl.

FAM. XVIII. AMPELIDÆ, Sw. 1831.

Subfam. I. Ampelinæ, Sw. 1831.

Ampelidinæ, Ep. 1847. Bombyeillinæ, Sw. 1831.

1359. AMPELIS, L. 1735.

Bombycilla. V. 1816. Bombycivora, Tem. 1815. Bombyciphora, Mcy. 1815. Corvus, p., Ill. 1811. Sw. C. of B. f. 141, 220 a; G. of B. i, p. 278, pl. 68, f. 1; Reich. S. A. t. 89, f.

5565. garrulus, L.; P. E. 261; Naum. Vög. t. 59; Gould, B. E.
 pl. 160; Bp. A. O. pl. 16. 2.
 Europe.
 N. America.

5566. cedrorum, V. O. A. S. t. 57; id. Gal. des Ois. t. 118; Wils. A. O. pl. 7. 1.

garrulus, var. β, L.; carolinensis, Gosse; americana, Wils. C. America.

5567. phonicoptera, Tem. P. C. 450; Sehl, F. J. t. 44; id. Handl.
 Dierk. t. 3. 27; id. De Dierk. fig. p. 150.
 Japan.
 japonicus, Siebl.

Subfam. II. Ptilogonydinæ, Sclat. 1862.

Tyranninæ, p., Sw. 1837. Campephaginæ, p., G. R. Gr. 1840. Bombycillina, p., Cab. 1847. Ampelina, p., Bp. 1854.

1360. PTILOGONYS, 1824,

et Ptiliogouatus, 1827, et Ptilogonys, 1837, Sw. Ptiliogonys, G. R. Gr. 1840. Hypothymis, Licht. 1831, nec Boie, 1826.

Lepturus, Sw. 1838.

G. of B. i. p. 281, pl. 69, f. 1; Reich, S. A. t. 89, f. ; Baird, Rev. Am. B. fig. p. 410.

a. PTILOGONYS.

5568. cinereus, Sw. Zool. Ill. pl. 62, 120; P. C. 452. chrysorrhea, Tem.

5569. caudatus, Cab.; Sclat. & S. Exot. Orn. pl. 6.

Guatemala. Mexico.

Costa Rica.

b. PHAINOPEPLA, Selat. 1858. 1361.

Cichlopsis, p., et Phænopepla, Baird. Baird, Rev. Am. B. fig. p. 415.

5570. nitens, Sw.; Cass. B. of Calif. pl. 29. galeatus, Less.

Mexico.

c. Myiadestes, Sw. 1838. 1362.

Myadestes, Lafr. 1839.

Reich. S. A. t. 68. f. ; Baird, Rev. Am. B. fig. p. 418.

5571. solitarius, Baird; G. R. Gr. & M. G. B. pl. 69. armillatus, Gosse.

Jamaica.

5572. Townsendii, Aud. B. N. Am. i. p. 69.

5573. unicolor, Sclat. & S. Exot. Orn. pl. 25.

5574. obscurus, Lafr.; Selat. & S. E. O. pl. 26.

N.W. America.

C. Amer., Guat., Cordo., Coban. N. Amer., Mex., Guat., Tres-Marias I.

C. Rica, Verag.

Antil., Martinig.

5575. Elizabeth, Lemb.; Sclat. & S. E. O. pl. 28. Elizabethæ, Sclat. & S.

5576. melanops, Salv. Pr. Z. S. 1864, pl. 35.

5577. armillatus, V. O. A. S. t. 42.

5578. ralloides, D'Orb.; Sclat. & S. Ex. Orn. pl. 27. armillatus, Lafr.; griseiventer, Tsch. venezuelensis, Sclat.

Bolivia. Ecuador, Peru.

Peru.

Cuba.

5579. leucotis, Tsch. F. P. t. 7. 1. 5580. genibarbis, Sw. Flyc. pl. 13.

Windward I.

d. Sericolius, Bp. 1854. 1363.

5581. ? cinereus, Bp.

1364. e. Turdampelis, Less. 1844.

Cichlopsis, Cab. 1850. Myiacichla, Bp. 18 . Baird, Rev. Am. B. fig. p. 433.

5582. leucogonys, Lath.; Sclat. & S. Exot. Orn. pl. 19.

Brazil.

leucotis et ochrata, Bp. brunneus, Freyr. lanioïdes et rufococcyx, Less.?

1365. f. Platycichla, Baird, 1864.

Cichlopsis?, Baird. Baird, Rev. Am. B. fig. p. 436.

5583. brevipes, Baird.

FAM. XIX. COTINGIDÆ, Bp. 1849.

Pipridæ, p., Vig. 1825.

Subfam. I. Tityrinæ, G. R. Gr. 1841.

Tyrannina, p., Vig. 1825. Tityranæ, G. R. Gr. 1840. Psarianæ, Sw. 1837.

1366. TITYRA, V. 1816.

Psaris, Cuv. 1817. Becardia, Rafinq. 1815? Pachyrhynchus, Wagl. 1822. Megarhynchus, p., Thunb. 1824. G. of B. i. p. 253; Reich. S. A. t. 70. f.

a. TITYRA.

5584. cayana, L.; P. E. 304 & 377; V. Gal. des Ois. t. 134. cayanus, var. nævius, Gm. melanocephalus, Hahn. cinerea, V.; virgatus, H. Smith. cayanensis et mispensis. Sm.

cayanensis et guianensis, Sw. cayanus, var. a, Thunb.

5585. brasiliensis, Sw.; Spix, A. B. t. 44. 2. cayanus, var. β, et striatus, Thunb. cayanus, Lafr.; maximus, Kaup.

5586. personata, Jard. & S. I. O. pl. 24. mexicana et tityroïdes, Less.

5587. semifasciata, Spix, A. B. t. 44. 2. personata, p., G. R. Gr.

5588. intermedia, Cab. & H. cayanus, Spix, A. B. t. 44. 1?

b. Erator, Kaup, 1851.
 Exetastus, Bp. 1854. Exetastes, Cab. & H. 1859.
 G. of B. i. pl. 60. f. 12.

Cayenne.
Surinam.
Guiana.
New Granada.
Bolivia.

Brazil.

Mex., Columbia. Ecua., Cay., Peru.

Para, Bolivia. Ucayali.

Para.

5589. inquisitor, Olf.; Sw. Flyc. pl. 3; id. Z. Ill. pl. 35. cayanus, var. y et \(\delta\), Thunb. erythrogenys, Selby; inquisitrix, Cab. Jardinii, Natterii, et Selbii, Sw.

Brazil, Bolivia. New Granada.

5590. albitorques, Dubus; Pr. Z. S. 1851, pl. 37 & 38.
Fraseri, Kaup.

E. Peru, Oaxaca, New Granada.

5591. albinucha, Cab. & H.

Brazil.

5592, leucura, Natt. & Pelz.

Drazii.

1368. c. Hadrostomus, Cab. & H. 1859.

Pachyrhamphus, Kaup, 1851, nec Gr. 1838. Platypsaris, a, p., Sclat. 1857, nec Bp. 1854.

5593. atricapilla, V.; Spix, A. B. t. 46. 1; Sw. Z. Ill. pl. 41. Brazil, Bolivia. rufa, V.; validus, Licht.; einerascens, Spix. eristatus, Sw.; pileata, Jard. β S. strigatus et megacephalus, Sw. roscicollis Q, D'Orb.; affinis, Less.

5594. aglaiæ, Lafr.; Ibis, 1859, pl. 13; Baird, B. N. A. pl. 47. 1. Mexico. minor, Burm.; affinis, Elliot. Nicaragua.

5595. niger, Gm.; G. R. Gr. & M. G. B. pl. 63. aterrimus, Lafr.; leuconotus, G. R. Gr. nigrescens, Cab. Jamaica.

5596. homochroa, Selat. ? aglaiæ, var., Selat. Ecuador.

5597. minor, Less.; Jard. & S. I. O. pl. 28. roseicollis, Jard. & S.; pectoralis, Sw.

Cayenne. New Granada.

5598. roseicollis, Lafr.5599. ? atbiventris, Lawr.aglaiæ, p., A. Newt.

Bolivia.
W. Mexico.

1369. d. Platypsaris, *Bp.* 1854. Platypsaris, *a*, p., *Selat*. 1857.

5600. latirostris, Bp.

Vera Paz.

1370. e. Pachyramphus, G. R. Gr. 1838.

Pachyrhynchus, p., Spix. Chloropsaris, Kaup, 1852. Reich. S. A. t. 70. f.

5601. viridis, V.; Spix, A. B. t. 45. 2; Sw. Z. Ill. pl. 32; id. Flyc. pl. 4.

S.E. Brazil.

Cuvieri, Sw.; Dupontii, V.; nigriceps, Licht. Vieillotii, Jard. & S.; armiger, Cuv.?

5602. cinerea, Bodd.; P. E. 687. 1.
eques, Bodd.; P. E. 831. 1.
aurantia et atricapilla, Gm.
simplex, Less.; parinus, Kaup?
griseus, Sclat.; mitratus, Licht.
rufescens, Spix; leucogaster, Sw.

Cayenne.
S. Martha.
Trinidad.

5603. spodiurus, Sclat.

Ecuador.

5604. surinamus, L.; Jard. & S. Contr. Orn. 1848, pl. 11. melanoleucus &, Cab.

Cayenne.

dimidiatus, De Fil.

5605. cinnamomeus, Lawr.

Panama

1371. f. Platyrhynchus, Spix, 1824.

Psaris, Bp. 1850. Zetetes, Cab. 1859.

Pachyrhamphus, b, Sclat., ct P. d, Sclat. 1857.

Rio Grande.

5606. polychroptera, V.; Spix, A. B. t. 43. 2. variegatus, Spix; castanea, Jard. & S. I. O. pl. 10. 2.

splendens et aurantia, Max. ruficeps et Spixii, Sw. melanoleucus ?, Cab. rufescens, Sclat.

marginatus tristris, Kaup. 5607. niger, Spix, A. B. t. 45. 1. Brazil

Cayenne, Brazil. Caraccas.

nigriventris, Sclat. 5608. cinereiventris, Sclat.

Santa Martha.

1372. g. Bathmidurus, Cab. 1847.

Pachyrhamphus, e, Sclat. Reich. S. A. t. 71. f. .

5609. major, Cab.; Baird, B. N. A. pl. 47. 2. marginatus major, Kaup.

Mexico, Guatem.

marginatus, Sclat. 5610. atricapilla, Gm.; Merr. Begtr. t. x.; D'Orb. Voy. A. M.

t. 31. marginatus, Licht.; Swainsoni, Jard. & S. albifrons, Sw.; marginatus minor, Kaup.

Braz., Up. Amaz. Bolivia.

5611. albogriseus, Sclat.

N. Grana., Ecua.

5612. rufus, Bodd.; P. E. 453.1; Jard. & S. I. O. pl. 10.2; Spix, A. B. t. 46. 2.

Brazil.

rufescens, Gm.; "castanea, Jard, & S.," Cab. aurantia, Max.; ruficeps, Sw.; melanoleucus, p., Cab.

5613. dorsalis, Sclat. dorsocinereus, Sclat,? leucopygius, Kaup?

Bogota. Quito.

1373. h. Callopsaris, Bp. 1854.

Pachyrhamphus, d, Sclat.

5614. versicolor, Hartl. squamatus, Lafr.

Bogota.

Subfam. II. Cotinginæ, Bp. 1849.

Ampelinæ et Bombycillinæ, Sw. 1837.

1374. PHIBALURA, V. 1816.

Chelidis, Glog. 1827. Amphibolura, Cab. 1847.
Sw. C. of B. f. 142, 219, 220, c; G. of B. i. p. 277, pl. 68. f. 3;
Reick. S. A. t. 89. f.

5615. flavirostris, V.; P. C. 118; V. Gal. des Ois. t. 74; Sw. Zool. Ill. pl. 31. Brazil. eristata, Sw.; chrysopogon, Wagl. forfleata, Thunb.

1375. COTINGA, Briss. 1760.

Ampelis, p., Ill. Ampelis, 1 sect., Sw. 1837.
Sw. C. of B. f. 143, 223; G. of B. i. p. 278, pl. 68. f. 4; Reich.
S. A. t. 89. f.

a. Cotinga.

5616., cærulea, V.; Gal. des Ois. t. 116; P. C. 186; Lev. O. Amer. t. 34, 35, 36. Cayenne. cotinga, L.; cœlestis, G. R. Gr.

5617. cincta, Bodd.; Edw. B. pl. 340; P. E. 188; Lev. O. Amer.
 t. 41.
 superba, Shaw, Nat. Misc. pl. 817, 821; cotinga, V.

5618. amabilis, Gould, Pr. Z. S. 1857, pl. 123.

Guatemala.

5619. cayana, L.; P. E. 624; Lev. O. Amer. t. 27, 28, 20, 30. Cayenne. cayennensis, D'Orb. cinereus et americanus, Mill.?

5620. maynana, L.; P. E. 229; Lev. O. Amer. t. 43. mayana!, G R. Gr.

Cayenne, Peru.

5621. Nattererii, Boiss.

5622. — ?, P. E. 515. cayennensis, Gm.; cayana, Lath.

1376. b. Xipholena, Glog. 1842.

Ampelis, Ill. 1811. Reich, S. A. t. 89, f. .

5623. pompadora, L.; Edw. B. pl. 341; P. E. 279; Lev. O. Amer. t. 31, 32, 33.

Cayenne.
R. Amazon.

5624. lamellipennis, Lafr. Mag. de Zool. 1839, t. 9. leucura, Tem.

Brazil.

5625. atropurpurea, Max.; Sclat. & S. Ex. Orn. pl. 5. purpurea, Licht.; porphyrio, Less.

۴

Rio Napo. 2 в 2

1377. c. Carpodectes, Salv. 1864. 5626. nitidus, Salv. Pr. Z. S. 1864, pl. 35. Costa Rica. 1328. d. Orbignesius, Bp. 1854. 5627. ? typus, Bp. ---? 1379. e. Porphyrolæma, Bp. 1854. 5628. porphyrolæma, Sclat. Contr. Orn. 1850, pl. 96. Maynas. phygas, Bp. Ucayali. 1380. f. Pipreola, Sw. 1837. 5629. chlorolepidota, Sw. Peru, R. Napo. g. Euchlornis, De Fil. 1846. TRAT. Euchlorornis, Cab. 1859. Pipreola, p., Sclat. 5630. elegans, Tsch.; Mag. de Zool. 1843, t. 39. Pera. aureopectus, Lafr. Venezuela 5631. formcsa, Hartl. Rev. Zool. 1849, t. 14. 1. 5632. jacunda, Selat, Pr. Z. S. 1860, pl. 160. Ecuador. 5633. Sclateri, Corn.; Contr. Orn. 1850, pl.; Rev. et M. de Zool, 1853, t. 4. Venez., Ecuador. 5634. melanolæma, Sclat. 5635, frontalis, Sclat. Bolivia. 1382. h. Pyrrhornynchus, Lafr. 1849. Pyrorhynchus, Bp. 1854. Euchlorornis, p., Cab. & H. Pipreola, p., Sclat. 5636. Riefferi, Boiss. New Granada. 5637. arcuata, Lafr.; Sclat. & S. Ex. Orn. pl. . N. Grau., Ecuad. 5638. viridis, Lafr.; D'Orb. Voy. A. M. t. 30. 2. Bolivia, Peru. 1383. AMPELION, Cab. 1845. Carpornis, G. R. Gr. 1846. Ampelio, Cab. & H. 1859. Ampelioïdes, Verr. 1867. Ampelio, 2 sect., Sw. 1837. Sw. C. of B. f. 222, b; G. of B. i. p. 279, pl. 68, f. 5; Reich S. A. t. 89. f. . a. AMPELION. 5639. melanocephala, Sw. Zool. Ill. pl. 25. Brazil. 5640. cucullata, Sw. P. C. 363. 5641. cinctus, Tsch.; Pr. Z. S. 1855, pl. 104. Ecuador. Tschudii, G. R. Gr. New Granuda.

flavitorques, J. Verr. N. Arch. du Mus. 1867, t. 2. 1.

1384. b. Heliochera, De Fil. 1846.

Ampelion, Reich. 1850. Reich. S. A. t. 89. f.

5642. rubrocristata, Lafr.; D'Orb. Voy. A. M. t. 31, 1, rufocristata, Boiss.

New Granada. Ecuador, Boliv.

5643. rufaxilla, Tsch. F. P. t. 7. 2.

Peru.

1385. c. Tijuca, Less. 1829.

Chrysopteryx, Sw. 1831. Sw. C. of B. f. 221; Reich. S. A. t. 72. f. .

5644. nigra, Less. Cent. Zool. t. 6; Ermann, Reise, t. 10. 1. erythrorhynchus, Sw.; chrysoptera, Nordm.

Brazil.

Subfam. III. Lipanginæ, Sclat. 1862.

Querulinæ, p., Sw. 1837. Lipauginæ!, Sclat. Ampelinæ, p., Cab. 1847.

1386. LIPANGUS, Boie, 1828.

Lipaugus, Cab. 1847. Rhytipterna, Reich. 1850. Lipaugus, 3 div., Sclat. & S. Sw. C. of B. f. 61; G. of B. i. p. 240.

a. Lipangus.

5645. holerythrus, Sclat.

Vera Paz. S.E. Brazil.

5646. simplex, Licht.; Jurd. & S. I. O. pl. 37. calcaratus, Sw.; cinerascens, Spix.

rustica, Max.

1387. b. Laniocera, Less. 1840.
Aulea, Bp. 1853. Lathriosoma, Bp.
Auleus et Aulius, Sclat.
Aulia, Schiff.

Lipaugus, 2 div., Selat. & S. 5647. hypopyrrhus, V. sibilatrix, Max.; sanguinaria, Less.

Pernyian Andes.

5648. lateralis, G. R. Gr. & M. G. B. pl. 60. hypopyrrhus, p., Sclat.

5649. rufescens, Sclat. & S. Exot. Orn. pl. 3. typicum, Bp.

Guatemala.

1388. c. Lathria, Sw. 1831.

Poliochrus, Reich. 1850. Lipaugus, 1 div., Sclat. & S. G. of B. i. pl. 60. f 10; Reich. S. A. t. 68. f. , et t. 89. f.

5650. fuscocinereus, Lafr. unirufus, p., Cass.

New Granada.

5651. cineraceus, V.; Lev. O. Amer. t. 41. Cavenne, Peru. cinerea, Sw. Flyc. pl. 2. Amazon, Bolivia. 5652. plumbea, Licht. vociferans, Max.; cineracea, Burm. S.E. Brazil. 5653. unirufus, Sclat. & S. Exot. Orn. pl. 1. Vera Paz. 5654. subalaris, Sclat. & S. Exot. Orn. pl. 2. Rio Napo. 5655. --- ? I. of Darien. unirufus, Cass. 5656. Virussii, Natt. & Pelz. Brazil. plumbeus, Sclat.? 1389. LANIISOMA, Sw. 1831. Ptilochloris, Sw. 1837. Collurampelis, Less. 1839. G. of B. i. p. 272, pl. 66, f. 5; Reich, S. A. t. 89, f. a. Laniisoma. 5657. squamata, Max. Maq. de Zool, 1843, t. 40. Brazil. lunatus, Sw.; arcuatus, Lafr. 5658. remigialis, Lafr. ,, 5659. xanthothorax, Sclat. R. Napo. 1390. b. Нетекореима, Вр. 1853. 5660. turdinum, Max. Brazil. rufo-olivaceum, Lafr.; viridis, Less.? 5661. veræ-pacis, Sclat. Vera Paz. 5662. amazonum, Sclat. Peru. 5663. Wallacei, Sclat. & S. Lower Amazon. 5664. virescens, Max. galeata Q, Licht.; unicolor, Ménétr. 5665. flavicapillum, Sclat. Brazil. 5666. stenorhynchum, Sclat. Venezuela. 5667. rufum, Natt. & Pelz. Brazil. 5668. chrysocophalum, Pelz.

1391. *c.* ? Schiffornis, *Bp.* 1853. Heteropelma, p., *Bp.*

5669. major, Bp.; Casteln. Voy. t. 18. 2. Peruv. Andes.

5670. minor, Schiff. ---?

1392. d. Neopelma, Schat, 1862. Heteropelma, b, Schat. 5671. aurifrons, Max. Mag. de Zool. 1833, t. 13. luteocephala, Lafr.

Brazil.

1393. e. Heterocercus, Hartl. 1862.

5672. linteatus, Strickl. Contr. Orn. 1850, pl. 63.

Upper Amazon.

5673. flavivertex, Pelz.

Brazil.

linteatus, ♀,? Sclat. & S.

Subfam. IV. Gymnoderinæ, G. R. Gr. 1847.

Coracine, Sw. 1831. Coracinine, Cab. 1847. Queruline, Sw. 1837.

1394. QUERULA, V. 1816.

porphyrobrancha, Shaw.

Ampelis, Cuv. 1817. Threnædus, Glog. 1842. G. of B. i. p. 239, pl. 60. f. 11; Reich, S. A. t. 89. f.

a. QUERULA.

5674. purpurata, Mill.; P. E. 381; V. Gal. des Ois. t. 115; Lev. O. Am. & I. t. 47, 48; Sw. Flyc. pl. 1. cruenta, Bodd.; rubricollis, Gm.

Cayenne.

1395. b. Hæmatoderus, Bp. 1854.

5675. militaris, Lath.; Lev. O. Amér. t. 25, 26. purpurea, Less.; rubra, V.

27

1396. PYRODERUS, G. R. Gr. 1840.

Coracina, Sw. 1837.

Sw. C. of B. f. 237, a, b; G. of B. ii. p. 317, pl. 77. f. 2; Reich. S. A. t. 68, f.

5676. scutatus, Shaw, Mus. Lev. pl. p. 199; P. C. 40. rubricollis, V.; sanguinicollis, Licht.

S.E. Brazil.

5677. orinocensis, Lafr.; G. R. Gr. & M. G. B. pl. 77.

Venezuela.

5678. granadensis, Lafr.

New Granada.

1397. GYMNODERUS, Geoffr. 1809.

cayennensis, Geoffr.; nudus, Gm.

Coracina, V. 1816. Coronis, Glog. 1827. Gymnodera, Less. 1831.

G. of B. ii. p. 319, pl. 77. f. 1; Reich. S. A. t. 89. f. .

5679. foetidus, L.; P. E. 609; V. Gal. des Ois. t. 112. nudicollis, Bodd.; gymnodera, V.

Guiana, Brazil. Rio Negro.

1398. GYMNOCEPHALUS, Geoffr. 1809.

Clavifrons, Daud.?

Sw. C. of B, f. 237, d; G, of B, ii, p. 319, pl. 77, f. 4; Reich, S, A, t, 89, f.

5680. calvus, Gm.; P. E. 521.

Cayenne.

gymnocephala, V.; capucinus, Geoffr. cayanensis, Steph.

1399. CEPHALOPTERUS, Geoffr. 1809.

Coracina, Tem. 1820.

Sw. C. of B. f. 19, 237, e; G. of B. ii. p. 319, pl. 77, f. 3; Reich.
S. A. t. 89, f.

5631. ornatus, Geoffr. Ann. du Mus. xiii. t. 15; V. Gal. des Ois. t. 113; Schl. De Dierk. fig. p. 154; P. C. 255. cephaloptera, V.; umbellata, Steph.

Guiana, Amaz., Bolivia.

5682. penduliger, Selat. Ibis, 1859, pl. 3.

Ecuador.

5683. glabricollis, Gould, Pr. Z. S. 1850, pl. 20.

Costa Rica, Chir.

1400. CASMARHYNCHUS, Tem. 1820.

Casymorhynchus, G. R. Gr. 184? Procnias, Hoffm. 11l. 1811. Averanus, Rafing. 1815? Averano, Less. 1831. Averanos, Strickl. 1841. Eulopogon, Glog. 1842. G. of B. i. p. 280; Reich. S. A. t. 89. f.

a. Casmarhynchus.

5684. variegatus, Gm.; P. E. 51; Gal. des Ois. t. 117. Brazil.

1401. b. Arapunga, Less. 1831.

Chasmorhynchus, Glog. 1842.

Sw. C. of B. f. 222, a; G. of B. i. p. 68. f. 7; Reich. S. A. t. 89. f.

5685. nudicollis, V.; P. C. 368, 383; Spix, A. B. t. 4. S.E. Brazil. alba, Thunb.; carunculata, Spix.

5686. niveus, Bodd.; P. E. 793, 794. carunculata, Gm.

Cayenne.

5687. tricarunculatus, Verr. Ibis, 1865, pl. 3; Schl. De Dierk. Costa Rica, fig. p. 153. Veragua.

5688. ? priscus, Sclat.

Subfam. V. Piprinæ, Sw. 1837.

1402. PIPRA, Bonn. 1790, nec L. 1766.

Chiropriou, Schiff. 1854. G. of B. i. p. 273.

a. PIPRA.

5689. pareola, L.; Edw. B. pl. 261, 1; P. E. 687, 2, & 203, 2; Desm. Manak, i. 50-53; Sw. B. Braz, pl. 44, superbus, Pall.; prasinus, Sparra, plumata, Mall.; regithaloides, Licht. **1403.** b. Cercopilena, Schiff., Bp. 1854.

Chiroxiphia, p., Cab.

5690. linearis, Bp. Voy. Sulph. pl. 20. fastuosa, Less.

Nicaragua.

1404. c. Chiroxiphia, Cab. 1847.

Cheiroxiphia, Reich. 1850. Reich, S. A. t. 63, f.

5691, caudata, Shaw, Nat, Misc. pl. 153; Spix, A. B. t. 6, 1, 2. Brazil.

5692. regina, Natt. & Sclat. Cat. of B. pl. 20.

Braz., U. Amaz.

5693. melanocephala, Bp.; Hahn, Vög. t. 4. parcolides, Lafr.; lanecolata, Wagl. pareola, Hahn; caudata, Lawr. Carth., Caracc. New Gran., Trin.

5694. ignicapilla, Wagl.

Brazil.

1405.

d. ——?

Pipra, Bp. 1854.

Reich. S. A. t. 63. f. .

5695. aureola, L.; Edw. B. pl. 261.2; P. E. 343 & 302.2; Desm. Manak. t. 54-57.

Cayenne.

5696. flavicollis, Selat.

Rio Negro.

5697. fasciata, Lafr.; D'Orb. Voy. A. M. t. 30. 1.

Bolivia.

5698. aurantia, Wagl.; Edw. B. pl. 32. low. fig.

5699. heterocerca, Sclat.

R. Amazon.

1406. e. CIRRIIIPIPRA, Bp. 1850.
 Teleonema, Reich. 1850. Cirripipra, Bp. 1854.
 Reich. S. A. t. 63. f.

5700. filicauda, Spix, A. B. t. 8. 1, 2.

Rio Napo. Peru.

filifera, Less.

1407. f. Metopia, Sw. 1831. Antilophia, Reich. 1850.

Reich, S. A. t. 63. f. . 5701. galeata, Licht.; Sw. Dr. pl. 23.

Brazil,

5701. galeata, Licht.; Sw. Dr. pl. 23 Wiedii, Less.

1408. g. Masius, Bp. 1850.

Anticorys, Cab. 1859.

5702. chrysoptera, Layr.; Mag. de Zool. 1843, .44; & R. Gr. & M. G. B. pl. 67. 1.

Bogota.

5703. coronulata, Sclat. Cat. of A. B. pl. 19.

Ecuador.

1409. h. Machæropterus, Schiff., Bp. 1854.

Pipra, Sw. 1837. Sw. C. of B. f. 225

5704. striolata, Bp.; G. R. Gr. & M. G. B. pl. 67. 2. New Granada. strigilatus, Waql. 5705. pyrocephala, Sclat.; Jard. Contr. Orn. pl. 5706. deliciosa, Sclat. Ibis, 1862, pl. 6. Ecuador. 5707. regulus, Hahn, Vöq. Lief. t. 4. 1, 2; P. C. 54; Sw. B. Brazil. Braz. pl. 25. strigilata, Max.; lineata, Thunb. i. Lepidothrix, Schiff., Bp. 1854. 1410. 5708. cyaneocapilla, Waql.; Spix, A. B. t. 7. 1 et t. 8a. 1; Hahn, Vog. t. 3. 2. herbacea et coronata, Spix. cyanocephala, Bp. 5709. Isidorii, Selat.; Jard. Contr. Orn. 1852, pl. 100. 1. Bogota. 5710. Nattereri, Sclat. Pr. Z. S. 1864, pl. 39. Brazil. 5711. opalizen, Pelz. 5712, virescens, Pelz. ., 1411. j. XENOPIPO, Cab. 1847. 5713. atronitens. Cab. British Guiana. 1412. k. Dixiphia, Reich. 1850. Pithys, Boie, 1826. G. of B. i. pl. 67. f. 2; Reich. S. A. t. 63. f. 5714. leucocilla, L.; P. E. 34, 2; Desm. Manak. t. 59. Cavenne. leucocapilla, Gm. Amazon. 5715. coracina, Sclat. Bogota, Peru. leucocilla, p., Sclat. 5716. rubricapilla, Tem. P. C. 54. 3; Hahn, Vog. t. 3. Brazil, Bolivia. erythrocephala, β , L.; torquata, Gm.? erythrocephala, Licht. 5717. erythrocephala, L.; P. E. 34.1; Desm. Manak. t. 60, 61. Cavenne. auricapilla, Licht.; cristata, L.? purpurca, V. !; rubra, Müll. 5718. mentalis, Sclat. Pr. Z. S. 1856, pl. 121. Vera Paz. 5719. chloromeros, Tsch. Bolivia, Peru. 5720. cæruleocapilla, Tsch. Peru.

1413. *l.* Ceratopipra, *Bp.* 1854.

5721. cornuta, Spix, A. B. t. 7. 2. Gui., R. Negro. Ecuador.

1414. m. Corapipo, Schiff., Bp. 1854. Coropipo, Sclat. 1867.

5722. gutturalis, L.; P. E. 324. 1; Desm. Manak. t. 63, 65 Cayenne. perspicillata, Wagl.

5723. leucorrhoa, Sclat. Pr. Z. S. 1863, pl. 10.

N. Gra., C. Rica, Santa Fé.

1.415. n. Dasyncetopa, Schiff., Ep. 1854.

5724. serena, L.; P. E. 324. 2; Desm. Manak. t. 62; V. Gul. des Ois. t. 72.

Cavenne.

1416. o. Manacus, Briss. 1760.

Chiromachæris, Cab. 1847. Reich, S. A. t. 63. f.

5725. manacus, L.; P. E. 302. 1; Desm. Manak. t. 59. Edwardsii, Bp.

Guiana, Trin. Ecuador.

5726. melanocephala, Müll.; P. E. 303. 1; Desm. Manak. t. 58.

Brazil.

manacus, β , Gm.; gutturosa, Desm. manacus, Max.

5727. flaveola, Cass.; Pr. Z. S. 1852, pl. 48. flavotineta, Sclat.

New Granada.

5728. Candei, Parzud, Mag. de Zool. 1843, t. 45. Candæi, Cab. & H. Honduras.

5729. vitellina, Gould, Voy. Sulph. pl. 21.

C. America.

1417. p. Chloropipo, Cab. 1859. Piprites, p., Bp. 1854.

5730. flavicapilla, Sclat. Contr. Orn. 1852, pl. 97. 2. plumosa, Licht.; flavicollis, Cab.

Bogota.

5731. griseiceps, Salv.

Costa Rica.

1.118. q. Hemipipo, Cab. 1847.

Piprites, p., Bp. 1850. Reich. S. A. t. 63. f.

5732. chloris, Natt.; P. C. 172. 2.

Brazil, Peru.

5733. chlorion, Cab.

Cayenne, Bogo., Rio Napo.

1419. r. Piprites, Cab. 1847.

Reich. S. A. t. 63. f. .

5734. pileata, Natt.; P. C. 172.1.

Brazil.

1420. s. Neopipo, Sclat. & S. 1869.

5735. rubicunda, Sclat. & S.

E. Peru.

1421. t. METOPOTHRIX, Sclat. & S. 1866.

5736. aurantiaca, Selat. & S. Pr. Z. S. 1866, pl. 18.

Sarayacu.

1422.

u. Ilicura, Reich. 1850.

Hicura!, Bp. 1854. Reich, S. A. t. 63, f.

5737. militaris, Shaw, Natt. Misc. pl. 849; Erm. Reis. t. 9. rubrifrons, V.; oxyura, Nordm.

Brazil.

1423. v. IODOPLEURA, Less. 1839.

Iodopleurus, Parz. 1847. Reich. S. A. t. 63. f.

5738. pipra, Less. Cent. de Zool. t. 26; Des Murs, I. O. t. 71. 2; K. Vet. Akad. Handl. 1833, t. 11. 5. aurora, Sundev.; modesta, Licht.

5739. Isabellæ, Parz.; Des Murs, I. O. t. 71. 1. E. Peru. Emiliae, Des Murs; Isabellinae!, G. R. Gr. Venezucla. guttata, Less.

5740. fusca, V. Mag. de Zool. 1837, t. 68. Brazil. Laplacei, Eyd. & G. Para.

1424. w. CALYPTURA, Sw. 1831.

Calypturus, Bp. 1854. G. of B. i. p. 271, pl. 66. f. 7; Reich. S. A. t. 63. f.

5741. cristata, V.; Sw. Dr. pl. 24. Brazil. tyrannulus, (Licht.) Waql.

Subfam. VI. Rupicolinæ, Sclat. 1862.

Ampelinæ, p., Sw. 1837. Piprinæ, p., Cab. 1847. Calyptomeninæ, Bp. 1850.

1425. PHŒNICIRCUS, Sw. 1831.

Cotinga, Merr. 1786. Ampelis, p., V. 1816. Carnifex, Sundev. 1835. Phoenicercus, Strickl. 1841. Phænicocercus, Cab. 1847. Phænicocercus, Ep. 1850. Sw. C. of B. f. 224; G. of B. p. 273, pl. 67. f. 4; Reich. S. A. t. 63. f.

5742. carnifex, L.; Edw. B. pl. 39; P. E. 378; Lev. O. Amér. t. 37, 38. coccinea, Gm.; cuprea, V.

Cavenne. New Granada.

5743. nigricollis, Sw.; Spix, A. B. t. 5; Merr. Beytr. t. 2; Kittl. Kupf. Vog. t. 18. 3.

atrococcineus, Lafr.; carnifex, Spix.

Para.

Merremii, Less.; coccinea, Wagl. cuprea, Merr.

1426. RUPICOLA, Briss, 1760.

Pipra, L. 1766, & Ill. 1811. Orinus, Nitzsch, 1840. G. of B. i. p. 275, pl. 67. f. 3; Reich, S. A. t. 63. f. 5744. crocea, V.; P. E. 39. 747; Edw. B. pl. 264; Lev. Roll. t. 51, 52, 53.

Cayenne.

rupicola, L.; elegans, Steph. aurantia, V.; cayana, Sw.

5745. peruviana, Lath.; P. E. 745; Lev. Roll. t. 54. rupicola, var., Gm.; peruana, Tsch.

Bogota, Bolivia. Peru.

5746. sanguinolenta, Gould; Sclat. & S. Exot. Orn. pl. 15. saturata, Cab.

Ecuador.

Subfam. VII. Phytotominæ, Sw. 1837.

Fringillinæ, p., Bp. 1831.

1427. PHYTOTOMA, Mol. 1789.

Ptytotoma, Boie, 1826.

G. of B. ii. p. 390, pl. 94. f. 4; Reich. S. A. t. 86. f.

5747. rara, Mol.; Jard. & S. I. O. pl. 4. Bloxhami, Childr.; silens, Kittl. Molinæ, Less.; rufescens, Sw. Chili.

5748. angustirostris, Lafr.; D'Orb. Voy. A. M. t. 29, 2.

Bolivia, Peru.

5749. rutila, V.; D'Orb. Voy. A. M. t. 29. 1.

Monte Video.

FAM. XX. VIREONIDÆ, Sclat. 1862.

Ampelidæ, p., Sw. 1837. Laniadæ, p., Cab. 1847.

Subfam. I. Vireoninæ, Sw. 1837.

Muscicapinæ, p., Bp. 1831. Brachypodinæ, p., Sw. 1837. Vireoninæ, Cab. 1847.

1428. VIREO, V. 1807.

Muscicapa, V. 1807.

Sw. C. of B. f. 217, a; G. of B. i. p. 267; Baird, Rev. Am. B. fig. p. 351.

a. VIREO.

5750. noveboracensis, Gm.; V. O. A. S. t. 52; Wils. A. O. pl. 18. 6.

musicus, V.; cantatrix, Wils.

5751. **Huttoni**, Cass. Pr. Ac. Phil. 1852, pl. 1.1; Baird, B. N. A. pl. 78, 2.

California.

5752. Carmioli, Baird.

Costa Rica.

5753. atricapillus, Woodh.; Cass. Ill. pl. 24.

W. Texas.

5754, Bellii, Aud. B. A. vii. pl. 485.

U. St., W. Mex.

Arizona.

California.

E. of U. States.

C. America.

U. States.

Arizona.

b. Laniovireo, Baird, 1858.

5757. flavifrons, V. O. A. S. t. 54; Wils, A. O. pl. 7. 3.

5755. vicinior, Coues; Elliot, B. N. A. pl.

5756. pusillus, Coues; Elliot, B. N. A. pl.

Vireo, p., Auct. Vireosylvia, p., Baird. Baird, Rev. Am. B. fig. p. 346.

5758. solitarius, Wils. A. O. pl. 17. 6.

Bellii, Coop.

sylvicola, Wils.

1429.

Cassini, Xantus; Baird, B. N. A. pl. 78. 1. Mexico, Guatem., Cuba. 5759, propinguus, Baird, Coban, Guatem. 5760. plumbeus, Coues; Elliot, B. N. A. pl. Arizona, S. Rocky M., Mexico. 1430. c. Vireosylvia, Bp. 1838. Phyllomanes, Cab. 1847. Vireosylvia, G. R. Gr. 1848. Sw. C. of B. f. 217, b; G. of B. i. pl. 63. f. 7; Reich. S. A. t. 70. f. ; Baird, Rev. Am. B. fig. p. 327. 5761. calidris, L.; Edw. B. pl. 121. 2. Jamaica. ? olivacea, *L.*; *Edw. B.* pl. 253. ? virens, *Bodd.*; *P. E.* 273. 1; dominica, *Müll.* St. Domingo. ? hispaniolensis, Gm. altiloqua, V. O. A. S. t. 31. longirostris, Sw.; mystacalis, Cab. Jam., W. Indies. olivacea, Gosse; atripennis, Lawr. Porto Rico. 5762. olivacea, L.; Edw. B. pl. 253; Wils. A. O. pl. 12. 3. E. of N. Amer. virescens, V. O. A. S. t. 53? Mexico, Bogota. bogotensis, Bryant. Cuba. 5763. agilis, Licht.; Spix, A. B. t. 34. 1. C.& S.of S. Amer. Bartramii, Sw.; virescens, Cass.; chivi, p., Cab. 5764. Swainsoni, Baird; Elliot, B. N. A. pl. Pacific coast. Bartramii, p., Sw. 5765. Josephæ, Sclat. Pr. Z. S. 1859, pl. 154. Ecua, to Co. Ric. 5766. gilvus, V. O. A. S. t. 34; Wils. A. O. pl. 42. 2. U. States. melodia, Wils. 5767. barbatulus, Cab.; Cass. Ill. pl. 37. Cuba, Florida. altiloquus, Gamb. Bahamas. 5768. philadelphica, Cass. Pr. Ac. Phil. vi. pl. 1.1; Baird, B. N. A. pl. 73. 3. Philadelphia. cobanensis, Sclat. 5769. flavoviridis, Cass. Pr. Ac. Phil, vi. pl. 2. Mex., Guat., Cos. Ric., I. of Pan. 5770. chivi, 17. LaPlata to Bahia.

1431. d. VIREONELLA, Baird, 1866.

Vireo, p., Baird. Baird, Rev. Am. B. fig. p. 369.

Cuba. 5771. Gundlachi, Lemb.; Voy. Cuba, t. 5. 1.

5772. modestus, Sclat. Pr. Z. S. 1861, pl. 14. 1. Jamaica. noveboracensis, Gosse.

Porto Rico. 5773. Latimeri, Baird.

5774. pallens, Salv. W. co. of C. Am.

Guatemala. 5775. ochraceus, Salv.

5776. semiflavus, Salv. ochraceus, p. ?, Baird.

Bahamas. 5777, crassirostris, Bryant.

5778. hypochryseus, Sclat. Pr. Z. S. 1862, pl. 46. Mexico, Tres-Marias I.

e. Neochloë, Sclat. 1857. 1432. Baird, Rev. Am. B. fig. p. 371.

Orizaba. 5779. brevipennis, Sclat.

1433. f. Vireolanius, Dubus, 185? Baird, Rev. Am. B. fig. p. 395.

5780. melitophrys, Dubus; Sclat. & S. Exot. Orn. pl. 7. Jalapa. chrysophrys, Licht.

E. Peru. 5781. chlorogaster, Bp. Dubusi, Verr.

5782. pulchellus, Sclat. & S. Exot. Orn. pl. 8. Guatemala.

Cayen., R. Negro. 5783. icterophrys, Bp. E. Peru. icterocephalus!, Sclat. & Salv.

Bogota. 5784. eximius, Baird; Pr. Z. S. 1855, pl. 103. icterophrys, Sclat.

1434. q. Chlorochroa, Sclat. 1862.

___? 5785. ? vireonina, Sclat.

1435. HYLOPHILUS, Tem. 1823?

Sw. C. of B. f. 214, c, d; G. of B. i, p. 199, pl. 53, f. 6; Reich.
S. A. t. 61, f.; Baird, Rev. Am. B. fig. p. 373.

a. Hylophilus.

E. Brazil. 5786. poicilotis, Tem. P. C. 173. 2. ruficeps, Licht.; pœcilotis, Aliq.

5787. semibrunneus, Lafr. Bogota.

5788. ochraceiceps, Sclat. Cat. of A. B. pl. 5.	W.Mexico,Costa
5789. thoracicus, Tem. P. C. 173. 1.	Rica. Cayenne, Brazil.
5790. pectoralis, Sclat.	Sapatiba, Rio Am.
5791. flaveolus, Burm.	Brazil, Bahia.
5792. cinerascens, Max.	Brazil.
5793. olivaceus, Tsch.	E. Peru.
5794. frontalis, Tsch. F. P. t. 13. 1.	"
5795. leucophrys, Lafr.	
5796. flavipes, Lafr.	Bogota,
5797. castaneiceps, Verr.	
5798. ferrugineifrons, Sclat.	N. Gran., R. Neg.
5799. insularis, Sclat.	Tobago.
5800. hypoxanthus, Pelz.	Rio Icauna, R.
insularis, p., Léot.	Vaupe. Trinidad.
5801. brunneiceps, Sclat.	S.Braz.,R.Vaupe
5802. acuticaudus, <i>Lawr</i> . acuticauda, <i>Baird</i> .	Venezuela.
5803. semicinereus, Sclat. & S. Pr. Z. S. 1867, pl. 30. 2.	Lower Amazon.
5804. aurantiifrons, Lawr.	Panama.
5805. viridiflavus, Lawr.	27
5806. ? brevipennis, Giraud.	
1436. b. Pachysylvia, Bp. 1850.	

5807. **decurtatus**, *Bp*. cinereiceps, *Sclat. & S*. pusillus, *Lawr*.

Mexico, Veragua. Panama. Guatemala.

1437. CYCLARHIS, 1824,

Cychlorhis, 1827, et Cyclaris, 1837, Sw.
Laniagra, Lafr. 1837. Falcancullus, p., Sw. 1837.
Lanius, 2 div., Cw. 1817. Thamnophilus, 2 div., Tem. 1820.
Cyclorrhis, Reich. 1850. Cycloris, Ep. 1850.
Cychlaris, Bl. 1849.
Sw. C. of B. f. 200, b; G. of B. i. p. 293, pl. 71, f. 5; Reich.
S. A. t. 70, f.; Baird, Rev. Am. B. fig. p. 384.

a. Cyclarhis.

5808. guianensis, Gm. poliocephala, Tsch.	Cayenne. Ucayali.
5809. cearensis, Baird.	Brazil.
5810. flaviventris, Lafr.	Guat., S. Mexico.

5811. ochrocephala, Tsch.; Sw. Orn. Dr. pl. 58. viridis, Cab.; guianensis, Sw.

S. Brazil.

5812. flavipectus, Sclat.

5813. subflavescens, Cab.

N. Gran., Carac., Trinidad. Costa Rica.

5814. virenticeps, Sclat. Pr. Z. S. 1860, pl. 164.

5815. nigrirostris, Lafr. Mag. de Z. 1834, t. 33.

Ecuador. Bogota.

5816. viridis, V.

5817. Wiedii, Pelz.
guianensis, Max.; viridis, Baird?

Parag., La Plata, Bolivia? Brazil.

1438. b. Laletes, Sclat. 1861. Baird, Rev. Am. B. fig. p. 383.

5818. Osburnii, Sclat. Pr. Z. S. 1861, pl. 14. 2.

Jamaica.

Subfam. II. Icteriinæ.

Icterianæ, Baird, 1865.

1439. ICTERIA, V. 1807.

Peteria, Hoy, 1853.

Sw. C. of B. f. 206, b, 208, b; G. of B. i. p. 229, pl. 57. f. 10; Reich. S. A. t. 70. f.

a. Icteria.

5819. virens, L.; V. O. A. S. t. 55. viridis, Gm.; luteus, Sparrm.; polyglotta, Wils. dumicola, V. Velasquezii, Bp.?; auricollis, Licht.? E. of U. States. Guatemala. Costa Rica?

5820. longicauda, *Lawr.*; *Baird*, *B. N. A.* pl. 34. 2. viridis, p., *Cab*.

Cen.U. S. to Pac. Mexico.

1440. b. Granatellus, Dubus, 1850.

5821. venustus, Dubus, E. O. t. 44; Pr. Z. S. 1864, pl. 37. 2.

5822. Sallæi, Sclat. Pr. Z. S. 1856, pl. 120.

5823. Pelzelni, Sclat. Pr. Z. S. 1864, pl. 37. 1. Amaz., Madei.R.

5824. Francescæ, Baird.

Tres-Marias I.

S. Mexico.

1441. c. Teretistris, Cab. 1855.

5825. Fernandinæ, Lemb. Cuba, t. 5. 2. blanda, Bp. nec Licht.

5826. Fornsii, Gundl.

E, Cuba.

Cuba.

Subfam. III. Dulinæ, Sclat. 1862.

Oriolina, p., Sw.

1442. DULUS, V. 1816.

Oriolus, p., Sw.

Baird, Rev. Am. B. fig. p. 402.

5827. dominicus, L.; P. E. 156, 2; V. Gal. des Ois, t. 146. St. Domingo. palmarum, V.

FAM. XXI. LANIIDÆ, Sw. 1824.

Laniadæ, Vig. 1825.

Subfam. I. Pachycephalinæ, G. R. Gr. 1840.

Vireoninæ, p. Piprinæ, p., et Thamnophilinæ, p., Sw. 1837.

1443. COLLURICINCLA, Vig. & H. 1825.

Collurisoma, Sw. 183 ? Colluriocincla!, G. R. Gr. 1840.
 Pnigocichla, Cab. 1850. Collurioisoma, Bp. 1853.
 Sw. C. of B. f. 202; G. of B. i. p. 295, pl. 71. f. 3; Reich. S. A. t. 69. f.

a. Colluricincla.

5828. harmonica, Lath.; Jard. & S. I. O. pl. 71; Gould, B. A. ii. pl. 74.

cinerea, Vig. & H.; saturninus, Nordm. dilutus, badius et cancscens, Lath.?

5829. rufiventris, Gould, B. A. ii. pl. 75.

5830. brunnea, Gould, B. A. ii. pl. 76.

5831. Selbii, Jard. & S. I. O. pl. 32; Gould, B. A. ii. pl. 77. rectirostris, Jard.; strigata, Sw.

bouronensis, p., Cuv. 5832. ? sandwichensis, Gm. otaitensis, p., Cass.

b. Rectes, Reich, 1850.

Pitohui!, Less. 1831. Reich, S. A. t. 65. f.

5833. kirrocephala, Less. Voy. Coqu. t. 11.

5834. dichroa, Bp. bicolor, Müll,

1444.

5835. cerviniventris, G. R. Gr.

5836. uropygialis, G. R. Gr.

5837. strepitans, Jacq. & Pucher. Voy. Pôle Sud, t. 6, 1. ferruginea, Bp.

New S. Wales.

S. & W. Aust.

Port Essington.
Tasmania.

tasmama.

Sandwich I.

New Guinea.

New Guin., Aru.

Waigiou.

Mysol.

New Guinea. Aru, Mysol. 2 c 5838. leucorhyncha, G. R. Gr.

5839. ? tenebrosa, Hartl.

Waigiou.

Pelew I.

Myiolestes, Müll. 1850, nec Cab. 1847. Napothera, Tem. nec Boie. Myiophila, Fitz. 1864, nec Reich. 1850.	
5840. megarhyncha, Quoy & G. Voy. Astrol. t. 3. 1.	New Guinea.
5841. aruensis, G. R. Gr.	Aru, Mysol.
5842. rufogaster, Gould.	Albany Bay.
5843. parvula, Gould, B. A. ii. pl. 78.	N. Australia.
5844. pulverulentus, Müll.	New Guinea.
5845. affinis, G. R. Gr.	Waigiou.
5846. vitiensis, Hartl. Faun. Centralpol. t. 8. 1.	Fcejee I.
1146. CRACTICUS, V. 1816. Barita, Cuv. 1817. Sparactes, p., Ill. 1811. Vanga, Sw. 1837. Craticus, Eyton, 1842. G. of B. i. p. 300, pl. 72. f. 3; Reich. S. A. t. 71. f. a. CRACTICUS.	
5847. personatus, Tem.	New Guin., Aru,
5848. robustus, Lath.; Gould, B. A. ii. pl. 49. varius, Vig. & H.; nigrogularis, Gould.	Waig., Mysol. New S. Wales. S. Australia,
5849. picatus, Gould, B. A. ii. pl. 50.	Port Essington.
5850. Quoyi, Less. Voy. Coqu. t. 14; Gould, B. A. ii. pl. 53.	New Guin., Aru,
5851. cassicus, Bodd.; P. E. 628. varia, Gm.; Sonneratii, Less.	Mys., C. York. New Guinea.
5852. argenteus, Gould, B. A. ii. pl. 51.	N. Australia.
1.117. b. Bulestes, Cab. 1850.	
5853. torquatus , <i>Lath.</i> ; <i>Gould</i> , <i>B. A.</i> ii. pl. 52. eurvirostris, <i>Lath.</i> ; australis, <i>Steph.</i> destructor, <i>Tem.</i>	New S. Wales. S. Australia.
5854. leucopterus, Gould.	W. Australia.
5855. cinereus, Gould, Syn. B. of A. pl f.	Tasmania.
1148. OREOICA, Gould, 1837. Orececa, Aliq. G. of B. i. p. 294, pl. 71. f. 7; Reich. S. A. t. 70. f.	
5856. cristata, Lewin, B. N. H. pl. 9; Gould, B. A. ii. pl. 81. gutturalis, Vig. & H. Var.	New S. Wales. S. Australia.

1449. FALCUNCULUS, V. 1816.

Lanius, Tem. 1820.

G. of B. i. p. 293, pl. 71. f. 1; Reich. S. A. t. 70. f.

5857. frontatus, Lath.; Lew. B. N. H. pl. 26; V. Gal. des Ois. t. 137; Gould, B. A. ii. pl. 79. flavigulus, Gould; Gouldi, Cab.

New S. Wales. S. Australia.

5858. leucogaster, Gould, B. A. ii. pl. 80.

W. Australia.

1450. PARDALOTUS, V. 1816.

Sw. C. of B. f. 227; G. of B. i. p. 270, pl. 66, f. 6; Reich. S. A. t. 70, f.

a. Pardalotus.

5859. punctatus, Lath.; Shaw, Nat. Misc. pl. 111; V. Gal. des Ois. t. 73; Gould, B. A. ii pl. 35. australis, Steph.?

Australia. N. S.Wales, Tas.

5860. quadragintus, Gould, B. A. ii. pl. 36.

New S. Wales?

5861. striatus, Lath.; Shaw, Nat. Misc. pl. 174; Gould, B. A. ii, pl. 38. ornatus, Tem. P. C. 394, 1.

Australia.

5862. affinis, Gould, B. A. ii. pl. 39.

Tasmania.

5863. **xanthopygus**, M. Coy; Gould, B. A. suppl. pl. Leadbeateri, Rams.

S.E. Australia.

5864. uropygialis, Gould, B. A. ii. pl. 41.

N. Australia.

5865. melanocephalus, Gould, B. A. ii. pl. 40. 5866. rubricatus. Gould, B. A. ii. pl. 35.

New S. Wales. Austral., Tasm.

1451. b. SMICRORNIS, Gould, 1843. Reich, S. A. t. 59, f.

5867. brevirostris, Gould, B. A. ii. pl. 103.

N. S. Wales, S. & W. Australia. N. Australia.

5868. flavescens, Gould, B. A. ii. pl. 104.

c. Parmoptila, Cass. 1859.

5869. Woodhousei, Cass.

W. Africa.

1453. PACHYCEPHALA, Sw. 1826.

Timixos, p., Bl.

1452.

Sw. C. of B. f. 217, c, d; G. of B. i. p. 271, pl. 66. f. 4; Reich. S. A. t. 70. f.

а. Распусернаца.

5870. gutturalis, Lath.; Lev. O. A. t. 115; Gould, B. A. ii. pl. 64. Australia pectoralis, Lath.; dubia, Shaw, Nat. Misc. pl. 949. lunularis, Steph.; albicollis, V. fusca et fuliginosa, Vig. & H. meruloides, Bl.

5871. melanura, Gould, B. A. ii. pl. 65.

Tasmania.

ii. pl. 67. pectoralis, maculariu rubrigaste 5873. falcata 5874. Gilber inornata, 5875. simple 5876. griseic 5877. griseor 5878. rufiper	HAND-LIST OF BIRDS.	
5874. Gilber inornata, 5875. simple 5876. griseic 5877. griseor 5878. rufiper 5879. monac	Atris, Lath.; Lewin, B. N. H. pl. 8; Gould, B. A. Lewin; striata, Vig. & H. s, Quoy & G. Voy. de l'Astrol. t. 13. 1. r, V.	Australia.
inornata, 5875. simple 5876. griseic 5877. griseor 5878. rufiper 5879. monac	u, Gould, B. A. ii. pl. 68.	N. Australia.
5876. griseic 5877. griseor 5878. rufiper 5879. monac	ti, Gould, B. A. ii. pl. 71. Gould.	S. & W. Austral
5877. griseon 5878. rufiper 5879. monac	ex, Gould, B. A. ii. pl. 72.	N. Australia.
5878, rufiper 5879, monac	eps, G. R. Gr.	Aru, Mys., Wai.
5879. monac	nota, G.R. Gr.	Mysol.
	nnis, G. R. Gr.	Ké.
5880 nigrim	cha, G. R. Gr.	Aru.
	entum, G. R. Gr. Bp.; armillata, Tem. s, Licht.	Moluccas. Timor.
5881. clio, W	rall.	Sula, Bouru.
5882. callion	oe, Müll.	Timor.
5883. fulvoti	incta, Wall.	Flores.
5884. chloru	rus, G. R. Gr.	New Hebrides.
5885. vitiens optata, <i>H</i>	sis, G. R. Gr.; Faun. Centralpol. t. 8. 3.	Feejee I.
5886. orioloi Astrolabi,	des, Pucher. Voy. Pôle Sud, t. 5. 3. Bp.	Solomon I.
	des, Peale, U. S. Expl. Exped. pl. 10. 3. a, Pucher. Voy. Pôle Sud, t. 5. 1. i, Bp.	Samoan I.
5888. flavifr	ons, Peale, U. S. Expl. Exp. pl. 10. 1.	29
5889. xanth	etræa, Forst.	New Caledonia
5890. assimi	lis, Verr. & M.	,,
5891. glaucura	a, Gould, B. A. ii. pl. 65.	Tasmania.
5892. lanoïdes	s, Gould, B. A. ii. pl. 69.	N. Australia.
5893. rufogula	aris, Gould, B. A. ii. pl. 70.	S. Australia.
5894. xanthop	rocta, Gould.	Norfolk I.
5895. longiros	tris, Gould.	19
5896. ? lugubr	is, Müll.	New Guinea.
5897. ? viresce	ens, Müll.	,,

5898. maerorhyncha, Strickl. Contr. Orn. 1849, pl. albicollaris, Verr.

Amboina.

5899. xanthonemis, G. R. Gr. Amboina. 5900. rufeseens, Wall. Sula, Bouru. 5901. lineolata, Wall. 5902. mentalis, Wall, . Ternate, Batch. melanura, G. R. Gr. Gilolo. 5903. brunnea, Wall, Banda, Salwatti. 5904. albifrons, Pcale, U. S. Expl. Exped. pl. 10. 2. Samoan I. 5905. Gräffei, Hartl. Faun. Centralpol. t. 8. 2. Feejce I. 5906. morariensis, Verr. & Murs. New Caledonia. 1454. b. Psaltricephus, Bp. 1854. 5907. melanops, Pucher. Voy. Pôle Sud, t. 5, 2, Tonga I. Jacquenoti, Bp. 1455. c. Timixos, Bl. 1842. 5908. olivacea, Vig. & H.; Gould, B. A. ii. pl. 73. New S. Wal., Tas. 1456. d. Pucherania, Bp. 1854. 5909. spinicauda, Pucher. Voy. Pôle Sud, t. 6, 2, Warrior's I., Torres Straits. 1457. e. Calicalicus, Bp. 1854. Hylophorba, Sclat. 1865. Lanius, p., Poll. & V. D. 5910. madagascariensis, L.; P. E. 299. 1, 2. Madagascar. ruticilla, Sclat. Pr. Z. S. 1865, pl. 13 (♀). 1458. f. Hylocharis, Boie, 1827. Hyloterpe, 1847, et Hylocharis, 1847, Cab. Tephrodornis, p., Bl. 5911. philomela, Boie. Java, Sumatra, Arakan, Anda. griseola, Bl. 5912. orpheus, Verr.; Contr. Orn. 1849, pl. Timor. 1459. EOPSALTRIA, Sw. 1831. Eupsaltria, Aliq. Sw. C. of B. f. 218; G. of B. i. p. 272, pl. 66. f. 1; Reich. S. A. t. 70. f. . a. Eopsaltria. 5913. australis, Lath.; White, Journ. pl. p. 239; Voy. Thetis, New S. Wales. t. 41. 1.

5914. gularis, Quoy & G. Voy. Astrol. t. 10, 4. W. Australia. lencogaster, Gould, B. A. iii. pl. 13.

flavigastra, Lath.; parvula, Gould. flavicollis, Sw.; griseocapilla, V.

5915. capito, Gould, B. A. suppl. pl. E. Australia.

5916. caledonica, Gm.

olivacea, Forst.; variegata, G. R. Gr.

New Caledonia.

5917. cucullata, G. R. Gr.

New Hebrides.

5918. flavigastra, Verr. & Murs.

New Caledonia.

5919. georgiana, Quoy & G. Voy. Astrol. t. 3, 4; Gould, B. A. . iii. pl. 12, griseogularis, Gould,

5920. gambierana, Less.

Low Islands.

5921. magnirostris, Rams.

Rockingham
Bay, Australia.
Cape York distr.

5922. leucura, Gould.

5923. chrysorrhous, Gould, B. A. iii. pl. 11. australis, p., Gould.

E. of N. S. Wales, S. of Queensl.

1460. b. Chasiempis, Cab. 1847.

Chasciempis, Des Murs, 1853. Reich, S. A. t. 67, f.

5924. sandwichensis, Lath.

Sandwich I.

5925. ? maculata, Gm.

1461. c. Pheornis, Sclat. 1859.

Chasiempsis, p., Hartl. Tænioptera, p., Cass.

5926. obscura, Gm.; U. S. Expl. Exped. pl. 9. 3.

Subfam. II. Laniinæ, Sw. 1831.

Lanianæ, Sw. 1824.

1462. COLLYRIO, Moehr. 1752.

Lanius, Briss. 1760, et Ill. 1811. Falco, p., 1735, et Ampelis, p., 1748, L. Collurio, Vig. 1831.

Sw. C. of B. f. 200, a, h, i; G. of B. i. p. 290, pl. 71. f. 10; Reich. S. A. t. 69. f. ; Baird, Rev. Am. B. fig. p. 437.

a. Collyrio.

5927. excubitor, L.; P. E. 445; Naum. Vög. t. 49; Gould, B. E. pl. 66.

cincreus, Leach.

Europe.

major, Pall.

Russia.

5928. meridionalis, Tem. P. C. 143; Gould, B. E. pl. 67.

S. Europe. E. & C. Africa.

5929. excubitorius, Des Murs; Lefebvr. Voy. Abyss. t. 8. princeps, Cab.; macrocercus, De Fil.

5930. algeriensis, Less.

N. Africa.

5931. pallidirostris, Cass. E. & C. Africa. pallidus, Antin.; assimilis, Brehm. 5932. pallens, Cass. dealbatus, De Fil.; leuconotus, Brehm. 5933. Lathora, Sykes; Gr. Ill. Ind. Zool. pl. 32. 2, & 33. 3. India. burra, Gr.; excubitor, var., Lath. excubitor, Frankl.; magnirostris, Less. minor, p., Rüpp.; orbitalis, p., Hempr. & Eh. 5934. borealis, V. O. A. S. t. 50; Wils. A. O. pl. 5. 1. N. America. excubitor, Wils.; septentrionalis, Ep. 5935. ludovicianus, L.; V. O. A. S. t. 51; Wils. A. O. pl. 22. 5. South Atlantic. ardosiacus, V.: carolinensis, Wils, Gulf States. 5936. elegans, Sw.; Baird, B. N. A. pl. 75. 1. Fur-countries. 5937. pallidus, Antin. C. Africa. 5938. Aucheri, Pucher. Persia. 5939. septentrionalis, Gm. 5940. excubitorides, Sw. Faun. B.-Am. pl. 34; Baird, B. N. A. pl. 72. 2. Fur-countries. ludovicianus, p., Bp. 5941. hemilcucurus, Hartl. & F. Algiers. 1463. b. Fiscus, Bp. 1853. Lanius, p., auct. 5942. collaris, L.; P. E. 477. 1; Lev. O. A. t. 61, 62. S. Africa. 5943. subcoronatus, Smith, Ill. S. A. Z. pl. 68. collaris, var., Verr. 5944. Smithii, Fras. Zool. Typ. pl. W. Africa. 5945. fiscus, Cab. E. Africa. collaris, Rüpp.; Arnaudi, Des Murs. 5946. caudatus, Cab.; Decken, Orn. Ost-Afr. t. 5. ,, 1464. e. Leucometopon, Вр. 1853. 5947. nubicus, Licht.; P. C. 216. S.E. Europe brubru, Sibth.; personatus, Tem. leucometopon, V. d. Mühle. W. Africa,

1465. d. Laniellus, Sw. 1831 (suppressed in 1837). Crocias, Tem. Telephonus, p., Sw. Sw. C. of B. f. 200, d; Reich, S. A. t. 71, f.

. d. Mühle.

5948. leucogrammicus, Tem. P. C. 592. guttata, Tem.; albonotatus, Less.

albicollis, Würt.

E. Africa.

1466. *e.*—? Collurio, *Bp.* 1853, *nec Kaup*, 1829.

5949. **shach**, *L*. China. chinensis, *Gr*. macrourus, *Cuv*.

5950. erythronotus, Vig.; Gould, C. B. pl. 12, 2. India, Ceylon. superciliosus, Sw.; jounotus, Hodgs.

5951. caniceps, El. India. erythronotus, p., Jerd. Cashmere.

5952. pyrrhonotus, V. Gal. des Ois. t. 135. India.

5953. bentet, Horsf.; Less. Cent. Zool. t. 72. Java, Borneo.

Lower Bengal to

Himalayas.

5954. tephronotus, Vig. nipalensis et obscurior, Hodgs.
5955. nigriceps, Frankl.; G. R. Gr. & M. G. B. pl. 71; Jerd.

Ill. Ind. Orn. pl. 17.

tricolor, Hodgs.

India.

Assam, Arakan.

5956. vittatus, Dum.; Gould, C. B. pl. 12. 1. India. Hardwickii, Gr.; margaritaceus, Less.?

5957. hypoleucus, Bl. Tenasserim, collurioides, Less.? Pegu.

5958. ? nasutus, Seep.; Sonn. Voy. t. 70. Philippine I. antiguanus, Lath.; nigriceps, p., Jerd. China.
 5959. ? cephalomelas, Ep. Manilla.

nasutus, p., Wald.
5960. quadricolor, Bp. Africa!

5961. fuscatus, Less.
melanthes, Swinh.; lugubris, Hartl.

1467. f. Hypocolius, Bp. 1850.

Ceblephyris, p., Heugl.

5962. ampelinus, Bp.; Ibis, 1868, pl. 5. White Nile.
isabellina, Heugl. Massow., Abyss.

1468. g. Corvinella, *Less.* 1831. *Reich. S. A.* t. 69. f.

Reich, S. A. t. 69, f.

5963. corvinus, Shaw, Lev. O. A. t. 78.
cissoides, V.; mellivorus, Licht.

cissoides, V.; mellivorus, Licht. **1469.**h. Urolestes, Cab. 1850
Basanistes, Licht. 1842, nec Burm. 1836.
Corvinella, p., Bp.

5964. melanoleucus, Smith, Mag. de Zool. 1837, t. ; Jard & S. I. O. pl. 115. melanurus et cissoides, Lieht.
S. Africa.

1470. ENNEOCTONUS, Boie, 1826.

Collurio, Kaup, 1829.

G. of B. i. p. 291, pl. 71. f. ; Reich. S. A. t. 69. f.

5965. collurio, L.; P. E. 31. 2; Naum. Vög. t. 52; Gould, B. E. pl. 69. spinitorques, Bechst.

Europe.
Afr., Palestine.

5966. minor, Gm.

italicus, Lath.; vigil, Pall. longipennis, Bl.

Russia. Persia.

5967. somalicus, Hartl.

Somali.

1471. LANIUS, L. 1758.

Otomela, *Bp.* 1853.

a. Lanius.

5968. cristatus, L.; Edw. B. pl. 54. phonicurus, Sundev.; ferrugiceps, Hodgs. superciliosus, Jerd. India, Ceylon.

5969. phœnicurus, Pall.; Ibis, 1867, pl. 5. 2.

5970. lucionensis, L.; Eriss. Orn. ii. pl. 18. 1. phænicurus, v. Pelz.

E. Europe, Asia, Heligoland. Philippine I. China.

5971. superciliosus, Lath.; Lev. O. A. t. 66. 2. erassirostris, Licht.?

Java, Sumatra. Malay peninsula. Java.

5972. magnircstris, Less.; Ibis, 1867, pl. 6. crassirostris, Kuhl; ferox, Drap. strigatus, Eyton; tigrinus, Bl.

Upper Sindh. S.W. Afghanist.

5973. arenarius, Bl. eristatus, var. superciliosus, p., Bl. 5974. Schwaneri, Bp.

Borneo.

Malacca.

5975. Anderssoni, Strickl.

Damaraland.

5976. ieracopsis, De Fil.

5977. isabellinus, Ehr.; Ibis, 1867, pl. 5. 1.

Arab., Kordofan.

1472. b. Phoneus, Kaup, 1829.

Enneoctonus, p., Bp.

5978. senator, L.; Mus. Carls. t. 1; Naum. Vög. t. 51; Gould, B. E. pl. 70.

C. S. Europe. W. & N. Africa. Persia.

rufus, Bp.; pomeranus, Sparrm.; rufus, Bechst. nee L. rutilus, Lath.; ruficollis, Shaw; collurio, var. rufus, Gm.

W. Africa.

5979. rutilans, Tem.

superciliosus, *Licht.*; erythropterus, *Rüpp.* collurio, var. senegalensis, *Gm.* rufus, var., *Lath.*

White Nile.

5980. niloticus, Bp.

1473. c. Cephalophoneus, Fitz. 1864.

Phoneus, Bp. 1853, nec Kaup, 1829.

5981. bucephalus, Tem. & Schl. F. J. t. 14. ruficapillus, Tem.

Japan.

Subfam. III. Malaconotinæ, Cab. 1850.

1474. TEPHRODORNIS, Sw. 1831.

Tephrolamius, Bp. 1853. G. of B. i. p. 289.

a. TEPHRODORNIS.

5982. gularis, Raffl.; P. C. 256. 1. virgata, Tem.

Java. Malacea.

1475. b. Keroula, Gr. 1833-34.

Kerula, Cab. 1850. Tephrodornis, Sw. 1837. Tenthaca, 1837, et Creurgus, 1841, Hodgs. Tentheca, 1841, et Tenthera, 1847, G. R. Gr. Sw. C. of B. f. 3; G. of B. i. pl. 71. f. 6; Reich. S. A. t. 69. f. .

5983. pondiceriana, Gm.; Gr. Ill. Ind. Zool. pl. 23. 1, 2. superciliosus, Sw.; griseus, Tick. indica, Gr.; muscicapoides, Frankl. leucurus, Hodgs.; sordidus, Less. philippensis, Ind. auct.

India. Upper Burmah. Assam.

5984. affinis, Bl.

Cevlon.

1476. c. Tephrolanius, Bp.

5985. pelvica, Hodgs.

5986. sylvicola, Jerd. pelvica, p., G. R. Gr.

Nepal, Sikkim, Arakan, Burm. Malabar Coast.

1477. d. Myiolestes, Cab. 1850.

Cabanisia, Bp. 1854.

5987. obscura, Horsf.; P. C. 119. hirundinacea, Tem.

Java.

1478. e. Fraseria, Bp. 1854.

Eucnemidia, Heine, 1860.

5988. ochreata, Strickl.

W. Africa.

5989, cinerascens, Tem.

Ashanti.

1479. f. Hypodes, Cass. 1859.

Eomelpusa, Heinc, 1860. Eopsaltria, p., Cass.

5990. cinerea, Cass.

W. Africa.

S. & W. Africa.

W. Africa.

Damara.

" Rozeres ad Ni-

W. Africa.

Gaboon.

S. Africa.

1480. q. Cuphopterus, Hartl. 1866.

5991. Dohrni, Hartl.; Pr. Z. S. 1866, pl. 34. Prince's I.

1481. NILAUS, Sw. 1827.

Entomovorus, Less. 1839. Entomophagus, Agass. nec Horsf.

Sw. C. of B. f. 121; G. of B. i. p. 291, pl. 71, f. 2; Reich, S. A. t. 69. f. .

5992. brubru, Lath.; Lev. O. A. t. 71.

capensis, Shaw; frontalis, Forst. afer, p., Shaw. var. niloticus, Sundev.

1482. PRIONOPS, V. 1816.

G. of B. i. p. 292, pl. 71. f. 9; Reich. S. A. t. 70. f.

a. Prionops.

5993. plumatus, Shaw; Lev. O. A. t. 80, 81; V. Gal. des Ois.

Geoffroii, V.

5994. talacoma, Smith, I. S. A. Z. pl. 5. S. Africa.

5995. Retzii, Wahlb.

tricolor, G. R. Gr.?

5996. poliocephalus, Stanl.; Rüpp. F. A. t. 12. 2. N. Africa. cristata, Rüpp.

5997. concinnatus, Sundev.

lum." E. Africa. 5998. graculinus, Cab.; Decken, Orn. Ost-Afr. t. 3.

b. Signodus, Tem. 1850. 1483.

5999. caniceps, Tem.; Sehl. Handl. Dierk. t. 2. 17; Jurd. Contr.

Orn. 1850, pl. .

6000. rufiventris, Bp.

E. Africa. 6001. scopifrons, Peters.

1484. EUROCEPHALUS, Smith, 1836.

Chætoblemma, Sw. 1837. Eurycephalus, Agass.

Chatoblemma, Bp. 1853.

Sw. C. of B. f. 201; G. of B. i. p. 293, pl. 71. f. 4; Reich. S. A. t. 69. f. .

6002. anguitimens, Smith, I. S. A. Z. pl.

leucocephala, Sw.

6003. Rüppellii, Bp.; Rüpp. S. U. t. 27. Schoa. anguitimens, Rüpp. White Nile.

14%5. CHAUNONOTUS, G. R. Gr. 1837.

G. of B. i. p. 299, pl. 72, f. 5; Reich, S. A. t. 69, f. . . .

6004. Sabinei, G. R. Gr.; Jard. & S. I. O. pl. 28. melanoleucus. Verr.

W. Africa,

1486. VANGA, V. 1816 (suppr. in 1818).

Spasornis, Van der Hoev. 1856.

G. of B. i. p. 299, pl. 72. f. 4; Reich. S. A. t. 71. f.

a. VANGA.

6005. curvirostris, Gm.; P. E. 228. leucocephalus, V.

N., W., & E. Madagascar.

1487. b. Xenopirostris, Bp. 1850.

6006. xenopirostris, Lafr.; Rev. ct M. de Zool. 1850, t. 1. Lafresnayi, Bp.

Madagascar.

6007. Damii, Schl. & Poll. F. de Madag. t. 30. N.E. Madag. albifrons, Poll.

6008. Polleni, Schl.

1488. LANIARIUS, V. 1816.

Pelicinius, *Boie*, 1826. Malaconotus, *Cab*. 1850. *G. of B*. i. p. 298; *Reich. S. A.* t. 69. f. .

a. Laniarius.

6009. barbarus, L.; P. E. 56; Lev. O. A. t. 69; Sw. Zool. Ill. n. s. pl. 71.

S. & W. Africa.

6010. cruentus, Hempr. & Ehr.; Rüpp. Atl. t. 29; Jard. & S. I. O. pl. 30.

Abyssinia.

roseus, Jard.; erythrogaster, Cuv. cruentatus!, G. R. Gr.

6011. atrococcineus, Burch.; Sw. Zool. Ill. n. s. pl. 76.

S. Africa. Sennaar.

6012. erythrogaster, Rüpp. Wernei, Cab.

Nile.

6013. modestus, Bocage.

Benguella.

1489. b. Meristes, Bp. 1854.

6014. chloris, Valenc.

W. Africa.

Peli, Tcm.; lepidus, Cass.

6015. —, n. sp.?

Tette.

1490. c. Malaconotus, Sw. 1824.

Archolestes, Cab. 1850. Meristes, Reich. 1850. Harcolestes, Verr. 1855. Reich. S. A. t. 70. f. . * 6016. icterus, Cuv.; Lev. O. A. t. 285; V. Gal. des Ois, t. 139. S. & W. Africa. olivaceus, V.; poliocephalus, Licht. Blanchoti, Steph.; hypopyrrhus, Hartl.

W. Africa. 6017. hypopyrrhus, Verr.; Less. Cent. Zool. t. 65. cruentus, Less.

1491. d. Dryoscopus, Boie, 1826.

Hapalolophus, G. R. Gr. 1837. Hapolophus et Hapalolophus, Agass. Malaconotus, Sundev. 1835.

S. & N. Africa. 6018. cubla, Shaw; Lev. O. A. t. 72. Var. Tette.

6019. affinis, G. R. Gr. W. Afr., Zanzib. sublacteus, Verr.; Verreauxii, Cab.

6020. gambensis, Licht.; Sw. B. W. Afr. pl. 23. W. Africa. mollissimus, Sw.

6021. sublacteus, Cass. Gaboon.

6022. æthiopicus, Lath.; Rüpp. S. U. t. 23; Ferr. & Gal. Voy. en Ahyss. t. 4. Abyssinia. silens, Rüpp.

6023. orientalis, Sw. S. Africa. similis, Sw. Zanzibar.

6024. atrialatus, Cass. E. Africa. 6025. cucullatus, Tem. & Hartl. Senegal.

6026. bicolor, Verr. Gaboon.

W. Africa. 6027. angolensis, Hartl.

E. Africa. 6028. hamatus, Hartl.

6029. Turatii, Verr.; R. et M. de Z. 1858, t. 7. Senegal.

6030. guttatus, Hartl. Angola.

6031. Bojeri, Pelz. Madagascar.

6032. picatus, Hartl. Gahoon.

6033, Salimæ, Hartl. & F. Zanzibar, Tette. affinis, Hartl.

,,

E. Africa. 6034. lencopsis, Decken.

6035, thamnophilus, Deeken, Orn. Ost-Afric. t. 8.

e. Rhynchastatus, Bp. 1853. 1492.

6036. leucorhynchus, Hartl. Abh. d. naturw. Ver. in Hamb. W. Africa. ii. t. 6.

6037. carbonarius, Cass. leuchorhynchus, p.

6038. funebris, Hartl. E. Africa. N.E. Africa. 6039. lugubris, Cab.; Deeken, Orn. Ost-Afr. t. 7. f. ТСИАGRA, Less. 1831. 1493. Tschagra, G. R. Gr. 1855. 6040. boulboul, Shaw; Lev. O. A. t. 68; Rüpp. S. U. t. 23. S. Africa. cafer, Forst.; rufiventris, Sw. Natal. æthiopicus, p., Lath. ferrugineus, Sundev.? 6041. major, Hartl. Abh. d. natur. Ver. in Hamb. ii. t. 5. Ashanti. 6042. sticturus, Hartl. & F. Zambesi. maculicauda, G. R. Gr. MS. Tette. 1494. TELOPHORUS, 1831, et Telephonus, 1837, Sw. Laniarius, Boie, 1826, nee V. 1816. Sw. C. of B. f. 200, f; G. of B. i. p. 293, pl. 72. f. 1. a. Telophorus. 6043. gutturalis, Müll.; Edw. B. pl. 321; P. E. 272; Lev. O. S. Africa. A. t. 67. zevlonus!, L.; bacbakiri, Shaw, ornatus, Lieht.; collaris, Sw. 6044. viridis, V.; Lev. O. A. t. 286; Gal. des Ois. t. 143. gutturalis, Daud.; torquatus, Sw. Port Natal. 6045. quadricolor, Cass. Natal. 1495. b. Chlorophoneus, Cab. 1850. 6046. rubiginosus, Sundev.; Lev. O. A. t. 75. 2. S. Africa. oleagineus, p., Lieht. S. & W. Africa. 6047. similis, Smith, I. S. A. Z. pl. 46. aurantiopectus et sulfureopectus et affinis, Less.; chrysogas-Tette. ter, Sw. W. Africa. 6048. multicolor, G. R. Gr. & M. G. B. pl. 72. S. Africa. 6049. olivaceus. Shaw: Lev. O. A. t. 75, 1, and 76, 1. oleaginus, Lieht. W. Africa. 6050. superciliosus, Sw.

1496. c. Pomatorhynchus, Boie, 1826.

Podobes, Less. 1831. Tchagra, Less. Turdoides et Ixos, Cuv. 1817. Pomatorhynchus, Cab. 1850. Telophorus, G. R. Gr. 1847. Telophonus, p., Sw. Sw. C. of B. f. 200, e; G. of B. i, pl. 71. f; Reich, S. A. t. 69. f.

6051. cucullatus, Tem.; P. C. 297.1; Susemihl, Eur. Vög.t. 17.2. N. Africa.
 tschagra, Boie; senegalus, Licht.
 crythropterus, p., Hartl. & F.

6052. erythropterus, Shaw; P. E. 479. 1; Lev. O. A. t. 70. W. Africa. eollurio, var. melanocephalus, Gm. melanocephalus, Tem.; coronatus, V. tschagra, V.; Lev. O. A. t. 70. senegalensis, Less.

6053. trivirgatus, Smith, I. S. A. Z. pl. 94. australis, Smith.

S. & W. Africa.

6054. minutus, Hartl. Hartlaubi, G. R. Gr. MS. Ashanti.

6055. remigialis, Hartl. & F. Galtoni, G. R. Gr. MS. White Nile.

6056. senegalus, L.; Briss. Orn. ii. t. 17. 1; P. E. 477. 2. collurio, var. senegalensis, Gm. erythropterus, p., Hartl. & F.

W. Africa.

1.497. d. Psalter, Reich. 1850. Harpolestes, Cab. 1850. Sw. C. of B. f. 200, g; Reich. S. A. t. 57. f. .

6057. longirostris, Sw. tseliagra, $R\ddot{u}pp$.

E. Africa.

ERRATA AND APPENDIX.

11. chaugoun non changou.

64. infulatus non infuscatus.

85. B. M. Coll.

247. ægyptius non ægypius.

252. cayennensis non cayanensis (Lath.).

282. Sclat. & S. Exot. Orn. pl. 90; nitida, Cass.

282a. polionotus, Cab.

288. Sclat. & S. Exot. Orn. pl. 89.

288a. Nattereri, Sclat. & S. Exot. Orn. pl. 87. magnirostris, Max. & Pelz.

288b. ruficauda, Sclat. & S. Exot. Orn. pl. 88. magnirostris, Sclat. & Lawr.

316. Sclat. & S. Exot. Orn. pl. 85; Azaræ, Sclat. MS.

371. superciliosus non superciliaris.

379a. spilogastra, Heugl. troglodytes, Hartl. MS.

408. Wall. non Müll.

459. javanensis non javensis.

513. fuscescens non fulvescens.
520. B. M. Coll.

522. erase Spix, A. B. t. 10a.

531. cayennense non cayanense (Lath.).

606. longicaudus non longicaudatus.

639. B. M. Coll.

648a. inornatus, Heugl.

665. sericeo-caudatus non serico-caudatus.

680a. candicans, Natt. & Pelz. leucurus, p., V.

728. 729. } B. M. Coll.

737. cayennensis non cayanensis (Lath.).

744. = 741.

789. B. M. Coll.

794a. æthiopica, Blanf. tigrensis, Blanf. MS.; albigularis, Heugl. Costa Rica.
S.E. Brazil.

Mex., Guat.

Veragua.

N.E. Africa.

N.E. Airica.

Abyssinia.

S. Brazil.

Abyssinia.

2 D

808. B M. Coll.

821. = fusicapillus, Heugl.; velocissima, Würt.

826. = 833.

i*. WALDENIA, Sharpe, 1869. 2238.

829 is the type.

833. = 826.

837. = fulva, V. apud Sclat.

845. albilinea non albilineata.

871. = 870, apud Sclat.

907ª. crassirostris, Sclat.

916. javanicus, Horsf.; javanus, Cuv.

917. ochromalus, Raffl.; ochromelas, Reich.

c*. UROSPATHA, Salvad. 1868. 2614.

939 is the type.

967a. Bairdi, Lawr.

1036. peruana non peruviana. 1052. Rev. Zool. 1850, t. 3.

1053a, poliopis, Sclat. Pr. Z. S. 1862, pl. 8.

1089a. cyanoleuca, V.; Sharpe, Alced. pl.

senegalensis, Mont.

1090. = chelucutensis, Hartl. & F.; tschelicutensis, Haugl.

1091. = tschelicutensis, var. major, Heugl.

1092. albiventris, Scop.; Sonn. Voy. t. 31 = fusicapilla.

1093. = striolata, var., Sharpe.

1094. Sharpe, Alced. pl.

1106. incinctus non unicinctus.

1110. ♀ = 1106, apud Finsch & H.

CEYCOPSIS, Salvad. 1868. 3168.

1150a. fallax, Schl.; Sharpe, Alced. pl.

1154. asiatica, Sw. meningting, Horsf. &c.

1159. = coronatus, Smith, apud Sharpe.

1160. Sharpe, Alced. pl.

1161. An Alcyone, apud Jard. & Aliq.

1171. natalensis non coronata.

1173. Sharpe, Alced. pl.; Lecontei, p., Schl.

1176a. Lessonii, Cass. azurea, var. Lessonii, G. R. Gr.

1177. = diemensis, Cab.

1185a. Sharpii, Gould; Sharpe, Alced. pl.

1245. Pr. Z. S. 1869, pl. 18.

Solomon I.

Costa Rica.

Ecuador.

Angola.

Celebes.

New Guinea.

Aru.

Gaboon.

Abyssinia,

```
1276. G. read Gilolo.
1302. Hartl, non Newt.
1319a. fantensis, Sharpe.
                                                                 Fantec.
1361. B. M. Coll. = 1390, apud Walden.
1363. to be erased, = 1987?
1384. = 1354, apud Walden.
1390. = 1361, apud Walden.
1454a. brevirostris, Cab.
                                                                  Porto Cabello.
1733a. lyrura, Gould.
                                                                 Bahamas.
2016. = squameus, V.; Lev. O. A. t. 116.
2022. = melanodera, Quoy & G. Voy. Astrol. t. 8. 1.
2279a. arequipæ, Selat. & S.
                                                                 Bolivia.
                                                                 ---- ?
2439a. notatus, Eyton.
2473. gutturatus non gutturalis.
2488. cinnamoventris non cinnamomeoventris (Cab.).
2506a. striata, Gould.
                                                                 Cape York.
2574. Voy. Pôle Sud, t. 19. 6.
2755. Strangei non Strangeri.
2775.
2776.
       B. M. Coll.
2777.
2778.
2780.
2827. textrix non tetrix.
2833. Heugl, Orn. N. O. Afr. t. 9.
2858. B. M. Coll.
2874, cautus non cantus.
2918, abnormis non abrornis.
2941 (2841). babæcula non beaticula.
2958. = 2833, apud Hartl.
3040. B. M. Coll.
3062a. habessinica, Blanf.
                                                                 Abyssinia.
3173a. fuscicaudata, Blanf.
                                                                 Bogosland.
3181.
3225. B. M. Coll.
3246.
```

3288a. semitorquata, Heugl.

abyssinica, Blanf.

3394. flaviceps non flavifrons.

3531. Giraud, B. Texas, pl. 7. 1.

3569. maderaspatensis non maderaspatana (Bl.).

3598. = fuliginosus, Hodgs.

3647. roseaceus non rosaceus.

3767. = xanthosceles, Sclat.

3881a. subrufescens, Bocage. W. Africa.

3895. = 4003.

3918. A Hypsipetes, = 3991.

987. MEROPIXUS non MEROPIZUS.

3990, Holti non Holki.

3992a. Cantori, Moore. Tenasserim.

4016. = 4059, apud Cab.

4192^a. Delesserti, Jerd. Ill. Ind. Orn. pl. 13. Neilgherries. griseiceps, Deless.

Java.

4217a. cineraceus, Horsf.

cinerascens, Hartl.
4239. = galeata, Bodd.; drongo, Shaw.

4283, B. M. Coll.

4402^a. princeps, Sclat. & S. Veragua.
guatemalensis, Salv.

4811. grisola non griseola.

4820. = mugimaki, Tem. & S. F. J. t. 17, B; hylocharis, Swinh.; erythraca, Bl.

4870a. Finschi, Sharpe. Fantee.

5361^a. luteiventris, Sclat. Rio Napo.

5372a. megacephala, Sw. B. Bras. pl. 47. Brazil.

5515a. ochraceus, Sclat. & S. Costa Rica.

5667a. ? = 5669, apud Sclat. & S.

5691a. longicauda, V.; Kittl. Kupf. t. 18. 2. Paraguay.

5735. B. M. Coll.

5735a. cinnamomea, Lawr.; ? = 5735, apud Sclat. & S.

5806a. rubrifrons, Sclat. & S. Pr. Z. S. 1867, pl. 30. 1. Lower Amazons.

6034. ? = 6023, apud Cab.







